

附錄4.6灣域水質(自動監測系統)

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月1日	蚵殼站	0:00	21.52	50.75	33.35	8.35	6.39	5.7	21.9
		3:00	21.40	50.72	33.33	8.32	6.43	6.1	6.1
		6:00	20.69	50.12	32.89	8.38	6.63	4.7	10.4
		9:00	21.07	50.58	33.22	8.29	6.47	4.5	6.5
		12:00	21.38	50.45	33.13	8.37	6.51	13.2	9.1
		15:00	21.43	50.62	33.25	8.36	6.49	7.3	24.9
		18:00	21.42	50.73	33.33	8.41	6.51	5.7	12.0
		21:00	21.36	50.73	33.34	8.40	6.48	6.9	13.9
	日平均值		21.28	50.59	33.23	8.36	6.49	6.76	13.10
	潮口站	0:00	21.97	51.55	33.93	8.25	6.84	9.2	7.3
		3:00	22.52	51.77	34.09	8.25	6.69	5.5	1.5
		6:00	22.34	51.90	34.18	8.21	6.75	9.5	6.3
		9:00	21.64	51.75	34.08	8.23	6.89	5.0	5.8
		12:00	22.59	51.85	34.15	8.28	6.74	5.7	7.7
		15:00	23.35	51.83	34.12	8.17	6.60	4.9	0.5
		18:00	22.96	51.86	34.15	8.20	6.69	6.6	1.3
		21:00	22.08	51.71	34.05	8.24	6.85	10.4	3.3
	日平均值		22.43	51.78	34.09	8.23	6.76	7.10	4.21
	灣內站	0:00	20.50	49.66	32.66	8.36	7.93	7.6	13.9
		3:00	21.26	50.70	33.42	8.45	7.63	6.1	20.8
		6:00	21.35	50.77	33.47	8.37	7.73	7.8	13.5
		9:00	21.15	50.68	33.40	8.53	7.99	13.8	13.4
		12:00	21.70	50.63	33.36	8.49	8.23	6.7	11.8
		15:00	21.62	50.47	33.25	8.50	8.27	6.0	12.8
		18:00	21.60	50.62	33.36	8.46	8.18	6.4	15.4
		21:00	21.22	50.39	33.19	8.44	7.87	3.6	7.2
	日平均值		21.30	50.49	33.26	8.45	7.98	7.25	13.60
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月2日	蚵殼站	0:00	21.22	50.60	33.24	8.37	6.49	7.0	14.7
		3:00	21.23	50.69	33.30	8.12	6.38	5.8	6.7
		6:00	21.12	50.74	33.34	8.21	6.40	7.5	5.9
		9:00	20.82	50.46	33.14	8.29	6.48	5.3	11.1
		12:00	21.18	50.47	33.14	8.35	6.50	5.3	11.6
		15:00	21.62	50.89	33.45	8.31	6.35	6.2	9.5
		18:00	21.54	50.93	33.48	8.32	6.39	5.8	19.7
		21:00	21.41	50.83	33.40	8.36	6.43	6.2	9.6
	日平均值		21.27	50.70	33.31	8.29	6.43	6.14	11.10
	潮口站	0:00	21.81	51.60	33.97	8.22	6.92	9.6	3.7
		3:00	22.44	51.88	34.17	8.27	6.76	8.1	0.8
		6:00	22.35	51.91	34.19	8.22	6.78	9.0	0.7
		9:00	22.04	51.90	34.19	8.20	6.83	8.6	5.8
		12:00	22.08	51.81	34.12	8.24	6.87	12.6	1.9
		15:00	23.40	51.65	33.98	8.16	6.67	5.0	3.6
		18:00	23.20	51.84	34.13	8.17	6.73	4.5	3.8
		21:00	22.26	51.66	34.01	8.20	6.85	12.2	5.0
	日平均值		22.45	51.78	34.10	8.21	6.80	8.70	3.16
	灣內站	0:00	21.29	50.66	33.39	8.52	7.32	3.6	12.5
		3:00	21.13	50.61	33.35	8.56	7.58	5.5	14.1
		6:00	21.24	50.86	33.54	8.34	7.14	3.6	4.9
		9:00	21.13	50.80	33.49	8.43	7.56	6.6	14.2
		12:00	21.17	50.27	33.10	8.56	8.13	5.3	8.7
		15:00	21.45	50.49	33.27	8.50	8.11	7.2	12.5
		18:00	21.43	50.66	33.39	8.43	7.89	6.0	14.5
		21:00	21.19	50.40	33.20	8.45	7.93	7.3	13.7
	日平均值		21.25	50.59	33.34	8.47	7.71	5.64	11.89
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月3日	蚵殼站	0:00	21.25	50.73	33.34	8.35	6.44	7.1	7.6
		3:00	21.11	50.71	33.32	8.08	6.44	7.3	6.5
		6:00	20.95	50.73	33.34	8.13	6.35	4.7	5.4
		9:00	20.79	50.37	33.07	8.29	6.51	5.5	13.4
		12:00	21.11	50.54	33.20	8.30	6.44	5.2	7.5
		15:00	21.42	50.72	33.33	8.28	6.35	5.2	7.2
		18:00	21.53	50.89	33.45	8.26	6.26	4.3	7.0
		21:00	22.11	51.10	33.60	8.24	6.18	4.5	4.3
		日平均值	21.28	50.72	33.33	8.24	6.37	5.48	7.36
	潮口站	0:00	21.97	51.64	34.00	8.19	6.90	10.0	4.2
		3:00	21.70	51.63	33.99	8.20	6.96	7.9	1.7
		6:00	22.87	52.02	34.27	8.17	6.71	5.9	0.4
		9:00	22.67	51.93	34.20	8.19	6.82	10.7	2.9
		12:00	22.69	51.88	34.17	8.17	6.86	7.5	1.0
		15:00	23.43	51.38	33.78	8.17	6.78	5.3	4.3
		18:00	23.35	51.67	34.00	8.17	6.80	5.1	2.5
		21:00	22.52	51.56	33.93	8.15	6.96	8.9	9.5
		日平均值	22.65	51.71	34.04	8.18	6.85	7.66	3.31
	灣內站	0:00	20.97	50.40	33.20	8.47	7.74	5.3	12.2
		3:00	21.42	50.89	33.56	8.65	7.12	9.1	9.9
		6:00	21.05	50.81	33.50	8.32	7.02	2.8	11.3
		9:00	21.18	50.71	33.43	8.36	7.11	4.6	5.8
		12:00	21.23	50.16	33.02	8.43	7.98	5.4	14.2
		15:00	21.35	50.08	32.96	8.46	8.26	7.1	23.7
		18:00	21.19	50.48	33.26	8.45	7.90	7.4	16.5
		21:00	21.21	50.32	33.14	8.43	7.96	6.2	10.3
		日平均值	21.20	50.48	33.26	8.45	7.64	5.99	12.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月4日	蚵殼站	0:00	21.47	50.89	33.45	8.31	6.32	6.0	4.6
		3:00	21.16	50.79	33.38	8.04	6.35	5.4	4.8
		6:00	20.99	50.77	33.37	7.98	6.32	3.8	2.0
		9:00	20.61	50.23	32.97	8.24	6.52	5.4	4.7
		12:00	21.37	50.13	32.89	8.28	6.43	4.6	3.9
		15:00	22.01	50.81	33.39	8.28	6.34	4.7	8.4
		18:00	21.99	50.92	33.46	8.28	6.31	5.3	7.4
		21:00	21.99	50.94	33.48	8.23	6.28	4.7	5.1
	日平均值		21.45	50.69	33.30	8.21	6.36	4.99	5.11
	潮口站	0:00	21.87	51.52	33.91	8.20	7.05	11.6	8.5
		3:00	21.48	51.27	33.73	8.28	7.14	7.8	4.2
		6:00	22.76	51.79	34.10	8.20	6.85	5.2	0.1
		9:00	22.64	51.81	34.12	8.17	6.90	7.5	0.5
		12:00	22.88	51.76	34.07	8.18	6.90	6.9	3.4
		15:00	23.56	51.94	34.20	8.15	6.81	6.1	1.2
		18:00	23.42	52.02	34.26	8.16	6.83	5.3	0.4
		21:00	22.17	51.49	33.89	8.20	7.13	9.3	1.6
	日平均值		22.60	51.70	34.04	8.19	6.95	7.46	2.49
	灣內站	0:00	21.08	50.37	33.18	8.33	7.47	3.5	14.5
		3:00	21.11	50.68	33.41	8.69	6.92	2.2	1.8
		6:00	21.07	50.71	33.43	8.36	6.70	4.3	1.3
		9:00	21.00	50.73	33.44	8.30	6.60	3.5	3.7
		12:00	21.29	50.24	33.08	8.47	8.05	4.7	13.5
		15:00	21.60	49.80	32.75	8.45	8.12	5.1	19.8
		18:00	21.61	50.21	33.05	8.42	7.63	4.5	12.1
		21:00	21.74	50.09	32.97	8.35	7.43	5.7	8.2
	日平均值		21.31	50.35	33.16	8.42	7.37	4.19	9.36
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/L)	濁度(NTU)	葉綠素(μ g/L)
1月5日	蚵殼站	0:00	21.52	50.61	33.24	8.35	6.41	5.5	6.3
		3:00	21.21	50.20	32.94	8.24	6.53	5.2	7.4
		6:00	21.09	50.30	33.02	8.14	6.47	4.3	7.7
		9:00	20.96	50.15	32.91	8.27	6.53	4.7	5.5
		12:00	21.74	50.31	33.02	8.32	6.40	5.1	1.8
		15:00	22.32	50.56	33.20	8.25	6.20	6.4	3.0
		18:00	22.33	50.84	33.40	8.30	6.25	5.4	2.4
		21:00	22.24	50.87	33.43	8.28	6.20	3.6	1.3
		日平均值	21.68	50.48	33.15	8.27	6.37	5.03	4.43
	潮口站	0:00	22.58	51.82	34.12	8.20	6.95	19.4	0.3
		3:00	22.10	51.64	34.00	8.21	7.05	8.3	8.3
		6:00	22.60	51.65	34.00	8.18	7.01	6.4	2.1
		9:00	22.83	51.91	34.18	8.18	6.97	5.8	1.6
		12:00	23.18	51.88	34.16	8.18	6.99	6.8	0.2
		15:00	23.66	51.97	34.22	8.21	6.95	4.9	1.7
		18:00	23.41	52.01	34.25	8.14	6.98	6.1	5.6
		21:00	23.21	51.83	34.12	8.22	7.02	5.9	5.5
		日平均值	22.95	51.84	34.13	8.19	6.99	7.95	3.16
	灣內站	0:00	21.23	49.96	32.88	8.34	7.88	4.4	10.9
		3:00	20.86	50.06	32.95	8.60	7.15	4.0	6.9
		6:00	21.17	50.58	33.33	8.31	6.55	3.3	4.0
		9:00	20.96	50.42	33.22	8.25	6.67	2.1	4.9
		12:00	21.90	50.10	32.97	8.50	7.77	4.0	3.4
		15:00	22.34	49.96	32.86	8.39	8.26	5.2	12.8
		18:00	22.46	50.48	33.24	8.31	7.87	5.5	12.9
		21:00	22.92	50.93	33.57	8.27	7.14	3.5	4.1
		日平均值	21.73	50.31	33.13	8.37	7.41	4.00	7.49
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/L)	濁度(NTU)	葉綠素(μ g/L)
1月6日	蚵殼站	0:00	22.41	50.46	33.12	8.36	6.33	5.2	11.5
		3:00	21.95	50.02	32.81	8.31	6.48	4.7	6.0
		6:00	21.70	49.94	32.75	8.23	6.49	4.0	3.3
		9:00	21.78	49.86	32.69	8.30	6.46	3.6	2.1
		12:00	22.38	50.29	33.00	8.30	6.32	3.8	3.7
		15:00	22.50	50.75	33.27	8.27	8.24	2.3	6.6
		18:00	22.43	50.96	33.43	8.28	8.03	1.6	5.9
		21:00	22.40	50.99	33.45	8.31	8.38	2.6	6.0
		日平均值	22.19	50.41	33.07	8.30	7.09	3.48	5.64
	潮口站	0:00	23.04	52.00	34.25	8.13	6.97	10.9	3.0
		3:00	22.48	51.65	34.00	8.21	7.21	7.5	4.3
		6:00	22.80	51.78	34.09	8.19	7.05	5.9	0.5
		9:00	22.92	51.81	34.11	8.18	7.05	5.8	0.8
		12:00	23.21	52.56	34.66	8.33	7.13	5.1	3.0
		15:00	23.59	52.94	34.94	8.24	7.38	4.4	1.7
		18:00	23.43	52.74	34.79	8.35	7.33	3.5	4.7
		21:00	23.28	52.61	34.70	8.26	7.05	4.9	1.3
		日平均值	23.09	52.26	34.44	8.24	7.15	6.00	2.41
	灣內站	0:00	22.25	50.14	32.99	8.27	7.69	3.9	14.0
		3:00	22.04	50.43	33.21	8.58	7.34	3.8	9.1
		6:00	21.85	50.60	33.34	8.37	6.83	2.7	5.7
		9:00	21.87	50.49	33.26	8.25	6.82	3.2	3.2
		12:00	22.54	50.73	33.24	8.38	6.87	4.2	23.6
		15:00	23.23	50.71	33.03	8.26	6.34	6.3	18.3
		18:00	23.06	51.01	33.26	8.41	6.43	5.5	28.7
		21:00	22.80	50.69	33.02	8.44	6.50	4.1	12.7
		日平均值	22.46	50.60	33.17	8.37	6.85	4.21	14.41
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月7日	蚵殼站	0:00	22.28	51.00	33.46	8.29	7.99	2.0	4.1
		3:00	22.45	51.17	33.59	8.30	8.18	2.3	5.6
		6:00	22.21	50.77	33.29	8.34	8.40	2.8	6.8
		9:00	22.24	50.86	33.36	8.32	8.31	2.6	7.7
		12:00	22.52	50.86	33.35	8.33	8.70	2.9	6.9
		15:00	22.57	50.83	33.33	8.33	8.78	2.5	12.4
		18:00	22.49	50.97	33.44	8.30	8.36	2.4	7.9
		21:00	22.65	51.21	33.61	8.30	8.47	1.7	4.8
	日平均值		22.43	50.96	33.43	8.31	8.40	2.40	7.03
	潮口站	0:00	23.24	52.82	34.85	8.24	6.75	9.2	1.7
		3:00	22.89	52.42	34.57	8.25	7.21	6.8	4.2
		6:00	22.92	52.57	34.67	8.12	6.82	3.8	0.6
		9:00	23.00	52.84	34.87	7.98	6.73	6.3	1.2
		12:00	23.19	52.77	34.81	7.99	6.91	9.5	1.6
		15:00	23.28	52.88	34.90	7.94	7.09	6.1	3.3
		18:00	23.35	53.02	35.00	8.05	7.25	2.9	2.0
		21:00	23.20	52.91	34.92	8.03	7.30	7.1	1.5
	日平均值		23.13	52.78	34.82	8.08	7.01	6.46	2.01
	灣內站	0:00	22.71	51.22	33.42	8.34	6.33	4.7	11.1
		3:00	22.87	51.20	33.40	8.22	6.25	4.7	11.4
		6:00	22.73	51.56	33.67	8.21	6.14	4.7	28.5
		9:00	22.92	52.07	34.04	8.11	6.08	4.3	16.7
		12:00	23.14	52.13	34.08	8.20	6.12	4.8	15.2
		15:00	23.27	52.06	34.03	8.25	6.15	6.1	19.6
		18:00	23.24	51.37	33.52	8.34	6.40	6.2	31.9
		21:00	23.04	51.74	33.79	8.28	6.22	8.2	16.1
	日平均值		22.99	51.67	33.74	8.24	6.21	5.46	18.81
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月8日	蚵殼站	0:00	22.53	51.19	33.60	8.29	8.11	2.2	7.9
		3:00	22.39	51.17	33.58	8.28	7.62	3.0	10.7
		6:00	22.28	51.17	33.58	8.31	7.32	3.6	12.1
		9:00	22.13	51.10	33.54	8.26	6.88	3.8	8.3
		12:00	21.66	50.49	33.09	8.35	9.20	3.3	57.3
		15:00	21.94	50.60	33.17	8.36	9.94	3.3	30.1
		18:00	21.85	50.99	33.46	8.28	7.78	2.1	9.6
		21:00	21.95	51.26	33.66	8.24	6.33	2.1	3.5
	日平均值		22.09	51.00	33.46	8.30	7.90	2.93	17.44
	潮口站	0:00	23.00	53.00	34.99	8.09	7.25	6.1	4.4
		3:00	22.60	52.74	34.80	8.02	7.24	4.8	2.2
		6:00	22.43	52.86	34.90	8.12	6.98	5.1	3.4
		9:00	22.59	52.91	34.93	8.14	6.90	4.5	2.0
		12:00	22.82	52.92	34.94	8.18	7.06	2.8	4.2
		15:00	22.79	52.92	34.93	8.02	7.01	3.4	0.5
		18:00	22.81	53.09	35.06	8.24	7.21	4.4	2.4
		21:00	22.78	53.09	35.06	8.26	7.10	3.2	0.4
	日平均值		22.73	52.94	34.95	8.13	7.09	4.29	2.44
	灣內站	0:00	22.95	51.83	33.87	8.20	6.08	4.0	22.1
		3:00	22.81	51.91	33.93	7.94	6.06	4.6	16.7
		6:00	22.58	51.97	33.98	8.01	6.11	5.7	18.2
		9:00	22.52	51.90	33.93	7.88	6.15	7.7	13.4
		12:00	22.12	51.39	33.55	8.20	6.55	6.2	61.9
		15:00	22.10	50.72	33.06	8.50	7.07	9.0	109.5
		18:00	22.06	50.57	32.95	8.29	6.57	4.3	12.4
		21:00	22.07	51.05	33.30	8.21	6.35	3.6	7.2
	日平均值		22.40	51.42	33.57	8.15	6.37	5.64	32.68
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月9日	蚵殼站	0:00	21.95	51.28	33.67	8.23	6.84	2.7	6.6
		3:00	21.72	51.03	33.49	8.29	7.89	2.1	8.4
		6:00	21.50	50.98	33.45	8.31	7.36	1.7	4.8
		9:00	21.25	50.60	33.17	8.27	7.10	1.3	6.1
		12:00	21.78	50.92	33.41	8.29	7.73	1.7	7.5
		15:00	21.91	51.17	33.59	8.23	7.06	1.8	5.4
		18:00	21.90	51.21	33.62	8.21	6.69	1.8	3.6
		21:00	21.97	51.24	33.64	8.19	6.42	1.8	2.6
	日平均值		21.75	51.05	33.51	8.25	7.14	1.86	5.63
	潮口站	0:00	22.69	53.08	35.06	8.22	7.16	8.0	3.1
		3:00	21.97	52.65	34.75	8.34	7.79	3.8	2.9
		6:00	21.86	52.67	34.77	8.41	7.13	8.9	1.7
		9:00	22.50	53.02	35.01	8.29	7.06	7.0	1.0
		12:00	22.99	52.57	34.54	8.32	7.14	3.2	0.7
		15:00	22.64	52.45	34.46	8.22	7.25	4.3	0.9
		18:00	23.05	52.49	34.48	8.19	7.23	3.5	0.9
		21:00	22.96	52.49	34.48	8.21	7.13	2.1	0.1
	日平均值		22.58	52.68	34.69	8.28	7.24	5.10	1.41
	灣內站	0:00	21.94	51.09	33.33	8.32	6.52	5.4	24.4
		3:00	22.13	51.45	33.60	8.17	6.18	4.4	24.1
		6:00	22.20	51.72	33.80	7.89	5.99	5.6	28.1
		9:00	22.17	51.76	33.82	7.90	6.17	6.2	46.8
		12:00	22.29	51.48	33.62	8.27	6.63	5.0	70.1
		15:00	22.82	51.65	33.73	8.34	6.60	9.0	82.1
		18:00	22.86	51.42	33.56	8.34	6.54	6.7	36.1
		21:00	22.54	51.38	33.54	8.37	6.60	5.7	26.4
	日平均值		22.37	51.49	33.63	8.20	6.40	6.00	42.26
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月10日	蚵殼站	0:00	21.89	50.56	33.14	8.20	6.50	1.4	3.5
		3:00	21.74	51.26	33.66	8.22	6.76	2.1	4.2
		6:00	21.66	51.25	33.66	8.25	6.52	2.4	4.1
		9:00	21.64	51.25	33.66	8.21	6.40	4.3	3.9
		12:00	21.68	50.86	33.36	8.28	8.06	2.0	20.5
		15:00	21.82	51.30	33.69	8.28	7.78	4.0	8.0
		18:00	21.76	51.33	33.71	8.23	7.12	5.5	3.8
		21:00	21.69	51.41	33.77	8.24	7.22	4.8	4.8
	日平均值		21.74	51.15	33.58	8.24	7.05	3.31	6.60
	潮口站	0:00	22.55	52.44	34.46	8.23	7.07	6.3	1.0
		3:00	22.03	52.36	34.40	8.35	7.18	6.2	4.0
		6:00	21.90	52.31	34.37	8.36	6.78	10.0	0.4
		9:00	22.44	52.55	34.53	8.27	7.03	6.1	0.9
		12:00	22.92	52.59	34.56	8.35	7.31	3.6	1.4
		15:00	22.61	52.53	34.52	8.30	7.13	5.9	0.8
		18:00	22.76	52.12	34.21	8.19	7.13	3.8	1.7
		21:00	22.70	52.33	34.37	8.24	7.09	2.3	2.4
	日平均值		22.49	52.40	34.43	8.29	7.09	5.53	1.58
	灣內站	0:00	22.01	51.20	33.41	8.34	6.57	4.5	25.6
		3:00	22.18	51.45	33.59	8.25	6.32	4.1	30.1
		6:00	22.14	51.61	33.71	8.10	6.26	4.5	34.4
		9:00	22.03	51.56	33.68	7.98	6.37	5.9	26.2
		12:00	22.51	50.93	33.21	8.48	7.15	7.1	171.1
		15:00	22.60	51.08	33.32	8.48	7.00	6.5	108.7
		18:00	22.22	51.25	33.45	8.45	6.82	4.4	32.7
		21:00	22.08	51.34	33.52	8.28	6.40	7.9	38.8
	日平均值		22.22	51.30	33.49	8.30	6.61	5.61	58.45
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨ 7.5-8.5 5.0以上							

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月11日	蚵殼站	0:00	21.53	51.35	33.73	8.20	6.03	3.1	2.9
		3:00	21.20	51.01	33.48	8.29	7.71	1.8	6.9
		6:00	21.06	51.08	33.53	8.33	7.92	2.1	6.2
		9:00	21.13	51.06	33.52	8.30	7.44	1.9	6.9
		12:00	21.55	50.88	33.38	8.32	8.33	2.0	9.5
		15:00	21.59	51.14	33.57	8.32	8.44	1.8	19.1
		18:00	21.48	51.19	33.61	8.36	8.78	2.4	15.9
		21:00	21.39	51.22	33.63	8.30	7.41	2.3	13.2
	日平均值		21.37	51.12	33.56	8.30	7.76	2.18	10.08
	潮口站	0:00	22.48	52.37	34.40	8.20	7.14	5.0	4.3
		3:00	21.94	52.41	34.44	8.27	7.14	5.4	3.4
		6:00	21.63	52.29	34.35	8.28	7.44	4.8	3.4
		9:00	22.02	52.42	34.45	8.33	7.09	5.4	2.4
		12:00	22.49	52.50	34.50	8.21	7.38	3.0	2.0
		15:00	22.23	52.56	34.55	8.33	7.45	4.7	3.6
		18:00	22.42	51.95	34.09	8.32	7.39	5.6	4.2
		21:00	22.42	52.00	34.13	8.25	7.41	5.4	1.3
	日平均值		22.20	52.31	34.36	8.27	7.31	4.91	3.08
	灣內站	0:00	21.87	51.28	33.47	8.28	6.54	5.4	38.8
		3:00	21.68	51.24	33.45	8.27	6.47	4.2	42.3
		6:00	21.77	51.56	33.68	7.76	6.32	4.8	44.8
		9:00	21.64	51.39	33.56	7.89	6.45	5.2	47.2
		12:00	22.54	50.99	33.25	8.18	6.65	3.8	10.4
		15:00	22.56	50.36	32.78	8.44	6.98	6.5	68.7
		18:00	22.80	50.73	33.05	8.38	6.74	5.2	23.7
		21:00	22.32	51.03	33.28	8.47	6.85	5.8	69.3
	日平均值		22.15	51.07	33.32	8.21	6.63	5.11	43.15
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月12日	蚵殼站	0:00	21.24	51.21	33.63	8.25	6.27	1.8	7.6
		3:00	21.25	51.12	33.56	8.35	8.58	1.7	8.3
		6:00	21.44	51.14	33.57	8.38	8.71	2.0	12.2
		9:00	21.29	50.97	33.45	8.43	9.46	2.0	14.1
		12:00	21.62	50.90	33.39	8.44	10.14	2.2	20.5
		15:00	21.83	51.30	33.69	8.26	7.48	3.5	14.3
		18:00	21.78	51.06	33.51	8.37	8.83	2.2	19.8
		21:00	21.68	51.05	33.50	8.42	9.22	2.3	21.9
	日平均值		21.52	51.09	33.54	8.36	8.59	2.21	14.84
	潮口站	0:00	22.33	52.03	34.15	8.28	7.19	3.6	1.7
		3:00	21.88	52.07	34.18	8.26	7.17	7.1	2.1
		6:00	21.67	52.30	34.36	8.31	7.55	5.7	4.3
		9:00	22.11	52.36	34.40	8.35	7.39	4.2	4.0
		12:00	22.63	52.40	34.42	8.29	7.54	5.0	3.7
		15:00	22.47	52.46	34.47	8.26	7.65	6.6	1.0
		18:00	22.41	52.44	34.46	8.28	7.72	6.5	2.6
		21:00	22.48	52.48	34.48	8.29	7.55	3.2	2.1
	日平均值		22.25	52.32	34.37	8.29	7.47	5.24	2.69
	灣內站	0:00	22.15	50.75	33.08	8.45	6.79	5.7	61.2
		3:00	21.97	50.83	33.14	8.40	6.77	5.1	56.5
		6:00	21.59	50.58	32.96	8.23	6.68	5.1	53.8
		9:00	21.78	51.16	33.39	8.04	6.40	4.3	34.9
		12:00	22.35	51.40	33.56	8.28	6.70	4.8	43.9
		15:00	22.59	51.35	33.51	8.36	6.74	5.4	43.9
		18:00	22.47	51.38	33.54	8.37	6.69	7.6	31.2
		21:00	22.45	50.86	33.16	8.41	6.76	4.8	18.1
	日平均值		22.17	51.04	33.29	8.32	6.69	5.35	42.94
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月13日	蚵殼站	0:00	21.66	51.11	33.55	8.42	8.74	2.2	20.7
		3:00	21.47	50.89	33.39	8.40	9.15	2.3	29.5
		6:00	21.41	50.89	33.39	8.39	8.13	3.4	53.7
		9:00	21.44	50.95	33.44	8.40	9.26	2.5	64.3
		12:00	21.75	51.03	33.49	8.38	9.46	2.5	31.3
		15:00	22.03	51.21	33.62	8.34	8.66	2.5	27.9
		18:00	22.01	51.25	33.65	8.32	8.31	3.2	22.3
		21:00	21.78	51.18	33.60	8.28	7.51	2.7	15.5
	日平均值		21.69	51.06	33.52	8.37	8.65	2.66	33.15
	潮口站	0:00	22.54	52.42	34.44	8.30	7.44	2.9	1.4
		3:00	22.13	52.43	34.45	8.35	7.56	8.0	3.1
		6:00	21.19	51.89	34.06	8.50	8.38	2.4	7.1
		9:00	21.54	52.14	34.24	8.51	7.72	7.9	3.0
		12:00	22.57	52.48	34.48	8.22	7.42	7.4	0.0
		15:00	22.73	52.56	34.54	8.20	7.59	4.7	2.7
		18:00	22.24	52.38	34.41	8.36	7.70	5.4	2.5
		21:00	22.09	52.29	34.35	8.27	7.79	4.7	5.9
	日平均值		22.13	52.32	34.37	8.34	7.70	5.43	3.21
	灣內站	0:00	22.08	50.73	33.06	8.41	6.80	4.2	34.8
		3:00	21.87	50.79	33.11	8.37	6.66	4.2	31.8
		6:00	21.74	50.91	33.20	8.33	6.63	3.6	27.7
		9:00	21.79	50.99	33.26	8.30	6.69	3.9	32.6
		12:00	22.07	50.79	33.11	8.40	6.88	4.8	23.4
		15:00	22.33	50.85	33.15	8.50	6.89	5.3	30.0
		18:00	22.47	50.91	33.19	8.44	6.76	5.0	27.8
		21:00	22.36	51.02	33.28	8.42	6.70	4.6	24.2
	日平均值		22.09	50.87	33.17	8.40	6.75	4.45	29.04
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月14日	蚵殼站	0:00	21.70	51.30	33.69	8.26	7.20	3.7	18.7
		3:00	21.55	51.26	33.66	8.23	6.55	3.1	10.8
		6:00	21.38	51.31	33.70	8.21	6.47	3.3	8.1
		9:00	21.33	51.34	33.73	8.22	6.58	3.8	9.1
		12:00	21.77	51.40	33.76	8.30	7.80	5.0	14.9
		15:00	22.25	51.39	33.75	8.34	8.62	5.0	20.1
		18:00	22.16	51.36	33.73	8.32	8.17	4.0	16.8
		21:00	21.86	51.12	33.55	8.38	8.60	3.2	14.3
	日平均值		21.75	51.31	33.70	8.28	7.50	3.89	14.10
	潮口站	0:00	22.38	52.39	34.42	8.24	7.45	7.8	1.1
		3:00	21.99	52.38	34.41	8.26	7.41	9.1	1.1
		6:00	21.64	52.30	34.36	8.36	7.64	5.4	5.8
		9:00	21.54	52.28	34.34	8.40	7.33	6.1	8.8
		12:00	22.42	52.51	34.51	8.33	7.35	5.8	1.8
		15:00	22.64	52.56	34.54	8.29	7.55	4.2	0.4
		18:00	22.66	52.57	34.55	8.21	7.62	7.9	0.1
		21:00	22.49	52.52	34.51	8.24	7.63	9.3	0.3
	日平均值		22.22	52.44	34.46	8.29	7.50	6.95	2.43
	灣內站	0:00	22.23	51.00	33.27	8.42	6.73	5.4	28.4
		3:00	22.16	50.86	33.16	8.41	6.74	7.5	46.3
		6:00	21.96	50.91	33.20	8.41	6.68	6.3	27.7
		9:00	21.92	50.80	33.12	8.28	6.61	5.2	28.0
		12:00	22.16	50.90	33.19	8.33	6.69	6.3	23.5
		15:00	22.34	50.73	33.06	8.40	6.70	6.5	28.3
		18:00	22.38	50.71	33.04	8.39	6.67	7.9	33.2
		21:00	22.13	50.71	33.05	8.36	6.58	5.5	25.3
	日平均值		22.16	50.83	33.14	8.38	6.68	6.33	30.09
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月15日	蚵殼站	0:00	21.86	51.26	33.66	8.33	7.93	2.9	10.9
		3:00	21.80	51.32	33.70	8.30	6.87	2.2	8.9
		6:00	21.38	50.85	33.36	8.37	7.80	2.5	11.4
		9:00	21.37	50.72	33.26	8.37	7.81	3.1	10.6
		12:00	21.94	50.78	33.30	8.36	8.12	2.0	11.8
		15:00	21.97	50.98	33.45	8.35	8.44	2.2	15.1
		18:00	21.83	51.01	33.47	8.33	7.67	2.6	11.1
		21:00	21.80	50.99	33.46	8.32	7.24	2.2	10.5
	日平均值		21.74	50.99	33.46	8.34	7.74	2.46	11.29
	潮口站	0:00	22.28	52.39	34.42	8.34	7.50	5.3	1.8
		3:00	22.17	52.52	34.51	8.23	7.19	5.9	1.3
		6:00	21.85	52.30	34.36	8.38	7.68	3.5	6.7
		9:00	21.61	52.19	34.28	8.35	7.69	5.6	8.9
		12:00	22.48	52.50	34.50	8.35	7.52	11.0	3.6
		15:00	22.50	52.56	34.54	8.28	7.72	3.9	6.4
		18:00	22.07	52.30	34.36	8.40	8.08	5.9	6.1
		21:00	22.14	52.38	34.42	8.37	7.65	6.0	3.9
	日平均值		22.14	52.39	34.42	8.34	7.63	5.89	4.84
	灣內站	0:00	22.07	50.72	33.06	8.34	6.54	5.7	23.5
		3:00	21.65	50.67	33.16	8.42	6.76	5.3	19.4
		6:00	21.79	50.81	33.26	8.33	6.63	7.2	22.5
		9:00	21.84	50.57	33.08	8.22	6.58	5.3	18.6
		12:00	22.45	50.51	33.02	8.41	6.71	4.5	10.3
		15:00	22.52	50.56	33.06	8.39	6.70	8.2	21.1
		18:00	22.53	50.42	32.96	8.41	6.73	5.3	20.6
		21:00	22.32	50.36	33.05	8.44	6.86	4.5	15.9
	日平均值		22.15	50.58	33.08	8.37	6.69	5.75	18.99
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							
							7.5-8.5	5.0以上	

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月16日	蚵殼站	0:00	21.72	50.99	33.46	8.32	7.01	2.4	10.3
		3:00	21.57	50.79	33.31	8.36	7.64	2.4	10.9
		6:00	21.43	50.56	33.15	8.35	7.47	1.9	10.3
		9:00	21.42	51.17	33.60	8.31	7.00	1.8	8.2
		12:00	21.81	50.79	33.31	8.32	7.28	1.6	5.3
		15:00	21.76	51.01	33.47	8.27	6.90	2.7	7.2
		18:00	21.77	51.09	33.54	8.27	6.34	3.2	8.7
		21:00	21.68	51.06	33.52	8.25	6.01	2.8	9.1
	日平均值		21.65	50.93	33.42	8.31	6.96	2.35	8.75
	潮口站	0:00	22.04	52.31	34.36	8.32	7.53	5.6	0.3
		3:00	22.12	52.44	34.46	8.23	7.30	3.6	0.6
		6:00	21.85	52.40	34.43	8.26	7.39	5.4	4.5
		9:00	21.69	52.37	34.41	8.30	7.26	5.7	5.2
		12:00	22.27	52.47	34.48	8.34	7.60	3.0	1.2
		15:00	22.59	52.30	34.35	8.19	7.58	4.1	2.0
		18:00	22.47	52.46	34.47	8.39	7.83	5.2	3.9
		21:00	22.15	52.73	34.67	8.26	7.49	6.0	2.1
	日平均值		22.15	52.44	34.45	8.29	7.50	4.83	2.48
	灣內站	0:00	22.19	50.41	33.09	8.28	6.72	4.6	18.0
		3:00	22.13	51.17	33.65	8.12	6.46	5.1	14.7
		6:00	21.95	51.23	33.69	8.09	6.26	4.7	10.4
		9:00	21.86	51.18	33.66	8.06	6.24	4.3	11.7
		12:00	22.43	50.76	33.35	8.19	6.54	4.4	3.6
		15:00	22.42	50.42	33.09	8.32	6.69	5.2	21.3
		18:00	22.21	50.39	33.07	8.28	6.56	5.6	14.3
		21:00	22.16	50.33	33.03	8.25	6.45	4.3	14.9
	日平均值		22.17	50.74	33.33	8.20	6.49	4.78	13.61
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月17日	蚵殼站	0:00	21.56	50.92	33.41	8.27	6.39	2.2	7.5
		3:00	21.29	50.79	33.32	8.27	6.01	2.0	8.7
		6:00	21.09	50.53	33.12	8.28	6.10	2.0	8.5
		9:00	21.23	50.74	33.28	8.26	5.94	1.5	8.0
		12:00	21.56	50.54	33.13	8.29	7.23	1.6	7.6
		15:00	21.66	51.04	33.50	8.26	6.51	3.3	6.8
		18:00	21.62	51.07	33.52	8.24	6.41	2.8	6.7
		21:00	21.61	50.84	33.35	8.29	7.02	2.2	8.5
		日平均值	21.45	50.81	33.33	8.27	6.45	2.20	7.79
	潮口站	0:00	21.83	52.66	34.63	8.30	7.18	4.7	1.6
		3:00	21.73	52.48	34.50	8.32	7.38	6.7	5.8
		6:00	21.84	52.48	34.49	8.32	7.63	2.9	2.7
		9:00	21.73	52.46	34.48	8.29	7.61	4.1	4.0
		12:00	22.11	52.45	34.47	8.26	7.89	4.3	0.7
		15:00	22.52	51.89	34.05	8.20	7.59	6.1	0.6
		18:00	22.34	52.20	34.27	8.27	7.74	1.8	1.4
		21:00	22.02	52.18	34.27	8.29	7.44	9.9	0.2
		日平均值	22.02	52.35	34.40	8.28	7.56	5.06	2.13
	灣內站	0:00	22.13	50.01	32.80	7.95	6.37	3.6	13.0
		3:00	21.96	50.66	33.28	7.77	6.36	4.5	9.9
		6:00	21.34	50.31	33.11	8.02	6.65	4.3	16.6
		9:00	21.39	50.59	33.32	8.00	6.51	4.2	18.2
		12:00	22.16	50.54	33.27	8.24	6.72	4.1	11.2
		15:00	22.25	50.49	33.24	8.28	6.66	3.9	15.4
		18:00	22.29	50.37	33.15	8.34	6.72	5.7	21.3
		21:00	22.06	50.12	33.02	8.35	6.79	5.3	12.6
		日平均值	21.95	50.39	33.15	8.12	6.60	4.45	14.78
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月18日	蚵殼站	0:00	21.53	50.75	33.28	8.30	6.24	1.7	8.6
		3:00	21.38	50.83	33.35	8.30	6.18	1.9	7.3
		6:00	21.27	50.84	33.36	8.23	5.29	1.4	5.5
		9:00	21.17	50.79	33.32	8.26	6.15	1.7	6.3
		12:00	21.55	50.80	33.32	8.28	7.02	1.6	6.2
		15:00	21.51	50.88	33.38	8.25	6.73	2.1	9.4
		18:00	21.38	50.90	33.40	8.21	5.95	2.8	6.8
		21:00	21.37	50.87	33.37	8.21	6.10	2.3	7.7
	日平均值		21.40	50.83	33.35	8.26	6.21	1.94	7.23
	潮口站	0:00	21.86	52.16	34.26	8.31	7.46	5.3	2.8
		3:00	21.71	52.27	34.34	8.39	7.59	13.1	4.3
		6:00	21.78	52.38	34.42	8.27	7.54	8.6	0.6
		9:00	21.57	52.26	34.33	8.35	7.53	5.6	3.3
		12:00	21.65	52.30	34.36	8.22	7.50	7.3	2.8
		15:00	22.27	52.16	34.25	8.31	7.76	10.7	3.7
		18:00	22.17	52.07	34.18	8.20	7.68	7.4	1.9
		21:00	21.82	52.21	34.29	8.33	7.58	6.7	0.4
	日平均值		21.85	52.23	34.30	8.30	7.58	8.09	2.48
	灣內站	0:00	21.84	49.88	32.85	8.03	6.57	3.5	8.6
		3:00	21.97	50.41	33.23	7.98	6.45	5.3	15.2
		6:00	22.02	50.37	33.20	7.86	6.40	5.1	15.1
		9:00	21.58	50.36	33.26	8.18	6.70	4.7	20.0
		12:00	21.99	50.35	33.25	8.22	6.67	5.5	11.7
		15:00	22.07	50.15	33.10	8.28	6.71	8.1	10.8
		18:00	22.10	50.07	33.04	8.33	6.82	5.2	18.1
		21:00	22.00	50.30	33.15	8.32	6.82	5.0	24.8
	日平均值		21.95	50.24	33.14	8.15	6.64	5.30	15.54
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月19日	蚵殼站	0:00	21.28	50.86	33.37	8.24	6.29	2.1	6.4
		3:00	21.21	50.90	33.40	8.30	6.13	1.8	7.7
		6:00	20.94	50.58	33.16	8.26	5.85	1.7	8.7
		9:00	20.97	50.51	33.11	8.23	5.91	2.1	13.1
		12:00	20.50	49.41	32.30	8.29	7.79	2.3	20.3
		15:00	21.05	50.61	33.19	8.24	6.60	3.3	10.7
		18:00	21.11	50.95	33.44	8.24	6.26	2.2	9.0
		21:00	21.04	50.84	33.36	8.25	6.48	1.8	8.6
	日平均值		21.01	50.58	33.17	8.26	6.41	2.16	10.56
	潮口站	0:00	21.36	51.89	34.06	8.33	7.37	6.0	0.1
		3:00	21.30	51.90	34.07	8.44	7.35	7.1	3.2
		6:00	21.72	52.17	34.26	8.27	7.51	5.0	1.5
		9:00	21.61	52.20	34.28	8.33	7.51	6.9	0.2
		12:00	21.51	52.09	34.21	8.27	7.41	9.7	2.2
		15:00	21.81	52.03	34.16	8.36	7.85	4.1	1.9
		18:00	22.01	51.99	34.13	8.24	7.57	4.3	3.2
		21:00	21.66	52.02	34.16	8.29	7.61	5.6	3.9
	日平均值		21.62	52.04	34.17	8.32	7.52	6.09	2.03
	灣內站	0:00	21.76	50.10	33.00	8.24	6.77	4.9	21.3
		3:00	21.76	50.11	33.01	8.05	6.67	5.9	20.7
		6:00	21.63	49.95	32.90	8.03	6.67	5.0	21.1
		9:00	21.30	49.89	32.89	8.16	6.86	5.6	39.2
		12:00	21.39	49.60	32.68	8.33	7.07	5.5	31.5
		15:00	21.32	49.40	32.53	8.43	7.24	5.3	42.5
		18:00	21.34	49.06	32.28	8.28	6.98	3.5	17.7
		21:00	21.29	49.42	32.55	8.39	7.05	3.6	11.3
	日平均值		21.47	49.69	32.73	8.24	6.91	4.91	25.66
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月20日	蚵殼站	0:00	21.01	50.61	33.18	8.28	6.84	1.2	8.7
		3:00	20.68	50.15	32.85	8.42	8.02	1.8	12.0
		6:00	20.67	50.04	32.77	8.29	6.99	2.3	16.6
		9:00	20.76	50.23	32.91	8.30	6.96	1.4	12.5
		12:00	21.26	50.62	33.19	8.31	7.61	1.3	10.1
		15:00	21.50	51.00	33.47	8.26	7.18	1.3	11.6
		18:00	21.61	51.23	33.64	8.24	7.20	4.8	9.0
		21:00	21.47	51.19	33.61	8.22	6.70	2.5	8.4
	日平均值		21.12	50.63	33.20	8.29	7.19	2.08	11.11
	潮口站	0:00	21.20	51.65	33.89	8.44	7.54	7.2	5.1
		3:00	20.95	51.37	33.68	8.49	7.69	6.8	4.6
		6:00	21.84	51.96	34.11	8.40	7.59	8.2	0.6
		9:00	21.88	51.95	34.10	8.33	7.58	5.5	0.1
		12:00	21.30	51.27	33.60	8.27	8.07	5.1	1.4
		15:00	22.46	51.88	34.04	8.16	7.74	4.1	4.1
		18:00	22.22	51.76	33.95	8.14	7.54	3.7	2.4
		21:00	22.14	51.82	34.00	8.23	7.59	4.5	2.2
	日平均值		21.75	51.71	33.92	8.31	7.67	5.64	2.56
	灣內站	0:00	21.23	49.32	32.47	8.33	6.90	4.3	17.1
		3:00	21.25	49.11	32.61	8.03	6.67	4.8	25.3
		6:00	21.38	49.36	32.79	8.08	6.71	5.9	19.1
		9:00	21.17	48.64	32.28	8.20	6.92	7.0	82.1
		12:00	21.93	48.36	32.06	8.32	7.04	4.1	17.3
		15:00	22.23	48.13	31.89	8.42	7.16	6.2	48.8
		18:00	21.90	48.51	32.17	8.40	7.01	4.8	24.4
		21:00	21.79	48.37	32.07	8.32	6.86	3.4	15.5
	日平均值		21.61	48.73	32.29	8.26	6.91	5.06	31.20
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月21日	蚵殼站	0:00	21.32	50.69	33.24	8.32	8.42	1.9	22.2
		3:00	21.20	50.39	33.02	8.41	8.29	1.8	13.9
		6:00	21.07	50.59	33.17	8.32	7.79	1.6	14.4
		9:00	21.04	50.59	33.17	8.28	7.25	1.9	18.4
		12:00	21.39	50.68	33.38	8.28	7.55	1.9	9.7
		15:00	21.82	50.73	33.41	8.31	8.49	2.7	13.6
		18:00	21.64	50.68	33.38	8.25	8.32	3.6	10.7
		21:00	21.53	50.68	33.38	8.22	7.77	2.2	8.8
	日平均值		21.38	50.63	33.27	8.30	7.99	2.20	13.96
	潮口站	0:00	21.88	51.76	33.96	8.23	7.27	12.9	3.4
		3:00	21.62	51.42	33.71	8.33	7.49	6.4	2.8
		6:00	22.10	51.54	33.79	8.26	7.50	6.0	1.7
		9:00	22.24	51.55	33.80	8.15	7.50	4.9	1.5
		12:00	22.12	51.51	33.90	8.16	7.80	9.1	3.2
		15:00	22.54	51.62	33.97	8.15	8.15	5.3	3.3
		18:00	22.37	51.60	33.96	8.18	8.28	4.6	5.7
		21:00	22.24	51.65	34.00	8.15	8.22	6.3	3.1
	日平均值		22.14	51.58	33.89	8.20	7.78	6.94	3.09
	灣內站	0:00	21.89	47.91	31.74	8.32	6.97	5.4	22.7
		3:00	21.46	48.28	32.06	8.22	8.09	5.6	15.3
		6:00	21.60	48.40	32.32	8.12	6.61	4.8	21.0
		9:00	21.58	48.21	32.19	8.24	6.96	5.9	44.9
		12:00	21.35	50.29	33.15	8.27	6.90	2.9	16.8
		15:00	21.88	50.46	33.32	8.25	7.64	6.2	24.5
		18:00	21.77	50.62	33.49	8.32	7.89	2.7	19.8
		21:00	21.53	50.61	33.48	8.25	7.54	3.4	20.5
	日平均值		21.63	49.35	32.72	8.25	7.33	4.61	23.19
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月22日	蚵殼站	0:00	21.61	50.76	33.44	8.17	6.77	4.0	11.2
		3:00	21.08	50.33	33.13	8.33	7.95	1.5	10.2
		6:00	20.84	50.26	33.08	8.30	7.91	1.3	8.2
		9:00	20.96	50.59	33.32	8.23	7.37	2.4	6.5
		12:00	21.93	50.66	33.36	8.24	7.82	1.6	4.6
		15:00	21.65	50.61	33.36	8.28	8.63	1.8	8.6
		18:00	21.53	50.85	33.53	8.23	7.97	3.4	7.3
		21:00	21.67	51.00	33.65	8.22	7.73	3.8	9.0
	日平均值		21.41	50.63	33.36	8.25	7.77	2.48	8.20
	潮口站	0:00	21.88	51.70	34.05	8.17	8.08	10.2	4.4
		3:00	21.64	51.62	33.99	8.21	8.05	9.1	0.8
		6:00	21.63	51.72	34.06	8.24	7.92	7.3	2.3
		9:00	21.91	51.75	34.08	8.25	7.97	3.2	0.2
		12:00	22.20	51.78	34.10	8.18	7.91	8.4	0.8
		15:00	22.19	51.82	34.13	8.20	7.88	8.0	2.0
		18:00	22.28	51.92	34.20	8.19	7.86	4.7	1.6
		21:00	22.18	51.99	34.25	8.19	7.71	3.5	0.8
	日平均值		21.99	51.79	34.11	8.20	7.92	6.80	1.61
	灣內站	0:00	21.41	50.70	33.57	8.35	7.52	3.2	15.9
		3:00	21.29	50.95	33.76	8.50	6.88	3.5	22.9
		6:00	21.23	51.13	33.90	8.48	6.72	2.3	17.3
		9:00	21.20	51.15	33.91	8.26	7.09	3.6	14.6
		12:00	22.07	50.46	33.39	8.30	7.35	3.0	5.5
		15:00	22.22	50.01	33.19	8.33	8.71	4.9	30.5
		18:00	21.65	50.53	33.58	8.34	8.30	3.2	23.5
		21:00	21.67	51.71	34.45	8.15	7.49	3.0	5.7
	日平均值		21.59	50.83	33.72	8.34	7.51	3.34	16.99
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月23日	蚵殼站	0:00	21.11	50.38	33.19	8.28	8.20	2.2	9.7
		3:00	20.75	50.14	33.01	8.32	8.55	1.8	8.8
		6:00	20.63	50.10	32.99	8.37	7.98	2.3	9.5
		9:00	20.55	50.06	32.96	8.28	7.79	2.2	8.5
		12:00	20.91	50.04	32.94	8.28	8.20	1.8	6.7
		15:00	21.53	50.93	33.67	8.23	7.81	2.8	6.5
		18:00	21.47	51.09	33.79	8.21	7.54	3.5	6.8
		21:00	21.38	51.15	33.83	8.21	7.28	3.5	7.9
	日平均值		21.04	50.49	33.30	8.27	7.92	2.51	8.05
	潮口站	0:00	21.89	51.96	34.24	8.20	7.78	7.6	0.5
		3:00	21.55	51.62	33.99	8.22	7.90	7.3	9.1
		6:00	21.54	51.84	34.15	8.35	7.74	4.4	1.1
		9:00	22.33	51.89	34.18	8.25	7.58	3.4	1.8
		12:00	22.39	51.90	34.19	8.21	7.62	5.2	1.6
		15:00	22.37	51.86	34.15	8.19	7.70	8.9	4.7
		18:00	22.60	52.07	34.31	8.21	7.51	4.0	1.7
		21:00	22.82	52.14	34.36	8.19	7.46	3.1	2.9
	日平均值		22.19	51.91	34.20	8.23	7.66	5.49	2.93
	灣內站	0:00	21.50	51.80	34.52	8.04	7.05	4.5	9.5
		3:00	21.35	51.79	34.51	8.35	6.76	3.1	17.0
		6:00	20.90	51.75	34.49	8.52	6.42	4.0	18.2
		9:00	21.23	52.16	34.79	8.04	6.52	5.2	12.4
		12:00	21.71	51.64	34.40	8.12	7.48	2.2	4.0
		15:00	21.85	51.70	34.41	8.12	7.77	3.1	11.3
		18:00	21.61	51.85	34.53	8.16	7.51	4.1	14.2
		21:00	21.70	51.99	34.62	8.19	7.29	4.2	14.8
	日平均值		21.48	51.84	34.53	8.19	7.10	3.80	12.68
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月24日	蚵殼站	0:00	21.28	50.82	33.59	8.22	7.58	2.4	6.4
		3:00	20.93	50.76	33.55	8.25	8.01	2.1	7.4
		6:00	20.68	50.71	33.51	8.30	7.52	2.0	7.0
		9:00	20.66	50.75	33.55	8.26	7.49	2.2	6.3
		12:00	21.16	50.78	33.57	8.25	8.12	2.6	8.1
		15:00	21.26	50.78	33.56	8.28	8.85	3.1	11.2
		18:00	21.19	50.89	33.65	8.21	7.12	5.8	7.1
		21:00	21.16	50.94	33.68	8.21	7.32	5.9	9.6
		日平均值	21.04	50.80	33.58	8.25	7.75	3.26	7.89
	潮口站	0:00	22.36	52.10	34.33	8.19	7.47	6.3	3.4
		3:00	21.75	51.88	34.18	8.19	7.52	8.8	0.2
		6:00	21.36	51.75	34.09	8.23	7.49	7.0	4.2
		9:00	23.04	52.20	34.40	8.18	7.39	2.6	1.8
		12:00	23.52	52.24	34.42	8.20	7.37	5.4	0.5
		15:00	22.75	52.06	34.30	8.25	7.61	8.4	0.4
		18:00	23.37	51.84	34.13	8.18	7.37	2.9	2.9
		21:00	23.36	52.12	34.33	8.17	7.32	4.9	1.6
		日平均值	22.69	52.02	34.27	8.20	7.44	5.79	1.88
	灣內站	0:00	21.32	51.60	34.32	8.13	7.40	3.1	12.1
		3:00	21.27	51.74	34.42	8.05	6.96	3.2	12.8
		6:00	20.90	51.62	34.33	8.50	6.48	4.2	15.3
		9:00	21.12	51.84	34.50	8.19	6.72	2.3	13.6
		12:00	21.60	51.75	34.40	8.20	7.16	3.6	12.9
		15:00	22.06	51.89	34.50	8.18	7.66	4.6	14.8
		18:00	22.03	51.73	34.38	8.25	7.88	5.3	16.2
		21:00	21.66	51.79	34.43	8.23	7.57	4.9	12.4
		日平均值	21.50	51.75	34.41	8.22	7.23	3.90	13.76
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月25日	蚵殼站	0:00	21.16	50.99	33.72	8.22	7.35	5.1	8.5
		3:00	21.04	50.95	33.69	8.21	7.30	6.2	6.3
		6:00	20.94	50.87	33.63	8.21	6.81	4.6	7.9
		9:00	21.21	51.01	33.73	8.20	6.70	6.4	5.1
		12:00	21.32	50.81	33.58	8.18	7.37	5.6	14.1
		15:00	21.73	50.96	33.69	8.23	8.04	5.5	8.1
		18:00	21.58	51.07	33.77	8.23	7.36	5.1	9.7
		21:00	21.80	50.85	33.61	8.28	8.13	3.5	7.0
		日平均值	21.35	50.94	33.68	8.22	7.38	5.25	8.34
	潮口站	0:00	22.49	51.86	34.16	8.15	7.50	5.6	5.5
		3:00	22.14	51.89	34.18	8.21	7.46	8.7	4.3
		6:00	21.96	51.82	34.13	8.21	7.47	7.1	3.5
		9:00	23.08	52.18	34.38	8.20	7.37	8.7	1.9
		12:00	23.34	52.14	34.35	8.15	7.36	7.2	1.9
		15:00	23.42	52.10	34.31	8.14	7.44	9.4	2.2
		18:00	23.04	51.99	34.24	8.16	7.56	8.3	8.0
		21:00	23.22	52.12	34.34	8.17	7.35	8.2	1.5
		日平均值	22.84	52.01	34.26	8.17	7.44	7.90	3.60
	灣內站	0:00	21.42	51.55	34.25	8.22	7.86	3.9	18.8
		3:00	21.29	51.68	34.35	8.11	7.15	3.4	11.7
		6:00	21.27	51.76	34.41	8.26	6.28	1.4	14.3
		9:00	21.24	50.68	33.62	8.17	7.16	4.5	20.3
		12:00	21.91	51.18	33.98	8.25	7.84	2.3	18.1
		15:00	22.46	51.15	33.94	8.26	8.39	3.5	25.0
		18:00	22.49	51.30	34.05	8.23	8.22	3.8	17.1
		21:00	21.97	51.66	34.33	8.22	7.69	2.7	8.9
		日平均值	21.76	51.37	34.12	8.22	7.57	3.19	16.78
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月26日	蚵殼站	0:00	21.80	50.83	33.60	8.28	8.28	3.9	7.7
		3:00	21.69	50.81	33.58	8.29	8.39	4.2	10.0
		6:00	21.53	50.78	33.56	8.27	8.09	4.8	15.1
		9:00	21.53	50.79	33.56	8.30	8.66	5.0	17.8
		12:00	22.15	50.82	33.58	8.28	8.79	5.4	9.1
		15:00	22.01	51.00	33.72	8.28	9.00	5.1	11.0
		18:00	21.99	50.99	33.71	8.25	8.18	3.9	11.8
		21:00	22.07	50.91	33.65	8.25	8.11	3.1	10.0
	日平均值		21.85	50.87	33.62	8.28	8.44	4.43	11.56
	潮口站	0:00	23.05	52.09	34.31	8.14	7.33	6.6	1.0
		3:00	22.63	52.07	34.31	8.12	7.20	12.9	1.2
		6:00	22.05	51.60	33.97	8.28	8.02	6.3	3.1
		9:00	22.70	51.96	34.23	8.20	7.44	7.7	0.6
		12:00	23.37	52.03	34.26	8.16	7.45	9.2	3.9
		15:00	23.26	51.98	34.23	8.18	7.56	8.7	6.3
		18:00	22.95	51.91	34.18	8.14	7.61	7.6	1.9
		21:00	23.09	51.93	34.20	8.16	7.42	6.6	1.0
	日平均值		22.89	51.95	34.21	8.17	7.50	8.20	2.38
	灣內站	0:00	22.18	51.84	34.46	8.19	7.35	3.5	11.3
		3:00	22.26	52.03	34.59	8.10	6.90	2.4	5.8
		6:00	21.98	52.01	34.58	8.03	6.80	2.7	10.3
		9:00	22.04	51.85	34.42	8.19	6.83	4.8	14.2
		12:00	22.73	51.82	34.38	8.18	7.27	3.2	7.5
		15:00	22.84	51.72	34.31	8.30	8.12	5.6	37.3
		18:00	22.73	51.30	34.00	8.24	8.22	5.0	25.5
		21:00	22.77	51.48	34.13	8.18	7.72	4.0	10.6
	日平均值		22.44	51.76	34.36	8.18	7.40	3.90	15.31
甲類海域地面水體基準值		環評承諾日平均值需達標準					7.5-8.5	5.0以上	

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月27日	蚵殼站	0:00	22.07	50.42	33.29	8.22	6.63	3.1	8.9
		3:00	22.03	50.61	33.43	8.25	8.06	3.7	10.4
		6:00	21.96	50.66	33.47	8.23	7.53	3.7	14.4
		9:00	22.01	50.99	33.71	8.21	7.17	4.3	14.9
		12:00	22.43	50.92	33.65	8.24	8.10	3.7	13.6
		15:00	22.25	51.01	33.72	8.24	7.99	6.3	13.7
		18:00	22.16	51.01	33.72	8.23	8.07	4.0	14.6
		21:00	22.56	51.05	33.75	8.31	9.13	4.3	13.6
	日平均值		22.18	50.83	33.59	8.24	7.84	4.14	13.01
	潮口站	0:00	23.12	51.99	34.24	8.11	7.29	4.0	1.7
		3:00	22.92	51.90	34.18	8.15	7.44	6.7	0.1
		6:00	22.26	51.70	34.04	8.13	7.29	9.9	2.5
		9:00	23.06	51.86	34.14	8.20	7.36	4.6	0.3
		12:00	23.29	51.93	34.19	8.13	7.46	4.2	0.1
		15:00	23.37	51.94	34.20	8.12	7.51	4.5	1.9
		18:00	23.07	51.85	34.14	8.13	7.67	6.6	3.8
		21:00	22.87	51.78	34.09	8.14	7.44	6.3	2.1
	日平均值		23.00	51.87	34.15	8.14	7.43	5.85	1.56
	灣內站	0:00	22.68	51.75	34.33	8.09	7.11	2.9	13.1
		3:00	22.39	51.75	34.33	8.22	7.33	3.7	14.3
		6:00	22.35	51.70	34.30	8.11	6.91	3.7	13.2
		9:00	22.35	51.65	34.26	8.25	7.21	3.7	15.2
		12:00	22.94	51.56	34.18	8.24	7.77	2.6	16.1
		15:00	22.88	51.31	34.01	8.31	8.34	2.7	27.2
		18:00	22.87	50.96	33.75	8.24	8.12	2.1	28.8
		21:00	22.75	50.57	33.46	8.24	8.02	2.7	15.9
	日平均值		22.65	51.41	34.08	8.21	7.60	3.01	17.98
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月28日	蚵殼站	0:00	22.47	51.03	33.73	8.25	9.10	4.7	11.8
		3:00	22.39	50.95	33.68	8.27	8.37	4.5	10.6
		6:00	22.28	50.91	33.64	8.25	7.90	4.1	13.3
		9:00	22.28	50.88	33.63	8.26	8.16	4.6	19.4
		12:00	22.51	50.97	33.69	8.31	9.79	5.3	24.8
		15:00	22.52	51.17	33.83	8.22	8.27	5.2	17.5
		18:00	22.42	51.18	33.85	8.22	8.13	4.8	14.8
		21:00	22.33	51.11	33.80	8.19	6.77	4.2	12.2
	日平均值		22.40	51.03	33.73	8.25	8.31	4.68	15.55
	潮口站	0:00	23.22	51.94	34.20	8.13	7.34	6.6	0.4
		3:00	22.98	51.88	34.16	8.13	7.52	5.3	1.0
		6:00	22.65	51.73	34.06	8.13	7.46	6.0	6.0
		9:00	22.56	51.75	34.07	8.17	7.43	8.7	6.1
		12:00	23.25	51.95	34.21	8.09	7.46	5.5	0.1
		15:00	23.34	51.98	34.23	8.14	7.49	3.0	2.3
		18:00	23.20	51.92	34.19	8.12	7.63	7.6	6.4
		21:00	23.03	51.87	34.15	8.10	7.52	8.6	2.3
	日平均值		23.03	51.88	34.16	8.13	7.48	6.41	3.08
	灣內站	0:00	22.35	51.49	34.15	8.12	7.37	1.8	11.3
		3:00	22.34	51.58	34.21	8.01	7.11	1.9	10.7
		6:00	22.29	51.58	34.21	7.99	6.56	2.4	11.2
		9:00	22.02	51.00	33.79	8.22	7.72	1.9	20.2
		12:00	22.60	50.61	33.50	8.40	8.33	2.3	21.8
		15:00	22.60	50.59	33.48	8.21	8.37	3.9	27.6
		18:00	22.53	51.23	33.95	8.20	8.33	3.6	24.6
		21:00	22.48	50.24	33.23	8.28	8.51	2.6	22.2
	日平均值		22.40	51.04	33.82	8.18	7.79	2.55	18.70
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月29日	蚵殼站	0:00	22.23	51.10	33.78	8.21	7.14	3.2	15.2
		3:00	22.08	50.07	33.03	8.30	8.70	4.0	17.6
		6:00	22.00	50.87	33.62	8.25	7.07	4.6	15.1
		9:00	22.02	51.02	33.73	8.24	7.76	4.9	10.9
		12:00	22.70	50.84	33.59	8.29	9.28	4.7	16.2
		15:00	22.46	50.93	33.66	8.26	8.65	5.2	15.9
		18:00	22.23	51.05	33.75	8.22	7.40	7.3	18.8
		21:00	22.22	51.10	33.79	8.27	7.89	6.7	19.2
		日平均值	22.24	50.87	33.62	8.26	7.99	5.08	16.11
	潮口站	0:00	23.09	51.79	34.09	8.14	7.46	5.1	0.9
		3:00	22.89	51.88	34.16	8.13	7.48	3.5	0.7
		6:00	22.79	51.88	34.17	8.13	7.52	4.4	1.7
		9:00	22.72	51.86	34.15	8.13	7.57	39.3	1.8
		12:00	23.61	51.96	34.21	8.13	7.46	5.3	3.3
		15:00	23.60	51.92	34.18	8.13	7.56	7.1	1.1
		18:00	23.34	51.93	34.19	8.14	7.71	6.8	2.3
		21:00	23.17	51.93	34.20	8.10	7.55	11.0	0.9
		日平均值	23.15	51.89	34.17	8.13	7.54	10.31	1.59
	灣內站	0:00	22.47	50.46	33.39	8.26	7.95	2.2	12.5
		3:00	22.34	50.12	33.14	8.25	7.96	2.5	17.1
		6:00	22.32	50.64	33.52	8.15	7.27	4.2	35.3
		9:00	22.25	51.72	34.31	8.20	7.52	5.1	32.1
		12:00	22.76	51.69	34.28	8.23	7.98	2.3	13.3
		15:00	22.82	50.64	33.51	8.20	8.22	2.6	18.5
		18:00	22.81	50.78	33.62	8.21	8.09	1.9	22.3
		21:00	22.83	50.04	33.08	8.28	8.39	1.7	16.8
		日平均值	22.58	50.76	33.61	8.22	7.92	2.81	20.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月30日	蚵殼站	0:00	22.21	51.48	34.07	8.27	8.25	5.6	17.2
		3:00	22.09	50.34	33.23	8.23	7.18	5.8	15.9
		6:00	21.88	50.47	33.33	8.26	7.53	5.1	17.0
		9:00	21.90	49.72	32.78	8.29	8.41	4.9	15.7
		12:00	22.83	51.29	33.92	8.33	9.41	9.0	13.8
		15:00	22.79	50.69	33.48	8.29	9.66	6.7	19.7
		18:00	22.58	51.61	34.16	8.25	8.27	4.8	17.6
		21:00	22.31	51.30	33.93	8.30	8.36	5.6	20.3
	日平均值		22.32	50.86	33.61	8.28	8.38	5.94	17.15
	潮口站	0:00	22.83	51.80	34.11	8.14	7.76	5.8	8.2
		3:00	23.08	51.92	34.19	8.16	7.53	3.4	3.8
		6:00	22.91	51.92	34.20	8.11	7.52	4.2	4.3
		9:00	22.73	51.92	34.20	8.15	7.60	52.1	3.7
		12:00	23.28	51.98	34.23	8.17	7.56	5.9	1.6
		15:00	23.70	51.83	34.11	8.08	7.50	4.0	0.9
		18:00	23.39	51.71	34.03	8.11	7.62	8.3	4.3
		21:00	23.12	51.93	34.19	8.12	7.70	11.1	4.7
	日平均值		23.13	51.88	34.16	8.13	7.60	11.85	3.94
	灣內站	0:00	22.62	51.81	34.38	8.25	7.66	3.8	18.2
		3:00	22.48	51.79	34.36	8.23	7.53	7.9	21.8
		6:00	22.30	51.78	34.36	8.21	7.19	4.1	21.1
		9:00	22.04	51.47	34.14	8.28	7.77	5.8	32.3
		12:00	22.83	51.08	33.84	8.29	7.70	3.6	15.0
		15:00	23.03	51.04	33.80	8.26	8.44	2.5	20.8
		18:00	23.14	49.72	32.83	8.40	9.18	3.4	37.4
		21:00	22.55	49.40	32.61	8.28	8.59	4.0	35.0
	日平均值		22.62	51.01	33.79	8.28	8.01	4.39	25.20
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月31日	蚵殼站	0:00	22.14	51.06	33.76	8.38	9.56	6.8	23.2
		3:00	22.05	51.03	33.74	8.36	8.36	6.4	19.1
		6:00	21.68	50.06	33.02	8.34	8.26	5.6	33.8
		9:00	21.94	50.28	33.18	8.35	8.57	4.6	28.4
		12:00	22.49	50.57	33.39	8.40	10.46	5.1	31.8
		15:00	22.39	51.47	34.06	8.36	9.78	4.7	28.4
		18:00	22.26	51.09	33.73	8.29	8.51	5.7	24.8
		21:00	22.18	50.70	33.44	8.33	8.37	6.5	27.9
		日平均值	22.14	50.78	33.54	8.35	8.98	5.68	27.18
	潮口站	0:00	22.76	51.75	34.07	8.16	7.75	7.8	5.5
		3:00	22.80	51.79	34.09	8.17	7.51	7.4	1.9
		6:00	22.91	51.91	34.18	8.14	7.48	8.2	2.3
		9:00	22.71	51.93	34.20	8.13	7.48	7.2	2.1
		12:00	22.96	51.92	34.19	8.16	7.66	6.0	2.0
		15:00	23.63	51.70	34.01	8.12	7.57	6.9	3.3
		18:00	23.49	51.87	34.15	8.11	7.55	3.7	4.8
		21:00	22.94	51.88	34.16	8.18	7.99	8.8	7.1
		日平均值	23.03	51.84	34.13	8.15	7.62	7.00	3.63
	灣內站	0:00	22.52	50.57	33.47	8.54	8.05	3.9	32.6
		3:00	22.43	51.37	34.06	8.46	7.65	4.9	21.4
		6:00	22.22	50.69	33.56	8.33	7.35	7.2	27.2
		9:00	22.15	51.90	34.45	8.22	7.15	3.6	21.4
		12:00	22.84	49.36	32.58	8.36	8.93	4.4	21.7
		15:00	23.03	49.94	33.00	8.37	9.09	5.3	33.3
		18:00	22.93	50.91	33.71	8.25	8.07	4.4	15.4
		21:00	22.83	50.85	33.67	8.26	7.90	3.5	13.9
		日平均值	22.62	50.70	33.56	8.35	8.02	4.65	23.36
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨7.5-8.55.0以上							

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月1日	蚵殼站	0:00	22.07	50.63	33.39	8.30	8.11	6.7	29.8
		3:00	21.85	49.32	32.43	8.49	9.24	7.5	47.3
		6:00	21.83	49.84	32.81	8.42	8.82	6.3	40.5
		9:00	21.40	48.60	31.91	8.41	9.14	6.0	58.3
		12:00	22.38	49.69	32.69	8.41	10.10	6.1	33.5
		15:00	22.50	50.46	33.26	8.33	8.83	6.7	41.5
		18:00	22.39	50.97	33.64	8.27	7.49	6.9	38.0
		21:00	22.30	51.34	33.91	8.27	7.44	6.1	37.1
	日平均值		22.09	50.11	33.01	8.36	8.65	6.54	40.75
	潮口站	0:00	22.80	51.84	34.14	8.14	7.81	7.6	9.6
		3:00	22.54	51.80	34.11	8.14	7.45	12.1	5.4
		6:00	22.84	51.90	34.18	8.13	7.41	5.4	2.9
		9:00	22.90	51.94	34.20	8.14	7.61	5.5	1.2
		12:00	22.89	51.90	34.18	8.13	7.67	6.3	5.0
		15:00	23.61	51.70	34.02	8.11	7.66	5.0	4.5
		18:00	23.46	51.71	34.03	8.12	7.55	4.6	1.5
		21:00	23.06	51.79	34.09	8.14	7.78	9.7	2.2
	日平均值		23.01	51.82	34.12	8.13	7.62	7.03	4.04
	灣內站	0:00	22.44	51.22	33.94	8.29	7.71	3.9	22.9
		3:00	22.05	50.11	33.14	8.57	7.32	4.4	23.9
		6:00	22.17	51.27	33.99	8.39	7.60	4.5	23.6
		9:00	22.19	51.44	34.11	8.28	7.82	3.6	17.8
		12:00	22.70	49.68	32.81	8.40	9.24	16.7	32.9
		15:00	23.03	50.36	33.31	8.39	8.95	5.1	37.9
		18:00	22.75	50.33	33.29	8.34	8.14	6.6	16.4
		21:00	22.66	50.47	33.39	8.33	8.04	10.5	18.4
	日平均值		22.50	50.61	33.50	8.37	8.10	6.91	24.23
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月2日	蚵殼站	0:00	22.40	51.20	33.80	8.40	9.21	7.1	38.6
		3:00	22.07	50.80	33.51	8.45	8.71	4.6	34.8
		6:00	21.89	50.44	33.25	8.42	8.10	6.2	39.4
		9:00	22.00	49.33	32.44	8.43	8.98	6.1	37.8
		12:00	22.67	49.84	32.80	8.40	9.35	5.9	40.2
		15:00	22.49	51.10	33.73	8.34	8.56	7.1	53.1
		18:00	22.32	51.16	33.78	8.31	7.51	8.4	59.5
		21:00	22.21	51.30	33.88	8.32	7.47	5.8	53.1
	日平均值		22.26	50.65	33.40	8.38	8.49	6.40	44.56
	潮口站	0:00	22.84	51.67	34.01	8.13	7.70	8.5	7.8
		3:00	22.48	51.60	33.96	8.18	7.60	9.8	4.5
		6:00	22.76	51.77	34.08	8.13	7.39	5.4	1.0
		9:00	22.58	51.84	34.14	8.17	7.53	6.8	1.0
		12:00	22.96	51.76	34.07	8.17	7.95	7.3	1.3
		15:00	23.57	51.89	34.16	8.15	7.82	5.1	3.2
		18:00	23.42	51.48	33.86	8.09	7.63	4.0	1.5
		21:00	23.09	51.79	34.09	8.12	7.76	8.7	2.3
	日平均值		22.96	51.73	34.05	8.14	7.67	6.95	2.83
	灣內站	0:00	22.41	49.82	32.92	8.30	7.67	4.1	13.9
		3:00	22.29	50.51	33.43	8.72	7.50	4.6	16.8
		6:00	22.10	50.42	33.36	8.38	7.13	14.1	16.3
		9:00	22.11	50.99	33.78	8.48	8.25	4.9	30.7
		12:00	23.15	49.01	32.31	8.47	8.94	5.7	14.7
		15:00	22.97	51.15	33.89	8.43	8.58	3.5	19.8
		18:00	22.70	51.05	33.81	8.36	8.40	4.2	18.5
		21:00	22.55	51.46	34.12	8.31	7.96	5.8	9.9
	日平均值		22.54	50.55	33.45	8.43	8.05	5.86	17.58
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月3日	蚵殼站	0:00	22.38	51.05	33.70	8.36	8.32	6.9	62.4
		3:00	22.18	51.24	33.84	8.47	8.37	6.9	63.4
		6:00	21.97	51.32	33.90	8.35	7.49	9.5	64.8
		9:00	21.93	50.18	33.06	8.39	7.72	6.3	65.9
		12:00	22.80	50.33	33.16	8.44	10.01	8.4	65.7
		15:00	22.45	51.28	33.86	8.35	8.54	11.6	107.7
		18:00	22.38	51.39	33.95	8.32	8.24	10.0	119.0
		21:00	22.19	51.04	33.69	8.38	8.21	18.0	82.0
		日平均值	22.29	50.98	33.65	8.38	8.36	9.70	78.86
	潮口站	0:00	22.78	51.69	34.02	8.13	7.75	8.1	4.2
		3:00	22.61	51.59	33.95	8.23	7.92	9.6	7.3
		6:00	22.64	51.74	34.06	8.17	7.59	5.7	0.3
		9:00	22.68	51.75	34.07	8.16	7.73	5.2	4.0
		12:00	23.02	51.67	34.01	8.16	8.16	6.7	4.5
		15:00	23.29	51.86	34.14	8.12	7.86	5.9	2.3
		18:00	23.16	51.40	33.80	8.08	7.65	6.1	4.7
		21:00	22.98	50.50	33.14	8.12	7.86	5.4	2.6
		日平均值	22.90	51.53	33.90	8.15	7.82	6.59	3.74
	灣內站	0:00	22.33	50.52	33.43	8.19	6.90	6.9	16.0
		3:00	22.08	50.60	33.50	8.71	6.92	15.1	16.6
		6:00	21.78	51.46	34.13	8.30	6.67	5.8	24.3
		9:00	22.11	51.44	34.12	8.31	7.11	5.6	20.2
		12:00	23.16	47.91	31.52	8.46	8.89	5.3	22.6
		15:00	22.87	49.60	32.76	8.47	8.89	9.5	33.0
		18:00	22.60	51.30	34.00	8.31	7.88	2.8	25.6
		21:00	22.60	51.10	33.85	8.28	6.62	3.9	10.5
		日平均值	22.44	50.49	33.41	8.38	7.49	6.86	21.10
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月4日	蚵殼站	0:00	22.17	50.80	33.52	8.39	8.11	13.0	105.6
		3:00	22.06	50.88	33.57	8.42	7.64	13.3	101.2
		6:00	21.91	50.20	33.07	8.40	7.41	14.9	101.4
		9:00	21.72	50.09	33.00	8.34	6.81	16.0	92.3
		12:00	22.53	49.02	32.20	8.38	8.30	18.5	85.3
		15:00	22.38	49.87	32.83	8.30	7.42	24.2	115.7
		18:00	22.31	50.02	32.94	8.26	6.64	27.8	131.6
		21:00	22.21	50.09	32.99	8.22	5.82	41.6	113.2
	日平均值		22.16	50.12	33.02	8.34	7.27	21.16	105.79
	潮口站	0:00	22.76	50.54	33.18	8.18	7.93	12.1	5.2
		3:00	22.48	50.49	33.15	8.23	8.16	6.2	1.9
		6:00	22.47	50.43	33.10	8.16	7.76	6.5	5.1
		9:00	22.62	50.70	33.30	8.14	7.78	19.1	0.6
		12:00	22.74	50.58	33.21	8.23	8.26	5.4	3.0
		15:00	23.19	50.68	33.28	8.15	7.97	7.2	1.4
		18:00	23.21	50.28	32.98	8.10	7.82	4.2	2.5
		21:00	22.97	50.10	32.85	8.16	7.88	5.2	0.7
	日平均值		22.81	50.48	33.13	8.17	7.95	8.24	2.55
	灣內站	0:00	22.22	50.15	33.17	8.26	7.12	4.0	15.7
		3:00	22.00	51.56	34.20	8.63	6.87	3.9	10.6
		6:00	21.85	49.49	32.69	8.47	7.11	4.0	12.8
		9:00	21.78	51.15	33.90	8.38	7.53	4.4	22.6
		12:00	22.61	50.42	33.36	8.40	7.96	3.0	10.4
		15:00	22.71	49.88	32.96	8.36	8.34	2.3	18.6
		18:00	22.62	51.28	33.99	8.36	7.90	3.1	15.5
		21:00	22.25	51.05	33.82	8.29	7.30	2.2	14.2
	日平均值		22.26	50.62	33.51	8.39	7.52	3.36	15.05
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月5日	蚵殼站	0:00	22.09	50.14	33.02	8.27	6.55	43.1	164.4	
		3:00	21.90	49.25	32.38	8.35	7.32	44.4	201.5	
		6:00	21.78	51.15	33.78	8.35	6.97	53.2	210.6	
		9:00	21.57	50.64	33.40	8.27	5.44	77.8	119.8	
		12:00	22.15	49.94	32.88	8.34	7.59	68.4	142.7	
		15:00	22.28	51.69	34.03	8.26	6.98	3.3	7.5	
		18:00	22.22	51.90	34.19	8.28	6.71	2.8	12.0	
		21:00	22.06	51.93	34.21	8.25	6.65	2.9	2.2	
	日平均值		22.01	50.83	33.49	8.30	6.78	36.99	107.59	
		潮口站	0:00	22.77	50.82	33.38	8.11	7.84	7.2	2.3
	3:00		22.38	50.94	33.48	8.18	8.04	5.6	8.7	
	6:00		22.19	50.39	33.07	8.16	7.85	8.5	2.6	
	9:00		22.90	50.25	32.96	8.13	7.86	3.8	2.6	
	12:00		22.87	51.50	33.50	8.10	7.80	5.8	1.8	
	15:00		22.64	52.27	33.70	8.22	7.7	6.6	2.1	
	18:00		22.91	52.38	33.78	8.31	7.7	3.0	0.5	
	21:00		22.82	52.37	33.77	8.30	7.8	2.9	1.4	
	日平均值		22.69	51.37	33.46	8.19	7.82	5.43	2.75	
		灣內站	0:00	22.11	50.87	33.69	8.30	6.87	4.2	12.6
	3:00		22.05	50.52	33.44	8.59	6.94	5.9	14.8	
	6:00		21.78	50.82	33.66	8.44	6.88	4.7	12.4	
	9:00		21.69	51.02	33.81	8.33	6.82	2.7	15.6	
	12:00		22.22	50.54	33.32	8.38	7.83	1.0	24.9	
	15:00		22.07	50.68	33.45	8.33	7.80	1.9	17.4	
	18:00		22.01	50.61	33.40	8.29	7.65	3.8	18.4	
	21:00		21.72	51.11	33.69	8.27	7.20	2.0	12.1	
	日平均值		21.96	50.77	33.56	8.37	7.25	3.28	16.03	
甲類海域地面水體基準值		環評承諾日平均值需達標準			7.5-8.5		5.0以上			

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月6日	蚵殼站	0:00	21.91	51.75	34.08	8.23	6.54	2.5	6.9
		3:00	21.52	51.40	33.83	8.22	6.61	2.1	8.0
		6:00	21.37	51.37	33.80	8.20	6.54	1.9	5.9
		9:00	21.06	51.11	33.61	8.18	6.65	2.8	9.9
		12:00	21.10	51.21	33.69	8.20	6.57	3.4	8.9
		15:00	21.69	51.90	34.19	8.21	6.54	2.8	7.5
		18:00	21.69	52.15	34.38	8.23	6.50	2.7	2.7
		21:00	21.62	52.17	34.39	8.25	6.41	2.6	9.1
	日平均值		21.50	51.63	34.00	8.22	6.55	2.60	7.36
	潮口站	0:00	22.35	52.40	33.80	8.28	7.80	5.8	2.2
		3:00	22.11	52.10	33.58	8.32	7.87	5.1	4.1
		6:00	22.01	52.28	33.72	8.33	7.84	5.0	1.5
		9:00	22.73	52.41	33.80	8.31	7.76	2.6	1.2
		12:00	22.11	52.19	33.65	8.35	7.88	3.9	4.3
		15:00	22.11	52.20	33.65	8.35	7.87	6.1	2.4
		18:00	22.61	51.85	33.38	8.26	7.80	3.2	1.4
		21:00	22.63	51.95	33.46	8.25	7.77	3.2	2.0
	日平均值		22.33	52.17	33.63	8.31	7.82	4.36	2.39
	灣內站	0:00	21.60	51.29	33.83	8.29	7.20	1.3	12.3
		3:00	21.38	51.22	33.78	8.61	6.60	1.6	6.1
		6:00	20.79	50.39	33.17	8.50	6.44	1.6	8.9
		9:00	21.14	50.91	33.55	8.33	7.04	1.4	12.6
		12:00	21.14	50.10	32.90	8.33	7.42	1.7	14.5
		15:00	21.37	50.34	33.07	8.33	7.54	1.6	14.9
		18:00	21.23	50.53	33.22	8.35	7.44	0.7	8.3
		21:00	21.18	50.63	33.29	8.28	6.99	1.3	4.8
	日平均值		21.23	50.68	33.35	8.38	7.08	1.40	10.30
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月7日	蚵殼站	0:00	21.36	51.92	34.21	8.24	6.46	2.8	2.9
		3:00	21.21	51.49	33.90	8.22	6.47	2.3	6.9
		6:00	20.99	51.37	33.81	8.20	6.48	2.3	1.6
		9:00	20.99	51.38	33.81	8.17	6.42	2.0	2.6
		12:00	21.40	50.94	33.49	8.17	6.40	1.9	9.4
		15:00	21.69	51.08	33.59	8.19	6.38	3.0	4.3
		18:00	21.39	51.61	33.98	8.22	6.44	2.8	3.3
		21:00	21.37	52.18	34.40	8.24	6.41	3.4	3.8
		日平均值	21.30	51.50	33.90	8.21	6.43	2.56	4.35
	潮口站	0:00	22.03	52.05	33.54	8.32	7.84	5.4	2.6
		3:00	22.05	52.14	33.61	8.33	7.83	6.1	2.8
		6:00	21.77	52.11	33.59	8.34	7.85	6.2	1.7
		9:00	22.41	52.36	33.77	8.36	7.78	3.6	1.1
		12:00	22.20	52.25	33.69	8.28	7.83	4.9	1.9
		15:00	22.53	52.31	33.73	8.24	7.78	6.0	2.2
		18:00	22.90	52.12	33.58	8.22	7.76	2.6	1.9
		21:00	22.80	52.12	33.58	8.24	7.74	2.5	1.1
		日平均值	22.34	52.18	33.64	8.29	7.80	4.66	1.91
	灣內站	0:00	20.94	50.66	33.31	8.28	7.06	1.1	7.7
		3:00	21.01	50.84	33.45	8.31	6.62	1.3	7.6
		6:00	21.01	50.96	33.53	8.38	6.69	1.3	10.0
		9:00	20.91	50.97	33.54	8.26	6.75	0.7	6.6
		12:00	21.15	50.84	33.45	8.30	7.37	1.0	8.3
		15:00	21.53	50.32	33.06	8.26	7.60	1.0	14.1
		18:00	21.41	50.38	33.10	8.22	7.56	0.9	22.3
		21:00	21.26	50.52	33.21	8.32	7.40	2.0	9.9
		日平均值	21.15	50.69	33.33	8.29	7.13	1.16	10.81
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月8日	蚵殼站	0:00	21.20	52.06	34.31	8.23	6.37	3.6	4.1
		3:00	20.99	52.08	34.33	8.20	6.41	3.4	5.6
		6:00	21.03	52.16	34.39	8.17	6.35	3.5	4.0
		9:00	21.58	52.56	34.68	8.19	6.24	5.5	1.7
		12:00	21.10	51.43	33.85	8.21	6.41	2.8	8.0
		15:00	21.42	51.31	33.76	8.23	6.36	3.7	11.5
		18:00	21.45	52.06	34.31	8.22	6.35	4.7	3.7
		21:00	21.09	52.06	34.31	8.18	6.32	2.7	5.6
		日平均值	21.23	51.97	34.24	8.20	6.35	3.74	5.53
	潮口站	0:00	22.46	52.20	33.65	8.25	7.77	6.0	2.4
		3:00	21.61	52.11	33.59	8.28	7.87	6.5	3.1
		6:00	22.06	52.26	33.70	8.32	7.82	3.2	1.6
		9:00	22.16	52.25	33.69	8.31	7.80	5.3	0.3
		12:00	22.38	52.33	33.74	8.24	7.78	7.3	1.6
		15:00	22.40	52.28	33.70	8.30	7.81	8.4	4.1
		18:00	22.43	52.35	33.76	8.31	7.78	6.7	1.5
		21:00	22.29	52.30	33.72	8.26	7.80	3.7	2.2
		日平均值	22.22	52.26	33.69	8.28	7.80	5.89	2.10
	灣內站	0:00	21.10	50.66	33.31	8.22	7.11	3.1	9.2
		3:00	20.90	50.65	33.31	8.26	7.04	1.3	9.3
		6:00	20.73	50.68	33.33	8.39	6.97	1.6	6.1
		9:00	20.69	49.80	32.68	8.28	7.10	2.1	3.2
		12:00	20.90	50.72	33.35	8.24	7.02	0.6	2.8
		15:00	21.43	50.71	33.35	8.28	7.27	1.5	4.1
		18:00	21.13	50.35	33.08	8.21	7.28	1.2	12.2
		21:00	20.98	50.74	33.61	8.27	7.37	1.1	12.5
		日平均值	20.98	50.54	33.25	8.27	7.15	1.56	7.43
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月9日	蚵殼站	0:00	20.97	51.24	33.72	8.21	6.29	2.8	2.7
		3:00	20.72	51.42	33.85	8.18	6.41	2.5	4.4
		6:00	20.67	51.57	33.96	8.20	6.40	2.5	6.8
		9:00	20.67	51.72	34.07	8.20	6.37	2.7	1.2
		12:00	20.75	51.59	33.97	8.17	6.37	3.0	5.5
		15:00	21.03	51.97	34.25	8.19	6.30	4.3	5.1
		18:00	21.12	52.28	34.48	8.19	6.24	3.7	5.6
		21:00	21.03	52.33	34.52	8.21	6.15	5.7	2.7
	日平均值		20.87	51.77	34.10	8.19	6.32	3.40	4.25
	潮口站	0:00	22.14	52.22	33.67	8.25	7.80	3.7	1.6
		3:00	21.86	52.28	33.72	8.27	7.84	5.7	1.8
		6:00	21.04	51.93	33.46	8.42	7.92	8.4	3.3
		9:00	21.53	52.18	33.64	8.37	7.88	5.9	0.8
		12:00	22.04	52.28	33.72	8.22	7.81	6.7	2.3
		15:00	21.82	52.17	33.64	8.26	7.86	3.7	2.8
		18:00	21.46	52.13	33.61	8.37	7.88	8.7	2.0
		21:00	21.79	52.30	33.73	8.35	7.84	4.8	1.2
	日平均值		21.71	52.19	33.65	8.31	7.85	5.95	1.98
	灣內站	0:00	20.63	51.24	33.98	8.23	7.08	0.5	5.8
		3:00	20.67	50.69	33.58	8.21	7.01	1.0	4.2
		6:00	20.51	50.90	33.73	8.44	7.03	2.6	9.6
		9:00	20.35	51.73	34.34	8.28	6.99	2.8	11.7
		12:00	20.26	50.69	33.58	8.36	7.59	2.2	8.1
		15:00	20.23	50.83	33.68	8.36	7.86	1.4	14.0
		18:00	20.13	49.89	32.99	8.28	7.88	1.8	10.7
		21:00	20.28	50.85	33.70	8.27	7.66	2.0	17.9
	日平均值		20.38	50.85	33.70	8.30	7.39	1.79	10.25
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月10日	蚵殼站	0:00	20.85	52.23	34.45	8.21	6.31	4.8	3.7
		3:00	20.58	51.87	34.18	8.26	6.34	5.8	4.0
		6:00	20.44	52.30	34.50	8.26	6.39	5.3	1.3
		9:00	19.96	51.90	34.21	8.28	6.49	2.5	2.6
		12:00	20.30	51.70	34.05	8.27	6.48	2.2	4.5
		15:00	20.70	52.02	34.29	8.28	6.51	2.5	1.6
		18:00	20.56	52.08	34.34	8.27	6.46	2.6	5.6
		21:00	20.50	51.79	34.13	8.22	6.25	2.9	4.6
	日平均值		20.49	51.99	34.27	8.26	6.40	3.58	3.49
	潮口站	0:00	21.62	52.26	33.71	8.37	7.87	4.2	1.7
		3:00	21.02	52.20	33.66	8.32	7.94	7.4	1.8
		6:00	20.63	52.15	33.63	8.42	8.00	6.8	2.3
		9:00	21.49	52.14	33.62	8.37	7.87	3.9	0.2
		12:00	22.20	52.29	33.71	8.28	7.78	3.7	0.3
		15:00	21.69	52.20	33.66	8.35	7.87	5.0	3.5
		18:00	21.34	52.11	33.60	8.32	7.93	5.4	3.2
		21:00	21.92	52.17	33.63	8.33	7.82	4.7	2.0
	日平均值		21.49	52.19	33.65	8.35	7.89	5.14	1.88
	灣內站	0:00	20.33	51.50	34.17	8.30	7.03	1.8	12.1
		3:00	20.18	50.71	33.59	8.28	7.11	2.3	3.3
		6:00	20.01	50.46	33.41	8.35	7.00	2.7	4.6
		9:00	20.00	50.55	33.48	8.26	7.15	1.9	9.0
		12:00	20.53	51.64	34.27	8.29	7.46	1.3	5.1
		15:00	20.67	51.45	34.14	8.27	7.78	1.0	7.5
		18:00	20.63	49.73	32.87	8.25	7.92	1.9	12.3
		21:00	20.54	49.83	32.95	8.27	8.61	3.5	11.6
	日平均值		20.36	50.73	33.61	8.28	7.51	2.05	8.19
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月11日	蚵殼站	0:00	20.34	51.96	34.25	8.16	6.42	1.8	0.4
		3:00	20.24	51.71	34.07	8.30	6.55	1.7	6.1
		6:00	20.13	51.55	33.95	8.26	6.50	2.3	7.6
		9:00	20.10	51.52	33.93	8.24	6.42	2.0	3.2
		12:00	20.55	51.64	34.01	8.29	6.42	1.4	1.6
		15:00	20.63	51.82	34.15	8.33	6.64	2.0	8.4
		18:00	20.61	51.75	34.09	8.28	6.57	4.4	7.1
		21:00	20.50	51.71	34.07	8.30	6.53	2.9	6.4
	日平均值		20.39	51.71	34.07	8.27	6.51	2.31	5.10
	潮口站	0:00	21.89	52.15	33.62	8.29	7.79	4.3	0.8
		3:00	21.06	52.04	33.54	8.35	7.93	5.5	2.4
		6:00	20.46	51.91	33.45	8.44	8.06	4.2	4.5
		9:00	21.33	52.21	33.67	8.37	7.88	5.0	1.8
		12:00	22.30	52.31	33.73	8.28	7.75	2.9	0.5
		15:00	21.56	52.14	33.61	8.36	7.94	4.3	3.6
		18:00	21.42	52.09	33.58	8.35	7.99	4.5	5.8
		21:00	21.17	52.01	33.52	8.45	8.00	4.0	4.5
	日平均值		21.40	52.11	33.59	8.36	7.92	4.34	2.99
	灣內站	0:00	20.51	49.98	33.06	8.18	7.33	0.8	13.2
		3:00	20.52	51.71	34.32	8.23	7.19	1.6	10.9
		6:00	20.28	49.85	32.96	8.17	6.62	0.9	4.6
		9:00	20.32	50.33	33.31	8.24	7.49	1.3	8.4
		12:00	21.00	49.68	32.83	8.26	8.07	0.2	8.2
		15:00	21.05	50.33	33.31	8.31	8.80	1.6	19.8
		18:00	21.28	51.05	33.83	8.35	9.12	4.4	13.2
		21:00	20.88	51.31	34.03	8.32	8.83	7.2	22.0
	日平均值		20.73	50.53	33.46	8.26	7.93	2.25	12.54
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月12日	蚵殼站	0:00	20.33	51.72	34.07	8.28	6.57	3.1	8.9
		3:00	20.28	52.22	34.45	8.25	6.55	2.4	5.8
		6:00	20.01	51.76	34.10	8.29	6.60	4.7	4.9
		9:00	20.41	52.66	34.76	8.30	6.59	4.0	7.9
		12:00	20.91	52.07	34.33	8.35	6.81	2.6	7.9
		15:00	21.17	51.91	34.21	8.44	6.96	2.7	38.0
		18:00	21.19	52.14	34.37	8.38	6.88	2.6	11.7
		21:00	20.77	51.66	34.03	8.33	6.82	3.4	10.8
	日平均值		20.63	52.02	34.29	8.33	6.72	3.19	11.99
	潮口站	0:00	22.03	52.16	33.62	8.28	7.76	3.2	1.5
		3:00	21.33	52.04	33.54	8.34	7.90	3.2	3.2
		6:00	20.73	51.96	33.49	8.40	8.01	3.7	6.4
		9:00	21.13	52.14	33.62	8.47	7.92	3.6	1.9
		12:00	22.20	52.23	33.67	8.27	7.74	2.3	1.5
		15:00	22.28	52.18	33.63	8.17	7.74	5.9	2.3
		18:00	21.86	52.11	33.59	8.34	7.91	4.1	5.0
		21:00	21.47	52.03	33.53	8.33	7.97	5.3	6.2
	日平均值		21.63	52.11	33.59	8.33	7.87	3.91	3.50
	灣內站	0:00	20.63	51.70	34.32	8.31	8.41	1.9	19.3
		3:00	20.43	51.38	34.08	8.35	8.39	3.0	15.8
		6:00	20.12	51.24	33.98	8.29	8.25	1.9	18.5
		9:00	20.11	51.20	33.96	8.32	8.31	1.9	15.7
		12:00	20.46	51.14	33.91	8.30	8.67	1.7	17.1
		15:00	20.95	50.08	33.12	8.37	9.57	2.5	22.4
		18:00	21.30	48.98	32.32	8.45	10.34	4.7	22.6
		21:00	20.60	50.04	33.10	8.45	10.09	2.3	18.7
	日平均值		20.58	50.72	33.60	8.36	9.00	2.49	18.76
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月13日	蚵殼站	0:00	20.68	51.42	33.85	8.45	6.91	3.1	16.2
		3:00	20.68	51.74	34.09	8.38	6.89	3.3	19.5
		6:00	20.33	51.55	33.95	8.39	6.72	3.3	15.1
		9:00	19.98	50.95	33.50	8.46	6.84	3.6	22.7
		12:00	20.75	51.79	34.12	8.38	6.90	2.5	13.9
		15:00	21.28	52.06	34.32	8.46	6.91	3.6	14.9
		18:00	21.13	51.87	34.17	8.41	6.82	2.7	10.9
		21:00	21.28	49.98	32.78	8.54	7.07	3.8	8.3
		日平均值	20.76	51.42	33.85	8.43	6.88	3.24	15.19
	潮口站	0:00	21.58	52.08	33.57	8.47	7.88	3.4	4.2
		3:00	22.02	52.17	33.63	8.26	7.74	1.8	1.3
		6:00	21.48	52.08	33.57	8.35	7.83	2.5	2.7
		9:00	21.10	51.96	33.49	8.36	7.95	3.6	3.9
		12:00	22.73	52.22	33.66	8.29	7.64	3.1	0.7
		15:00	23.01	52.26	33.68	8.18	7.60	3.2	1.5
		18:00	21.95	52.10	33.58	8.27	7.87	6.7	4.9
		21:00	22.20	52.17	33.63	8.27	7.78	7.8	4.8
		日平均值	22.01	52.13	33.60	8.31	7.79	4.01	3.00
	灣內站	0:00	20.60	50.44	33.39	8.55	9.23	2.5	23.5
		3:00	20.50	50.93	33.75	8.33	8.60	2.0	21.2
		6:00	19.84	50.64	33.54	8.44	9.06	1.6	18.0
		9:00	19.85	50.59	33.51	8.42	9.04	1.7	15.8
		12:00	21.22	50.08	33.12	8.45	9.77	1.6	14.6
		15:00	21.31	50.15	33.18	8.46	10.00	1.6	12.1
		18:00	21.17	49.14	32.44	8.42	9.92	1.8	14.4
		21:00	21.26	49.42	32.64	8.46	9.70	3.5	20.7
		日平均值	20.72	50.17	33.20	8.44	9.42	2.04	17.54
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月14日	蚵殼站	0:00	21.02	51.42	33.85	8.49	6.84	2.7	12.2
		3:00	20.93	50.99	33.53	8.40	6.78	2.3	13.3
		6:00	20.87	51.00	33.54	8.37	6.78	2.7	10.1
		9:00	20.91	50.76	33.36	8.52	7.00	2.4	11.2
		12:00	21.35	50.72	33.33	8.51	7.05	2.5	18.7
		15:00	21.64	51.80	34.12	8.41	6.75	6.5	4.3
		18:00	21.72	51.98	34.25	8.31	6.56	3.2	3.8
		21:00	21.55	51.81	34.13	8.28	6.67	2.0	6.8
	日平均值		21.25	51.31	33.76	8.41	6.80	3.04	10.05
	潮口站	0:00	21.51	51.92	33.45	8.34	7.92	4.5	4.3
		3:00	22.11	52.12	33.59	8.25	7.75	2.6	2.5
		6:00	21.98	52.10	33.58	8.27	7.76	2.5	2.6
		9:00	21.87	52.06	33.55	8.40	7.79	3.2	2.8
		12:00	22.59	52.23	33.67	8.27	7.65	6.4	0.8
		15:00	22.88	52.20	33.64	8.25	7.60	6.2	0.7
		18:00	22.37	52.12	33.59	8.22	7.71	7.9	2.0
		21:00	22.37	52.15	33.61	8.25	7.67	8.1	3.7
	日平均值		22.21	52.11	33.59	8.28	7.73	5.18	2.43
	灣內站	0:00	20.81	50.39	33.35	8.40	8.86	5.0	14.8
		3:00	20.86	50.54	33.46	8.43	9.54	1.7	15.8
		6:00	20.43	49.52	32.72	8.41	9.44	1.8	18.0
		9:00	20.60	51.09	33.87	8.44	9.48	1.4	16.5
		12:00	21.21	51.03	33.82	8.44	10.00	2.3	11.8
		15:00	21.63	50.74	33.60	8.47	10.15	2.3	14.3
		18:00	21.60	49.07	32.38	8.38	9.65	4.6	14.1
		21:00	21.83	47.74	31.55	8.48	10.80	6.6	24.6
	日平均值		21.12	50.02	33.09	8.43	9.74	3.21	16.24
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月15日	蚵殼站	0:00	21.51	51.71	34.06	8.52	6.94	2.4	11.7
		3:00	21.50	51.07	33.58	8.48	6.91	2.4	12.4
		6:00	21.31	51.47	33.88	8.51	6.95	2.8	11.7
		9:00	21.42	51.46	33.87	8.55	6.91	2.9	7.6
		12:00	22.22	51.26	33.72	8.52	6.97	3.0	19.4
		15:00	22.07	51.53	33.91	8.48	6.84	2.7	15.8
		18:00	22.21	52.25	34.44	8.31	6.44	3.7	7.6
		21:00	22.00	52.11	34.35	8.41	6.63	3.6	7.3
	日平均值		21.78	51.61	33.98	8.47	6.82	2.94	11.69
	潮口站	0:00	21.95	52.02	33.52	8.24	7.74	5.1	4.0
		3:00	22.91	52.13	33.59	8.24	7.57	4.8	0.0
		6:00	23.09	52.12	33.58	8.20	7.54	2.5	1.1
		9:00	22.48	52.08	33.55	8.25	7.65	3.7	2.2
		12:00	23.47	52.14	33.59	8.14	7.49	3.6	1.2
		15:00	23.82	52.17	33.60	8.17	7.43	5.9	0.5
		18:00	23.76	52.16	33.60	8.15	7.44	5.4	2.1
		21:00	23.66	52.25	33.66	8.12	7.41	12.0	1.3
	日平均值		23.14	52.13	33.59	8.19	7.53	5.38	1.55
	灣內站	0:00	21.47	48.20	31.89	8.59	12.37	28.1	20.5
		3:00	21.35	50.60	33.64	8.35	8.49	27.5	13.7
		6:00	21.26	49.76	33.03	8.46	9.75	5.6	36.1
		9:00	21.39	49.82	33.06	8.38	9.23	1.4	10.4
		12:00	22.02	50.53	33.58	8.36	9.08	3.4	11.4
		15:00	22.62	47.67	31.49	8.34	10.13	3.3	27.3
		18:00	22.40	46.20	30.43	8.41	9.95	2.7	15.7
		21:00	22.50	47.35	31.25	8.39	9.75	4.3	16.0
	日平均值		21.88	48.77	32.30	8.41	9.84	9.54	18.89
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月16日	蚵殼站	0:00	22.32	51.45	33.85	8.43	6.64	4.3	14.6
		3:00	22.28	50.89	33.44	8.33	6.55	3.5	11.6
		6:00	22.28	51.76	34.08	8.35	6.54	3.9	6.7
		9:00	22.29	51.73	34.06	8.42	6.60	5.1	16.6
		12:00	22.96	51.79	34.09	8.41	6.60	6.7	16.7
		15:00	23.15	51.60	33.81	8.34	6.52	4.8	13.1
		18:00	22.98	51.64	33.84	8.29	6.45	4.6	11.3
		21:00	22.96	51.47	33.71	8.31	6.50	5.3	6.9
		日平均值	22.65	51.54	33.86	8.36	6.55	4.78	12.19
	潮口站	0:00	23.34	52.04	33.52	8.11	7.49	8.5	3.3
		3:00	24.03	52.22	33.64	8.15	7.38	5.7	0.4
		6:00	24.12	52.21	33.63	8.13	7.34	4.8	-
		9:00	23.57	52.03	33.50	8.18	7.49	3.8	1.4
		12:00	23.93	52.84	34.60	8.17	7.30	4.8	0.2
		15:00	24.44	52.72	34.43	8.16	7.08	3.8	2.3
		18:00	23.98	52.85	34.53	8.24	7.07	8.9	0.3
		21:00	24.00	52.87	34.55	8.25	7.10	11.3	1.2
		日平均值	23.93	52.47	34.05	8.17	7.28	6.45	1.30
	灣內站	0:00	22.20	50.47	33.54	8.42	8.90	3.3	11.2
		3:00	21.66	49.20	32.61	8.25	8.29	2.4	10.1
		6:00	21.75	49.41	32.76	8.15	7.58	3.1	15.0
		9:00	21.78	49.32	32.70	8.29	8.26	2.0	13.3
		12:00	22.06	51.21	33.68	8.34	11.14	8.5	32.0
		15:00	22.55	51.58	33.95	8.32	11.16	4.2	16.1
		18:00	22.58	51.40	33.81	8.30	11.77	6.1	21.5
		21:00	22.68	51.24	33.69	8.32	11.80	80.9	24.7
		日平均值	22.16	50.48	33.34	8.30	9.86	13.81	17.99
甲類海域地面水體基準值	環評承諾日平均值需達標準							7.5-8.5	5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/L)	濁度(NTU)	葉綠素(μg/L)
2月17日	蚵殼站	0:00	23.15	51.06	33.41	8.19	6.32	4.7	10.8
		3:00	22.99	51.03	33.39	8.43	6.40	7.5	7.5
		6:00	22.92	50.45	32.95	8.40	6.43	7.5	24.7
		9:00	23.06	50.91	33.37	8.30	6.40	6.0	14.1
		12:00	23.50	51.42	33.75	8.35	6.45	5.1	11.4
		15:00	23.59	51.45	33.77	8.30	6.33	8.1	12.2
		18:00	23.44	51.29	33.60	8.23	6.17	4.6	4.8
		21:00	23.33	51.17	33.51	8.28	6.27	4.2	2.6
		日平均值	23.25	51.10	33.47	8.31	6.35	5.96	11.01
	潮口站	0:00	23.68	52.62	34.32	8.21	7.26	12.1	0.6
		3:00	23.54	52.17	33.99	8.29	7.20	6.5	2.9
		6:00	23.66	52.68	34.36	8.24	7.03	4.0	1.7
		9:00	23.42	52.51	34.24	8.25	6.98	7.2	1.7
		12:00	23.76	52.56	34.27	8.25	7.57	5.8	2.8
		15:00	23.80	52.41	34.16	8.21	7.27	3.6	3.0
		18:00	23.66	52.59	34.30	8.23	7.14	3.7	2.5
		21:00	23.50	52.54	34.26	8.23	7.28	8.7	1.8
		日平均值	23.63	52.51	34.24	8.24	7.22	6.45	2.13
	灣內站	0:00	22.85	51.03	33.53	8.26	11.31	4.2	60.5
		3:00	22.50	51.07	33.57	8.14	9.31	4.2	13.5
		6:00	22.68	51.76	33.82	8.02	8.86	3.0	7.5
		9:00	22.49	51.26	33.45	8.18	9.16	5.1	23.1
		12:00	23.16	51.52	33.63	8.33	11.56	5.0	23.0
		15:00	23.25	52.05	34.02	8.34	11.83	6.0	24.9
		18:00	23.08	51.78	33.82	8.32	11.21	5.5	21.7
		21:00	23.22	51.03	33.27	8.46	12.36	6.7	38.4
		日平均值	22.90	51.44	33.64	8.26	10.70	4.96	26.58
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月18日	蚵殼站	0:00	23.29	51.63	33.86	8.22	6.06	4.6	6.6
		3:00	23.07	50.65	33.13	8.37	6.40	9.3	26.3
		6:00	23.16	50.18	32.78	8.25	6.52	9.8	27.5
		9:00	23.32	50.88	33.29	8.28	6.33	3.5	11.6
		12:00	23.68	51.93	34.07	8.32	6.37	3.9	7.6
		15:00	23.78	51.29	33.59	8.22	6.22	47.0	10.3
		18:00	23.53	51.39	33.67	8.19	6.18	9.6	5.3
		21:00	23.60	51.17	33.51	8.20	6.05	7.2	12.1
	日平均值		23.43	51.14	33.49	8.26	6.27	11.86	13.41
	潮口站	0:00	23.53	52.69	34.37	8.22	6.78	15.7	0.6
		3:00	23.20	52.46	34.21	8.31	7.13	8.3	4.1
		6:00	23.38	52.71	34.39	8.28	7.11	3.4	2.7
		9:00	23.01	52.31	34.10	8.30	7.69	9.9	5.5
		12:00	23.53	52.26	34.06	8.34	8.53	8.6	6.9
		15:00	23.96	52.31	34.08	8.22	7.38	4.4	0.2
		18:00	23.64	52.48	34.21	8.21	7.21	3.7	0.2
		21:00	23.55	52.49	34.22	8.21	7.29	6.2	0.3
	日平均值		23.48	52.46	34.21	8.26	7.39	7.53	2.56
	灣內站	0:00	23.06	50.26	32.71	8.57	12.88	13.7	68.4
		3:00	22.73	49.95	32.48	8.41	9.34	9.0	49.8
		6:00	22.80	51.96	33.96	8.24	8.79	4.0	11.2
		9:00	22.77	50.45	32.85	8.26	9.09	5.5	19.6
		12:00	23.95	50.12	32.58	8.46	12.48	6.6	24.4
		15:00	23.81	50.56	32.91	8.44	11.97	7.2	20.7
		18:00	23.66	51.93	33.93	8.32	11.24	9.2	15.1
		21:00	23.87	51.57	33.66	8.36	10.62	11.4	12.3
	日平均值		23.33	50.85	33.14	8.38	10.80	8.33	27.69
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月19日	蚵殼站	0:00	23.84	50.52	33.02	8.35	6.42	6.3	18.0
		3:00	23.61	51.19	33.52	8.16	6.32	6.6	16.1
		6:00	23.40	51.43	33.71	8.09	6.34	5.5	8.8
		9:00	23.45	51.45	33.72	8.19	6.16	5.2	12.2
		12:00	23.80	51.55	33.79	8.21	6.22	4.4	8.5
		15:00	23.88	51.65	33.86	8.16	6.16	14.7	9.7
		18:00	23.87	51.70	33.89	8.18	6.26	8.2	6.5
		21:00	23.65	51.73	33.92	8.16	6.17	9.2	8.7
	日平均值		23.69	51.40	33.68	8.19	6.26	7.51	11.06
	潮口站	0:00	23.71	52.61	34.31	8.22	6.84	17.0	1.8
		3:00	23.34	52.28	34.07	8.33	8.12	7.9	9.6
		6:00	22.94	52.69	34.38	8.26	7.06	8.3	2.1
		9:00	23.03	52.62	34.33	8.27	7.21	6.8	0.3
		12:00	23.71	52.20	34.01	8.31	9.22	10.1	11.6
		15:00	23.84	52.65	34.34	8.22	7.83	7.1	5.3
		18:00	23.54	52.51	34.24	8.26	7.53	3.9	3.7
		21:00	23.39	52.60	34.31	8.26	7.50	6.0	3.8
	日平均值		23.44	52.52	34.25	8.27	7.66	8.39	4.78
	灣內站	0:00	23.52	50.55	32.91	8.30	9.71	4.6	15.7
		3:00	23.17	51.09	33.31	8.40	8.98	4.4	10.3
		6:00	22.97	50.38	32.79	8.19	7.98	5.0	10.8
		9:00	22.88	51.79	33.84	8.30	9.07	7.6	25.0
		12:00	23.64	49.30	31.98	8.47	12.44	8.7	22.0
		15:00	23.92	50.16	32.61	8.49	12.79	9.2	25.5
		18:00	23.79	51.46	33.58	8.38	12.06	9.7	24.1
		21:00	23.73	52.49	34.34	8.26	10.00	7.4	15.7
	日平均值		23.45	50.90	33.17	8.35	10.38	7.08	18.64
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月20日	蚵殼站	0:00	23.82	50.01	32.64	8.52	6.44	7.4	19.3
		3:00	23.61	52.05	34.16	8.33	6.21	6.5	17.9
		6:00	23.42	47.94	31.13	8.30	6.43	7.1	20.5
		9:00	23.35	48.39	31.46	8.30	6.04	6.4	16.4
		12:00	23.94	49.39	32.18	8.39	6.31	5.9	11.1
		15:00	24.01	50.38	32.91	8.33	6.26	5.3	7.9
		18:00	24.04	50.51	33.01	8.33	6.15	7.8	8.6
		21:00	23.97	49.54	32.30	8.52	6.39	6.5	8.9
	日平均值		23.77	49.78	32.47	8.38	6.28	6.61	13.83
	潮口站	0:00	23.46	52.43	34.18	8.26	7.67	10.4	5.7
		3:00	23.24	51.87	33.77	8.41	9.39	9.4	14.6
		6:00	22.96	52.65	34.35	8.25	7.21	7.0	2.1
		9:00	23.02	52.67	34.36	8.25	7.33	5.2	0.1
		12:00	23.68	52.08	33.92	8.33	9.30	11.1	7.1
		15:00	23.98	52.26	34.05	8.29	9.16	10.6	7.2
		18:00	23.19	52.66	34.35	8.21	7.50	5.3	0.4
		21:00	23.09	52.56	34.29	8.24	7.53	5.4	1.3
	日平均值		23.33	52.40	34.16	8.28	8.14	8.05	4.81
	灣內站	0:00	23.49	50.81	33.10	8.37	10.15	7.2	28.1
		3:00	23.20	50.68	33.01	8.32	8.73	6.7	21.5
		6:00	23.07	51.37	33.52	8.17	7.29	5.9	8.9
		9:00	23.07	50.07	32.57	8.12	7.00	4.9	8.9
		12:00	24.03	50.60	32.93	8.22	8.97	6.0	20.3
		15:00	24.31	50.55	32.89	8.44	12.61	9.1	40.6
		18:00	24.60	51.48	33.57	8.26	11.27	6.6	23.0
		21:00	23.94	49.61	32.21	8.21	10.52	8.1	12.3
	日平均值		23.71	50.65	32.98	8.26	9.57	6.81	20.45
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月21日	蚵殼站	0:00	23.92	49.46	32.23	8.37	6.41	5.9	12.5
		3:00	23.73	47.71	30.95	8.42	6.54	6.6	10.9
		6:00	23.61	49.02	31.91	8.20	6.43	6.3	15.2
		9:00	23.61	49.03	31.92	8.30	6.43	7.5	18.4
		12:00	23.65	49.18	32.04	8.32	6.45	7.7	11.4
		15:00	23.53	49.49	32.26	8.30	6.47	7.5	12.9
		18:00	23.47	50.44	32.97	8.30	6.41	11.3	8.1
		21:00	23.45	48.28	31.37	8.30	6.44	9.9	7.2
	日平均值		23.62	49.08	31.96	8.31	6.45	7.84	12.08
	潮口站	0:00	23.48	52.19	34.00	8.33	8.43	7.7	10.2
		3:00	23.44	52.14	33.96	8.33	8.73	7.2	10.0
		6:00	22.67	52.54	34.27	8.25	7.37	12.7	0.1
		9:00	22.73	52.64	34.34	8.24	7.44	6.5	1.0
		12:00	23.26	52.18	34.00	8.33	8.50	7.8	6.3
		15:00	23.39	52.24	34.04	8.27	8.13	13.1	10.8
		18:00	22.77	52.63	34.34	8.25	7.68	11.0	2.1
		21:00	22.72	52.70	34.39	8.23	7.68	10.4	2.4
	日平均值		23.06	52.41	34.17	8.28	8.00	9.55	5.36
	灣內站	0:00	23.80	50.75	33.05	8.28	9.89	9.3	26.0
		3:00	23.58	50.70	33.02	8.27	9.12	7.8	16.7
		6:00	23.31	52.70	34.51	8.13	7.20	6.0	12.9
		9:00	23.25	50.64	32.98	8.09	7.04	6.5	10.0
		12:00	23.47	51.12	33.33	8.18	8.58	8.2	15.2
		15:00	23.30	51.38	33.52	8.21	6.50	10.7	11.2
		18:00	22.98	51.22	33.41	8.21	6.28	14.1	7.5
		21:00	23.03	52.06	34.03	8.31	7.58	11.4	8.8
	日平均值		23.34	51.32	33.48	8.21	7.77	9.25	13.54
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月22日	蚵殼站	0:00	23.42	48.08	31.23	8.53	6.45	9.0	9.2
		3:00	23.46	48.77	31.73	8.44	6.35	7.7	11.6
		6:00	23.36	48.69	31.67	8.47	6.43	8.1	10.0
		9:00	23.46	49.89	32.56	8.44	6.38	8.2	13.3
		12:00	23.83	49.66	32.38	8.46	6.36	7.7	9.2
		15:00	23.66	50.41	32.94	8.46	6.35	8.8	6.7
		18:00	23.75	49.60	32.34	8.43	6.34	6.9	7.7
		21:00	23.63	48.88	31.81	8.43	6.29	7.5	5.3
	日平均值		23.57	49.25	32.08	8.46	6.37	7.99	9.13
	潮口站	0:00	22.93	52.24	34.05	8.26	7.28	11.8	6.8
		3:00	22.77	52.12	33.96	8.22	7.09	12.0	5.6
		6:00	22.69	52.18	34.01	8.21	7.20	15.9	5.5
		9:00	22.76	52.45	34.21	8.22	7.52	5.3	0.4
		12:00	23.42	52.16	33.98	8.21	7.51	10.7	0.8
		15:00	23.65	52.21	34.01	8.19	7.85	10.2	4.4
		18:00	23.52	52.24	34.04	8.20	7.54	7.8	3.4
		21:00	23.10	52.02	33.88	8.21	7.32	7.1	0.4
	日平均值		23.11	52.20	34.02	8.22	7.41	10.10	3.41
	灣內站	0:00	22.75	52.19	34.14	8.35	7.47	9.7	5.6
		3:00	22.69	51.76	33.82	8.21	6.06	5.3	8.0
		6:00	22.64	52.01	34.01	8.34	6.94	6.6	8.4
		9:00	22.63	52.83	34.61	8.33	7.13	6.2	13.8
		12:00	23.64	52.43	34.30	8.36	8.20	5.1	6.5
		15:00	24.18	51.37	33.50	8.37	8.66	5.3	6.3
		18:00	24.28	51.34	33.48	8.37	8.71	4.8	3.7
		21:00	23.93	52.26	34.17	8.28	7.66	7.1	6.1
	日平均值		23.34	52.02	34.00	8.33	7.60	6.26	7.30
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月23日	蚵殼站	0:00	23.65	49.16	32.02	8.45	6.27	5.9	10.2
		3:00	23.97	50.13	32.73	8.41	6.15	3.9	7.6
		6:00	23.83	49.26	32.09	8.44	6.32	4.6	3.8
		9:00	24.17	49.18	32.02	8.40	6.36	5.5	8.7
		12:00	24.10	50.65	33.11	8.45	6.26	4.5	9.4
		15:00	23.89	49.40	32.19	8.46	6.40	7.2	5.1
		18:00	24.12	49.42	32.20	8.48	6.45	4.5	5.9
		21:00	24.16	49.21	32.05	8.46	6.39	4.6	4.9
	日平均值		23.99	49.55	32.30	8.44	6.33	5.09	6.95
	潮口站	0:00	23.00	52.12	33.96	8.20	7.32	5.0	0.6
		3:00	23.37	52.11	33.94	8.14	6.82	10.2	3.2
		6:00	22.95	52.24	34.05	8.14	6.88	6.8	0.4
		9:00	22.86	52.46	34.21	8.21	7.37	3.5	2.7
		12:00	23.45	52.51	34.24	8.18	7.62	5.7	0.1
		15:00	24.28	52.24	34.02	8.11	7.69	12.4	5.3
		18:00	23.75	52.21	34.01	8.18	7.85	7.5	2.8
		21:00	23.44	52.37	34.14	8.17	7.67	4.1	2.8
	日平均值		23.39	52.28	34.07	8.17	7.40	6.90	2.24
	灣內站	0:00	23.87	50.90	33.16	8.33	8.14	5.7	14.5
		3:00	23.63	50.93	33.19	8.32	7.78	4.4	10.1
		6:00	23.66	49.92	32.44	8.23	6.71	4.4	9.9
		9:00	23.46	47.41	30.61	8.33	7.95	4.5	13.4
		12:00	24.39	44.29	28.32	8.44	9.30	3.8	7.1
		15:00	24.67	45.57	29.24	8.45	9.51	4.8	11.0
		18:00	25.33	49.65	32.21	8.54	11.59	5.3	21.7
		21:00	25.31	49.01	31.74	8.48	10.75	5.1	18.1
	日平均值		24.29	48.46	31.36	8.39	8.97	4.75	13.23
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月24日	蚵殼站	0:00	24.54	49.08	31.94	8.40	6.42	3.3	8.4
		3:00	24.68	48.79	31.72	8.42	6.41	4.7	5.6
		6:00	24.48	48.54	31.54	8.44	6.39	4.0	4.2
		9:00	24.48	50.41	32.93	8.50	6.47	3.5	7.4
		12:00	24.76	50.53	33.01	8.49	6.44	3.4	14.1
		15:00	24.93	51.25	33.54	8.54	6.44	3.8	10.5
		18:00	24.88	48.60	31.58	8.57	6.54	8.6	9.7
		21:00	24.83	48.88	31.79	8.56	6.50	4.3	7.8
	日平均值		24.70	49.51	32.26	8.49	6.45	4.45	8.46
	潮口站	0:00	23.32	52.50	34.23	8.18	7.54	5.3	1.8
		3:00	23.71	52.70	34.37	8.13	6.88	6.9	2.2
		6:00	23.69	52.09	33.92	8.14	7.07	4.9	0.9
		9:00	22.90	52.33	34.12	8.20	7.52	4.7	0.0
		12:00	23.25	52.32	34.10	8.19	7.69	3.5	0.4
		15:00	23.80	52.30	34.08	8.15	7.81	9.5	1.3
		18:00	24.26	52.29	34.06	8.11	7.61	9.7	4.0
		21:00	23.50	51.80	33.71	8.14	7.50	4.8	0.1
	日平均值		23.55	52.29	34.07	8.16	7.45	6.16	1.34
	灣內站	0:00	25.04	51.23	33.38	8.42	8.88	3.8	11.4
		3:00	24.33	50.29	32.70	8.41	8.43	3.5	6.5
		6:00	23.88	52.01	33.98	8.30	6.64	3.7	13.0
		9:00	23.88	48.65	31.50	8.23	8.27	3.4	11.7
		12:00	24.34	50.02	32.50	8.30	9.91	3.3	12.9
		15:00	25.20	50.23	32.64	8.06	11.07	5.3	13.1
		18:00	25.09	48.16	31.12	8.24	12.75	4.5	25.3
		21:00	25.33	46.16	29.66	8.16	11.90	4.6	17.0
	日平均值		24.64	49.59	32.19	8.27	9.73	4.01	13.86
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月25日	蚵殼站	0:00	24.73	48.79	31.72	8.42	6.19	4.1	9.8
		3:00	24.71	48.57	31.57	8.50	6.55	3.5	6.0
		6:00	24.59	48.64	31.62	8.44	6.55	3.7	8.2
		9:00	24.67	51.36	33.63	8.47	6.30	3.1	9.2
		12:00	25.16	51.43	33.67	8.44	6.54	3.4	10.3
		15:00	25.07	51.66	33.84	8.43	6.55	3.3	16.0
		18:00	25.26	51.49	33.71	8.50	6.42	3.1	6.6
		21:00	25.31	51.42	33.66	8.50	6.44	4.2	4.8
	日平均值		24.94	50.42	32.93	8.46	6.44	3.55	8.86
	潮口站	0:00	23.04	52.09	33.94	8.20	7.55	4.2	3.3
		3:00	23.41	52.01	33.87	8.16	7.35	5.2	2.0
		6:00	23.98	51.95	33.81	8.19	8.04	3.4	4.5
		9:00	22.98	52.13	33.97	8.07	7.25	4.1	1.9
		12:00	23.08	52.28	34.08	8.18	7.79	4.0	1.9
		15:00	24.06	52.20	34.00	8.20	8.49	14.3	2.5
		18:00	24.21	52.05	33.88	8.16	9.16	5.1	8.6
		21:00	25.01	52.15	33.94	8.14	8.73	5.5	2.8
	日平均值		23.72	52.11	33.94	8.16	8.05	5.73	3.44
	灣內站	0:00	24.93	48.56	31.42	8.27	10.64	3.2	13.1
		3:00	24.67	50.45	32.81	8.16	8.74	3.0	16.2
		6:00	24.22	51.49	33.59	8.10	7.52	3.7	7.7
		9:00	24.21	49.56	32.17	8.33	8.49	4.0	12.4
		12:00	25.32	48.76	31.55	8.41	11.46	3.4	9.9
		15:00	25.43	50.35	32.72	8.47	11.72	2.5	12.0
		18:00	26.03	49.85	32.34	8.53	13.59	3.6	19.4
		21:00	25.87	47.92	30.92	8.24	11.36	12.3	24.2
	日平均值		25.09	49.62	32.19	8.31	10.44	4.46	14.36
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月26日	蚵殼站	0:00	25.48	52.40	34.19	8.40	6.67	3.6	7.0
		3:00	25.35	51.88	33.80	8.33	6.50	3.7	8.7
		6:00	25.25	52.25	34.08	8.36	6.59	3.5	8.9
		9:00	25.18	52.04	33.93	8.39	6.69	3.8	9.7
		12:00	25.77	52.11	33.97	8.44	6.75	5.6	14.4
		15:00	25.56	52.46	34.23	8.40	6.62	3.9	12.6
		18:00	25.66	52.33	34.13	8.44	6.63	4.3	12.8
		21:00	25.72	51.94	33.84	8.40	6.63	4.2	12.2
	日平均值		25.50	52.18	34.02	8.40	6.64	4.08	10.79
	潮口站	0:00	23.11	52.80	34.71	8.16	7.53	3.8	5.3
		3:00	24.37	52.30	34.32	8.15	8.23	5.4	3.7
		6:00	24.44	51.72	33.89	8.24	9.77	3.6	4.7
		9:00	24.38	51.97	34.07	8.18	9.35	3.6	2.0
		12:00	23.56	52.61	34.56	8.19	7.76	5.3	0.4
		15:00	23.69	52.62	34.56	8.17	7.93	4.2	0.7
		18:00	24.13	52.38	34.38	8.18	8.52	7.5	7.1
		21:00	24.42	52.21	34.25	8.21	9.03	4.8	2.2
	日平均值		24.01	52.33	34.34	8.19	8.52	4.78	3.26
	灣內站	0:00	25.48	49.74	32.53	8.43	13.70	3.5	7.1
		3:00	25.07	52.57	34.63	8.22	9.47	2.2	4.1
		6:00	24.78	52.64	34.69	8.27	9.58	1.7	3.0
		9:00	24.86	50.82	33.35	8.39	10.22	5.8	4.3
		12:00	25.46	50.14	32.83	8.35	10.89	2.0	2.9
		15:00	25.62	47.19	30.67	8.33	10.65	3.4	4.4
		18:00	25.46	51.72	34.00	8.36	10.21	12.2	2.7
		21:00	25.86	50.06	32.76	8.53	12.68	3.7	15.8
	日平均值		25.32	50.61	33.18	8.36	10.93	4.31	5.54
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月27日	蚵殼站	0:00	25.57	51.91	33.82	8.43	6.54	4.1	5.8
		3:00	25.36	52.26	34.09	8.36	6.51	3.1	7.3
		6:00	25.27	52.61	34.35	8.35	6.49	2.9	6.1
		9:00	25.34	52.47	34.24	8.36	6.52	3.9	9.0
		12:00	25.81	52.52	34.27	8.38	6.46	3.3	4.7
		15:00	25.60	52.31	34.11	8.38	6.62	4.1	7.1
		18:00	25.30	52.12	33.98	8.40	6.64	3.6	5.4
		21:00	25.38	52.23	34.06	8.36	6.61	3.7	11.8
	日平均值		25.45	52.30	34.12	8.38	6.55	3.59	7.15
	潮口站	0:00	24.18	52.00	34.10	8.13	7.77	4.1	2.2
		3:00	23.32	52.44	34.44	8.21	7.37	4.1	3.4
		6:00	23.43	52.44	34.44	8.20	7.59	4.0	0.0
		9:00	24.60	52.23	34.26	8.18	8.10	4.8	1.9
		12:00	24.12	52.56	34.52	8.17	7.70	4.3	2.2
		15:00	24.23	52.58	34.53	8.16	7.87	3.3	1.4
		18:00	24.60	52.38	34.37	8.17	8.33	5.8	3.1
		21:00	24.84	52.45	34.42	8.16	7.74	8.8	1.3
	日平均值		24.17	52.39	34.39	8.17	7.81	4.90	1.94
	灣內站	0:00	25.54	52.18	34.33	8.43	10.56	3.3	15.7
		3:00	25.24	53.82	35.56	8.42	8.61	2.6	1.7
		6:00	25.01	50.36	33.00	8.38	9.56	3.2	8.2
		9:00	25.12	50.85	33.36	8.36	9.24	5.1	18.8
		12:00	25.97	49.46	32.32	8.48	11.78	3.9	13.5
		15:00	26.25	50.47	33.05	8.44	12.33	2.4	59.9
		18:00	26.07	51.62	33.90	8.39	11.11	3.9	16.4
		21:00	25.74	50.35	32.98	8.43	9.81	3.7	16.9
	日平均值		25.62	51.14	33.56	8.42	10.38	3.51	18.89
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月28日	蚵殼站	0:00	25.38	52.28	34.10	8.31	6.61	5.1	7.2
		3:00	25.18	51.43	33.47	8.30	6.57	5.7	9.0
		6:00	25.50	51.42	33.46	8.33	6.47	6.1	9.8
		9:00	25.29	50.80	33.00	8.33	6.53	4.5	19.6
		12:00	25.56	52.37	34.16	8.31	6.52	4.6	14.3
		15:00	25.54	52.77	34.46	8.38	6.66	5.8	12.9
		18:00	25.30	52.30	34.11	8.34	6.63	5.9	17.1
		21:00	25.72	50.85	33.03	8.28	6.60	6.1	15.4
	日平均值		25.43	51.78	33.72	8.32	6.57	5.48	13.16
	潮口站	0:00	24.61	52.05	34.13	8.16	7.73	5.9	3.1
		3:00	23.54	52.60	34.56	8.18	7.42	4.6	2.4
		6:00	23.51	52.54	34.51	8.19	7.52	3.5	0.3
		9:00	24.35	52.30	34.31	8.13	7.15	5.3	3.3
		12:00	23.95	52.56	34.52	8.15	7.83	4.4	2.3
		15:00	24.08	52.61	34.55	8.17	8.05	4.6	1.8
		18:00	24.05	52.54	34.50	8.16	8.18	4.2	1.9
		21:00	24.84	51.75	33.90	8.16	8.14	7.5	2.6
	日平均值		24.12	52.37	34.37	8.16	7.75	5.00	2.21
	灣內站	0:00	25.39	51.78	34.04	8.44	9.19	3.2	15.8
		3:00	25.18	51.27	33.67	8.37	7.12	2.6	7.2
		6:00	25.03	52.90	34.88	8.32	7.00	4.4	8.9
		9:00	25.02	52.73	34.75	8.36	8.52	3.5	12.9
		12:00	25.94	51.83	34.06	8.39	10.53	3.6	11.6
		15:00	25.89	51.21	33.60	8.34	9.84	2.4	17.9
		18:00	25.92	52.90	34.85	8.28	8.58	5.8	13.8
		21:00	25.91	51.83	34.07	8.44	10.62	2.8	18.7
	日平均值		25.54	52.06	34.24	8.37	8.93	3.54	13.35
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月1日	蚵殼站	0:04	25.88	50.94	33.09	8.32	6.59	5.2	15.6
		3:04	25.64	51.50	33.52	8.26	6.66	6.3	12.6
		6:04	25.43	51.66	33.64	8.35	6.73	5.9	14.6
		9:04	25.35	51.67	33.65	8.34	6.65	6.2	13.8
		12:04	25.65	52.02	33.90	8.37	6.74	7.1	25.0
		15:04	25.69	52.45	34.22	8.36	6.71	5.3	17.8
		18:04	25.65	52.15	33.99	8.36	6.67	5.6	21.8
		21:04	25.43	52.13	33.99	8.36	6.76	6.7	30.8
	日平均值		25.59	51.82	33.75	8.34	6.69	6.04	19.00
	潮口站	0:04	25.10	51.83	33.95	8.12	8.06	4.9	3.4
		3:04	23.88	52.38	34.39	8.12	7.38	4.4	3.2
		6:04	23.64	50.27	32.83	8.16	7.62	4.7	1.4
		9:04	24.30	50.97	33.33	8.18	7.76	4.2	1.9
		12:04	24.57	51.68	33.85	8.11	7.89	4.8	3.6
		15:04	24.20	50.79	33.21	8.18	8.15	5.7	0.3
		18:04	24.11	51.62	33.82	8.16	8.16	5.2	1.3
		21:04	24.76	51.33	33.59	8.16	8.34	6.6	3.6
	日平均值		24.32	51.36	33.62	8.15	7.92	5.06	2.34
	灣內站	0:04	25.68	48.17	31.38	8.42	8.61	4.2	26.2
		3:04	25.20	53.01	34.96	8.33	7.24	2.4	13.7
		6:04	24.75	52.32	34.45	8.39	7.61	4.3	15.2
		9:04	24.67	51.33	33.72	8.33	7.99	2.9	22.3
		12:04	25.93	50.65	33.20	8.40	10.18	3.4	19.7
		15:04	25.60	52.73	34.74	8.31	10.04	3.4	27.4
		18:04	25.83	49.35	32.24	8.42	12.57	4.6	67.7
		21:04	25.22	51.98	34.19	8.35	9.84	5.7	33.5
	日平均值		25.36	51.19	33.61	8.37	9.26	3.86	28.21
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月2日	蚵殼站	0:04	25.29	51.92	33.84	8.42	6.80	5.9	24.8
		3:04	25.13	52.06	33.94	8.05	6.71	6.2	20.5
		6:04	24.94	52.12	33.99	8.20	6.79	7.5	29.0
		9:04	24.87	52.08	33.96	8.22	6.61	6.5	23.2
		12:04	25.18	52.00	33.89	8.33	6.79	8.2	9.6
		15:04	25.42	52.13	33.99	8.37	6.83	6.7	9.1
		18:04	25.22	52.15	34.01	8.34	6.73	5.7	19.3
		21:04	25.22	51.29	33.37	8.41	6.92	8.7	46.3
	日平均值		25.16	51.97	33.87	8.29	6.77	6.93	22.73
	潮口站	0:04	24.86	50.75	33.16	8.18	8.79	5.4	8.9
		3:04	23.51	51.14	33.47	8.11	7.72	5.8	0.6
		6:04	23.32	51.18	33.50	8.18	7.50	5.9	0.5
		9:04	24.05	50.58	33.05	8.23	8.31	3.8	4.3
		12:04	24.35	51.08	33.42	8.23	8.65	9.0	1.9
		15:04	23.74	50.98	33.35	8.20	8.26	4.1	0.5
		18:04	23.51	49.72	32.43	8.22	8.27	4.1	7.4
		21:04	23.68	50.54	33.03	8.19	8.45	5.3	2.4
	日平均值		23.88	50.75	33.18	8.19	8.24	5.43	3.31
	灣內站	0:04	25.12	51.85	34.10	8.34	7.93	4.5	25.1
		3:04	24.74	52.07	34.27	8.41	7.59	3.7	21.5
		6:04	24.67	50.41	33.04	8.25	6.43	4.8	17.2
		9:04	24.31	50.08	32.81	8.39	8.11	2.6	16.5
		12:04	24.85	49.67	32.50	8.50	9.12	3.2	18.1
		15:04	25.07	53.69	35.46	8.33	9.95	3.4	16.5
		18:04	25.07	50.98	33.46	8.37	10.29	7.2	29.1
		21:04	24.97	49.96	32.71	8.46	10.76	5.0	26.8
	日平均值		24.85	51.09	33.54	8.38	8.77	4.30	21.35
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月3日	蚵殼站	0:04	25.11	52.06	33.94	8.45	6.90	9.9	15.4
		3:04	24.96	51.76	33.73	8.43	6.86	9.2	15.2
		6:04	24.64	51.57	33.59	8.41	6.92	16.0	21.8
		9:04	24.68	52.04	33.94	8.42	6.97	7.9	23.0
		12:04	25.31	52.20	34.04	8.43	6.99	8.4	26.5
		15:04	25.30	52.54	34.29	8.46	7.00	12.3	36.9
		18:04	25.33	52.16	34.01	8.51	7.17	13.2	42.0
		21:04	25.27	51.86	33.79	8.43	7.02	14.7	30.0
		日平均值	25.08	52.02	33.92	8.44	6.98	11.45	26.35
	潮口站	0:04	24.11	51.17	33.49	8.21	8.40	7.1	8.0
		3:04	24.02	50.39	32.91	8.16	7.85	6.6	3.1
		6:04	23.25	49.90	32.57	8.15	7.45	5.1	3.3
		9:04	23.76	50.30	32.85	8.22	8.19	4.7	1.9
		12:04	24.82	50.97	33.32	8.19	9.00	5.4	0.5
		15:04	24.21	50.82	33.22	8.16	8.47	5.8	10.5
		18:04	24.02	51.28	33.57	8.19	8.19	3.9	0.0
		21:04	24.76	48.95	31.84	8.18	9.67	4.9	3.2
		日平均值	24.12	50.47	32.97	8.18	8.40	5.44	3.81
	灣內站	0:04	24.63	50.69	33.25	8.43	9.32	4.2	26.3
		3:04	24.59	53.90	35.63	8.46	7.68	5.0	23.8
		6:04	24.32	51.72	34.02	8.33	7.75	2.7	23.1
		9:04	24.23	50.88	33.40	8.32	8.81	2.9	23.9
		12:04	25.14	49.67	32.49	8.35	11.46	5.0	27.9
		15:04	25.53	50.40	33.02	8.44	13.32	5.0	30.2
		18:04	25.36	50.33	32.97	8.44	11.85	4.2	33.3
		21:04	24.94	51.84	34.10	8.23	8.83	7.0	27.9
		日平均值	24.84	51.18	33.61	8.38	9.88	4.50	27.05
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月4日	蚵殼站	0:04	25.27	52.28	34.10	8.45	6.96	18.4	14.5
		3:04	25.13	49.90	32.35	8.39	6.65	15.7	16.7
		6:04	25.01	51.11	33.24	8.41	7.02	9.0	17.1
		9:04	24.99	51.64	33.63	8.43	6.95	7.9	22.1
		12:04	25.63	50.58	32.83	8.44	7.07	7.0	22.3
		15:04	25.26	50.00	32.41	8.49	7.12	7.7	27.5
		18:04	25.08	51.25	33.34	8.50	7.09	7.9	36.9
		21:04	25.21	50.16	32.54	8.42	7.00	8.5	27.1
	日平均值		25.20	50.87	33.06	8.44	6.98	10.26	23.03
	潮口站	0:04	25.22	49.12	31.95	8.15	8.87	7.7	6.3
		3:04	25.00	49.36	32.14	8.17	8.92	5.3	5.1
		6:04	24.16	50.78	33.19	8.13	7.22	6.1	1.8
		9:04	24.52	49.93	32.56	8.21	8.28	5.1	3.8
		12:04	24.72	50.29	32.82	8.12	8.20	8.1	2.5
		15:04	24.65	50.99	33.34	8.10	7.95	7.0	3.5
		18:04	24.43	50.30	32.84	8.14	7.82	3.8	3.1
		21:04	24.53	51.00	33.35	8.17	7.89	6.6	0.1
	日平均值		24.65	50.22	32.77	8.15	8.14	6.21	3.28
	灣內站	0:04	24.68	51.62	33.93	8.24	7.56	5.7	28.1
		3:04	24.45	51.33	33.73	8.22	6.41	9.9	27.9
		6:04	24.46	53.03	34.98	8.26	8.16	3.2	29.8
		9:04	24.43	51.67	33.98	8.31	7.87	2.4	29.6
		12:04	25.21	50.82	33.34	8.34	9.48	2.6	27.9
		15:04	25.55	51.99	34.19	8.36	9.96	3.1	29.7
		18:04	25.36	52.61	34.65	8.30	8.67	4.7	29.1
		21:04	25.39	53.25	35.13	8.30	9.01	7.7	30.1
	日平均值		24.94	52.04	34.24	8.29	8.39	4.91	29.03
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月5日	蚵殼站	0:04	25.25	49.46	32.01	8.43	7.13	9.5	29.0
		3:04	25.02	49.50	32.05	8.46	7.11	9.2	23.1
		6:04	24.91	51.95	33.86	8.35	6.85	10.5	24.9
		9:04	24.87	52.31	34.14	8.46	7.01	9.4	19.1
		12:04	25.59	52.34	34.14	8.46	7.12	9.8	27.1
		15:04	25.44	52.68	34.39	8.46	7.11	9.9	26.3
		18:04	25.26	52.14	34.00	8.43	7.12	10.9	26.6
		21:04	25.27	51.46	33.49	8.42	7.06	11.0	17.4
	日平均值		25.20	51.48	33.51	8.43	7.06	10.03	24.19
	潮口站	0:04	24.87	51.54	33.74	8.06	7.50	10.0	0.4
		3:04	24.59	50.85	33.24	8.15	8.45	8.0	0.3
		6:04	23.67	50.42	32.94	8.14	7.50	6.0	0.6
		9:04	23.84	50.50	32.99	8.11	7.62	5.8	3.1
		12:04	24.92	50.89	33.26	8.10	8.25	5.9	0.5
		15:04	24.82	50.62	33.07	8.08	8.1	7.4	3.6
		18:04	24.39	51.39	33.64	8.10	7.8	5.6	0.8
		21:04	24.36	50.55	33.02	8.08	7.8	6.0	2.4
	日平均值		24.43	50.85	33.24	8.10	7.88	6.84	1.46
	灣內站	0:04	25.12	51.55	33.87	8.24	8.54	16.1	31.2
		3:04	24.69	50.50	33.11	8.26	6.85	3.5	30.7
		6:04	24.42	51.99	34.22	8.12	6.32	3.7	29.5
		9:04	24.49	51.16	33.60	8.27	6.52	4.5	30.2
		12:04	25.25	52.96	34.92	8.37	9.23	5.6	31.1
		15:04	25.40	53.51	35.32	8.27	9.23	7.8	31.1
		18:04	25.28	52.99	34.94	8.32	8.55	8.3	32.8
		21:04	25.33	52.52	34.59	8.28	8.18	9.0	34.2
	日平均值		25.00	52.15	34.32	8.27	7.93	7.31	31.35
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月6日	蚵殼站	0:04	25.17	51.46	33.50	8.46	7.07	10.5	28.2
		3:04	25.23	51.79	33.74	8.49	7.16	10.4	24.0
		6:04	25.13	51.43	33.47	8.45	7.11	10.8	37.6
		9:04	25.10	51.44	33.49	8.45	7.11	10.7	45.9
		12:04	25.60	50.45	33.35	8.42	8.60	10.3	30.5
		15:04	25.29	51.68	33.96	8.32	8.76	2.3	14.1
		18:04	24.92	52.37	34.49	8.36	8.80	3.1	16.6
		21:04	25.07	52.33	34.45	8.48	9.86	1.5	10.8
	日平均值		25.19	51.62	33.81	8.43	8.06	7.45	25.96
	潮口站	0:04	24.91	51.16	33.46	8.09	7.84	4.9	11.2
		3:04	24.66	50.63	33.08	8.09	7.57	7.0	4.7
		6:04	23.57	50.23	32.81	8.11	7.24	5.1	0.8
		9:04	23.69	50.35	32.89	8.13	7.46	5.1	0.8
		12:04	25.04	52.65	34.69	8.19	6.79	1.9	1.5
		15:04	25.17	52.63	34.67	8.13	6.81	6.7	4.3
		18:04	24.37	52.47	34.57	8.11	6.80	1.6	3.9
		21:04	24.20	52.62	34.69	8.16	6.77	0.5	2.4
	日平均值		24.45	51.59	33.86	8.13	7.16	4.10	3.70
	灣內站	0:04	25.12	50.74	33.28	8.33	8.07	12.9	30.4
		3:04	24.77	46.09	29.89	8.24	6.88	12.3	31.1
		6:04	24.59	47.20	30.70	8.25	6.55	12.2	30.9
		9:04	24.61	47.62	31.01	8.28	6.68	24.0	33.9
		12:04	25.77	50.95	33.42	8.37	8.64	1.6	30.9
		15:04	25.99	50.82	33.32	8.35	10.03	2.6	49.2
		18:04	25.61	51.24	33.64	8.32	9.33	5.3	14.3
		21:04	25.65	51.18	33.59	8.31	8.92	3.5	20.5
	日平均值		25.26	49.48	32.36	8.31	8.14	9.30	30.15
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月7日	蚵殼站	0:04	25.06	52.31	34.44	8.41	9.18	1.1	11.9
		3:04	25.14	52.17	34.33	8.46	9.45	1.8	15.8
		6:04	24.97	52.15	34.32	8.45	9.14	2.2	7.3
		9:04	24.89	52.12	34.30	8.45	9.22	2.8	10.7
		12:04	25.15	52.20	34.35	8.47	9.99	2.3	13.6
		15:04	25.26	52.32	34.44	8.42	9.64	2.9	10.0
		18:04	24.96	52.38	34.49	8.39	8.95	2.9	11.7
		21:04	24.90	52.45	34.55	8.40	8.73	2.9	4.6
	日平均值		25.04	52.26	34.40	8.43	9.29	2.36	10.70
	潮口站	0:04	24.35	52.67	34.72	8.16	6.68	5.0	2.3
		3:04	24.80	52.61	34.67	8.14	6.69	0.3	8.4
		6:04	23.60	52.63	34.71	8.29	6.73	1.6	3.1
		9:04	23.74	52.63	34.70	8.16	6.67	2.9	1.4
		12:04	24.94	52.48	34.57	8.28	6.68	0.6	0.5
		15:04	24.97	52.83	34.82	8.31	6.63	6.9	6.9
		18:04	24.26	52.18	34.36	8.19	6.60	2.5	0.2
		21:04	24.01	52.36	34.50	8.26	6.60	0.6	5.1
	日平均值		24.33	52.55	34.63	8.22	6.66	2.55	3.49
	灣內站	0:04	25.28	51.34	33.72	8.17	7.76	3.4	21.5
		3:04	25.00	51.47	33.82	8.15	7.02	5.5	13.8
		6:04	24.82	51.54	33.88	8.14	7.19	5.2	15.4
		9:04	24.82	51.48	33.83	8.24	7.76	4.1	5.9
		12:04	25.33	51.03	33.49	8.30	8.74	2.2	18.7
		15:04	25.97	50.80	33.30	8.35	9.86	2.6	29.6
		18:04	25.90	50.62	33.17	8.30	9.28	2.7	23.3
		21:04	25.44	51.22	33.62	8.26	8.40	5.6	10.1
	日平均值		25.32	51.19	33.60	8.24	8.25	3.91	17.29
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月8日	蚵殼站	0:04	25.05	52.14	34.31	8.49	10.04	4.3	25.9
		3:04	24.91	52.21	34.37	8.46	9.19	2.1	15.9
		6:04	24.80	52.19	34.36	8.44	8.94	2.4	13.1
		9:04	24.80	52.26	34.41	8.42	8.36	1.9	14.6
		12:04	25.11	52.33	34.45	8.45	9.98	2.9	16.6
		15:04	25.14	52.56	34.63	8.41	9.64	2.9	12.6
		18:04	24.96	52.59	34.65	8.38	8.75	2.9	11.2
		21:04	24.85	52.56	34.63	8.44	9.41	2.1	11.5
	日平均值		24.95	52.36	34.48	8.44	9.29	2.69	15.18
	潮口站	0:04	24.09	52.37	34.50	8.23	6.62	4.4	0.2
		3:04	24.58	52.42	34.53	8.21	6.55	2.2	2.3
		6:04	23.37	52.42	34.56	8.22	6.66	1.5	0.7
		9:04	23.55	52.30	34.46	8.35	6.60	0.1	0.5
		12:04	24.90	52.25	34.40	8.29	6.57	2.2	1.7
		15:04	25.15	52.31	34.44	8.23	6.59	2.4	8.7
		18:04	24.24	52.05	34.27	8.21	6.50	2.5	2.4
		21:04	23.83	52.34	34.48	8.25	6.52	1.7	1.6
	日平均值		24.21	52.31	34.46	8.25	6.58	2.13	2.26
	灣內站	0:04	25.27	51.14	33.57	8.18	7.77	4.6	12.5
		3:04	24.96	51.07	33.52	8.11	6.83	8.3	6.1
		6:04	24.76	51.55	33.88	8.10	6.49	8.2	9.0
		9:04	24.90	51.39	33.76	8.12	6.84	5.4	8.9
		12:04	25.41	50.69	33.23	8.29	8.65	8.5	17.6
		15:04	26.29	50.73	33.25	8.32	9.24	4.0	11.2
		18:04	26.25	50.58	33.14	8.26	8.61	4.2	9.4
		21:04	25.33	51.36	33.73	8.28	8.33	9.3	3.0
	日平均值		25.40	51.06	33.51	8.21	7.85	6.56	9.71
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月9日	蚵殼站	0:04	24.84	52.56	34.63	8.43	8.88	2.4	6.5
		3:04	24.81	52.43	34.54	8.42	8.71	2.1	6.1
		6:04	24.64	52.00	34.22	8.39	8.06	2.5	6.5
		9:04	24.34	52.30	34.45	8.38	7.62	1.9	3.3
		12:04	25.06	52.50	34.58	8.41	8.74	1.9	4.5
		15:04	24.98	52.32	34.44	8.39	9.14	4.1	5.9
		18:04	24.87	52.30	34.44	8.35	8.25	3.0	7.6
		21:04	24.77	52.73	34.76	8.36	8.26	3.7	6.1
	日平均值		24.79	52.39	34.51	8.39	8.46	2.70	5.81
	潮口站	0:04	24.01	52.19	34.37	8.36	6.53	5.4	2.4
		3:04	24.33	52.24	34.40	8.23	6.47	2.6	4.1
		6:04	23.54	52.31	34.47	8.27	6.54	2.0	2.4
		9:04	23.63	52.33	34.48	8.30	6.52	0.9	3.0
		12:04	24.26	51.99	34.14	8.23	6.45	6.4	2.9
		15:04	24.77	51.99	34.13	8.32	6.53	5.7	9.6
		18:04	24.20	51.55	33.81	8.28	6.50	3.1	1.4
		21:04	23.77	51.78	34.00	8.32	6.49	0.8	1.6
	日平均值		24.06	52.05	34.23	8.29	6.50	3.36	3.43
	灣內站	0:04	25.05	51.24	33.65	8.23	7.76	8.0	2.2
		3:04	24.89	50.15	32.85	8.24	7.74	6.9	3.9
		6:04	24.84	50.83	33.35	8.21	7.56	6.0	10.0
		9:04	24.85	51.11	33.61	8.24	7.62	6.6	8.1
		12:04	25.29	51.29	33.73	8.26	8.15	4.0	8.8
		15:04	25.63	51.32	33.75	8.25	8.05	5.0	2.5
		18:04	25.89	50.77	33.33	8.25	7.86	0.9	1.0
		21:04	25.30	50.70	33.30	8.30	8.29	4.4	12.2
	日平均值		25.22	50.93	33.45	8.25	7.88	5.23	6.09
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月10日	蚵殼站	0:04	24.84	52.13	34.31	8.44	8.65	4.0	11.1
		3:04	24.77	52.20	34.37	8.40	7.93	7.8	32.7
		6:04	24.63	52.52	34.60	8.38	7.70	2.6	19.4
		9:04	24.57	52.63	34.69	8.37	7.89	2.0	4.0
		12:04	24.70	52.53	34.61	8.42	8.82	2.8	9.0
		15:04	24.70	52.23	34.38	8.49	9.85	3.1	28.5
		18:04	24.38	51.98	34.21	8.38	7.97	4.0	10.8
		21:04	24.21	52.65	34.71	8.36	7.85	2.6	5.6
	日平均值		24.60	52.36	34.49	8.41	8.33	3.61	15.14
	潮口站	0:04	24.35	51.85	34.03	8.34	6.47	1.0	1.0
		3:04	24.27	51.86	34.04	8.33	6.41	3.0	2.9
		6:04	23.90	51.89	34.07	8.33	6.44	4.4	4.3
		9:04	23.60	51.94	34.12	8.41	6.46	0.7	2.6
		12:04	24.01	51.88	34.06	8.29	6.45	2.5	1.7
		15:04	24.60	51.81	34.00	8.35	6.52	0.0	5.3
		18:04	24.37	51.90	34.07	8.39	6.48	3.2	5.5
		21:04	23.73	51.96	34.13	8.36	6.45	1.6	1.1
	日平均值		24.10	51.89	34.07	8.35	6.46	2.05	3.05
	灣內站	0:04	25.27	50.27	32.99	8.26	7.70	6.3	2.3
		3:04	25.02	51.06	33.57	8.24	7.58	5.0	5.7
		6:04	24.86	50.96	33.50	8.21	6.87	1.2	11.3
		9:04	24.76	51.14	33.63	8.25	7.33	1.5	4.9
		12:04	24.84	50.66	33.28	8.20	7.17	5.8	13.0
		15:04	24.87	51.28	33.73	8.20	7.26	2.0	5.8
		18:04	24.63	51.01	33.54	8.33	8.49	4.2	21.0
		21:04	24.51	51.86	34.17	8.26	7.67	6.0	10.0
	日平均值		24.85	51.03	33.55	8.24	7.51	4.00	9.25
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							7.5-8.5
									5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月11日	蚵殼站	0:04	24.13	52.65	34.71	8.35	6.93	2.4	4.7
		3:04	23.98	52.27	34.43	8.35	6.57	3.1	5.6
		6:04	23.97	52.32	34.47	8.32	6.63	2.5	4.7
		9:04	23.91	52.34	34.49	8.34	6.79	2.2	5.3
		12:04	24.13	52.44	34.55	8.37	7.31	2.2	10.5
		15:04	24.12	52.56	34.65	8.38	8.07	1.9	9.6
		18:04	23.98	52.09	34.30	8.38	7.85	3.2	6.7
		21:04	23.86	52.28	34.44	8.38	7.58	4.0	0.2
	日平均值		24.01	52.37	34.51	8.36	7.22	2.69	5.91
	潮口站	0:04	23.72	52.05	34.20	8.27	6.45	4.0	0.4
		3:04	23.58	52.01	34.17	8.32	6.48	6.1	1.0
		6:04	23.55	51.96	34.13	8.33	6.45	4.5	4.2
		9:04	23.84	52.00	34.16	8.32	6.46	1.1	0.5
		12:04	24.11	52.08	34.21	8.32	6.41	1.6	3.9
		15:04	24.12	52.01	34.16	8.26	6.43	6.4	5.0
		18:04	24.05	51.94	34.11	8.43	6.49	5.4	7.6
		21:04	23.99	52.04	34.18	8.28	6.41	1.9	0.7
	日平均值		23.87	52.01	34.17	8.32	6.45	3.88	2.91
	灣內站	0:04	24.45	50.87	33.44	8.20	7.07	4.9	9.4
		3:04	24.30	50.31	33.03	8.18	6.75	5.5	6.1
		6:04	24.12	51.01	33.55	8.19	6.59	3.1	10.3
		9:04	24.01	50.34	33.06	8.21	6.85	4.7	6.5
		12:04	24.27	50.57	33.23	8.28	7.90	6.0	2.6
		15:04	24.56	51.69	34.05	8.32	8.59	0.5	32.4
		18:04	24.44	50.73	33.34	8.30	8.25	3.6	14.5
		21:04	24.26	51.18	33.67	8.28	7.65	5.7	2.7
	日平均值		24.30	50.84	33.42	8.25	7.46	4.25	10.56
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月12日	蚵殼站	0:04	23.79	52.60	34.68	8.32	6.63	2.9	7.4
		3:04	23.68	52.47	34.58	8.36	7.33	4.2	3.5
		6:04	23.65	52.07	34.29	8.33	6.63	2.7	4.8
		9:04	23.63	52.33	34.48	8.32	6.65	2.6	2.8
		12:04	23.66	52.02	34.26	8.37	7.58	3.1	9.2
		15:04	23.84	51.94	34.19	8.35	7.26	2.8	15.8
		18:04	23.62	51.73	34.04	8.37	7.75	2.7	4.7
		21:04	23.41	52.31	34.47	8.40	7.84	2.4	4.4
	日平均值		23.66	52.18	34.37	8.35	7.21	2.93	6.58
	潮口站	0:04	23.88	52.06	34.20	8.35	6.41	1.8	2.1
		3:04	23.67	51.95	34.12	8.42	6.48	3.8	2.2
		6:04	23.54	52.04	34.19	8.33	6.49	4.7	1.1
		9:04	23.87	52.13	34.25	8.36	6.43	1.5	0.3
		12:04	23.87	52.10	34.23	8.35	6.45	2.6	3.3
		15:04	23.89	52.07	34.21	8.35	6.46	3.9	2.9
		18:04	23.81	51.88	34.07	8.51	6.73	6.3	22.2
		21:04	23.65	51.87	34.07	8.53	6.58	4.0	4.3
	日平均值		23.77	52.01	34.17	8.40	6.50	3.58	4.80
	灣內站	0:04	24.03	51.19	33.68	8.15	6.57	4.6	0.0
		3:04	23.91	50.84	33.43	8.12	6.20	5.9	6.8
		6:04	23.72	50.87	33.46	8.21	7.17	6.5	5.4
		9:04	23.69	50.99	33.55	8.24	7.28	5.1	9.1
		12:04	23.72	50.70	33.33	8.26	7.81	5.1	22.3
		15:04	23.89	51.04	33.58	8.33	8.79	2.5	25.7
		18:04	23.54	51.49	33.91	8.20	7.72	4.9	19.2
		21:04	23.56	51.62	34.01	8.18	6.93	5.2	5.5
	日平均值		23.76	51.09	33.62	8.21	7.31	4.98	11.75
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月13日	蚵殼站	0:04	23.31	52.61	34.70	8.38	7.57	2.7	3.0
		3:04	23.20	52.62	34.71	8.37	7.68	4.6	3.3
		6:04	23.05	52.39	34.54	8.35	6.73	2.7	7.1
		9:04	22.94	52.26	34.45	8.35	7.36	2.5	1.2
		12:04	23.67	52.40	34.54	8.38	7.93	2.4	7.0
		15:04	23.76	52.49	34.60	8.42	9.09	2.3	7.4
		18:04	23.69	52.52	34.63	8.37	8.20	2.1	5.0
		21:04	23.71	52.50	34.61	8.34	7.73	2.3	5.5
		日平均值	23.42	52.47	34.60	8.37	7.79	2.70	4.94
	潮口站	0:04	23.78	52.09	34.22	8.36	6.43	1.2	0.1
		3:04	23.49	51.99	34.16	8.42	6.53	2.6	1.3
		6:04	23.40	52.06	34.21	8.38	6.49	2.3	12.4
		9:04	23.81	52.09	34.22	8.31	6.45	0.4	0.4
		12:04	24.06	52.14	34.26	8.30	6.44	0.6	0.1
		15:04	24.12	52.12	34.24	8.44	6.51	6.0	3.1
		18:04	24.20	52.10	34.22	8.31	6.51	4.0	0.8
		21:04	24.01	52.04	34.18	8.35	6.51	3.0	7.1
		日平均值	23.86	52.08	34.21	8.36	6.48	2.51	3.16
	灣內站	0:04	23.36	51.08	33.62	8.17	6.69	7.9	3.3
		3:04	23.26	51.81	34.16	8.21	6.99	4.7	1.4
		6:04	23.15	51.16	33.68	8.18	6.74	2.7	2.0
		9:04	22.94	50.64	33.30	8.21	7.20	5.8	4.8
		12:04	23.94	50.29	33.02	8.30	8.71	5.8	21.5
		15:04	24.15	51.02	33.56	8.30	8.83	6.8	13.6
		18:04	24.25	50.45	33.14	8.33	9.08	0.9	30.1
		21:04	24.41	49.92	32.75	8.30	8.45	4.4	18.7
		日平均值	23.68	50.80	33.40	8.25	7.84	4.88	11.93
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月14日	蚵殼站	0:04	23.59	52.45	34.58	8.32	7.06	2.2	6.6
		3:04	23.46	52.38	34.52	8.37	7.20	2.3	9.7
		6:04	23.42	51.54	33.90	8.39	7.82	3.0	20.8
		9:04	23.75	51.39	33.79	8.36	8.22	2.2	12.1
		12:04	24.14	51.81	34.09	8.44	9.47	2.1	11.8
		15:04	24.36	52.24	34.40	8.44	9.71	3.9	16.7
		18:04	24.30	52.75	34.78	8.46	10.12	3.2	14.2
		21:04	24.10	52.29	34.45	8.39	8.57	3.9	6.4
	日平均值		23.89	52.11	34.31	8.40	8.52	2.85	12.29
	潮口站	0:04	24.00	51.99	34.15	8.47	6.44	1.7	3.2
		3:04	23.89	52.05	34.19	8.38	6.45	2.1	0.4
		6:04	23.77	52.07	34.21	8.36	6.44	1.1	0.7
		9:04	23.77	52.12	34.24	8.36	6.46	0.3	0.2
		12:04	24.22	51.87	34.05	8.41	6.45	0.7	1.2
		15:04	24.44	52.11	34.23	8.31	6.43	0.3	0.3
		18:04	24.46	52.02	34.16	8.27	6.46	4.8	0.9
		21:04	24.45	51.98	34.13	8.45	6.49	5.3	3.9
	日平均值		24.13	52.03	34.17	8.38	6.45	2.04	1.35
	灣內站	0:04	24.09	50.10	32.88	8.29	8.48	5.2	9.3
		3:04	24.00	50.85	33.43	8.25	7.74	6.3	0.2
		6:04	23.76	50.95	33.51	8.18	7.15	6.4	10.1
		9:04	23.92	50.50	33.18	8.17	6.96	7.0	1.8
		12:04	24.51	50.79	33.38	8.30	8.71	6.0	3.2
		15:04	25.17	51.08	33.58	8.38	9.52	4.7	21.1
		18:04	25.11	50.33	33.03	8.33	9.22	6.0	9.6
		21:04	25.02	51.06	33.57	8.30	8.69	4.4	6.9
	日平均值		24.45	50.71	33.32	8.28	8.31	5.75	7.78
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月15日	蚵殼站	0:04	24.59	52.47	34.57	8.53	10.94	2.8	23.8
		3:04	24.60	51.76	34.04	8.50	10.75	2.5	21.3
		6:04	24.19	51.18	33.62	8.46	9.51	4.5	44.2
		9:04	24.38	51.65	33.97	8.50	10.18	3.2	25.0
		12:04	24.68	52.20	34.37	8.49	10.77	3.9	29.8
		15:04	24.83	52.56	34.63	8.44	10.04	7.2	25.7
		18:04	24.94	52.39	34.50	8.45	9.90	6.7	19.3
		21:04	24.96	51.93	34.16	8.45	9.20	4.0	19.1
		日平均值	24.65	52.02	34.23	8.48	10.16	4.35	26.03
	潮口站	0:04	24.25	51.94	34.10	8.44	6.49	1.8	4.7
		3:04	24.39	52.17	34.27	8.42	6.40	2.5	0.8
		6:04	24.31	52.15	34.26	8.42	6.42	1.5	0.5
		9:04	23.95	51.61	33.86	8.49	6.67	1.9	5.6
		12:04	24.57	52.06	34.19	8.45	6.45	2.3	1.9
		15:04	24.79	52.17	34.26	8.37	6.42	5.6	0.6
		18:04	25.28	52.04	34.15	8.33	6.41	9.0	1.4
		21:04	25.58	52.12	34.21	8.16	6.24	13.8	6.9
		日平均值	24.64	52.03	34.16	8.39	6.44	4.80	2.80
	灣內站	0:04	25.02	50.93	33.47	8.26	8.32	3.7	20.6
		3:04	24.70	51.37	33.80	8.33	8.74	5.3	6.7
		6:04	24.22	50.92	33.48	8.28	8.13	6.7	7.8
		9:04	24.30	51.07	33.59	8.30	8.31	7.0	3.4
		12:04	25.10	50.95	33.49	8.33	8.69	7.1	2.7
		15:04	24.92	51.20	33.68	8.31	8.91	5.0	10.5
		18:04	24.55	52.41	34.58	8.22	7.94	3.7	5.8
		21:04	24.31	52.28	34.49	8.19	7.15	5.1	3.6
		日平均值	24.64	51.39	33.82	8.28	8.27	5.45	7.64
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月16日	蚵殼站	0:04	25.00	51.97	34.19	8.43	8.97	3.5	13.3
		3:04	25.00	52.00	34.21	8.43	8.65	3.9	17.5
		6:04	24.64	52.06	34.26	8.36	7.08	3.4	29.6
		9:04	24.86	52.34	34.47	8.41	8.43	2.6	14.1
		12:04	24.84	52.47	34.56	8.40	8.37	3.0	19.5
		15:04	25.04	52.43	34.53	8.43	9.29	3.0	24.2
		18:04	24.99	52.41	34.52	8.35	8.47	1.4	5.0
		21:04	24.89	52.47	34.56	8.39	8.53	1.4	6.1
	日平均值		24.91	52.27	34.41	8.40	8.47	2.78	16.16
	潮口站	0:04	25.13	51.85	34.02	8.37	6.43	5.7	0.4
		3:04	24.34	52.27	34.35	8.37	6.46	2.4	1.4
		6:04	24.45	52.12	34.24	8.38	6.48	7.8	1.8
		9:04	24.52	51.40	33.70	8.43	6.49	2.4	4.0
		12:04	24.46	52.12	34.24	8.32	6.51	3.6	3.6
		15:04	24.55	52.21	34.30	8.32	6.50	4.9	0.1
		18:04	25.01	51.87	34.03	8.35	6.50	4.5	7.8
		21:04	25.22	51.81	33.99	8.23	6.39	18.4	3.4
	日平均值		24.71	51.96	34.11	8.35	6.47	6.21	2.81
	灣內站	0:04	25.13	50.05	32.83	8.27	7.59	1.5	30.3
		3:04	24.55	51.60	33.98	8.24	7.79	6.4	8.9
		6:04	24.62	51.81	34.13	8.25	7.69	7.3	0.5
		9:04	24.65	51.81	34.13	8.27	7.78	8.6	1.9
		12:04	24.67	51.80	34.12	8.26	8.07	5.7	6.4
		15:04	24.82	51.79	34.11	8.28	8.25	4.5	10.1
		18:04	24.84	51.42	33.84	8.28	8.45	4.1	7.3
		21:04	24.79	51.95	34.23	8.26	8.24	5.5	21.2
	日平均值		24.76	51.53	33.92	8.26	7.98	5.45	10.83
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月17日	蚵殼站	0:04	24.78	51.44	33.80	8.40	7.69	1.2	4.5
		3:04	24.73	52.58	34.64	8.39	7.85	1.4	3.0
		6:04	24.41	52.03	34.25	8.28	6.78	3.3	24.4
		9:04	24.48	51.74	34.03	8.37	8.01	2.8	19.4
		15:04	25.58	51.69	33.97	8.35	7.09	3.3	3.9
		18:04	25.60	51.53	33.85	8.35	7.00	4.7	6.0
		21:04	25.46	51.53	33.85	8.30	6.76	4.1	5.5
		21:00	21.61	50.84	33.35	8.29	7.02	2.2	8.5
	日平均值		24.58	51.67	33.97	8.34	7.28	2.88	9.40
	潮口站	0:04	24.97	51.72	33.93	8.40	6.47	9.2	6.8
		3:04	24.73	51.89	34.06	8.35	6.44	2.1	2.9
		6:04	24.54	51.93	34.10	8.37	6.52	2.8	3.1
		9:04	24.78	51.68	33.90	8.40	6.55	2.3	1.9
		12:04	24.93	50.70	33.26	8.30	6.31	3.5	4.3
		15:04	25.13	50.72	33.27	8.28	6.35	6.8	0.2
		18:04	25.16	50.67	33.23	8.38	6.48	9.3	0.4
		21:04	25.11	50.77	33.30	8.37	6.29	13.3	3.5
	日平均值		24.92	51.26	33.63	8.36	6.43	6.16	2.89
	灣內站	0:04	24.57	51.35	33.80	8.18	7.03	3.2	22.2
		3:04	24.68	51.86	34.17	8.19	6.71	6.0	2.9
		6:04	24.52	51.91	34.21	8.14	6.79	6.1	5.1
		9:04	24.68	51.93	34.22	8.14	6.32	4.1	0.5
		12:04	25.06	51.35	33.73	8.17	7.02	4.0	0.8
		15:04	25.15	51.39	33.76	8.34	8.68	4.1	12.8
		18:04	24.97	51.50	33.85	8.30	8.13	3.3	12.1
		21:04	24.50	51.73	34.02	8.11	6.58	9.5	11.6
	日平均值		24.77	51.63	33.97	8.20	7.16	5.04	8.50
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月18日	蚵殼站	0:04	25.36	51.47	33.81	8.28	6.54	2.2	3.3
		3:04	25.25	51.45	33.80	8.12	6.36	3.3	6.0
		6:04	25.12	51.41	33.77	8.18	6.24	1.4	2.8
		9:04	25.01	51.15	33.58	8.20	6.04	0.4	1.2
		12:04	25.52	51.24	33.63	8.20	6.77	1.0	6.0
		15:04	25.74	51.44	33.78	8.18	7.09	3.9	1.7
		18:04	25.80	51.44	33.78	8.20	7.02	3.5	5.3
		21:04	25.70	51.39	33.75	8.13	6.60	2.9	9.3
	日平均值		25.44	51.37	33.74	8.19	6.58	2.33	4.45
	潮口站	0:04	25.04	50.70	33.25	8.48	6.69	3.7	4.8
		3:04	24.72	50.71	33.26	8.39	6.12	9.1	1.4
		6:04	24.53	50.79	33.33	8.48	6.35	7.5	3.3
		9:04	24.77	50.73	33.28	8.49	6.35	4.1	2.5
		12:04	25.40	50.79	33.31	8.43	6.53	3.8	1.0
		15:04	25.29	50.82	33.34	8.39	6.59	2.5	1.0
		18:04	25.37	50.50	33.10	8.38	6.76	10.5	0.9
		21:04	25.41	50.87	33.37	8.39	6.28	6.3	0.4
	日平均值		25.07	50.74	33.28	8.43	6.46	5.94	1.91
	灣內站	0:04	24.77	51.64	33.95	8.21	7.10	2.8	4.2
		3:04	24.08	50.20	32.90	8.04	5.41	4.4	16.5
		6:04	24.49	51.66	33.97	8.21	6.58	2.0	3.8
		9:04	24.56	51.67	33.97	8.18	6.52	2.9	1.8
		12:04	25.14	51.56	33.88	8.25	7.70	2.3	6.8
		15:04	25.25	51.57	33.89	8.15	7.93	7.6	11.2
		18:04	25.11	51.65	33.95	8.30	7.70	4.4	13.7
		21:04	25.00	51.63	33.94	8.09	7.20	2.8	8.9
	日平均值		24.80	51.45	33.81	8.18	7.02	3.65	8.36
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月19日	蚵殼站	0:04	25.58	51.37	33.73	8.18	6.37	0.9	3.4
		3:04	25.48	51.38	33.74	7.94	6.12	1.7	3.2
		6:04	25.44	51.32	33.70	8.08	6.29	2.0	8.6
		9:04	25.55	51.28	33.67	8.10	6.06	0.6	4.0
		12:04	25.97	51.35	33.71	8.12	6.58	0.9	5.8
		15:04	26.58	51.33	33.67	8.07	7.10	1.5	4.1
		18:04	26.40	51.29	33.65	8.33	7.05	0.3	4.3
		21:04	26.28	51.25	33.63	8.34	7.07	0.1	5.6
	日平均值		25.91	51.32	33.69	8.15	6.58	1.00	4.88
	潮口站	0:04	23.71	52.61	34.31	8.22	6.84	17.0	1.8
		3:04	23.34	52.28	34.07	8.33	8.12	7.9	9.6
		6:04	22.94	52.69	34.38	8.26	7.06	8.3	2.1
		9:04	23.03	52.62	34.33	8.27	7.21	6.8	0.3
		12:04	23.71	52.20	34.01	8.31	9.22	10.1	11.6
		15:04	23.84	52.65	34.34	8.22	7.83	7.1	5.3
		18:04	23.54	52.51	34.24	8.26	7.53	3.9	3.7
		21:04	23.39	52.60	34.31	8.26	7.50	6.0	3.8
	日平均值		23.44	52.52	34.25	8.27	7.66	8.39	4.78
	灣內站	0:04	25.00	51.66	33.96	8.25	6.64	2.8	4.8
		3:04	24.90	51.72	34.01	8.17	6.32	14.4	7.7
		6:04	24.77	51.73	34.02	8.11	6.20	1.6	2.9
		9:04	24.84	51.75	34.03	8.24	6.21	2.7	1.4
		12:04	25.57	51.62	33.92	8.18	7.29	1.8	5.8
		15:04	26.61	51.77	34.00	8.21	8.81	3.1	4.6
		18:04	26.41	51.77	34.01	8.12	8.66	2.2	3.1
		21:04	26.35	51.69	33.95	7.98	7.18	3.0	6.1
	日平均值		25.56	51.71	33.99	8.16	7.16	3.95	4.55
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月20日	蚵殼站	0:04	26.42	51.27	33.64	8.34	6.95	0.0	4.5
		3:04	26.30	51.28	33.65	8.22	6.89	0.2	7.8
		6:04	25.95	50.82	33.32	8.26	6.38	1.1	2.5
		9:04	26.02	50.90	33.37	8.29	6.32	0.6	3.7
		12:04	26.65	50.99	33.42	8.32	7.08	0.3	3.1
		15:04	26.60	50.92	33.37	8.24	6.82	1.1	3.6
		18:04	26.46	51.07	33.49	8.32	7.49	0.8	9.5
		21:04	26.28	51.18	33.58	8.28	6.32	1.7	1.9
	日平均值		26.34	51.05	33.48	8.28	6.78	0.73	4.58
	潮口站	0:04	25.90	51.58	34.01	8.24	6.03	8.7	0.9
		3:04	25.64	51.59	34.03	8.26	5.82	5.4	0.9
		6:04	24.66	51.18	33.74	8.31	6.22	3.4	1.1
		9:04	24.93	51.22	33.77	8.31	6.27	6.7	0.3
		12:04	25.95	51.28	33.79	8.23	6.19	8.4	1.9
		15:04	25.63	51.19	33.73	8.25	6.94	4.0	4.7
		18:04	25.07	50.95	33.56	8.37	6.67	2.6	1.0
		21:04	25.32	51.18	33.73	8.28	6.90	1.8	4.2
	日平均值		25.39	51.27	33.80	8.28	6.38	5.13	1.88
	灣內站	0:04	26.08	51.32	33.68	8.09	7.92	1.8	6.7
		3:04	25.86	51.57	33.87	8.16	6.29	2.1	5.5
		6:04	25.66	51.58	33.89	8.04	6.70	2.1	3.1
		9:04	25.62	51.48	33.81	8.40	6.62	1.8	7.6
		12:04	26.23	52.33	34.43	8.26	7.32	2.2	55.4
		15:04	27.36	52.10	34.22	8.26	7.51	6.8	14.7
		18:04	26.72	51.73	33.97	8.12	7.34	3.5	10.9
		21:04	26.47	51.76	33.99	8.07	7.10	1.8	7.2
	日平均值		26.25	51.73	33.98	8.18	7.10	2.76	13.89
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月21日	蚵殼站	0:04	26.40	51.18	33.57	8.29	6.52	0.5	3.3
		3:04	26.55	50.85	33.33	8.24	6.96	1.4	8.4
		6:04	26.50	50.76	33.26	8.22	6.84	0.0	10.9
		9:04	26.48	50.98	33.43	8.29	6.80	0.1	8.1
		12:04	27.00	50.95	33.38	8.27	7.37	0.3	1.4
		15:04	26.43	51.15	33.55	8.23	6.92	1.8	5.1
		18:04	26.20	51.19	33.58	8.29	7.71	1.6	6.7
		21:04	26.09	51.12	33.54	8.28	6.99	2.3	8.1
		日平均值	26.46	51.02	33.46	8.26	7.01	1.00	6.50
	潮口站	0:04	25.43	51.15	33.70	8.23	6.23	7.5	1.7
		3:04	25.83	51.27	33.78	8.25	6.37	1.7	3.1
		6:04	24.75	51.15	33.72	8.35	6.46	3.8	1.5
		9:04	25.01	51.20	33.75	8.38	6.43	2.5	1.8
		12:04	26.40	51.40	33.86	8.16	5.80	9.2	1.7
		15:04	26.35	51.25	33.76	8.28	7.59	2.3	6.2
		18:04	25.18	51.18	33.73	8.30	6.81	3.3	1.0
		21:04	25.31	51.06	33.64	8.27	6.90	1.1	6.0
		日平均值	25.53	51.21	33.74	8.28	6.57	3.93	2.88
	灣內站	0:04	26.36	51.63	33.90	8.21	5.60	3.0	4.5
		3:04	26.13	50.82	33.31	8.08	4.75	3.4	11.3
		6:04	26.17	51.64	33.92	8.21	5.88	2.6	3.0
		9:04	26.16	51.45	33.78	8.12	4.76	2.7	4.4
		12:04	26.68	50.69	33.20	8.44	8.12	2.0	12.3
		15:04	27.35	51.54	33.81	8.61	9.22	3.7	19.1
		18:04	26.76	51.55	33.83	8.30	7.84	7.1	12.8
		21:04	26.60	51.24	33.61	8.50	7.65	2.7	13.9
		日平均值	26.53	51.32	33.67	8.31	6.73	3.40	10.16
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月22日	蚵殼站	0:04	26.61	50.75	33.25	8.31	7.35	0.6	6.7
		3:04	26.15	51.13	33.54	8.23	5.65	0.4	6.2
		6:04	26.36	50.72	33.24	8.32	7.00	0.2	11.2
		9:04	26.45	50.99	33.43	8.30	6.70	0.0	8.0
		12:04	26.86	50.96	33.40	8.35	8.04	0.8	6.5
		15:04	26.40	51.12	33.52	8.29	7.13	1.7	5.7
		18:04	26.34	51.11	33.52	8.25	7.98	1.8	6.2
		21:04	26.27	48.85	31.86	8.30	7.76	1.8	8.9
	日平均值		26.43	50.70	33.22	8.29	7.20	0.91	7.43
	潮口站	0:04	25.41	51.42	33.91	8.22	6.40	6.1	4.8
		3:04	26.16	51.11	33.66	8.21	6.55	4.0	5.8
		6:04	24.90	51.27	33.80	8.25	6.14	2.5	0.8
		9:04	24.90	51.26	33.80	8.32	6.45	1.6	1.2
		12:04	26.21	51.29	33.79	8.27	7.30	2.3	6.2
		15:04	26.46	51.38	33.85	8.17	6.76	6.6	6.4
		18:04	25.39	51.21	33.75	8.25	6.86	3.8	3.5
		21:04	25.04	51.24	33.78	8.31	6.87	1.3	0.6
	日平均值		25.56	51.27	33.79	8.25	6.67	3.53	3.66
	灣內站	0:04	26.53	50.62	33.16	8.42	7.17	4.7	14.3
		3:04	26.37	50.80	33.29	8.42	6.21	3.6	18.8
		6:04	25.98	51.50	33.82	8.19	5.56	2.3	13.3
		9:04	25.82	51.63	33.92	8.18	6.37	2.6	5.9
		12:04	27.24	51.21	33.57	8.34	7.51	2.5	9.6
		15:04	27.46	51.15	33.52	8.45	8.72	2.1	11.1
		18:04	27.18	51.16	33.54	8.41	7.49	5.4	14.1
		21:04	26.70	50.90	33.36	8.23	7.51	1.7	8.8
	日平均值		26.66	51.12	33.52	8.33	7.07	3.11	11.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月23日	蚵殼站	0:04	26.54	50.50	33.06	8.39	8.22	5.7	7.8
		3:04	26.69	50.51	33.07	8.37	8.03	0.4	10.0
		6:04	26.40	50.74	33.25	8.35	7.56	0.0	12.9
		9:04	26.45	51.08	33.49	8.38	8.12	0.3	10.6
		12:04	26.27	50.97	33.42	8.37	7.38	0.8	6.0
		15:04	26.15	51.08	33.51	8.37	7.39	2.3	10.0
		18:04	26.07	51.05	33.49	8.12	6.59	1.6	6.9
		21:04	25.70	51.24	33.63	8.23	6.59	1.5	8.4
	日平均值		26.28	50.90	33.37	8.32	7.49	1.58	9.08
	潮口站	0:04	25.05	51.26	33.79	8.28	6.82	6.2	1.0
		3:04	26.15	51.28	33.79	8.23	7.17	1.4	2.4
		6:04	24.93	50.66	33.36	8.24	6.39	2.7	1.8
		9:04	24.86	51.12	33.69	8.30	6.63	1.0	0.8
		12:04	25.53	51.68	34.09	8.27	7.23	4.7	2.0
		15:04	25.62	50.57	33.27	8.23	6.73	8.0	2.4
		18:04	25.36	51.61	34.04	8.23	6.40	8.4	4.3
		21:04	24.53	51.09	33.68	8.32	6.57	2.4	0.3
	日平均值		25.25	51.16	33.71	8.26	6.74	4.35	1.88
	灣內站	0:04	26.93	50.73	33.23	8.27	6.23	2.9	18.7
		3:04	26.51	49.84	32.59	8.33	5.97	2.2	10.1
		6:04	26.15	50.46	33.05	8.33	5.19	2.7	14.9
		9:04	25.98	51.34	33.70	8.41	6.11	2.0	11.4
		12:04	26.22	50.98	33.43	8.37	7.09	2.0	8.8
		15:04	26.17	51.15	33.56	8.32	6.69	9.1	15.0
		18:04	25.96	51.40	33.74	8.34	6.16	7.5	12.5
		21:04	25.72	51.26	33.65	8.38	5.86	8.4	12.5
	日平均值		26.21	50.90	33.37	8.34	6.16	4.60	12.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月24日	蚵殼站	0:04	25.94	51.10	33.53	8.30	6.53	0.9	12.8
		3:04	25.77	50.94	33.41	8.33	6.69	0.4	14.6
		6:04	25.60	50.85	33.35	8.33	6.24	0.6	8.3
		9:04	25.47	51.18	33.60	8.30	6.46	1.3	11.4
		12:04	26.17	51.15	33.56	8.37	8.00	0.2	17.7
		15:04	25.94	51.18	33.58	8.42	8.28	0.6	18.8
		18:04	25.61	51.24	33.63	8.38	8.76	0.7	6.1
		21:04	25.26	50.81	33.33	8.35	8.00	1.2	8.5
	日平均值		25.72	51.06	33.50	8.35	7.37	0.74	12.28
	潮口站	0:04	24.65	51.19	33.75	8.27	6.35	7.2	0.3
		3:04	24.80	51.68	34.11	8.26	6.03	4.8	1.7
		6:04	24.08	51.09	33.69	8.24	6.09	5.6	1.1
		9:04	23.80	50.56	33.31	8.29	6.45	3.1	3.3
		12:04	25.03	51.16	33.72	8.29	7.32	4.6	5.7
		15:04	25.73	51.20	33.74	8.15	6.49	12.8	4.0
		18:04	25.27	51.26	33.79	8.25	7.72	4.8	5.1
		21:04	24.37	50.91	33.55	8.26	6.68	4.9	1.1
	日平均值		24.72	51.13	33.71	8.25	6.64	5.98	2.79
	灣內站	0:04	25.60	51.54	33.86	8.10	4.93	5.1	16.2
		3:04	25.39	51.61	33.92	8.19	5.05	3.9	10.9
		6:04	25.25	51.10	33.54	8.24	4.91	4.5	12.0
		9:04	25.19	50.85	33.36	8.22	5.16	4.1	11.4
		12:04	26.04	50.89	33.37	8.42	7.54	3.8	27.6
		15:04	26.53	51.19	33.58	8.43	9.93	5.5	36.1
		18:04	26.39	51.01	33.45	8.37	7.34	10.1	27.7
		21:04	25.90	51.14	33.55	8.40	7.56	4.6	16.0
	日平均值		25.79	51.17	33.58	8.30	6.55	5.20	19.74
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月25日	蚵殼站	0:04	25.61	50.64	33.19	8.42	8.48	1.2	13.7
		3:04	25.54	51.00	33.46	8.43	8.02	2.4	15.8
		6:04	25.44	50.25	32.91	8.42	7.60	0.6	10.2
		9:04	25.50	50.51	33.10	8.45	8.70	0.5	8.1
		12:04	25.75	50.39	33.00	8.45	9.47	0.5	15.7
		15:04	25.55	50.31	32.96	8.46	8.75	1.4	14.9
		18:04	25.53	50.65	33.21	8.41	7.50	1.6	15.8
		21:04	25.56	50.72	33.33	8.39	8.26	0.5	27.7
	日平均值		25.56	50.56	33.15	8.43	8.35	1.09	15.24
	潮口站	0:04	24.87	51.08	33.67	8.27	6.75	1.5	0.6
		3:04	24.29	51.07	33.67	8.26	6.57	4.8	7.8
		6:04	24.29	51.07	33.67	8.26	6.34	7.1	0.4
		9:04	24.59	51.00	33.61	8.31	6.66	6.9	0.3
		12:04	24.79	51.12	33.70	8.27	7.04	3.2	3.0
		15:04	24.95	51.23	33.77	8.29	7.51	6.4	6.4
		18:04	25.35	51.33	33.84	8.22	7.57	9.8	5.9
		21:04	24.84	51.12	33.70	8.30	6.67	5.7	3.8
	日平均值		24.75	51.13	33.70	8.27	6.89	5.68	3.53
	灣內站	0:04	25.40	51.50	33.83	8.37	6.14	4.7	13.2
		3:04	25.21	51.07	33.52	8.16	5.62	5.9	15.5
		6:04	24.85	51.42	33.78	8.37	5.42	4.3	16.6
		9:04	24.82	51.11	33.56	8.48	5.78	2.2	12.6
		12:04	25.13	51.11	33.55	8.54	7.03	4.5	7.4
		15:04	25.56	51.13	33.56	8.50	7.44	5.6	25.5
		18:04	25.55	50.90	33.39	8.52	9.15	4.6	25.0
		21:04	25.23	50.33	33.05	8.59	6.85	5.5	34.3
	日平均值		25.22	51.07	33.53	8.44	6.68	4.66	18.76
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月26日	蚵殼站	0:04	25.46	51.00	33.54	8.38	8.05	0.4	16.0
		3:04	25.36	51.08	33.60	8.41	7.87	0.6	10.9
		6:04	25.10	50.68	33.31	8.43	7.70	0.2	16.1
		9:04	25.18	50.42	33.12	8.41	7.74	0.0	10.8
		12:04	25.51	50.83	33.41	8.47	9.52	0.6	20.2
		15:04	25.42	51.18	33.68	8.46	8.96	0.6	11.0
		18:04	25.35	51.29	33.76	8.35	7.38	4.0	10.1
		21:04	25.28	50.95	33.51	8.40	7.40	0.8	9.1
	日平均值		25.33	50.93	33.49	8.41	8.08	0.90	13.03
	潮口站	0:04	24.97	51.26	33.79	8.23	6.64	2.6	3.1
		3:04	24.72	51.05	33.65	8.31	6.86	4.2	1.2
		6:04	24.54	50.96	33.58	8.30	6.68	3.3	5.1
		9:04	24.75	50.74	33.42	8.24	6.77	2.4	5.1
		12:04	25.07	51.02	33.61	8.25	6.97	2.8	1.2
		15:04	25.03	51.05	33.64	8.29	7.85	3.5	11.6
		18:04	25.20	51.14	33.71	8.24	7.57	9.0	1.5
		21:04	25.00	51.14	33.70	8.29	7.36	5.7	4.4
	日平均值		24.91	51.05	33.64	8.27	7.09	4.19	4.15
	灣內站	0:04	25.07	51.63	34.01	8.40	5.81	3.0	12.3
		3:04	24.99	51.51	33.93	8.38	5.54	4.5	16.8
		6:04	24.86	51.78	34.13	8.22	5.40	5.8	16.4
		9:04	24.86	51.37	33.83	8.40	5.94	4.0	12.8
		12:04	25.28	51.98	34.27	8.39	7.74	3.8	15.5
		15:04	25.32	51.41	33.85	8.50	8.17	2.0	19.2
		18:04	25.59	51.51	33.91	8.42	8.12	4.1	12.1
		21:04	25.43	51.47	33.89	8.49	7.31	4.6	24.1
	日平均值		25.18	51.58	33.98	8.40	6.75	3.98	16.15
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月27日	蚵殼站	0:04	25.22	50.51	33.18	8.42	8.11	0.0	10.4
		3:04	25.15	50.86	33.45	8.40	7.49	1.3	6.9
		6:04	25.17	50.75	33.36	8.49	8.63	0.9	11.5
		9:04	25.19	50.81	33.41	8.47	8.19	0.6	7.6
		12:04	25.44	51.04	33.57	8.49	8.56	0.2	10.3
		15:04	25.72	51.94	34.23	8.41	9.58	0.3	8.5
		18:04	25.48	51.05	33.58	8.30	8.35	0.7	9.7
		21:04	25.30	50.92	33.49	8.30	7.32	0.5	5.4
	日平均值		25.33	50.99	33.53	8.41	8.28	0.56	8.79
	潮口站	0:04	24.93	51.02	33.62	8.25	6.55	3.7	3.2
		3:04	24.81	50.97	33.59	8.24	6.79	2.9	2.3
		6:04	24.71	51.37	33.88	8.27	6.73	2.4	2.9
		9:04	24.72	51.12	33.70	8.25	6.39	2.1	0.7
		12:04	24.97	51.02	33.62	8.26	6.99	2.4	4.0
		15:04	25.08	50.97	33.58	8.24	7.35	3.4	3.3
		18:04	25.36	51.36	33.86	8.24	7.59	4.1	9.0
		21:04	25.14	50.64	33.34	8.22	7.46	6.7	5.0
	日平均值		24.97	51.06	33.65	8.25	6.98	3.46	3.80
	灣內站	0:04	25.07	51.37	33.82	8.24	6.30	3.0	23.1
		3:04	24.99	51.70	34.07	8.41	6.16	2.2	4.3
		6:04	24.83	51.27	33.76	8.32	5.04	2.2	11.6
		9:04	24.75	51.63	33.97	8.26	4.97	3.6	13.2
		12:04	24.98	51.30	33.72	8.43	5.99	2.0	16.0
		15:04	25.51	50.93	33.44	8.53	7.07	3.0	16.8
		18:04	25.80	51.02	33.50	8.54	7.23	6.3	22.9
		21:04	25.54	51.77	34.05	8.51	6.41	5.8	10.1
	日平均值		25.18	51.37	33.79	8.41	6.15	3.51	14.75
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月28日	蚵殼站	0:04	25.24	50.53	33.20	8.21	7.48	1.2	4.7
		3:04	25.25	50.70	33.33	8.25	7.53	0.3	10.3
		6:04	25.08	50.91	33.48	8.23	6.40	0.3	20.0
		9:04	25.24	49.97	32.79	8.23	7.84	1.5	15.0
		12:04	25.90	51.13	33.62	8.34	8.79	0.1	5.3
		15:04	25.74	51.15	33.64	8.33	8.64	0.6	11.4
		18:04	25.83	51.17	33.65	8.34	8.47	0.0	2.6
		21:04	25.80	51.28	33.74	8.32	8.25	0.2	5.2
	日平均值		25.51	50.86	33.43	8.28	7.93	0.53	9.31
	潮口站	0:04	24.98	50.95	33.57	8.24	6.96	3.9	1.5
		3:04	24.90	50.90	33.54	8.22	6.46	2.5	1.2
		6:04	24.86	50.74	33.42	8.22	6.67	2.8	0.1
		9:04	24.97	50.97	33.59	8.21	6.51	2.1	1.4
		12:04	25.08	50.75	33.42	8.22	6.82	1.3	0.9
		15:04	25.32	50.66	33.34	8.25	7.17	2.7	2.0
		18:04	25.24	50.68	33.36	8.26	7.42	4.6	0.3
		21:04	25.41	50.86	33.49	8.23	7.20	6.1	1.6
	日平均值		25.10	50.81	33.47	8.23	6.90	3.25	1.13
	灣內站	0:04	25.02	51.61	33.95	8.52	5.36	5.1	9.2
		3:04	25.04	51.46	33.84	8.27	5.33	3.4	12.2
		6:04	24.71	51.04	33.53	8.52	5.89	2.0	6.5
		9:04	24.93	51.32	33.74	8.44	5.60	1.8	7.2
		12:04	25.68	50.40	33.04	8.51	6.03	2.6	11.4
		15:04	25.87	51.27	33.68	8.61	6.55	2.6	10.3
		18:04	26.01	49.15	32.12	8.52	6.25	4.5	12.0
		21:04	25.83	51.23	33.65	8.53	5.59	3.3	8.5
	日平均值		25.39	50.94	33.44	8.49	5.83	3.16	9.66
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月29日	蚵殼站	0:04	25.83	50.57	33.22	8.20	7.47	0.5	6.1
		3:04	25.72	50.57	33.22	8.21	7.45	0.6	6.7
		6:04	25.56	50.77	33.37	8.30	8.15	0.1	8.1
		9:04	25.80	50.82	33.40	8.29	8.13	0.2	3.6
		12:04	26.06	51.17	33.65	8.31	8.48	1.2	9.3
		15:04	26.31	51.45	33.85	8.30	8.56	0.7	8.5
		18:04	26.23	51.60	33.97	8.30	8.71	0.2	8.8
		21:04	26.16	51.38	33.81	8.29	8.26	0.3	5.6
		日平均值	25.96	51.04	33.56	8.28	8.15	0.48	7.09
	潮口站	0:04	25.21	50.80	33.46	8.24	7.03	5.4	3.0
		3:04	24.93	50.52	33.25	8.22	6.88	1.9	3.1
		6:04	25.07	50.60	33.31	8.21	6.78	1.6	1.1
		9:04	25.07	50.74	33.41	8.23	7.11	3.4	0.1
		12:04	25.18	50.76	33.43	8.22	6.86	5.8	3.7
		15:04	25.36	50.62	33.32	8.28	7.02	3.3	0.6
		18:04	25.52	50.57	33.28	8.29	7.48	4.4	0.5
		21:04	25.55	50.89	33.51	8.18	7.04	6.6	0.1
		日平均值	25.24	50.69	33.37	8.23	7.03	4.05	1.53
	灣內站	0:04	25.50	46.86	30.46	8.49	4.94	10.0	36.4
		3:04	25.80	51.25	33.67	8.50	5.08	2.0	9.9
		6:04	25.38	50.55	33.16	8.26	4.74	1.8	6.6
		9:04	25.47	51.44	33.81	8.33	4.88	1.4	8.4
		12:04	26.19	49.86	32.63	8.52	5.96	1.2	2.4
		15:04	26.45	51.29	33.68	8.53	6.25	1.2	7.5
		18:04	26.59	51.56	33.87	8.31	5.42	3.8	5.8
		21:04	26.79	51.00	33.46	8.49	6.03	4.4	16.4
		日平均值	26.02	50.48	33.09	8.43	5.41	3.23	11.68
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月30日	蚵殼站	0:04	26.44	51.27	33.71	8.20	7.32	0.0	7.0
		3:04	26.40	51.08	33.58	8.20	8.27	0.2	7.6
		6:04	26.10	47.13	30.70	8.21	7.63	0.0	8.2
		9:04	26.31	47.46	30.93	8.23	8.26	0.4	12.6
		12:04	26.65	46.92	30.53	8.25	8.95	1.1	17.3
		15:04	26.57	47.52	30.97	8.24	8.62	1.3	11.6
		18:04	26.69	47.98	31.30	8.24	8.89	1.4	5.7
		21:04	26.34	47.34	30.84	8.25	8.17	0.3	8.7
	日平均值		26.44	48.34	31.57	8.23	8.26	0.59	9.84
	潮口站	0:04	25.96	50.27	33.05	8.19	6.79	5.4	2.0
		3:04	24.86	50.31	33.10	8.21	6.68	2.1	1.3
		6:04	24.91	50.41	33.17	8.19	6.72	1.5	3.3
		9:04	25.59	50.51	33.23	8.26	7.48	3.8	1.4
		12:04	25.64	50.29	33.07	8.18	6.98	5.3	2.5
		15:04	25.30	50.79	33.44	8.20	7.01	11.2	1.4
		18:04	25.52	50.64	33.33	8.19	7.05	6.7	0.5
		21:04	26.10	50.32	33.08	8.24	7.02	8.9	3.5
	日平均值		25.49	50.44	33.18	8.21	6.97	5.61	1.99
	灣內站	0:04	25.92	48.82	31.88	8.40	3.71	8.0	44.3
		3:04	26.26	50.50	33.10	8.60	4.88	1.4	9.5
		6:04	25.84	50.49	33.11	8.38	4.69	1.8	3.7
		9:04	25.94	51.26	33.67	8.45	4.97	1.0	5.4
		12:04	26.59	51.03	33.49	8.38	5.86	1.2	3.8
		15:04	26.82	50.79	33.30	8.16	6.06	2.1	13.9
		18:04	26.70	51.04	33.49	8.51	5.67	1.8	7.3
		21:04	26.52	51.40	33.76	8.55	5.07	4.8	9.1
	日平均值		26.32	50.67	33.23	8.43	5.11	2.76	12.13
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月31日	蚵殼站	0:04	26.16	47.46	30.94	8.25	8.00	0.7	8.1
		3:04	26.03	45.67	29.64	8.21	7.27	1.6	5.4
		6:04	26.64	46.23	30.03	8.22	7.62	0.0	7.4
		9:04	26.93	47.34	30.83	8.21	7.58	0.0	5.4
		12:04	27.03	48.17	31.43	8.25	8.24	0.6	6.8
		15:04	27.01	51.93	34.13	8.24	7.93	3.0	11.0
		18:04	27.08	51.58	33.87	8.25	7.75	1.7	5.7
		21:04	27.01	51.68	33.95	8.26	7.45	3.6	10.6
	日平均值		26.74	48.76	31.85	8.24	7.73	1.40	7.55
	潮口站	0:04	26.42	50.02	32.85	8.19	6.99	8.7	0.6
		3:04	25.76	50.85	33.48	8.17	6.79	4.1	1.3
		6:04	25.66	50.47	33.20	8.16	6.61	2.9	4.1
		9:04	25.92	50.35	33.10	8.24	7.01	5.2	3.6
		12:09	26.58	51.32	3.75	8.20	6.96	1.1	4.4
		15:04	26.35	51.49	33.85	8.18	6.97	0.0	3.1
		18:04	26.62	51.38	33.76	8.39	6.88	0.2	3.7
		21:04	26.75	51.68	33.98	8.62	6.83	4.1	7.9
	日平均值		26.26	50.95	29.75	8.27	6.88	3.29	3.59
	灣內站	0:04	26.25	50.90	33.39	8.55	5.08	3.7	6.0
		3:04	26.09	49.92	32.68	8.35	3.51	5.2	11.7
		6:04	25.92	50.70	33.25	8.33	3.68	3.4	7.2
		9:04	25.92	50.13	32.84	8.31	4.11	3.7	7.7
		12:04	26.75	51.55	33.68	8.21	8.20	4.1	4.6
		15:04	26.85	51.41	33.57	8.20	9.32	16.2	21.3
		18:04	26.64	51.35	33.53	8.11	9.29	6.4	15.8
		21:04	26.40	51.32	33.52	8.14	8.50	4.4	14.1
	日平均值		26.35	50.91	33.31	8.28	6.46	5.89	11.05
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上