

附錄4.6灣域水質(自動監測系統)

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月1日	蚵殼站	0:00	21.52	50.75	33.35	8.35	6.39	5.7	21.9
		3:00	21.40	50.72	33.33	8.32	6.43	6.1	6.1
		6:00	20.69	50.12	32.89	8.38	6.63	4.7	10.4
		9:00	21.07	50.58	33.22	8.29	6.47	4.5	6.5
		12:00	21.38	50.45	33.13	8.37	6.51	13.2	9.1
		15:00	21.43	50.62	33.25	8.36	6.49	7.3	24.9
		18:00	21.42	50.73	33.33	8.41	6.51	5.7	12.0
		21:00	21.36	50.73	33.34	8.40	6.48	6.9	13.9
	日平均值		21.28	50.59	33.23	8.36	6.49	6.76	13.10
	潮口站	0:00	21.97	51.55	33.93	8.25	6.84	9.2	7.3
		3:00	22.52	51.77	34.09	8.25	6.69	5.5	1.5
		6:00	22.34	51.90	34.18	8.21	6.75	9.5	6.3
		9:00	21.64	51.75	34.08	8.23	6.89	5.0	5.8
		12:00	22.59	51.85	34.15	8.28	6.74	5.7	7.7
		15:00	23.35	51.83	34.12	8.17	6.60	4.9	0.5
		18:00	22.96	51.86	34.15	8.20	6.69	6.6	1.3
		21:00	22.08	51.71	34.05	8.24	6.85	10.4	3.3
	日平均值		22.43	51.78	34.09	8.23	6.76	7.10	4.21
	灣內站	0:00	20.50	49.66	32.66	8.36	7.93	7.6	13.9
		3:00	21.26	50.70	33.42	8.45	7.63	6.1	20.8
		6:00	21.35	50.77	33.47	8.37	7.73	7.8	13.5
		9:00	21.15	50.68	33.40	8.53	7.99	13.8	13.4
		12:00	21.70	50.63	33.36	8.49	8.23	6.7	11.8
		15:00	21.62	50.47	33.25	8.50	8.27	6.0	12.8
		18:00	21.60	50.62	33.36	8.46	8.18	6.4	15.4
		21:00	21.22	50.39	33.19	8.44	7.87	3.6	7.2
	日平均值		21.30	50.49	33.26	8.45	7.98	7.25	13.60
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月2日	蚵殼站	0:00	21.22	50.60	33.24	8.37	6.49	7.0	14.7
		3:00	21.23	50.69	33.30	8.12	6.38	5.8	6.7
		6:00	21.12	50.74	33.34	8.21	6.40	7.5	5.9
		9:00	20.82	50.46	33.14	8.29	6.48	5.3	11.1
		12:00	21.18	50.47	33.14	8.35	6.50	5.3	11.6
		15:00	21.62	50.89	33.45	8.31	6.35	6.2	9.5
		18:00	21.54	50.93	33.48	8.32	6.39	5.8	19.7
		21:00	21.41	50.83	33.40	8.36	6.43	6.2	9.6
	日平均值		21.27	50.70	33.31	8.29	6.43	6.14	11.10
	潮口站	0:00	21.81	51.60	33.97	8.22	6.92	9.6	3.7
		3:00	22.44	51.88	34.17	8.27	6.76	8.1	0.8
		6:00	22.35	51.91	34.19	8.22	6.78	9.0	0.7
		9:00	22.04	51.90	34.19	8.20	6.83	8.6	5.8
		12:00	22.08	51.81	34.12	8.24	6.87	12.6	1.9
		15:00	23.40	51.65	33.98	8.16	6.67	5.0	3.6
		18:00	23.20	51.84	34.13	8.17	6.73	4.5	3.8
		21:00	22.26	51.66	34.01	8.20	6.85	12.2	5.0
	日平均值		22.45	51.78	34.10	8.21	6.80	8.70	3.16
	灣內站	0:00	21.29	50.66	33.39	8.52	7.32	3.6	12.5
		3:00	21.13	50.61	33.35	8.56	7.58	5.5	14.1
		6:00	21.24	50.86	33.54	8.34	7.14	3.6	4.9
		9:00	21.13	50.80	33.49	8.43	7.56	6.6	14.2
		12:00	21.17	50.27	33.10	8.56	8.13	5.3	8.7
		15:00	21.45	50.49	33.27	8.50	8.11	7.2	12.5
		18:00	21.43	50.66	33.39	8.43	7.89	6.0	14.5
		21:00	21.19	50.40	33.20	8.45	7.93	7.3	13.7
	日平均值		21.25	50.59	33.34	8.47	7.71	5.64	11.89
甲類海域地面水體基準值		環評承諾日平均值需達標準						7.5-8.5	
								5.0以上	

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月3日	蚵殼站	0:00	21.25	50.73	33.34	8.35	6.44	7.1	7.6
		3:00	21.11	50.71	33.32	8.08	6.44	7.3	6.5
		6:00	20.95	50.73	33.34	8.13	6.35	4.7	5.4
		9:00	20.79	50.37	33.07	8.29	6.51	5.5	13.4
		12:00	21.11	50.54	33.20	8.30	6.44	5.2	7.5
		15:00	21.42	50.72	33.33	8.28	6.35	5.2	7.2
		18:00	21.53	50.89	33.45	8.26	6.26	4.3	7.0
		21:00	22.11	51.10	33.60	8.24	6.18	4.5	4.3
		日平均值	21.28	50.72	33.33	8.24	6.37	5.48	7.36
	潮口站	0:00	21.97	51.64	34.00	8.19	6.90	10.0	4.2
		3:00	21.70	51.63	33.99	8.20	6.96	7.9	1.7
		6:00	22.87	52.02	34.27	8.17	6.71	5.9	0.4
		9:00	22.67	51.93	34.20	8.19	6.82	10.7	2.9
		12:00	22.69	51.88	34.17	8.17	6.86	7.5	1.0
		15:00	23.43	51.38	33.78	8.17	6.78	5.3	4.3
		18:00	23.35	51.67	34.00	8.17	6.80	5.1	2.5
		21:00	22.52	51.56	33.93	8.15	6.96	8.9	9.5
		日平均值	22.65	51.71	34.04	8.18	6.85	7.66	3.31
	灣內站	0:00	20.97	50.40	33.20	8.47	7.74	5.3	12.2
		3:00	21.42	50.89	33.56	8.65	7.12	9.1	9.9
		6:00	21.05	50.81	33.50	8.32	7.02	2.8	11.3
		9:00	21.18	50.71	33.43	8.36	7.11	4.6	5.8
		12:00	21.23	50.16	33.02	8.43	7.98	5.4	14.2
		15:00	21.35	50.08	32.96	8.46	8.26	7.1	23.7
		18:00	21.19	50.48	33.26	8.45	7.90	7.4	16.5
		21:00	21.21	50.32	33.14	8.43	7.96	6.2	10.3
		日平均值	21.20	50.48	33.26	8.45	7.64	5.99	12.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月4日	蚵殼站	0:00	21.47	50.89	33.45	8.31	6.32	6.0	4.6
		3:00	21.16	50.79	33.38	8.04	6.35	5.4	4.8
		6:00	20.99	50.77	33.37	7.98	6.32	3.8	2.0
		9:00	20.61	50.23	32.97	8.24	6.52	5.4	4.7
		12:00	21.37	50.13	32.89	8.28	6.43	4.6	3.9
		15:00	22.01	50.81	33.39	8.28	6.34	4.7	8.4
		18:00	21.99	50.92	33.46	8.28	6.31	5.3	7.4
		21:00	21.99	50.94	33.48	8.23	6.28	4.7	5.1
	日平均值		21.45	50.69	33.30	8.21	6.36	4.99	5.11
	潮口站	0:00	21.87	51.52	33.91	8.20	7.05	11.6	8.5
		3:00	21.48	51.27	33.73	8.28	7.14	7.8	4.2
		6:00	22.76	51.79	34.10	8.20	6.85	5.2	0.1
		9:00	22.64	51.81	34.12	8.17	6.90	7.5	0.5
		12:00	22.88	51.76	34.07	8.18	6.90	6.9	3.4
		15:00	23.56	51.94	34.20	8.15	6.81	6.1	1.2
		18:00	23.42	52.02	34.26	8.16	6.83	5.3	0.4
		21:00	22.17	51.49	33.89	8.20	7.13	9.3	1.6
	日平均值		22.60	51.70	34.04	8.19	6.95	7.46	2.49
	灣內站	0:00	21.08	50.37	33.18	8.33	7.47	3.5	14.5
		3:00	21.11	50.68	33.41	8.69	6.92	2.2	1.8
		6:00	21.07	50.71	33.43	8.36	6.70	4.3	1.3
		9:00	21.00	50.73	33.44	8.30	6.60	3.5	3.7
		12:00	21.29	50.24	33.08	8.47	8.05	4.7	13.5
		15:00	21.60	49.80	32.75	8.45	8.12	5.1	19.8
		18:00	21.61	50.21	33.05	8.42	7.63	4.5	12.1
		21:00	21.74	50.09	32.97	8.35	7.43	5.7	8.2
	日平均值		21.31	50.35	33.16	8.42	7.37	4.19	9.36
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月5日	蚵殼站	0:00	21.52	50.61	33.24	8.35	6.41	5.5	6.3
		3:00	21.21	50.20	32.94	8.24	6.53	5.2	7.4
		6:00	21.09	50.30	33.02	8.14	6.47	4.3	7.7
		9:00	20.96	50.15	32.91	8.27	6.53	4.7	5.5
		12:00	21.74	50.31	33.02	8.32	6.40	5.1	1.8
		15:00	22.32	50.56	33.20	8.25	6.20	6.4	3.0
		18:00	22.33	50.84	33.40	8.30	6.25	5.4	2.4
		21:00	22.24	50.87	33.43	8.28	6.20	3.6	1.3
	日平均值		21.68	50.48	33.15	8.27	6.37	5.03	4.43
	潮口站	0:00	22.58	51.82	34.12	8.20	6.95	19.4	0.3
		3:00	22.10	51.64	34.00	8.21	7.05	8.3	8.3
		6:00	22.60	51.65	34.00	8.18	7.01	6.4	2.1
		9:00	22.83	51.91	34.18	8.18	6.97	5.8	1.6
		12:00	23.18	51.88	34.16	8.18	6.99	6.8	0.2
		15:00	23.66	51.97	34.22	8.21	6.95	4.9	1.7
		18:00	23.41	52.01	34.25	8.14	6.98	6.1	5.6
		21:00	23.21	51.83	34.12	8.22	7.02	5.9	5.5
	日平均值		22.95	51.84	34.13	8.19	6.99	7.95	3.16
	灣內站	0:00	21.23	49.96	32.88	8.34	7.88	4.4	10.9
		3:00	20.86	50.06	32.95	8.60	7.15	4.0	6.9
		6:00	21.17	50.58	33.33	8.31	6.55	3.3	4.0
		9:00	20.96	50.42	33.22	8.25	6.67	2.1	4.9
		12:00	21.90	50.10	32.97	8.50	7.77	4.0	3.4
		15:00	22.34	49.96	32.86	8.39	8.26	5.2	12.8
		18:00	22.46	50.48	33.24	8.31	7.87	5.5	12.9
		21:00	22.92	50.93	33.57	8.27	7.14	3.5	4.1
	日平均值		21.73	50.31	33.13	8.37	7.41	4.00	7.49
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月6日	蚵殼站	0:00	22.41	50.46	33.12	8.36	6.33	5.2	11.5
		3:00	21.95	50.02	32.81	8.31	6.48	4.7	6.0
		6:00	21.70	49.94	32.75	8.23	6.49	4.0	3.3
		9:00	21.78	49.86	32.69	8.30	6.46	3.6	2.1
		12:00	22.38	50.29	33.00	8.30	6.32	3.8	3.7
		15:00	22.50	50.75	33.27	8.27	8.24	2.3	6.6
		18:00	22.43	50.96	33.43	8.28	8.03	1.6	5.9
		21:00	22.40	50.99	33.45	8.31	8.38	2.6	6.0
	日平均值		22.19	50.41	33.07	8.30	7.09	3.48	5.64
	潮口站	0:00	23.04	52.00	34.25	8.13	6.97	10.9	3.0
		3:00	22.48	51.65	34.00	8.21	7.21	7.5	4.3
		6:00	22.80	51.78	34.09	8.19	7.05	5.9	0.5
		9:00	22.92	51.81	34.11	8.18	7.05	5.8	0.8
		12:00	23.21	52.56	34.66	8.33	7.13	5.1	3.0
		15:00	23.59	52.94	34.94	8.24	7.38	4.4	1.7
		18:00	23.43	52.74	34.79	8.35	7.33	3.5	4.7
		21:00	23.28	52.61	34.70	8.26	7.05	4.9	1.3
	日平均值		23.09	52.26	34.44	8.24	7.15	6.00	2.41
	灣內站	0:00	22.25	50.14	32.99	8.27	7.69	3.9	14.0
		3:00	22.04	50.43	33.21	8.58	7.34	3.8	9.1
		6:00	21.85	50.60	33.34	8.37	6.83	2.7	5.7
		9:00	21.87	50.49	33.26	8.25	6.82	3.2	3.2
		12:00	22.54	50.73	33.24	8.38	6.87	4.2	23.6
		15:00	23.23	50.71	33.03	8.26	6.34	6.3	18.3
		18:00	23.06	51.01	33.26	8.41	6.43	5.5	28.7
		21:00	22.80	50.69	33.02	8.44	6.50	4.1	12.7
	日平均值		22.46	50.60	33.17	8.37	6.85	4.21	14.41
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月7日	蚵殼站	0:00	22.28	51.00	33.46	8.29	7.99	2.0	4.1
		3:00	22.45	51.17	33.59	8.30	8.18	2.3	5.6
		6:00	22.21	50.77	33.29	8.34	8.40	2.8	6.8
		9:00	22.24	50.86	33.36	8.32	8.31	2.6	7.7
		12:00	22.52	50.86	33.35	8.33	8.70	2.9	6.9
		15:00	22.57	50.83	33.33	8.33	8.78	2.5	12.4
		18:00	22.49	50.97	33.44	8.30	8.36	2.4	7.9
		21:00	22.65	51.21	33.61	8.30	8.47	1.7	4.8
	日平均值		22.43	50.96	33.43	8.31	8.40	2.40	7.03
	潮口站	0:00	23.24	52.82	34.85	8.24	6.75	9.2	1.7
		3:00	22.89	52.42	34.57	8.25	7.21	6.8	4.2
		6:00	22.92	52.57	34.67	8.12	6.82	3.8	0.6
		9:00	23.00	52.84	34.87	7.98	6.73	6.3	1.2
		12:00	23.19	52.77	34.81	7.99	6.91	9.5	1.6
		15:00	23.28	52.88	34.90	7.94	7.09	6.1	3.3
		18:00	23.35	53.02	35.00	8.05	7.25	2.9	2.0
		21:00	23.20	52.91	34.92	8.03	7.30	7.1	1.5
	日平均值		23.13	52.78	34.82	8.08	7.01	6.46	2.01
	灣內站	0:00	22.71	51.22	33.42	8.34	6.33	4.7	11.1
		3:00	22.87	51.20	33.40	8.22	6.25	4.7	11.4
		6:00	22.73	51.56	33.67	8.21	6.14	4.7	28.5
		9:00	22.92	52.07	34.04	8.11	6.08	4.3	16.7
		12:00	23.14	52.13	34.08	8.20	6.12	4.8	15.2
		15:00	23.27	52.06	34.03	8.25	6.15	6.1	19.6
		18:00	23.24	51.37	33.52	8.34	6.40	6.2	31.9
		21:00	23.04	51.74	33.79	8.28	6.22	8.2	16.1
	日平均值		22.99	51.67	33.74	8.24	6.21	5.46	18.81
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月8日	蚵殼站	0:00	22.53	51.19	33.60	8.29	8.11	2.2	7.9
		3:00	22.39	51.17	33.58	8.28	7.62	3.0	10.7
		6:00	22.28	51.17	33.58	8.31	7.32	3.6	12.1
		9:00	22.13	51.10	33.54	8.26	6.88	3.8	8.3
		12:00	21.66	50.49	33.09	8.35	9.20	3.3	57.3
		15:00	21.94	50.60	33.17	8.36	9.94	3.3	30.1
		18:00	21.85	50.99	33.46	8.28	7.78	2.1	9.6
		21:00	21.95	51.26	33.66	8.24	6.33	2.1	3.5
	日平均值		22.09	51.00	33.46	8.30	7.90	2.93	17.44
	潮口站	0:00	23.00	53.00	34.99	8.09	7.25	6.1	4.4
		3:00	22.60	52.74	34.80	8.02	7.24	4.8	2.2
		6:00	22.43	52.86	34.90	8.12	6.98	5.1	3.4
		9:00	22.59	52.91	34.93	8.14	6.90	4.5	2.0
		12:00	22.82	52.92	34.94	8.18	7.06	2.8	4.2
		15:00	22.79	52.92	34.93	8.02	7.01	3.4	0.5
		18:00	22.81	53.09	35.06	8.24	7.21	4.4	2.4
		21:00	22.78	53.09	35.06	8.26	7.10	3.2	0.4
	日平均值		22.73	52.94	34.95	8.13	7.09	4.29	2.44
	灣內站	0:00	22.95	51.83	33.87	8.20	6.08	4.0	22.1
		3:00	22.81	51.91	33.93	7.94	6.06	4.6	16.7
		6:00	22.58	51.97	33.98	8.01	6.11	5.7	18.2
		9:00	22.52	51.90	33.93	7.88	6.15	7.7	13.4
		12:00	22.12	51.39	33.55	8.20	6.55	6.2	61.9
		15:00	22.10	50.72	33.06	8.50	7.07	9.0	109.5
		18:00	22.06	50.57	32.95	8.29	6.57	4.3	12.4
		21:00	22.07	51.05	33.30	8.21	6.35	3.6	7.2
	日平均值		22.40	51.42	33.57	8.15	6.37	5.64	32.68
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月9日	蚵殼站	0:00	21.95	51.28	33.67	8.23	6.84	2.7	6.6
		3:00	21.72	51.03	33.49	8.29	7.89	2.1	8.4
		6:00	21.50	50.98	33.45	8.31	7.36	1.7	4.8
		9:00	21.25	50.60	33.17	8.27	7.10	1.3	6.1
		12:00	21.78	50.92	33.41	8.29	7.73	1.7	7.5
		15:00	21.91	51.17	33.59	8.23	7.06	1.8	5.4
		18:00	21.90	51.21	33.62	8.21	6.69	1.8	3.6
		21:00	21.97	51.24	33.64	8.19	6.42	1.8	2.6
	日平均值		21.75	51.05	33.51	8.25	7.14	1.86	5.63
	潮口站	0:00	22.69	53.08	35.06	8.22	7.16	8.0	3.1
		3:00	21.97	52.65	34.75	8.34	7.79	3.8	2.9
		6:00	21.86	52.67	34.77	8.41	7.13	8.9	1.7
		9:00	22.50	53.02	35.01	8.29	7.06	7.0	1.0
		12:00	22.99	52.57	34.54	8.32	7.14	3.2	0.7
		15:00	22.64	52.45	34.46	8.22	7.25	4.3	0.9
		18:00	23.05	52.49	34.48	8.19	7.23	3.5	0.9
		21:00	22.96	52.49	34.48	8.21	7.13	2.1	0.1
	日平均值		22.58	52.68	34.69	8.28	7.24	5.10	1.41
	灣內站	0:00	21.94	51.09	33.33	8.32	6.52	5.4	24.4
		3:00	22.13	51.45	33.60	8.17	6.18	4.4	24.1
		6:00	22.20	51.72	33.80	7.89	5.99	5.6	28.1
		9:00	22.17	51.76	33.82	7.90	6.17	6.2	46.8
		12:00	22.29	51.48	33.62	8.27	6.63	5.0	70.1
		15:00	22.82	51.65	33.73	8.34	6.60	9.0	82.1
		18:00	22.86	51.42	33.56	8.34	6.54	6.7	36.1
		21:00	22.54	51.38	33.54	8.37	6.60	5.7	26.4
	日平均值		22.37	51.49	33.63	8.20	6.40	6.00	42.26
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							7.5-8.5
									5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月10日	蚵殼站	0:00	21.89	50.56	33.14	8.20	6.50	1.4	3.5
		3:00	21.74	51.26	33.66	8.22	6.76	2.1	4.2
		6:00	21.66	51.25	33.66	8.25	6.52	2.4	4.1
		9:00	21.64	51.25	33.66	8.21	6.40	4.3	3.9
		12:00	21.68	50.86	33.36	8.28	8.06	2.0	20.5
		15:00	21.82	51.30	33.69	8.28	7.78	4.0	8.0
		18:00	21.76	51.33	33.71	8.23	7.12	5.5	3.8
		21:00	21.69	51.41	33.77	8.24	7.22	4.8	4.8
	日平均值		21.74	51.15	33.58	8.24	7.05	3.31	6.60
	潮口站	0:00	22.55	52.44	34.46	8.23	7.07	6.3	1.0
		3:00	22.03	52.36	34.40	8.35	7.18	6.2	4.0
		6:00	21.90	52.31	34.37	8.36	6.78	10.0	0.4
		9:00	22.44	52.55	34.53	8.27	7.03	6.1	0.9
		12:00	22.92	52.59	34.56	8.35	7.31	3.6	1.4
		15:00	22.61	52.53	34.52	8.30	7.13	5.9	0.8
		18:00	22.76	52.12	34.21	8.19	7.13	3.8	1.7
		21:00	22.70	52.33	34.37	8.24	7.09	2.3	2.4
	日平均值		22.49	52.40	34.43	8.29	7.09	5.53	1.58
	灣內站	0:00	22.01	51.20	33.41	8.34	6.57	4.5	25.6
		3:00	22.18	51.45	33.59	8.25	6.32	4.1	30.1
		6:00	22.14	51.61	33.71	8.10	6.26	4.5	34.4
		9:00	22.03	51.56	33.68	7.98	6.37	5.9	26.2
		12:00	22.51	50.93	33.21	8.48	7.15	7.1	171.1
		15:00	22.60	51.08	33.32	8.48	7.00	6.5	108.7
		18:00	22.22	51.25	33.45	8.45	6.82	4.4	32.7
		21:00	22.08	51.34	33.52	8.28	6.40	7.9	38.8
	日平均值		22.22	51.30	33.49	8.30	6.61	5.61	58.45
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							
							7.5-8.5	5.0以上	

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月11日	蚵殼站	0:00	21.53	51.35	33.73	8.20	6.03	3.1	2.9
		3:00	21.20	51.01	33.48	8.29	7.71	1.8	6.9
		6:00	21.06	51.08	33.53	8.33	7.92	2.1	6.2
		9:00	21.13	51.06	33.52	8.30	7.44	1.9	6.9
		12:00	21.55	50.88	33.38	8.32	8.33	2.0	9.5
		15:00	21.59	51.14	33.57	8.32	8.44	1.8	19.1
		18:00	21.48	51.19	33.61	8.36	8.78	2.4	15.9
		21:00	21.39	51.22	33.63	8.30	7.41	2.3	13.2
	日平均值		21.37	51.12	33.56	8.30	7.76	2.18	10.08
	潮口站	0:00	22.48	52.37	34.40	8.20	7.14	5.0	4.3
		3:00	21.94	52.41	34.44	8.27	7.14	5.4	3.4
		6:00	21.63	52.29	34.35	8.28	7.44	4.8	3.4
		9:00	22.02	52.42	34.45	8.33	7.09	5.4	2.4
		12:00	22.49	52.50	34.50	8.21	7.38	3.0	2.0
		15:00	22.23	52.56	34.55	8.33	7.45	4.7	3.6
		18:00	22.42	51.95	34.09	8.32	7.39	5.6	4.2
		21:00	22.42	52.00	34.13	8.25	7.41	5.4	1.3
	日平均值		22.20	52.31	34.36	8.27	7.31	4.91	3.08
	灣內站	0:00	21.87	51.28	33.47	8.28	6.54	5.4	38.8
		3:00	21.68	51.24	33.45	8.27	6.47	4.2	42.3
		6:00	21.77	51.56	33.68	7.76	6.32	4.8	44.8
		9:00	21.64	51.39	33.56	7.89	6.45	5.2	47.2
		12:00	22.54	50.99	33.25	8.18	6.65	3.8	10.4
		15:00	22.56	50.36	32.78	8.44	6.98	6.5	68.7
		18:00	22.80	50.73	33.05	8.38	6.74	5.2	23.7
		21:00	22.32	51.03	33.28	8.47	6.85	5.8	69.3
	日平均值		22.15	51.07	33.32	8.21	6.63	5.11	43.15
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨ 7.5-8.5							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月12日	蚵殼站	0:00	21.24	51.21	33.63	8.25	6.27	1.8	7.6
		3:00	21.25	51.12	33.56	8.35	8.58	1.7	8.3
		6:00	21.44	51.14	33.57	8.38	8.71	2.0	12.2
		9:00	21.29	50.97	33.45	8.43	9.46	2.0	14.1
		12:00	21.62	50.90	33.39	8.44	10.14	2.2	20.5
		15:00	21.83	51.30	33.69	8.26	7.48	3.5	14.3
		18:00	21.78	51.06	33.51	8.37	8.83	2.2	19.8
		21:00	21.68	51.05	33.50	8.42	9.22	2.3	21.9
	日平均值		21.52	51.09	33.54	8.36	8.59	2.21	14.84
	潮口站	0:00	22.33	52.03	34.15	8.28	7.19	3.6	1.7
		3:00	21.88	52.07	34.18	8.26	7.17	7.1	2.1
		6:00	21.67	52.30	34.36	8.31	7.55	5.7	4.3
		9:00	22.11	52.36	34.40	8.35	7.39	4.2	4.0
		12:00	22.63	52.40	34.42	8.29	7.54	5.0	3.7
		15:00	22.47	52.46	34.47	8.26	7.65	6.6	1.0
		18:00	22.41	52.44	34.46	8.28	7.72	6.5	2.6
		21:00	22.48	52.48	34.48	8.29	7.55	3.2	2.1
	日平均值		22.25	52.32	34.37	8.29	7.47	5.24	2.69
	灣內站	0:00	22.15	50.75	33.08	8.45	6.79	5.7	61.2
		3:00	21.97	50.83	33.14	8.40	6.77	5.1	56.5
		6:00	21.59	50.58	32.96	8.23	6.68	5.1	53.8
		9:00	21.78	51.16	33.39	8.04	6.40	4.3	34.9
		12:00	22.35	51.40	33.56	8.28	6.70	4.8	43.9
		15:00	22.59	51.35	33.51	8.36	6.74	5.4	43.9
		18:00	22.47	51.38	33.54	8.37	6.69	7.6	31.2
		21:00	22.45	50.86	33.16	8.41	6.76	4.8	18.1
	日平均值		22.17	51.04	33.29	8.32	6.69	5.35	42.94
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月13日	蚵殼站	0:00	21.66	51.11	33.55	8.42	8.74	2.2	20.7
		3:00	21.47	50.89	33.39	8.40	9.15	2.3	29.5
		6:00	21.41	50.89	33.39	8.39	8.13	3.4	53.7
		9:00	21.44	50.95	33.44	8.40	9.26	2.5	64.3
		12:00	21.75	51.03	33.49	8.38	9.46	2.5	31.3
		15:00	22.03	51.21	33.62	8.34	8.66	2.5	27.9
		18:00	22.01	51.25	33.65	8.32	8.31	3.2	22.3
		21:00	21.78	51.18	33.60	8.28	7.51	2.7	15.5
	日平均值		21.69	51.06	33.52	8.37	8.65	2.66	33.15
	潮口站	0:00	22.54	52.42	34.44	8.30	7.44	2.9	1.4
		3:00	22.13	52.43	34.45	8.35	7.56	8.0	3.1
		6:00	21.19	51.89	34.06	8.50	8.38	2.4	7.1
		9:00	21.54	52.14	34.24	8.51	7.72	7.9	3.0
		12:00	22.57	52.48	34.48	8.22	7.42	7.4	0.0
		15:00	22.73	52.56	34.54	8.20	7.59	4.7	2.7
		18:00	22.24	52.38	34.41	8.36	7.70	5.4	2.5
		21:00	22.09	52.29	34.35	8.27	7.79	4.7	5.9
	日平均值		22.13	52.32	34.37	8.34	7.70	5.43	3.21
	灣內站	0:00	22.08	50.73	33.06	8.41	6.80	4.2	34.8
		3:00	21.87	50.79	33.11	8.37	6.66	4.2	31.8
		6:00	21.74	50.91	33.20	8.33	6.63	3.6	27.7
		9:00	21.79	50.99	33.26	8.30	6.69	3.9	32.6
		12:00	22.07	50.79	33.11	8.40	6.88	4.8	23.4
		15:00	22.33	50.85	33.15	8.50	6.89	5.3	30.0
		18:00	22.47	50.91	33.19	8.44	6.76	5.0	27.8
		21:00	22.36	51.02	33.28	8.42	6.70	4.6	24.2
	日平均值		22.09	50.87	33.17	8.40	6.75	4.45	29.04
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月14日	蚵殼站	0:00	21.70	51.30	33.69	8.26	7.20	3.7	18.7
		3:00	21.55	51.26	33.66	8.23	6.55	3.1	10.8
		6:00	21.38	51.31	33.70	8.21	6.47	3.3	8.1
		9:00	21.33	51.34	33.73	8.22	6.58	3.8	9.1
		12:00	21.77	51.40	33.76	8.30	7.80	5.0	14.9
		15:00	22.25	51.39	33.75	8.34	8.62	5.0	20.1
		18:00	22.16	51.36	33.73	8.32	8.17	4.0	16.8
		21:00	21.86	51.12	33.55	8.38	8.60	3.2	14.3
	日平均值		21.75	51.31	33.70	8.28	7.50	3.89	14.10
	潮口站	0:00	22.38	52.39	34.42	8.24	7.45	7.8	1.1
		3:00	21.99	52.38	34.41	8.26	7.41	9.1	1.1
		6:00	21.64	52.30	34.36	8.36	7.64	5.4	5.8
		9:00	21.54	52.28	34.34	8.40	7.33	6.1	8.8
		12:00	22.42	52.51	34.51	8.33	7.35	5.8	1.8
		15:00	22.64	52.56	34.54	8.29	7.55	4.2	0.4
		18:00	22.66	52.57	34.55	8.21	7.62	7.9	0.1
		21:00	22.49	52.52	34.51	8.24	7.63	9.3	0.3
	日平均值		22.22	52.44	34.46	8.29	7.50	6.95	2.43
	灣內站	0:00	22.23	51.00	33.27	8.42	6.73	5.4	28.4
		3:00	22.16	50.86	33.16	8.41	6.74	7.5	46.3
		6:00	21.96	50.91	33.20	8.41	6.68	6.3	27.7
		9:00	21.92	50.80	33.12	8.28	6.61	5.2	28.0
		12:00	22.16	50.90	33.19	8.33	6.69	6.3	23.5
		15:00	22.34	50.73	33.06	8.40	6.70	6.5	28.3
		18:00	22.38	50.71	33.04	8.39	6.67	7.9	33.2
		21:00	22.13	50.71	33.05	8.36	6.58	5.5	25.3
	日平均值		22.16	50.83	33.14	8.38	6.68	6.33	30.09
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月15日	蚵殼站	0:00	21.86	51.26	33.66	8.33	7.93	2.9	10.9
		3:00	21.80	51.32	33.70	8.30	6.87	2.2	8.9
		6:00	21.38	50.85	33.36	8.37	7.80	2.5	11.4
		9:00	21.37	50.72	33.26	8.37	7.81	3.1	10.6
		12:00	21.94	50.78	33.30	8.36	8.12	2.0	11.8
		15:00	21.97	50.98	33.45	8.35	8.44	2.2	15.1
		18:00	21.83	51.01	33.47	8.33	7.67	2.6	11.1
		21:00	21.80	50.99	33.46	8.32	7.24	2.2	10.5
		日平均值	21.74	50.99	33.46	8.34	7.74	2.46	11.29
	潮口站	0:00	22.28	52.39	34.42	8.34	7.50	5.3	1.8
		3:00	22.17	52.52	34.51	8.23	7.19	5.9	1.3
		6:00	21.85	52.30	34.36	8.38	7.68	3.5	6.7
		9:00	21.61	52.19	34.28	8.35	7.69	5.6	8.9
		12:00	22.48	52.50	34.50	8.35	7.52	11.0	3.6
		15:00	22.50	52.56	34.54	8.28	7.72	3.9	6.4
		18:00	22.07	52.30	34.36	8.40	8.08	5.9	6.1
		21:00	22.14	52.38	34.42	8.37	7.65	6.0	3.9
		日平均值	22.14	52.39	34.42	8.34	7.63	5.89	4.84
	灣內站	0:00	22.07	50.72	33.06	8.34	6.54	5.7	23.5
		3:00	21.65	50.67	33.16	8.42	6.76	5.3	19.4
		6:00	21.79	50.81	33.26	8.33	6.63	7.2	22.5
		9:00	21.84	50.57	33.08	8.22	6.58	5.3	18.6
		12:00	22.45	50.51	33.02	8.41	6.71	4.5	10.3
		15:00	22.52	50.56	33.06	8.39	6.70	8.2	21.1
		18:00	22.53	50.42	32.96	8.41	6.73	5.3	20.6
		21:00	22.32	50.36	33.05	8.44	6.86	4.5	15.9
		日平均值	22.15	50.58	33.08	8.37	6.69	5.75	18.99
甲類海域地面水體基準值		環評承諾日平均值需達標準⇧ 7.5-8.5 5.0以上							

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月16日	蚵殼站	0:00	21.72	50.99	33.46	8.32	7.01	2.4	10.3
		3:00	21.57	50.79	33.31	8.36	7.64	2.4	10.9
		6:00	21.43	50.56	33.15	8.35	7.47	1.9	10.3
		9:00	21.42	51.17	33.60	8.31	7.00	1.8	8.2
		12:00	21.81	50.79	33.31	8.32	7.28	1.6	5.3
		15:00	21.76	51.01	33.47	8.27	6.90	2.7	7.2
		18:00	21.77	51.09	33.54	8.27	6.34	3.2	8.7
		21:00	21.68	51.06	33.52	8.25	6.01	2.8	9.1
	日平均值		21.65	50.93	33.42	8.31	6.96	2.35	8.75
	潮口站	0:00	22.04	52.31	34.36	8.32	7.53	5.6	0.3
		3:00	22.12	52.44	34.46	8.23	7.30	3.6	0.6
		6:00	21.85	52.40	34.43	8.26	7.39	5.4	4.5
		9:00	21.69	52.37	34.41	8.30	7.26	5.7	5.2
		12:00	22.27	52.47	34.48	8.34	7.60	3.0	1.2
		15:00	22.59	52.30	34.35	8.19	7.58	4.1	2.0
		18:00	22.47	52.46	34.47	8.39	7.83	5.2	3.9
		21:00	22.15	52.73	34.67	8.26	7.49	6.0	2.1
	日平均值		22.15	52.44	34.45	8.29	7.50	4.83	2.48
	灣內站	0:00	22.19	50.41	33.09	8.28	6.72	4.6	18.0
		3:00	22.13	51.17	33.65	8.12	6.46	5.1	14.7
		6:00	21.95	51.23	33.69	8.09	6.26	4.7	10.4
		9:00	21.86	51.18	33.66	8.06	6.24	4.3	11.7
		12:00	22.43	50.76	33.35	8.19	6.54	4.4	3.6
		15:00	22.42	50.42	33.09	8.32	6.69	5.2	21.3
		18:00	22.21	50.39	33.07	8.28	6.56	5.6	14.3
		21:00	22.16	50.33	33.03	8.25	6.45	4.3	14.9
	日平均值		22.17	50.74	33.33	8.20	6.49	4.78	13.61
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月17日	蚵殼站	0:00	21.56	50.92	33.41	8.27	6.39	2.2	7.5
		3:00	21.29	50.79	33.32	8.27	6.01	2.0	8.7
		6:00	21.09	50.53	33.12	8.28	6.10	2.0	8.5
		9:00	21.23	50.74	33.28	8.26	5.94	1.5	8.0
		12:00	21.56	50.54	33.13	8.29	7.23	1.6	7.6
		15:00	21.66	51.04	33.50	8.26	6.51	3.3	6.8
		18:00	21.62	51.07	33.52	8.24	6.41	2.8	6.7
		21:00	21.61	50.84	33.35	8.29	7.02	2.2	8.5
	日平均值		21.45	50.81	33.33	8.27	6.45	2.20	7.79
	潮口站	0:00	21.83	52.66	34.63	8.30	7.18	4.7	1.6
		3:00	21.73	52.48	34.50	8.32	7.38	6.7	5.8
		6:00	21.84	52.48	34.49	8.32	7.63	2.9	2.7
		9:00	21.73	52.46	34.48	8.29	7.61	4.1	4.0
		12:00	22.11	52.45	34.47	8.26	7.89	4.3	0.7
		15:00	22.52	51.89	34.05	8.20	7.59	6.1	0.6
		18:00	22.34	52.20	34.27	8.27	7.74	1.8	1.4
		21:00	22.02	52.18	34.27	8.29	7.44	9.9	0.2
	日平均值		22.02	52.35	34.40	8.28	7.56	5.06	2.13
	灣內站	0:00	22.13	50.01	32.80	7.95	6.37	3.6	13.0
		3:00	21.96	50.66	33.28	7.77	6.36	4.5	9.9
		6:00	21.34	50.31	33.11	8.02	6.65	4.3	16.6
		9:00	21.39	50.59	33.32	8.00	6.51	4.2	18.2
		12:00	22.16	50.54	33.27	8.24	6.72	4.1	11.2
		15:00	22.25	50.49	33.24	8.28	6.66	3.9	15.4
		18:00	22.29	50.37	33.15	8.34	6.72	5.7	21.3
		21:00	22.06	50.12	33.02	8.35	6.79	5.3	12.6
	日平均值		21.95	50.39	33.15	8.12	6.60	4.45	14.78
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							7.5-8.5
									5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月18日	蚵殼站	0:00	21.53	50.75	33.28	8.30	6.24	1.7	8.6
		3:00	21.38	50.83	33.35	8.30	6.18	1.9	7.3
		6:00	21.27	50.84	33.36	8.23	5.29	1.4	5.5
		9:00	21.17	50.79	33.32	8.26	6.15	1.7	6.3
		12:00	21.55	50.80	33.32	8.28	7.02	1.6	6.2
		15:00	21.51	50.88	33.38	8.25	6.73	2.1	9.4
		18:00	21.38	50.90	33.40	8.21	5.95	2.8	6.8
		21:00	21.37	50.87	33.37	8.21	6.10	2.3	7.7
	日平均值		21.40	50.83	33.35	8.26	6.21	1.94	7.23
	潮口站	0:00	21.86	52.16	34.26	8.31	7.46	5.3	2.8
		3:00	21.71	52.27	34.34	8.39	7.59	13.1	4.3
		6:00	21.78	52.38	34.42	8.27	7.54	8.6	0.6
		9:00	21.57	52.26	34.33	8.35	7.53	5.6	3.3
		12:00	21.65	52.30	34.36	8.22	7.50	7.3	2.8
		15:00	22.27	52.16	34.25	8.31	7.76	10.7	3.7
		18:00	22.17	52.07	34.18	8.20	7.68	7.4	1.9
		21:00	21.82	52.21	34.29	8.33	7.58	6.7	0.4
	日平均值		21.85	52.23	34.30	8.30	7.58	8.09	2.48
	灣內站	0:00	21.84	49.88	32.85	8.03	6.57	3.5	8.6
		3:00	21.97	50.41	33.23	7.98	6.45	5.3	15.2
		6:00	22.02	50.37	33.20	7.86	6.40	5.1	15.1
		9:00	21.58	50.36	33.26	8.18	6.70	4.7	20.0
		12:00	21.99	50.35	33.25	8.22	6.67	5.5	11.7
		15:00	22.07	50.15	33.10	8.28	6.71	8.1	10.8
		18:00	22.10	50.07	33.04	8.33	6.82	5.2	18.1
		21:00	22.00	50.30	33.15	8.32	6.82	5.0	24.8
	日平均值		21.95	50.24	33.14	8.15	6.64	5.30	15.54
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月19日	蚵殼站	0:00	21.28	50.86	33.37	8.24	6.29	2.1	6.4
		3:00	21.21	50.90	33.40	8.30	6.13	1.8	7.7
		6:00	20.94	50.58	33.16	8.26	5.85	1.7	8.7
		9:00	20.97	50.51	33.11	8.23	5.91	2.1	13.1
		12:00	20.50	49.41	32.30	8.29	7.79	2.3	20.3
		15:00	21.05	50.61	33.19	8.24	6.60	3.3	10.7
		18:00	21.11	50.95	33.44	8.24	6.26	2.2	9.0
		21:00	21.04	50.84	33.36	8.25	6.48	1.8	8.6
	日平均值		21.01	50.58	33.17	8.26	6.41	2.16	10.56
	潮口站	0:00	21.36	51.89	34.06	8.33	7.37	6.0	0.1
		3:00	21.30	51.90	34.07	8.44	7.35	7.1	3.2
		6:00	21.72	52.17	34.26	8.27	7.51	5.0	1.5
		9:00	21.61	52.20	34.28	8.33	7.51	6.9	0.2
		12:00	21.51	52.09	34.21	8.27	7.41	9.7	2.2
		15:00	21.81	52.03	34.16	8.36	7.85	4.1	1.9
		18:00	22.01	51.99	34.13	8.24	7.57	4.3	3.2
		21:00	21.66	52.02	34.16	8.29	7.61	5.6	3.9
	日平均值		21.62	52.04	34.17	8.32	7.52	6.09	2.03
	灣內站	0:00	21.76	50.10	33.00	8.24	6.77	4.9	21.3
		3:00	21.76	50.11	33.01	8.05	6.67	5.9	20.7
		6:00	21.63	49.95	32.90	8.03	6.67	5.0	21.1
		9:00	21.30	49.89	32.89	8.16	6.86	5.6	39.2
		12:00	21.39	49.60	32.68	8.33	7.07	5.5	31.5
		15:00	21.32	49.40	32.53	8.43	7.24	5.3	42.5
		18:00	21.34	49.06	32.28	8.28	6.98	3.5	17.7
		21:00	21.29	49.42	32.55	8.39	7.05	3.6	11.3
	日平均值		21.47	49.69	32.73	8.24	6.91	4.91	25.66
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月20日	蚵殼站	0:00	21.01	50.61	33.18	8.28	6.84	1.2	8.7
		3:00	20.68	50.15	32.85	8.42	8.02	1.8	12.0
		6:00	20.67	50.04	32.77	8.29	6.99	2.3	16.6
		9:00	20.76	50.23	32.91	8.30	6.96	1.4	12.5
		12:00	21.26	50.62	33.19	8.31	7.61	1.3	10.1
		15:00	21.50	51.00	33.47	8.26	7.18	1.3	11.6
		18:00	21.61	51.23	33.64	8.24	7.20	4.8	9.0
		21:00	21.47	51.19	33.61	8.22	6.70	2.5	8.4
	日平均值		21.12	50.63	33.20	8.29	7.19	2.08	11.11
	潮口站	0:00	21.20	51.65	33.89	8.44	7.54	7.2	5.1
		3:00	20.95	51.37	33.68	8.49	7.69	6.8	4.6
		6:00	21.84	51.96	34.11	8.40	7.59	8.2	0.6
		9:00	21.88	51.95	34.10	8.33	7.58	5.5	0.1
		12:00	21.30	51.27	33.60	8.27	8.07	5.1	1.4
		15:00	22.46	51.88	34.04	8.16	7.74	4.1	4.1
		18:00	22.22	51.76	33.95	8.14	7.54	3.7	2.4
		21:00	22.14	51.82	34.00	8.23	7.59	4.5	2.2
	日平均值		21.75	51.71	33.92	8.31	7.67	5.64	2.56
	灣內站	0:00	21.23	49.32	32.47	8.33	6.90	4.3	17.1
		3:00	21.25	49.11	32.61	8.03	6.67	4.8	25.3
		6:00	21.38	49.36	32.79	8.08	6.71	5.9	19.1
		9:00	21.17	48.64	32.28	8.20	6.92	7.0	82.1
		12:00	21.93	48.36	32.06	8.32	7.04	4.1	17.3
		15:00	22.23	48.13	31.89	8.42	7.16	6.2	48.8
		18:00	21.90	48.51	32.17	8.40	7.01	4.8	24.4
		21:00	21.79	48.37	32.07	8.32	6.86	3.4	15.5
	日平均值		21.61	48.73	32.29	8.26	6.91	5.06	31.20
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月21日	蚵殼站	0:00	21.32	50.69	33.24	8.32	8.42	1.9	22.2	
		3:00	21.20	50.39	33.02	8.41	8.29	1.8	13.9	
		6:00	21.07	50.59	33.17	8.32	7.79	1.6	14.4	
		9:00	21.04	50.59	33.17	8.28	7.25	1.9	18.4	
		12:00	21.39	50.68	33.38	8.28	7.55	1.9	9.7	
		15:00	21.82	50.73	33.41	8.31	8.49	2.7	13.6	
		18:00	21.64	50.68	33.38	8.25	8.32	3.6	10.7	
		21:00	21.53	50.68	33.38	8.22	7.77	2.2	8.8	
		日平均值			21.38	50.63	33.27	8.30	7.99	2.20
	潮口站	0:00	21.88	51.76	33.96	8.23	7.27	12.9	3.4	
		3:00	21.62	51.42	33.71	8.33	7.49	6.4	2.8	
		6:00	22.10	51.54	33.79	8.26	7.50	6.0	1.7	
		9:00	22.24	51.55	33.80	8.15	7.50	4.9	1.5	
		12:00	22.12	51.51	33.90	8.16	7.80	9.1	3.2	
		15:00	22.54	51.62	33.97	8.15	8.15	5.3	3.3	
		18:00	22.37	51.60	33.96	8.18	8.28	4.6	5.7	
		21:00	22.24	51.65	34.00	8.15	8.22	6.3	3.1	
		日平均值			22.14	51.58	33.89	8.20	7.78	6.94
	灣內站	0:00	21.89	47.91	31.74	8.32	6.97	5.4	22.7	
		3:00	21.46	48.28	32.06	8.22	8.09	5.6	15.3	
		6:00	21.60	48.40	32.32	8.12	6.61	4.8	21.0	
		9:00	21.58	48.21	32.19	8.24	6.96	5.9	44.9	
		12:00	21.35	50.29	33.15	8.27	6.90	2.9	16.8	
		15:00	21.88	50.46	33.32	8.25	7.64	6.2	24.5	
		18:00	21.77	50.62	33.49	8.32	7.89	2.7	19.8	
		21:00	21.53	50.61	33.48	8.25	7.54	3.4	20.5	
		日平均值			21.63	49.35	32.72	8.25	7.33	4.61
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上	

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月22日	蚵殼站	0:00	21.61	50.76	33.44	8.17	6.77	4.0	11.2
		3:00	21.08	50.33	33.13	8.33	7.95	1.5	10.2
		6:00	20.84	50.26	33.08	8.30	7.91	1.3	8.2
		9:00	20.96	50.59	33.32	8.23	7.37	2.4	6.5
		12:00	21.93	50.66	33.36	8.24	7.82	1.6	4.6
		15:00	21.65	50.61	33.36	8.28	8.63	1.8	8.6
		18:00	21.53	50.85	33.53	8.23	7.97	3.4	7.3
		21:00	21.67	51.00	33.65	8.22	7.73	3.8	9.0
		日平均值	21.41	50.63	33.36	8.25	7.77	2.48	8.20
	潮口站	0:00	21.88	51.70	34.05	8.17	8.08	10.2	4.4
		3:00	21.64	51.62	33.99	8.21	8.05	9.1	0.8
		6:00	21.63	51.72	34.06	8.24	7.92	7.3	2.3
		9:00	21.91	51.75	34.08	8.25	7.97	3.2	0.2
		12:00	22.20	51.78	34.10	8.18	7.91	8.4	0.8
		15:00	22.19	51.82	34.13	8.20	7.88	8.0	2.0
		18:00	22.28	51.92	34.20	8.19	7.86	4.7	1.6
		21:00	22.18	51.99	34.25	8.19	7.71	3.5	0.8
		日平均值	21.99	51.79	34.11	8.20	7.92	6.80	1.61
	灣內站	0:00	21.41	50.70	33.57	8.35	7.52	3.2	15.9
		3:00	21.29	50.95	33.76	8.50	6.88	3.5	22.9
		6:00	21.23	51.13	33.90	8.48	6.72	2.3	17.3
		9:00	21.20	51.15	33.91	8.26	7.09	3.6	14.6
		12:00	22.07	50.46	33.39	8.30	7.35	3.0	5.5
		15:00	22.22	50.01	33.19	8.33	8.71	4.9	30.5
		18:00	21.65	50.53	33.58	8.34	8.30	3.2	23.5
		21:00	21.67	51.71	34.45	8.15	7.49	3.0	5.7
		日平均值	21.59	50.83	33.72	8.34	7.51	3.34	16.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月23日	蚵殼站	0:00	21.11	50.38	33.19	8.28	8.20	2.2	9.7
		3:00	20.75	50.14	33.01	8.32	8.55	1.8	8.8
		6:00	20.63	50.10	32.99	8.37	7.98	2.3	9.5
		9:00	20.55	50.06	32.96	8.28	7.79	2.2	8.5
		12:00	20.91	50.04	32.94	8.28	8.20	1.8	6.7
		15:00	21.53	50.93	33.67	8.23	7.81	2.8	6.5
		18:00	21.47	51.09	33.79	8.21	7.54	3.5	6.8
		21:00	21.38	51.15	33.83	8.21	7.28	3.5	7.9
	日平均值		21.04	50.49	33.30	8.27	7.92	2.51	8.05
	潮口站	0:00	21.89	51.96	34.24	8.20	7.78	7.6	0.5
		3:00	21.55	51.62	33.99	8.22	7.90	7.3	9.1
		6:00	21.54	51.84	34.15	8.35	7.74	4.4	1.1
		9:00	22.33	51.89	34.18	8.25	7.58	3.4	1.8
		12:00	22.39	51.90	34.19	8.21	7.62	5.2	1.6
		15:00	22.37	51.86	34.15	8.19	7.70	8.9	4.7
		18:00	22.60	52.07	34.31	8.21	7.51	4.0	1.7
		21:00	22.82	52.14	34.36	8.19	7.46	3.1	2.9
	日平均值		22.19	51.91	34.20	8.23	7.66	5.49	2.93
	灣內站	0:00	21.50	51.80	34.52	8.04	7.05	4.5	9.5
		3:00	21.35	51.79	34.51	8.35	6.76	3.1	17.0
		6:00	20.90	51.75	34.49	8.52	6.42	4.0	18.2
		9:00	21.23	52.16	34.79	8.04	6.52	5.2	12.4
		12:00	21.71	51.64	34.40	8.12	7.48	2.2	4.0
		15:00	21.85	51.70	34.41	8.12	7.77	3.1	11.3
		18:00	21.61	51.85	34.53	8.16	7.51	4.1	14.2
		21:00	21.70	51.99	34.62	8.19	7.29	4.2	14.8
	日平均值		21.48	51.84	34.53	8.19	7.10	3.80	12.68
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月24日	蚵殼站	0:00	21.28	50.82	33.59	8.22	7.58	2.4	6.4
		3:00	20.93	50.76	33.55	8.25	8.01	2.1	7.4
		6:00	20.68	50.71	33.51	8.30	7.52	2.0	7.0
		9:00	20.66	50.75	33.55	8.26	7.49	2.2	6.3
		12:00	21.16	50.78	33.57	8.25	8.12	2.6	8.1
		15:00	21.26	50.78	33.56	8.28	8.85	3.1	11.2
		18:00	21.19	50.89	33.65	8.21	7.12	5.8	7.1
		21:00	21.16	50.94	33.68	8.21	7.32	5.9	9.6
		日平均值	21.04	50.80	33.58	8.25	7.75	3.26	7.89
	潮口站	0:00	22.36	52.10	34.33	8.19	7.47	6.3	3.4
		3:00	21.75	51.88	34.18	8.19	7.52	8.8	0.2
		6:00	21.36	51.75	34.09	8.23	7.49	7.0	4.2
		9:00	23.04	52.20	34.40	8.18	7.39	2.6	1.8
		12:00	23.52	52.24	34.42	8.20	7.37	5.4	0.5
		15:00	22.75	52.06	34.30	8.25	7.61	8.4	0.4
		18:00	23.37	51.84	34.13	8.18	7.37	2.9	2.9
		21:00	23.36	52.12	34.33	8.17	7.32	4.9	1.6
		日平均值	22.69	52.02	34.27	8.20	7.44	5.79	1.88
	灣內站	0:00	21.32	51.60	34.32	8.13	7.40	3.1	12.1
		3:00	21.27	51.74	34.42	8.05	6.96	3.2	12.8
		6:00	20.90	51.62	34.33	8.50	6.48	4.2	15.3
		9:00	21.12	51.84	34.50	8.19	6.72	2.3	13.6
		12:00	21.60	51.75	34.40	8.20	7.16	3.6	12.9
		15:00	22.06	51.89	34.50	8.18	7.66	4.6	14.8
		18:00	22.03	51.73	34.38	8.25	7.88	5.3	16.2
		21:00	21.66	51.79	34.43	8.23	7.57	4.9	12.4
		日平均值	21.50	51.75	34.41	8.22	7.23	3.90	13.76
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月25日	蚵殼站	0:00	21.16	50.99	33.72	8.22	7.35	5.1	8.5
		3:00	21.04	50.95	33.69	8.21	7.30	6.2	6.3
		6:00	20.94	50.87	33.63	8.21	6.81	4.6	7.9
		9:00	21.21	51.01	33.73	8.20	6.70	6.4	5.1
		12:00	21.32	50.81	33.58	8.18	7.37	5.6	14.1
		15:00	21.73	50.96	33.69	8.23	8.04	5.5	8.1
		18:00	21.58	51.07	33.77	8.23	7.36	5.1	9.7
		21:00	21.80	50.85	33.61	8.28	8.13	3.5	7.0
	日平均值		21.35	50.94	33.68	8.22	7.38	5.25	8.34
	潮口站	0:00	22.49	51.86	34.16	8.15	7.50	5.6	5.5
		3:00	22.14	51.89	34.18	8.21	7.46	8.7	4.3
		6:00	21.96	51.82	34.13	8.21	7.47	7.1	3.5
		9:00	23.08	52.18	34.38	8.20	7.37	8.7	1.9
		12:00	23.34	52.14	34.35	8.15	7.36	7.2	1.9
		15:00	23.42	52.10	34.31	8.14	7.44	9.4	2.2
		18:00	23.04	51.99	34.24	8.16	7.56	8.3	8.0
		21:00	23.22	52.12	34.34	8.17	7.35	8.2	1.5
	日平均值		22.84	52.01	34.26	8.17	7.44	7.90	3.60
	灣內站	0:00	21.42	51.55	34.25	8.22	7.86	3.9	18.8
		3:00	21.29	51.68	34.35	8.11	7.15	3.4	11.7
		6:00	21.27	51.76	34.41	8.26	6.28	1.4	14.3
		9:00	21.24	50.68	33.62	8.17	7.16	4.5	20.3
		12:00	21.91	51.18	33.98	8.25	7.84	2.3	18.1
		15:00	22.46	51.15	33.94	8.26	8.39	3.5	25.0
		18:00	22.49	51.30	34.05	8.23	8.22	3.8	17.1
		21:00	21.97	51.66	34.33	8.22	7.69	2.7	8.9
	日平均值		21.76	51.37	34.12	8.22	7.57	3.19	16.78
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月26日	蚵殼站	0:00	21.80	50.83	33.60	8.28	8.28	3.9	7.7
		3:00	21.69	50.81	33.58	8.29	8.39	4.2	10.0
		6:00	21.53	50.78	33.56	8.27	8.09	4.8	15.1
		9:00	21.53	50.79	33.56	8.30	8.66	5.0	17.8
		12:00	22.15	50.82	33.58	8.28	8.79	5.4	9.1
		15:00	22.01	51.00	33.72	8.28	9.00	5.1	11.0
		18:00	21.99	50.99	33.71	8.25	8.18	3.9	11.8
		21:00	22.07	50.91	33.65	8.25	8.11	3.1	10.0
	日平均值		21.85	50.87	33.62	8.28	8.44	4.43	11.56
	潮口站	0:00	23.05	52.09	34.31	8.14	7.33	6.6	1.0
		3:00	22.63	52.07	34.31	8.12	7.20	12.9	1.2
		6:00	22.05	51.60	33.97	8.28	8.02	6.3	3.1
		9:00	22.70	51.96	34.23	8.20	7.44	7.7	0.6
		12:00	23.37	52.03	34.26	8.16	7.45	9.2	3.9
		15:00	23.26	51.98	34.23	8.18	7.56	8.7	6.3
		18:00	22.95	51.91	34.18	8.14	7.61	7.6	1.9
		21:00	23.09	51.93	34.20	8.16	7.42	6.6	1.0
	日平均值		22.89	51.95	34.21	8.17	7.50	8.20	2.38
	灣內站	0:00	22.18	51.84	34.46	8.19	7.35	3.5	11.3
		3:00	22.26	52.03	34.59	8.10	6.90	2.4	5.8
		6:00	21.98	52.01	34.58	8.03	6.80	2.7	10.3
		9:00	22.04	51.85	34.42	8.19	6.83	4.8	14.2
		12:00	22.73	51.82	34.38	8.18	7.27	3.2	7.5
		15:00	22.84	51.72	34.31	8.30	8.12	5.6	37.3
		18:00	22.73	51.30	34.00	8.24	8.22	5.0	25.5
		21:00	22.77	51.48	34.13	8.18	7.72	4.0	10.6
	日平均值		22.44	51.76	34.36	8.18	7.40	3.90	15.31
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月27日	蚵殼站	0:00	22.07	50.42	33.29	8.22	6.63	3.1	8.9
		3:00	22.03	50.61	33.43	8.25	8.06	3.7	10.4
		6:00	21.96	50.66	33.47	8.23	7.53	3.7	14.4
		9:00	22.01	50.99	33.71	8.21	7.17	4.3	14.9
		12:00	22.43	50.92	33.65	8.24	8.10	3.7	13.6
		15:00	22.25	51.01	33.72	8.24	7.99	6.3	13.7
		18:00	22.16	51.01	33.72	8.23	8.07	4.0	14.6
		21:00	22.56	51.05	33.75	8.31	9.13	4.3	13.6
	日平均值		22.18	50.83	33.59	8.24	7.84	4.14	13.01
	潮口站	0:00	23.12	51.99	34.24	8.11	7.29	4.0	1.7
		3:00	22.92	51.90	34.18	8.15	7.44	6.7	0.1
		6:00	22.26	51.70	34.04	8.13	7.29	9.9	2.5
		9:00	23.06	51.86	34.14	8.20	7.36	4.6	0.3
		12:00	23.29	51.93	34.19	8.13	7.46	4.2	0.1
		15:00	23.37	51.94	34.20	8.12	7.51	4.5	1.9
		18:00	23.07	51.85	34.14	8.13	7.67	6.6	3.8
		21:00	22.87	51.78	34.09	8.14	7.44	6.3	2.1
	日平均值		23.00	51.87	34.15	8.14	7.43	5.85	1.56
	灣內站	0:00	22.68	51.75	34.33	8.09	7.11	2.9	13.1
		3:00	22.39	51.75	34.33	8.22	7.33	3.7	14.3
		6:00	22.35	51.70	34.30	8.11	6.91	3.7	13.2
		9:00	22.35	51.65	34.26	8.25	7.21	3.7	15.2
		12:00	22.94	51.56	34.18	8.24	7.77	2.6	16.1
		15:00	22.88	51.31	34.01	8.31	8.34	2.7	27.2
		18:00	22.87	50.96	33.75	8.24	8.12	2.1	28.8
		21:00	22.75	50.57	33.46	8.24	8.02	2.7	15.9
	日平均值		22.65	51.41	34.08	8.21	7.60	3.01	17.98
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月28日	蚵殼站	0:00	22.47	51.03	33.73	8.25	9.10	4.7	11.8
		3:00	22.39	50.95	33.68	8.27	8.37	4.5	10.6
		6:00	22.28	50.91	33.64	8.25	7.90	4.1	13.3
		9:00	22.28	50.88	33.63	8.26	8.16	4.6	19.4
		12:00	22.51	50.97	33.69	8.31	9.79	5.3	24.8
		15:00	22.52	51.17	33.83	8.22	8.27	5.2	17.5
		18:00	22.42	51.18	33.85	8.22	8.13	4.8	14.8
		21:00	22.33	51.11	33.80	8.19	6.77	4.2	12.2
		日平均值	22.40	51.03	33.73	8.25	8.31	4.68	15.55
	潮口站	0:00	23.22	51.94	34.20	8.13	7.34	6.6	0.4
		3:00	22.98	51.88	34.16	8.13	7.52	5.3	1.0
		6:00	22.65	51.73	34.06	8.13	7.46	6.0	6.0
		9:00	22.56	51.75	34.07	8.17	7.43	8.7	6.1
		12:00	23.25	51.95	34.21	8.09	7.46	5.5	0.1
		15:00	23.34	51.98	34.23	8.14	7.49	3.0	2.3
		18:00	23.20	51.92	34.19	8.12	7.63	7.6	6.4
		21:00	23.03	51.87	34.15	8.10	7.52	8.6	2.3
		日平均值	23.03	51.88	34.16	8.13	7.48	6.41	3.08
	灣內站	0:00	22.35	51.49	34.15	8.12	7.37	1.8	11.3
		3:00	22.34	51.58	34.21	8.01	7.11	1.9	10.7
		6:00	22.29	51.58	34.21	7.99	6.56	2.4	11.2
		9:00	22.02	51.00	33.79	8.22	7.72	1.9	20.2
		12:00	22.60	50.61	33.50	8.40	8.33	2.3	21.8
		15:00	22.60	50.59	33.48	8.21	8.37	3.9	27.6
		18:00	22.53	51.23	33.95	8.20	8.33	3.6	24.6
		21:00	22.48	50.24	33.23	8.28	8.51	2.6	22.2
		日平均值	22.40	51.04	33.82	8.18	7.79	2.55	18.70
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月29日	蚵殼站	0:00	22.23	51.10	33.78	8.21	7.14	3.2	15.2
		3:00	22.08	50.07	33.03	8.30	8.70	4.0	17.6
		6:00	22.00	50.87	33.62	8.25	7.07	4.6	15.1
		9:00	22.02	51.02	33.73	8.24	7.76	4.9	10.9
		12:00	22.70	50.84	33.59	8.29	9.28	4.7	16.2
		15:00	22.46	50.93	33.66	8.26	8.65	5.2	15.9
		18:00	22.23	51.05	33.75	8.22	7.40	7.3	18.8
		21:00	22.22	51.10	33.79	8.27	7.89	6.7	19.2
		日平均值	22.24	50.87	33.62	8.26	7.99	5.08	16.11
	潮口站	0:00	23.09	51.79	34.09	8.14	7.46	5.1	0.9
		3:00	22.89	51.88	34.16	8.13	7.48	3.5	0.7
		6:00	22.79	51.88	34.17	8.13	7.52	4.4	1.7
		9:00	22.72	51.86	34.15	8.13	7.57	39.3	1.8
		12:00	23.61	51.96	34.21	8.13	7.46	5.3	3.3
		15:00	23.60	51.92	34.18	8.13	7.56	7.1	1.1
		18:00	23.34	51.93	34.19	8.14	7.71	6.8	2.3
		21:00	23.17	51.93	34.20	8.10	7.55	11.0	0.9
		日平均值	23.15	51.89	34.17	8.13	7.54	10.31	1.59
	灣內站	0:00	22.47	50.46	33.39	8.26	7.95	2.2	12.5
		3:00	22.34	50.12	33.14	8.25	7.96	2.5	17.1
		6:00	22.32	50.64	33.52	8.15	7.27	4.2	35.3
		9:00	22.25	51.72	34.31	8.20	7.52	5.1	32.1
		12:00	22.76	51.69	34.28	8.23	7.98	2.3	13.3
		15:00	22.82	50.64	33.51	8.20	8.22	2.6	18.5
		18:00	22.81	50.78	33.62	8.21	8.09	1.9	22.3
		21:00	22.83	50.04	33.08	8.28	8.39	1.7	16.8
		日平均值	22.58	50.76	33.61	8.22	7.92	2.81	20.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月30日	蚵殼站	0:00	22.21	51.48	34.07	8.27	8.25	5.6	17.2
		3:00	22.09	50.34	33.23	8.23	7.18	5.8	15.9
		6:00	21.88	50.47	33.33	8.26	7.53	5.1	17.0
		9:00	21.90	49.72	32.78	8.29	8.41	4.9	15.7
		12:00	22.83	51.29	33.92	8.33	9.41	9.0	13.8
		15:00	22.79	50.69	33.48	8.29	9.66	6.7	19.7
		18:00	22.58	51.61	34.16	8.25	8.27	4.8	17.6
		21:00	22.31	51.30	33.93	8.30	8.36	5.6	20.3
	日平均值		22.32	50.86	33.61	8.28	8.38	5.94	17.15
	潮口站	0:00	22.83	51.80	34.11	8.14	7.76	5.8	8.2
		3:00	23.08	51.92	34.19	8.16	7.53	3.4	3.8
		6:00	22.91	51.92	34.20	8.11	7.52	4.2	4.3
		9:00	22.73	51.92	34.20	8.15	7.60	52.1	3.7
		12:00	23.28	51.98	34.23	8.17	7.56	5.9	1.6
		15:00	23.70	51.83	34.11	8.08	7.50	4.0	0.9
		18:00	23.39	51.71	34.03	8.11	7.62	8.3	4.3
		21:00	23.12	51.93	34.19	8.12	7.70	11.1	4.7
	日平均值		23.13	51.88	34.16	8.13	7.60	11.85	3.94
	灣內站	0:00	22.62	51.81	34.38	8.25	7.66	3.8	18.2
		3:00	22.48	51.79	34.36	8.23	7.53	7.9	21.8
		6:00	22.30	51.78	34.36	8.21	7.19	4.1	21.1
		9:00	22.04	51.47	34.14	8.28	7.77	5.8	32.3
		12:00	22.83	51.08	33.84	8.29	7.70	3.6	15.0
		15:00	23.03	51.04	33.80	8.26	8.44	2.5	20.8
		18:00	23.14	49.72	32.83	8.40	9.18	3.4	37.4
		21:00	22.55	49.40	32.61	8.28	8.59	4.0	35.0
	日平均值		22.62	51.01	33.79	8.28	8.01	4.39	25.20
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
1月31日	蚵殼站	0:00	22.14	51.06	33.76	8.38	9.56	6.8	23.2
		3:00	22.05	51.03	33.74	8.36	8.36	6.4	19.1
		6:00	21.68	50.06	33.02	8.34	8.26	5.6	33.8
		9:00	21.94	50.28	33.18	8.35	8.57	4.6	28.4
		12:00	22.49	50.57	33.39	8.40	10.46	5.1	31.8
		15:00	22.39	51.47	34.06	8.36	9.78	4.7	28.4
		18:00	22.26	51.09	33.73	8.29	8.51	5.7	24.8
		21:00	22.18	50.70	33.44	8.33	8.37	6.5	27.9
	日平均值		22.14	50.78	33.54	8.35	8.98	5.68	27.18
	潮口站	0:00	22.76	51.75	34.07	8.16	7.75	7.8	5.5
		3:00	22.80	51.79	34.09	8.17	7.51	7.4	1.9
		6:00	22.91	51.91	34.18	8.14	7.48	8.2	2.3
		9:00	22.71	51.93	34.20	8.13	7.48	7.2	2.1
		12:00	22.96	51.92	34.19	8.16	7.66	6.0	2.0
		15:00	23.63	51.70	34.01	8.12	7.57	6.9	3.3
		18:00	23.49	51.87	34.15	8.11	7.55	3.7	4.8
		21:00	22.94	51.88	34.16	8.18	7.99	8.8	7.1
	日平均值		23.03	51.84	34.13	8.15	7.62	7.00	3.63
	灣內站	0:00	22.52	50.57	33.47	8.54	8.05	3.9	32.6
		3:00	22.43	51.37	34.06	8.46	7.65	4.9	21.4
		6:00	22.22	50.69	33.56	8.33	7.35	7.2	27.2
		9:00	22.15	51.90	34.45	8.22	7.15	3.6	21.4
		12:00	22.84	49.36	32.58	8.36	8.93	4.4	21.7
		15:00	23.03	49.94	33.00	8.37	9.09	5.3	33.3
		18:00	22.93	50.91	33.71	8.25	8.07	4.4	15.4
		21:00	22.83	50.85	33.67	8.26	7.90	3.5	13.9
	日平均值		22.62	50.70	33.56	8.35	8.02	4.65	23.36
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月1日	蚵殼站	0:00	22.07	50.63	33.39	8.30	8.11	6.7	29.8
		3:00	21.85	49.32	32.43	8.49	9.24	7.5	47.3
		6:00	21.83	49.84	32.81	8.42	8.82	6.3	40.5
		9:00	21.40	48.60	31.91	8.41	9.14	6.0	58.3
		12:00	22.38	49.69	32.69	8.41	10.10	6.1	33.5
		15:00	22.50	50.46	33.26	8.33	8.83	6.7	41.5
		18:00	22.39	50.97	33.64	8.27	7.49	6.9	38.0
		21:00	22.30	51.34	33.91	8.27	7.44	6.1	37.1
		日平均值	22.09	50.11	33.01	8.36	8.65	6.54	40.75
	潮口站	0:00	22.80	51.84	34.14	8.14	7.81	7.6	9.6
		3:00	22.54	51.80	34.11	8.14	7.45	12.1	5.4
		6:00	22.84	51.90	34.18	8.13	7.41	5.4	2.9
		9:00	22.90	51.94	34.20	8.14	7.61	5.5	1.2
		12:00	22.89	51.90	34.18	8.13	7.67	6.3	5.0
		15:00	23.61	51.70	34.02	8.11	7.66	5.0	4.5
		18:00	23.46	51.71	34.03	8.12	7.55	4.6	1.5
		21:00	23.06	51.79	34.09	8.14	7.78	9.7	2.2
		日平均值	23.01	51.82	34.12	8.13	7.62	7.03	4.04
	灣內站	0:00	22.44	51.22	33.94	8.29	7.71	3.9	22.9
		3:00	22.05	50.11	33.14	8.57	7.32	4.4	23.9
		6:00	22.17	51.27	33.99	8.39	7.60	4.5	23.6
		9:00	22.19	51.44	34.11	8.28	7.82	3.6	17.8
		12:00	22.70	49.68	32.81	8.40	9.24	16.7	32.9
		15:00	23.03	50.36	33.31	8.39	8.95	5.1	37.9
		18:00	22.75	50.33	33.29	8.34	8.14	6.6	16.4
		21:00	22.66	50.47	33.39	8.33	8.04	10.5	18.4
		日平均值	22.50	50.61	33.50	8.37	8.10	6.91	24.23
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/L)	濁度(NTU)	葉綠素(μ g/L)	
2月2日	蚵殼站	0:00	22.40	51.20	33.80	8.40	9.21	7.1	38.6	
		3:00	22.07	50.80	33.51	8.45	8.71	4.6	34.8	
		6:00	21.89	50.44	33.25	8.42	8.10	6.2	39.4	
		9:00	22.00	49.33	32.44	8.43	8.98	6.1	37.8	
		12:00	22.67	49.84	32.80	8.40	9.35	5.9	40.2	
		15:00	22.49	51.10	33.73	8.34	8.56	7.1	53.1	
		18:00	22.32	51.16	33.78	8.31	7.51	8.4	59.5	
		21:00	22.21	51.30	33.88	8.32	7.47	5.8	53.1	
		日平均值			22.26	50.65	33.40	8.38	8.49	6.40
	潮口站	0:00	22.84	51.67	34.01	8.13	7.70	8.5	7.8	
		3:00	22.48	51.60	33.96	8.18	7.60	9.8	4.5	
		6:00	22.76	51.77	34.08	8.13	7.39	5.4	1.0	
		9:00	22.58	51.84	34.14	8.17	7.53	6.8	1.0	
		12:00	22.96	51.76	34.07	8.17	7.95	7.3	1.3	
		15:00	23.57	51.89	34.16	8.15	7.82	5.1	3.2	
		18:00	23.42	51.48	33.86	8.09	7.63	4.0	1.5	
		21:00	23.09	51.79	34.09	8.12	7.76	8.7	2.3	
		日平均值			22.96	51.73	34.05	8.14	7.67	6.95
	灣內站	0:00	22.41	49.82	32.92	8.30	7.67	4.1	13.9	
		3:00	22.29	50.51	33.43	8.72	7.50	4.6	16.8	
		6:00	22.10	50.42	33.36	8.38	7.13	14.1	16.3	
		9:00	22.11	50.99	33.78	8.48	8.25	4.9	30.7	
		12:00	23.15	49.01	32.31	8.47	8.94	5.7	14.7	
		15:00	22.97	51.15	33.89	8.43	8.58	3.5	19.8	
		18:00	22.70	51.05	33.81	8.36	8.40	4.2	18.5	
		21:00	22.55	51.46	34.12	8.31	7.96	5.8	9.9	
		日平均值			22.54	50.55	33.45	8.43	8.05	5.86
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上	

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月3日	蚵殼站	0:00	22.38	51.05	33.70	8.36	8.32	6.9	62.4
		3:00	22.18	51.24	33.84	8.47	8.37	6.9	63.4
		6:00	21.97	51.32	33.90	8.35	7.49	9.5	64.8
		9:00	21.93	50.18	33.06	8.39	7.72	6.3	65.9
		12:00	22.80	50.33	33.16	8.44	10.01	8.4	65.7
		15:00	22.45	51.28	33.86	8.35	8.54	11.6	107.7
		18:00	22.38	51.39	33.95	8.32	8.24	10.0	119.0
		21:00	22.19	51.04	33.69	8.38	8.21	18.0	82.0
	日平均值		22.29	50.98	33.65	8.38	8.36	9.70	78.86
	潮口站	0:00	22.78	51.69	34.02	8.13	7.75	8.1	4.2
		3:00	22.61	51.59	33.95	8.23	7.92	9.6	7.3
		6:00	22.64	51.74	34.06	8.17	7.59	5.7	0.3
		9:00	22.68	51.75	34.07	8.16	7.73	5.2	4.0
		12:00	23.02	51.67	34.01	8.16	8.16	6.7	4.5
		15:00	23.29	51.86	34.14	8.12	7.86	5.9	2.3
		18:00	23.16	51.40	33.80	8.08	7.65	6.1	4.7
		21:00	22.98	50.50	33.14	8.12	7.86	5.4	2.6
	日平均值		22.90	51.53	33.90	8.15	7.82	6.59	3.74
	灣內站	0:00	22.33	50.52	33.43	8.19	6.90	6.9	16.0
		3:00	22.08	50.60	33.50	8.71	6.92	15.1	16.6
		6:00	21.78	51.46	34.13	8.30	6.67	5.8	24.3
		9:00	22.11	51.44	34.12	8.31	7.11	5.6	20.2
		12:00	23.16	47.91	31.52	8.46	8.89	5.3	22.6
		15:00	22.87	49.60	32.76	8.47	8.89	9.5	33.0
		18:00	22.60	51.30	34.00	8.31	7.88	2.8	25.6
		21:00	22.60	51.10	33.85	8.28	6.62	3.9	10.5
	日平均值		22.44	50.49	33.41	8.38	7.49	6.86	21.10
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月4日	蚵殼站	0:00	22.17	50.80	33.52	8.39	8.11	13.0	105.6
		3:00	22.06	50.88	33.57	8.42	7.64	13.3	101.2
		6:00	21.91	50.20	33.07	8.40	7.41	14.9	101.4
		9:00	21.72	50.09	33.00	8.34	6.81	16.0	92.3
		12:00	22.53	49.02	32.20	8.38	8.30	18.5	85.3
		15:00	22.38	49.87	32.83	8.30	7.42	24.2	115.7
		18:00	22.31	50.02	32.94	8.26	6.64	27.8	131.6
		21:00	22.21	50.09	32.99	8.22	5.82	41.6	113.2
	日平均值		22.16	50.12	33.02	8.34	7.27	21.16	105.79
	潮口站	0:00	22.76	50.54	33.18	8.18	7.93	12.1	5.2
		3:00	22.48	50.49	33.15	8.23	8.16	6.2	1.9
		6:00	22.47	50.43	33.10	8.16	7.76	6.5	5.1
		9:00	22.62	50.70	33.30	8.14	7.78	19.1	0.6
		12:00	22.74	50.58	33.21	8.23	8.26	5.4	3.0
		15:00	23.19	50.68	33.28	8.15	7.97	7.2	1.4
		18:00	23.21	50.28	32.98	8.10	7.82	4.2	2.5
		21:00	22.97	50.10	32.85	8.16	7.88	5.2	0.7
	日平均值		22.81	50.48	33.13	8.17	7.95	8.24	2.55
	灣內站	0:00	22.22	50.15	33.17	8.26	7.12	4.0	15.7
		3:00	22.00	51.56	34.20	8.63	6.87	3.9	10.6
		6:00	21.85	49.49	32.69	8.47	7.11	4.0	12.8
		9:00	21.78	51.15	33.90	8.38	7.53	4.4	22.6
		12:00	22.61	50.42	33.36	8.40	7.96	3.0	10.4
		15:00	22.71	49.88	32.96	8.36	8.34	2.3	18.6
		18:00	22.62	51.28	33.99	8.36	7.90	3.1	15.5
		21:00	22.25	51.05	33.82	8.29	7.30	2.2	14.2
	日平均值		22.26	50.62	33.51	8.39	7.52	3.36	15.05
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月5日	蚵殼站	0:00	22.09	50.14	33.02	8.27	6.55	43.1	164.4
		3:00	21.90	49.25	32.38	8.35	7.32	44.4	201.5
		6:00	21.78	51.15	33.78	8.35	6.97	53.2	210.6
		9:00	21.57	50.64	33.40	8.27	5.44	77.8	119.8
		12:00	22.15	49.94	32.88	8.34	7.59	68.4	142.7
		15:00	22.28	51.69	34.03	8.26	6.98	3.3	7.5
		18:00	22.22	51.90	34.19	8.28	6.71	2.8	12.0
		21:00	22.06	51.93	34.21	8.25	6.65	2.9	2.2
	日平均值		22.01	50.83	33.49	8.30	6.78	36.99	107.59
	潮口站	0:00	22.77	50.82	33.38	8.11	7.84	7.2	2.3
		3:00	22.38	50.94	33.48	8.18	8.04	5.6	8.7
		6:00	22.19	50.39	33.07	8.16	7.85	8.5	2.6
		9:00	22.90	50.25	32.96	8.13	7.86	3.8	2.6
		12:00	22.87	51.50	33.50	8.10	7.80	5.8	1.8
		15:00	22.64	52.27	33.70	8.22	7.7	6.6	2.1
		18:00	22.91	52.38	33.78	8.31	7.7	3.0	0.5
		21:00	22.82	52.37	33.77	8.30	7.8	2.9	1.4
	日平均值		22.69	51.37	33.46	8.19	7.82	5.43	2.75
	灣內站	0:00	22.11	50.87	33.69	8.30	6.87	4.2	12.6
		3:00	22.05	50.52	33.44	8.59	6.94	5.9	14.8
		6:00	21.78	50.82	33.66	8.44	6.88	4.7	12.4
		9:00	21.69	51.02	33.81	8.33	6.82	2.7	15.6
		12:00	22.22	50.54	33.32	8.38	7.83	1.0	24.9
		15:00	22.07	50.68	33.45	8.33	7.80	1.9	17.4
		18:00	22.01	50.61	33.40	8.29	7.65	3.8	18.4
		21:00	21.72	51.11	33.69	8.27	7.20	2.0	12.1
	日平均值		21.96	50.77	33.56	8.37	7.25	3.28	16.03
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月6日	蚵殼站	0:00	21.91	51.75	34.08	8.23	6.54	2.5	6.9
		3:00	21.52	51.40	33.83	8.22	6.61	2.1	8.0
		6:00	21.37	51.37	33.80	8.20	6.54	1.9	5.9
		9:00	21.06	51.11	33.61	8.18	6.65	2.8	9.9
		12:00	21.10	51.21	33.69	8.20	6.57	3.4	8.9
		15:00	21.69	51.90	34.19	8.21	6.54	2.8	7.5
		18:00	21.69	52.15	34.38	8.23	6.50	2.7	2.7
		21:00	21.62	52.17	34.39	8.25	6.41	2.6	9.1
		日平均值	21.50	51.63	34.00	8.22	6.55	2.60	7.36
	潮口站	0:00	22.35	52.40	33.80	8.28	7.80	5.8	2.2
		3:00	22.11	52.10	33.58	8.32	7.87	5.1	4.1
		6:00	22.01	52.28	33.72	8.33	7.84	5.0	1.5
		9:00	22.73	52.41	33.80	8.31	7.76	2.6	1.2
		12:00	22.11	52.19	33.65	8.35	7.88	3.9	4.3
		15:00	22.11	52.20	33.65	8.35	7.87	6.1	2.4
		18:00	22.61	51.85	33.38	8.26	7.80	3.2	1.4
		21:00	22.63	51.95	33.46	8.25	7.77	3.2	2.0
		日平均值	22.33	52.17	33.63	8.31	7.82	4.36	2.39
	灣內站	0:00	21.60	51.29	33.83	8.29	7.20	1.3	12.3
		3:00	21.38	51.22	33.78	8.61	6.60	1.6	6.1
		6:00	20.79	50.39	33.17	8.50	6.44	1.6	8.9
		9:00	21.14	50.91	33.55	8.33	7.04	1.4	12.6
		12:00	21.14	50.10	32.90	8.33	7.42	1.7	14.5
		15:00	21.37	50.34	33.07	8.33	7.54	1.6	14.9
		18:00	21.23	50.53	33.22	8.35	7.44	0.7	8.3
		21:00	21.18	50.63	33.29	8.28	6.99	1.3	4.8
		日平均值	21.23	50.68	33.35	8.38	7.08	1.40	10.30
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月7日	蚵殼站	0:00	21.36	51.92	34.21	8.24	6.46	2.8	2.9
		3:00	21.21	51.49	33.90	8.22	6.47	2.3	6.9
		6:00	20.99	51.37	33.81	8.20	6.48	2.3	1.6
		9:00	20.99	51.38	33.81	8.17	6.42	2.0	2.6
		12:00	21.40	50.94	33.49	8.17	6.40	1.9	9.4
		15:00	21.69	51.08	33.59	8.19	6.38	3.0	4.3
		18:00	21.39	51.61	33.98	8.22	6.44	2.8	3.3
		21:00	21.37	52.18	34.40	8.24	6.41	3.4	3.8
	日平均值		21.30	51.50	33.90	8.21	6.43	2.56	4.35
	潮口站	0:00	22.03	52.05	33.54	8.32	7.84	5.4	2.6
		3:00	22.05	52.14	33.61	8.33	7.83	6.1	2.8
		6:00	21.77	52.11	33.59	8.34	7.85	6.2	1.7
		9:00	22.41	52.36	33.77	8.36	7.78	3.6	1.1
		12:00	22.20	52.25	33.69	8.28	7.83	4.9	1.9
		15:00	22.53	52.31	33.73	8.24	7.78	6.0	2.2
		18:00	22.90	52.12	33.58	8.22	7.76	2.6	1.9
		21:00	22.80	52.12	33.58	8.24	7.74	2.5	1.1
	日平均值		22.34	52.18	33.64	8.29	7.80	4.66	1.91
	灣內站	0:00	20.94	50.66	33.31	8.28	7.06	1.1	7.7
		3:00	21.01	50.84	33.45	8.31	6.62	1.3	7.6
		6:00	21.01	50.96	33.53	8.38	6.69	1.3	10.0
		9:00	20.91	50.97	33.54	8.26	6.75	0.7	6.6
		12:00	21.15	50.84	33.45	8.30	7.37	1.0	8.3
		15:00	21.53	50.32	33.06	8.26	7.60	1.0	14.1
		18:00	21.41	50.38	33.10	8.22	7.56	0.9	22.3
		21:00	21.26	50.52	33.21	8.32	7.40	2.0	9.9
	日平均值		21.15	50.69	33.33	8.29	7.13	1.16	10.81
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/L)	濁度(NTU)	葉綠素(μ g/L)
2月8日	蚵殼站	0:00	21.20	52.06	34.31	8.23	6.37	3.6	4.1
		3:00	20.99	52.08	34.33	8.20	6.41	3.4	5.6
		6:00	21.03	52.16	34.39	8.17	6.35	3.5	4.0
		9:00	21.58	52.56	34.68	8.19	6.24	5.5	1.7
		12:00	21.10	51.43	33.85	8.21	6.41	2.8	8.0
		15:00	21.42	51.31	33.76	8.23	6.36	3.7	11.5
		18:00	21.45	52.06	34.31	8.22	6.35	4.7	3.7
		21:00	21.09	52.06	34.31	8.18	6.32	2.7	5.6
		日平均值	21.23	51.97	34.24	8.20	6.35	3.74	5.53
	潮口站	0:00	22.46	52.20	33.65	8.25	7.77	6.0	2.4
		3:00	21.61	52.11	33.59	8.28	7.87	6.5	3.1
		6:00	22.06	52.26	33.70	8.32	7.82	3.2	1.6
		9:00	22.16	52.25	33.69	8.31	7.80	5.3	0.3
		12:00	22.38	52.33	33.74	8.24	7.78	7.3	1.6
		15:00	22.40	52.28	33.70	8.30	7.81	8.4	4.1
		18:00	22.43	52.35	33.76	8.31	7.78	6.7	1.5
		21:00	22.29	52.30	33.72	8.26	7.80	3.7	2.2
		日平均值	22.22	52.26	33.69	8.28	7.80	5.89	2.10
	灣內站	0:00	21.10	50.66	33.31	8.22	7.11	3.1	9.2
		3:00	20.90	50.65	33.31	8.26	7.04	1.3	9.3
		6:00	20.73	50.68	33.33	8.39	6.97	1.6	6.1
		9:00	20.69	49.80	32.68	8.28	7.10	2.1	3.2
		12:00	20.90	50.72	33.35	8.24	7.02	0.6	2.8
		15:00	21.43	50.71	33.35	8.28	7.27	1.5	4.1
		18:00	21.13	50.35	33.08	8.21	7.28	1.2	12.2
		21:00	20.98	50.74	33.61	8.27	7.37	1.1	12.5
		日平均值	20.98	50.54	33.25	8.27	7.15	1.56	7.43
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月9日	蚵殼站	0:00	20.97	51.24	33.72	8.21	6.29	2.8	2.7
		3:00	20.72	51.42	33.85	8.18	6.41	2.5	4.4
		6:00	20.67	51.57	33.96	8.20	6.40	2.5	6.8
		9:00	20.67	51.72	34.07	8.20	6.37	2.7	1.2
		12:00	20.75	51.59	33.97	8.17	6.37	3.0	5.5
		15:00	21.03	51.97	34.25	8.19	6.30	4.3	5.1
		18:00	21.12	52.28	34.48	8.19	6.24	3.7	5.6
		21:00	21.03	52.33	34.52	8.21	6.15	5.7	2.7
	日平均值		20.87	51.77	34.10	8.19	6.32	3.40	4.25
	潮口站	0:00	22.14	52.22	33.67	8.25	7.80	3.7	1.6
		3:00	21.86	52.28	33.72	8.27	7.84	5.7	1.8
		6:00	21.04	51.93	33.46	8.42	7.92	8.4	3.3
		9:00	21.53	52.18	33.64	8.37	7.88	5.9	0.8
		12:00	22.04	52.28	33.72	8.22	7.81	6.7	2.3
		15:00	21.82	52.17	33.64	8.26	7.86	3.7	2.8
		18:00	21.46	52.13	33.61	8.37	7.88	8.7	2.0
		21:00	21.79	52.30	33.73	8.35	7.84	4.8	1.2
	日平均值		21.71	52.19	33.65	8.31	7.85	5.95	1.98
	灣內站	0:00	20.63	51.24	33.98	8.23	7.08	0.5	5.8
		3:00	20.67	50.69	33.58	8.21	7.01	1.0	4.2
		6:00	20.51	50.90	33.73	8.44	7.03	2.6	9.6
		9:00	20.35	51.73	34.34	8.28	6.99	2.8	11.7
		12:00	20.26	50.69	33.58	8.36	7.59	2.2	8.1
		15:00	20.23	50.83	33.68	8.36	7.86	1.4	14.0
		18:00	20.13	49.89	32.99	8.28	7.88	1.8	10.7
		21:00	20.28	50.85	33.70	8.27	7.66	2.0	17.9
	日平均值		20.38	50.85	33.70	8.30	7.39	1.79	10.25
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月10日	蚵殼站	0:00	20.85	52.23	34.45	8.21	6.31	4.8	3.7
		3:00	20.58	51.87	34.18	8.26	6.34	5.8	4.0
		6:00	20.44	52.30	34.50	8.26	6.39	5.3	1.3
		9:00	19.96	51.90	34.21	8.28	6.49	2.5	2.6
		12:00	20.30	51.70	34.05	8.27	6.48	2.2	4.5
		15:00	20.70	52.02	34.29	8.28	6.51	2.5	1.6
		18:00	20.56	52.08	34.34	8.27	6.46	2.6	5.6
		21:00	20.50	51.79	34.13	8.22	6.25	2.9	4.6
	日平均值		20.49	51.99	34.27	8.26	6.40	3.58	3.49
	潮口站	0:00	21.62	52.26	33.71	8.37	7.87	4.2	1.7
		3:00	21.02	52.20	33.66	8.32	7.94	7.4	1.8
		6:00	20.63	52.15	33.63	8.42	8.00	6.8	2.3
		9:00	21.49	52.14	33.62	8.37	7.87	3.9	0.2
		12:00	22.20	52.29	33.71	8.28	7.78	3.7	0.3
		15:00	21.69	52.20	33.66	8.35	7.87	5.0	3.5
		18:00	21.34	52.11	33.60	8.32	7.93	5.4	3.2
		21:00	21.92	52.17	33.63	8.33	7.82	4.7	2.0
	日平均值		21.49	52.19	33.65	8.35	7.89	5.14	1.88
	灣內站	0:00	20.33	51.50	34.17	8.30	7.03	1.8	12.1
		3:00	20.18	50.71	33.59	8.28	7.11	2.3	3.3
		6:00	20.01	50.46	33.41	8.35	7.00	2.7	4.6
		9:00	20.00	50.55	33.48	8.26	7.15	1.9	9.0
		12:00	20.53	51.64	34.27	8.29	7.46	1.3	5.1
		15:00	20.67	51.45	34.14	8.27	7.78	1.0	7.5
		18:00	20.63	49.73	32.87	8.25	7.92	1.9	12.3
		21:00	20.54	49.83	32.95	8.27	8.61	3.5	11.6
	日平均值		20.36	50.73	33.61	8.28	7.51	2.05	8.19
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月11日	蚵殼站	0:00	20.34	51.96	34.25	8.16	6.42	1.8	0.4
		3:00	20.24	51.71	34.07	8.30	6.55	1.7	6.1
		6:00	20.13	51.55	33.95	8.26	6.50	2.3	7.6
		9:00	20.10	51.52	33.93	8.24	6.42	2.0	3.2
		12:00	20.55	51.64	34.01	8.29	6.42	1.4	1.6
		15:00	20.63	51.82	34.15	8.33	6.64	2.0	8.4
		18:00	20.61	51.75	34.09	8.28	6.57	4.4	7.1
		21:00	20.50	51.71	34.07	8.30	6.53	2.9	6.4
		日平均值	20.39	51.71	34.07	8.27	6.51	2.31	5.10
	潮口站	0:00	21.89	52.15	33.62	8.29	7.79	4.3	0.8
		3:00	21.06	52.04	33.54	8.35	7.93	5.5	2.4
		6:00	20.46	51.91	33.45	8.44	8.06	4.2	4.5
		9:00	21.33	52.21	33.67	8.37	7.88	5.0	1.8
		12:00	22.30	52.31	33.73	8.28	7.75	2.9	0.5
		15:00	21.56	52.14	33.61	8.36	7.94	4.3	3.6
		18:00	21.42	52.09	33.58	8.35	7.99	4.5	5.8
		21:00	21.17	52.01	33.52	8.45	8.00	4.0	4.5
		日平均值	21.40	52.11	33.59	8.36	7.92	4.34	2.99
	灣內站	0:00	20.51	49.98	33.06	8.18	7.33	0.8	13.2
		3:00	20.52	51.71	34.32	8.23	7.19	1.6	10.9
		6:00	20.28	49.85	32.96	8.17	6.62	0.9	4.6
		9:00	20.32	50.33	33.31	8.24	7.49	1.3	8.4
		12:00	21.00	49.68	32.83	8.26	8.07	0.2	8.2
		15:00	21.05	50.33	33.31	8.31	8.80	1.6	19.8
		18:00	21.28	51.05	33.83	8.35	9.12	4.4	13.2
		21:00	20.88	51.31	34.03	8.32	8.83	7.2	22.0
		日平均值	20.73	50.53	33.46	8.26	7.93	2.25	12.54
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月12日	蚵殼站	0:00	20.33	51.72	34.07	8.28	6.57	3.1	8.9
		3:00	20.28	52.22	34.45	8.25	6.55	2.4	5.8
		6:00	20.01	51.76	34.10	8.29	6.60	4.7	4.9
		9:00	20.41	52.66	34.76	8.30	6.59	4.0	7.9
		12:00	20.91	52.07	34.33	8.35	6.81	2.6	7.9
		15:00	21.17	51.91	34.21	8.44	6.96	2.7	38.0
		18:00	21.19	52.14	34.37	8.38	6.88	2.6	11.7
		21:00	20.77	51.66	34.03	8.33	6.82	3.4	10.8
	日平均值		20.63	52.02	34.29	8.33	6.72	3.19	11.99
	潮口站	0:00	22.03	52.16	33.62	8.28	7.76	3.2	1.5
		3:00	21.33	52.04	33.54	8.34	7.90	3.2	3.2
		6:00	20.73	51.96	33.49	8.40	8.01	3.7	6.4
		9:00	21.13	52.14	33.62	8.47	7.92	3.6	1.9
		12:00	22.20	52.23	33.67	8.27	7.74	2.3	1.5
		15:00	22.28	52.18	33.63	8.17	7.74	5.9	2.3
		18:00	21.86	52.11	33.59	8.34	7.91	4.1	5.0
		21:00	21.47	52.03	33.53	8.33	7.97	5.3	6.2
	日平均值		21.63	52.11	33.59	8.33	7.87	3.91	3.50
	灣內站	0:00	20.63	51.70	34.32	8.31	8.41	1.9	19.3
		3:00	20.43	51.38	34.08	8.35	8.39	3.0	15.8
		6:00	20.12	51.24	33.98	8.29	8.25	1.9	18.5
		9:00	20.11	51.20	33.96	8.32	8.31	1.9	15.7
		12:00	20.46	51.14	33.91	8.30	8.67	1.7	17.1
		15:00	20.95	50.08	33.12	8.37	9.57	2.5	22.4
		18:00	21.30	48.98	32.32	8.45	10.34	4.7	22.6
		21:00	20.60	50.04	33.10	8.45	10.09	2.3	18.7
	日平均值		20.58	50.72	33.60	8.36	9.00	2.49	18.76
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月13日	蚵殼站	0:00	20.68	51.42	33.85	8.45	6.91	3.1	16.2	
		3:00	20.68	51.74	34.09	8.38	6.89	3.3	19.5	
		6:00	20.33	51.55	33.95	8.39	6.72	3.3	15.1	
		9:00	19.98	50.95	33.50	8.46	6.84	3.6	22.7	
		12:00	20.75	51.79	34.12	8.38	6.90	2.5	13.9	
		15:00	21.28	52.06	34.32	8.46	6.91	3.6	14.9	
		18:00	21.13	51.87	34.17	8.41	6.82	2.7	10.9	
		21:00	21.28	49.98	32.78	8.54	7.07	3.8	8.3	
	日平均值		20.76	51.42	33.85	8.43	6.88	3.24	15.19	
		潮口站	0:00	21.58	52.08	33.57	8.47	7.88	3.4	4.2
	3:00		22.02	52.17	33.63	8.26	7.74	1.8	1.3	
	6:00		21.48	52.08	33.57	8.35	7.83	2.5	2.7	
	9:00		21.10	51.96	33.49	8.36	7.95	3.6	3.9	
	12:00		22.73	52.22	33.66	8.29	7.64	3.1	0.7	
	15:00		23.01	52.26	33.68	8.18	7.60	3.2	1.5	
	18:00		21.95	52.10	33.58	8.27	7.87	6.7	4.9	
	21:00		22.20	52.17	33.63	8.27	7.78	7.8	4.8	
	日平均值		22.01	52.13	33.60	8.31	7.79	4.01	3.00	
		灣內站	0:00	20.60	50.44	33.39	8.55	9.23	2.5	23.5
	3:00		20.50	50.93	33.75	8.33	8.60	2.0	21.2	
	6:00		19.84	50.64	33.54	8.44	9.06	1.6	18.0	
	9:00		19.85	50.59	33.51	8.42	9.04	1.7	15.8	
	12:00		21.22	50.08	33.12	8.45	9.77	1.6	14.6	
	15:00		21.31	50.15	33.18	8.46	10.00	1.6	12.1	
	18:00		21.17	49.14	32.44	8.42	9.92	1.8	14.4	
	21:00		21.26	49.42	32.64	8.46	9.70	3.5	20.7	
	日平均值		20.72	50.17	33.20	8.44	9.42	2.04	17.54	
甲類海域地面水體基準值		環評承諾日平均值需達標準				7.5-8.5		5.0以上		

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月14日	蚵殼站	0:00	21.02	51.42	33.85	8.49	6.84	2.7	12.2
		3:00	20.93	50.99	33.53	8.40	6.78	2.3	13.3
		6:00	20.87	51.00	33.54	8.37	6.78	2.7	10.1
		9:00	20.91	50.76	33.36	8.52	7.00	2.4	11.2
		12:00	21.35	50.72	33.33	8.51	7.05	2.5	18.7
		15:00	21.64	51.80	34.12	8.41	6.75	6.5	4.3
		18:00	21.72	51.98	34.25	8.31	6.56	3.2	3.8
		21:00	21.55	51.81	34.13	8.28	6.67	2.0	6.8
	日平均值		21.25	51.31	33.76	8.41	6.80	3.04	10.05
	潮口站	0:00	21.51	51.92	33.45	8.34	7.92	4.5	4.3
		3:00	22.11	52.12	33.59	8.25	7.75	2.6	2.5
		6:00	21.98	52.10	33.58	8.27	7.76	2.5	2.6
		9:00	21.87	52.06	33.55	8.40	7.79	3.2	2.8
		12:00	22.59	52.23	33.67	8.27	7.65	6.4	0.8
		15:00	22.88	52.20	33.64	8.25	7.60	6.2	0.7
		18:00	22.37	52.12	33.59	8.22	7.71	7.9	2.0
		21:00	22.37	52.15	33.61	8.25	7.67	8.1	3.7
	日平均值		22.21	52.11	33.59	8.28	7.73	5.18	2.43
	灣內站	0:00	20.81	50.39	33.35	8.40	8.86	5.0	14.8
		3:00	20.86	50.54	33.46	8.43	9.54	1.7	15.8
		6:00	20.43	49.52	32.72	8.41	9.44	1.8	18.0
		9:00	20.60	51.09	33.87	8.44	9.48	1.4	16.5
		12:00	21.21	51.03	33.82	8.44	10.00	2.3	11.8
		15:00	21.63	50.74	33.60	8.47	10.15	2.3	14.3
		18:00	21.60	49.07	32.38	8.38	9.65	4.6	14.1
		21:00	21.83	47.74	31.55	8.48	10.80	6.6	24.6
	日平均值		21.12	50.02	33.09	8.43	9.74	3.21	16.24
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月15日	蚵殼站	0:00	21.51	51.71	34.06	8.52	6.94	2.4	11.7
		3:00	21.50	51.07	33.58	8.48	6.91	2.4	12.4
		6:00	21.31	51.47	33.88	8.51	6.95	2.8	11.7
		9:00	21.42	51.46	33.87	8.55	6.91	2.9	7.6
		12:00	22.22	51.26	33.72	8.52	6.97	3.0	19.4
		15:00	22.07	51.53	33.91	8.48	6.84	2.7	15.8
		18:00	22.21	52.25	34.44	8.31	6.44	3.7	7.6
		21:00	22.00	52.11	34.35	8.41	6.63	3.6	7.3
	日平均值		21.78	51.61	33.98	8.47	6.82	2.94	11.69
	潮口站	0:00	21.95	52.02	33.52	8.24	7.74	5.1	4.0
		3:00	22.91	52.13	33.59	8.24	7.57	4.8	0.0
		6:00	23.09	52.12	33.58	8.20	7.54	2.5	1.1
		9:00	22.48	52.08	33.55	8.25	7.65	3.7	2.2
		12:00	23.47	52.14	33.59	8.14	7.49	3.6	1.2
		15:00	23.82	52.17	33.60	8.17	7.43	5.9	0.5
		18:00	23.76	52.16	33.60	8.15	7.44	5.4	2.1
		21:00	23.66	52.25	33.66	8.12	7.41	12.0	1.3
	日平均值		23.14	52.13	33.59	8.19	7.53	5.38	1.55
	灣內站	0:00	21.47	48.20	31.89	8.59	12.37	28.1	20.5
		3:00	21.35	50.60	33.64	8.35	8.49	27.5	13.7
		6:00	21.26	49.76	33.03	8.46	9.75	5.6	36.1
		9:00	21.39	49.82	33.06	8.38	9.23	1.4	10.4
		12:00	22.02	50.53	33.58	8.36	9.08	3.4	11.4
		15:00	22.62	47.67	31.49	8.34	10.13	3.3	27.3
		18:00	22.40	46.20	30.43	8.41	9.95	2.7	15.7
		21:00	22.50	47.35	31.25	8.39	9.75	4.3	16.0
	日平均值		21.88	48.77	32.30	8.41	9.84	9.54	18.89
甲類海域地面水體基準值		環評承諾日平均值需達標準						7.5-8.5	
								5.0以上	

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月16日	蚵殼站	0:00	22.32	51.45	33.85	8.43	6.64	4.3	14.6
		3:00	22.28	50.89	33.44	8.33	6.55	3.5	11.6
		6:00	22.28	51.76	34.08	8.35	6.54	3.9	6.7
		9:00	22.29	51.73	34.06	8.42	6.60	5.1	16.6
		12:00	22.96	51.79	34.09	8.41	6.60	6.7	16.7
		15:00	23.15	51.60	33.81	8.34	6.52	4.8	13.1
		18:00	22.98	51.64	33.84	8.29	6.45	4.6	11.3
		21:00	22.96	51.47	33.71	8.31	6.50	5.3	6.9
		日平均值	22.65	51.54	33.86	8.36	6.55	4.78	12.19
	潮口站	0:00	23.34	52.04	33.52	8.11	7.49	8.5	3.3
		3:00	24.03	52.22	33.64	8.15	7.38	5.7	0.4
		6:00	24.12	52.21	33.63	8.13	7.34	4.8	-
		9:00	23.57	52.03	33.50	8.18	7.49	3.8	1.4
		12:00	23.93	52.84	34.60	8.17	7.30	4.8	0.2
		15:00	24.44	52.72	34.43	8.16	7.08	3.8	2.3
		18:00	23.98	52.85	34.53	8.24	7.07	8.9	0.3
		21:00	24.00	52.87	34.55	8.25	7.10	11.3	1.2
		日平均值	23.93	52.47	34.05	8.17	7.28	6.45	1.30
	灣內站	0:00	22.20	50.47	33.54	8.42	8.90	3.3	11.2
		3:00	21.66	49.20	32.61	8.25	8.29	2.4	10.1
		6:00	21.75	49.41	32.76	8.15	7.58	3.1	15.0
		9:00	21.78	49.32	32.70	8.29	8.26	2.0	13.3
		12:00	22.06	51.21	33.68	8.34	11.14	8.5	32.0
		15:00	22.55	51.58	33.95	8.32	11.16	4.2	16.1
		18:00	22.58	51.40	33.81	8.30	11.77	6.1	21.5
		21:00	22.68	51.24	33.69	8.32	11.80	80.9	24.7
		日平均值	22.16	50.48	33.34	8.30	9.86	13.81	17.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月17日	蚵殼站	0:00	23.15	51.06	33.41	8.19	6.32	4.7	10.8
		3:00	22.99	51.03	33.39	8.43	6.40	7.5	7.5
		6:00	22.92	50.45	32.95	8.40	6.43	7.5	24.7
		9:00	23.06	50.91	33.37	8.30	6.40	6.0	14.1
		12:00	23.50	51.42	33.75	8.35	6.45	5.1	11.4
		15:00	23.59	51.45	33.77	8.30	6.33	8.1	12.2
		18:00	23.44	51.29	33.60	8.23	6.17	4.6	4.8
		21:00	23.33	51.17	33.51	8.28	6.27	4.2	2.6
	日平均值		23.25	51.10	33.47	8.31	6.35	5.96	11.01
	潮口站	0:00	23.68	52.62	34.32	8.21	7.26	12.1	0.6
		3:00	23.54	52.17	33.99	8.29	7.20	6.5	2.9
		6:00	23.66	52.68	34.36	8.24	7.03	4.0	1.7
		9:00	23.42	52.51	34.24	8.25	6.98	7.2	1.7
		12:00	23.76	52.56	34.27	8.25	7.57	5.8	2.8
		15:00	23.80	52.41	34.16	8.21	7.27	3.6	3.0
		18:00	23.66	52.59	34.30	8.23	7.14	3.7	2.5
		21:00	23.50	52.54	34.26	8.23	7.28	8.7	1.8
	日平均值		23.63	52.51	34.24	8.24	7.22	6.45	2.13
	灣內站	0:00	22.85	51.03	33.53	8.26	11.31	4.2	60.5
		3:00	22.50	51.07	33.57	8.14	9.31	4.2	13.5
		6:00	22.68	51.76	33.82	8.02	8.86	3.0	7.5
		9:00	22.49	51.26	33.45	8.18	9.16	5.1	23.1
		12:00	23.16	51.52	33.63	8.33	11.56	5.0	23.0
		15:00	23.25	52.05	34.02	8.34	11.83	6.0	24.9
		18:00	23.08	51.78	33.82	8.32	11.21	5.5	21.7
		21:00	23.22	51.03	33.27	8.46	12.36	6.7	38.4
	日平均值		22.90	51.44	33.64	8.26	10.70	4.96	26.58
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月18日	蚵殼站	0:00	23.29	51.63	33.86	8.22	6.06	4.6	6.6
		3:00	23.07	50.65	33.13	8.37	6.40	9.3	26.3
		6:00	23.16	50.18	32.78	8.25	6.52	9.8	27.5
		9:00	23.32	50.88	33.29	8.28	6.33	3.5	11.6
		12:00	23.68	51.93	34.07	8.32	6.37	3.9	7.6
		15:00	23.78	51.29	33.59	8.22	6.22	47.0	10.3
		18:00	23.53	51.39	33.67	8.19	6.18	9.6	5.3
		21:00	23.60	51.17	33.51	8.20	6.05	7.2	12.1
		日平均值	23.43	51.14	33.49	8.26	6.27	11.86	13.41
	潮口站	0:00	23.53	52.69	34.37	8.22	6.78	15.7	0.6
		3:00	23.20	52.46	34.21	8.31	7.13	8.3	4.1
		6:00	23.38	52.71	34.39	8.28	7.11	3.4	2.7
		9:00	23.01	52.31	34.10	8.30	7.69	9.9	5.5
		12:00	23.53	52.26	34.06	8.34	8.53	8.6	6.9
		15:00	23.96	52.31	34.08	8.22	7.38	4.4	0.2
		18:00	23.64	52.48	34.21	8.21	7.21	3.7	0.2
		21:00	23.55	52.49	34.22	8.21	7.29	6.2	0.3
		日平均值	23.48	52.46	34.21	8.26	7.39	7.53	2.56
	灣內站	0:00	23.06	50.26	32.71	8.57	12.88	13.7	68.4
		3:00	22.73	49.95	32.48	8.41	9.34	9.0	49.8
		6:00	22.80	51.96	33.96	8.24	8.79	4.0	11.2
		9:00	22.77	50.45	32.85	8.26	9.09	5.5	19.6
		12:00	23.95	50.12	32.58	8.46	12.48	6.6	24.4
		15:00	23.81	50.56	32.91	8.44	11.97	7.2	20.7
		18:00	23.66	51.93	33.93	8.32	11.24	9.2	15.1
		21:00	23.87	51.57	33.66	8.36	10.62	11.4	12.3
		日平均值	23.33	50.85	33.14	8.38	10.80	8.33	27.69
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月19日	蚵殼站	0:00	23.84	50.52	33.02	8.35	6.42	6.3	18.0
		3:00	23.61	51.19	33.52	8.16	6.32	6.6	16.1
		6:00	23.40	51.43	33.71	8.09	6.34	5.5	8.8
		9:00	23.45	51.45	33.72	8.19	6.16	5.2	12.2
		12:00	23.80	51.55	33.79	8.21	6.22	4.4	8.5
		15:00	23.88	51.65	33.86	8.16	6.16	14.7	9.7
		18:00	23.87	51.70	33.89	8.18	6.26	8.2	6.5
		21:00	23.65	51.73	33.92	8.16	6.17	9.2	8.7
	日平均值		23.69	51.40	33.68	8.19	6.26	7.51	11.06
	潮口站	0:00	23.71	52.61	34.31	8.22	6.84	17.0	1.8
		3:00	23.34	52.28	34.07	8.33	8.12	7.9	9.6
		6:00	22.94	52.69	34.38	8.26	7.06	8.3	2.1
		9:00	23.03	52.62	34.33	8.27	7.21	6.8	0.3
		12:00	23.71	52.20	34.01	8.31	9.22	10.1	11.6
		15:00	23.84	52.65	34.34	8.22	7.83	7.1	5.3
		18:00	23.54	52.51	34.24	8.26	7.53	3.9	3.7
		21:00	23.39	52.60	34.31	8.26	7.50	6.0	3.8
	日平均值		23.44	52.52	34.25	8.27	7.66	8.39	4.78
	灣內站	0:00	23.52	50.55	32.91	8.30	9.71	4.6	15.7
		3:00	23.17	51.09	33.31	8.40	8.98	4.4	10.3
		6:00	22.97	50.38	32.79	8.19	7.98	5.0	10.8
		9:00	22.88	51.79	33.84	8.30	9.07	7.6	25.0
		12:00	23.64	49.30	31.98	8.47	12.44	8.7	22.0
		15:00	23.92	50.16	32.61	8.49	12.79	9.2	25.5
		18:00	23.79	51.46	33.58	8.38	12.06	9.7	24.1
		21:00	23.73	52.49	34.34	8.26	10.00	7.4	15.7
	日平均值		23.45	50.90	33.17	8.35	10.38	7.08	18.64
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月20日	蚵殼站	0:00	23.82	50.01	32.64	8.52	6.44	7.4	19.3
		3:00	23.61	52.05	34.16	8.33	6.21	6.5	17.9
		6:00	23.42	47.94	31.13	8.30	6.43	7.1	20.5
		9:00	23.35	48.39	31.46	8.30	6.04	6.4	16.4
		12:00	23.94	49.39	32.18	8.39	6.31	5.9	11.1
		15:00	24.01	50.38	32.91	8.33	6.26	5.3	7.9
		18:00	24.04	50.51	33.01	8.33	6.15	7.8	8.6
		21:00	23.97	49.54	32.30	8.52	6.39	6.5	8.9
	日平均值		23.77	49.78	32.47	8.38	6.28	6.61	13.83
	潮口站	0:00	23.46	52.43	34.18	8.26	7.67	10.4	5.7
		3:00	23.24	51.87	33.77	8.41	9.39	9.4	14.6
		6:00	22.96	52.65	34.35	8.25	7.21	7.0	2.1
		9:00	23.02	52.67	34.36	8.25	7.33	5.2	0.1
		12:00	23.68	52.08	33.92	8.33	9.30	11.1	7.1
		15:00	23.98	52.26	34.05	8.29	9.16	10.6	7.2
		18:00	23.19	52.66	34.35	8.21	7.50	5.3	0.4
		21:00	23.09	52.56	34.29	8.24	7.53	5.4	1.3
	日平均值		23.33	52.40	34.16	8.28	8.14	8.05	4.81
	灣內站	0:00	23.49	50.81	33.10	8.37	10.15	7.2	28.1
		3:00	23.20	50.68	33.01	8.32	8.73	6.7	21.5
		6:00	23.07	51.37	33.52	8.17	7.29	5.9	8.9
		9:00	23.07	50.07	32.57	8.12	7.00	4.9	8.9
		12:00	24.03	50.60	32.93	8.22	8.97	6.0	20.3
		15:00	24.31	50.55	32.89	8.44	12.61	9.1	40.6
		18:00	24.60	51.48	33.57	8.26	11.27	6.6	23.0
		21:00	23.94	49.61	32.21	8.21	10.52	8.1	12.3
	日平均值		23.71	50.65	32.98	8.26	9.57	6.81	20.45
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月21日	蚵殼站	0:00	23.92	49.46	32.23	8.37	6.41	5.9	12.5
		3:00	23.73	47.71	30.95	8.42	6.54	6.6	10.9
		6:00	23.61	49.02	31.91	8.20	6.43	6.3	15.2
		9:00	23.61	49.03	31.92	8.30	6.43	7.5	18.4
		12:00	23.65	49.18	32.04	8.32	6.45	7.7	11.4
		15:00	23.53	49.49	32.26	8.30	6.47	7.5	12.9
		18:00	23.47	50.44	32.97	8.30	6.41	11.3	8.1
		21:00	23.45	48.28	31.37	8.30	6.44	9.9	7.2
	日平均值		23.62	49.08	31.96	8.31	6.45	7.84	12.08
	潮口站	0:00	23.48	52.19	34.00	8.33	8.43	7.7	10.2
		3:00	23.44	52.14	33.96	8.33	8.73	7.2	10.0
		6:00	22.67	52.54	34.27	8.25	7.37	12.7	0.1
		9:00	22.73	52.64	34.34	8.24	7.44	6.5	1.0
		12:00	23.26	52.18	34.00	8.33	8.50	7.8	6.3
		15:00	23.39	52.24	34.04	8.27	8.13	13.1	10.8
		18:00	22.77	52.63	34.34	8.25	7.68	11.0	2.1
		21:00	22.72	52.70	34.39	8.23	7.68	10.4	2.4
	日平均值		23.06	52.41	34.17	8.28	8.00	9.55	5.36
	灣內站	0:00	23.80	50.75	33.05	8.28	9.89	9.3	26.0
		3:00	23.58	50.70	33.02	8.27	9.12	7.8	16.7
		6:00	23.31	52.70	34.51	8.13	7.20	6.0	12.9
		9:00	23.25	50.64	32.98	8.09	7.04	6.5	10.0
		12:00	23.47	51.12	33.33	8.18	8.58	8.2	15.2
		15:00	23.30	51.38	33.52	8.21	6.50	10.7	11.2
		18:00	22.98	51.22	33.41	8.21	6.28	14.1	7.5
		21:00	23.03	52.06	34.03	8.31	7.58	11.4	8.8
	日平均值		23.34	51.32	33.48	8.21	7.77	9.25	13.54
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月22日	蚵殼站	0:00	23.42	48.08	31.23	8.53	6.45	9.0	9.2
		3:00	23.46	48.77	31.73	8.44	6.35	7.7	11.6
		6:00	23.36	48.69	31.67	8.47	6.43	8.1	10.0
		9:00	23.46	49.89	32.56	8.44	6.38	8.2	13.3
		12:00	23.83	49.66	32.38	8.46	6.36	7.7	9.2
		15:00	23.66	50.41	32.94	8.46	6.35	8.8	6.7
		18:00	23.75	49.60	32.34	8.43	6.34	6.9	7.7
		21:00	23.63	48.88	31.81	8.43	6.29	7.5	5.3
	日平均值		23.57	49.25	32.08	8.46	6.37	7.99	9.13
	潮口站	0:00	22.93	52.24	34.05	8.26	7.28	11.8	6.8
		3:00	22.77	52.12	33.96	8.22	7.09	12.0	5.6
		6:00	22.69	52.18	34.01	8.21	7.20	15.9	5.5
		9:00	22.76	52.45	34.21	8.22	7.52	5.3	0.4
		12:00	23.42	52.16	33.98	8.21	7.51	10.7	0.8
		15:00	23.65	52.21	34.01	8.19	7.85	10.2	4.4
		18:00	23.52	52.24	34.04	8.20	7.54	7.8	3.4
		21:00	23.10	52.02	33.88	8.21	7.32	7.1	0.4
	日平均值		23.11	52.20	34.02	8.22	7.41	10.10	3.41
	灣內站	0:00	22.75	52.19	34.14	8.35	7.47	9.7	5.6
		3:00	22.69	51.76	33.82	8.21	6.06	5.3	8.0
		6:00	22.64	52.01	34.01	8.34	6.94	6.6	8.4
		9:00	22.63	52.83	34.61	8.33	7.13	6.2	13.8
		12:00	23.64	52.43	34.30	8.36	8.20	5.1	6.5
		15:00	24.18	51.37	33.50	8.37	8.66	5.3	6.3
		18:00	24.28	51.34	33.48	8.37	8.71	4.8	3.7
		21:00	23.93	52.26	34.17	8.28	7.66	7.1	6.1
	日平均值		23.34	52.02	34.00	8.33	7.60	6.26	7.30
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月23日	蚵殼站	0:00	23.65	49.16	32.02	8.45	6.27	5.9	10.2
		3:00	23.97	50.13	32.73	8.41	6.15	3.9	7.6
		6:00	23.83	49.26	32.09	8.44	6.32	4.6	3.8
		9:00	24.17	49.18	32.02	8.40	6.36	5.5	8.7
		12:00	24.10	50.65	33.11	8.45	6.26	4.5	9.4
		15:00	23.89	49.40	32.19	8.46	6.40	7.2	5.1
		18:00	24.12	49.42	32.20	8.48	6.45	4.5	5.9
		21:00	24.16	49.21	32.05	8.46	6.39	4.6	4.9
	日平均值		23.99	49.55	32.30	8.44	6.33	5.09	6.95
	潮口站	0:00	23.00	52.12	33.96	8.20	7.32	5.0	0.6
		3:00	23.37	52.11	33.94	8.14	6.82	10.2	3.2
		6:00	22.95	52.24	34.05	8.14	6.88	6.8	0.4
		9:00	22.86	52.46	34.21	8.21	7.37	3.5	2.7
		12:00	23.45	52.51	34.24	8.18	7.62	5.7	0.1
		15:00	24.28	52.24	34.02	8.11	7.69	12.4	5.3
		18:00	23.75	52.21	34.01	8.18	7.85	7.5	2.8
		21:00	23.44	52.37	34.14	8.17	7.67	4.1	2.8
	日平均值		23.39	52.28	34.07	8.17	7.40	6.90	2.24
	灣內站	0:00	23.87	50.90	33.16	8.33	8.14	5.7	14.5
		3:00	23.63	50.93	33.19	8.32	7.78	4.4	10.1
		6:00	23.66	49.92	32.44	8.23	6.71	4.4	9.9
		9:00	23.46	47.41	30.61	8.33	7.95	4.5	13.4
		12:00	24.39	44.29	28.32	8.44	9.30	3.8	7.1
		15:00	24.67	45.57	29.24	8.45	9.51	4.8	11.0
		18:00	25.33	49.65	32.21	8.54	11.59	5.3	21.7
		21:00	25.31	49.01	31.74	8.48	10.75	5.1	18.1
	日平均值		24.29	48.46	31.36	8.39	8.97	4.75	13.23
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月24日	蚵殼站	0:00	24.54	49.08	31.94	8.40	6.42	3.3	8.4
		3:00	24.68	48.79	31.72	8.42	6.41	4.7	5.6
		6:00	24.48	48.54	31.54	8.44	6.39	4.0	4.2
		9:00	24.48	50.41	32.93	8.50	6.47	3.5	7.4
		12:00	24.76	50.53	33.01	8.49	6.44	3.4	14.1
		15:00	24.93	51.25	33.54	8.54	6.44	3.8	10.5
		18:00	24.88	48.60	31.58	8.57	6.54	8.6	9.7
		21:00	24.83	48.88	31.79	8.56	6.50	4.3	7.8
	日平均值		24.70	49.51	32.26	8.49	6.45	4.45	8.46
	潮口站	0:00	23.32	52.50	34.23	8.18	7.54	5.3	1.8
		3:00	23.71	52.70	34.37	8.13	6.88	6.9	2.2
		6:00	23.69	52.09	33.92	8.14	7.07	4.9	0.9
		9:00	22.90	52.33	34.12	8.20	7.52	4.7	0.0
		12:00	23.25	52.32	34.10	8.19	7.69	3.5	0.4
		15:00	23.80	52.30	34.08	8.15	7.81	9.5	1.3
		18:00	24.26	52.29	34.06	8.11	7.61	9.7	4.0
		21:00	23.50	51.80	33.71	8.14	7.50	4.8	0.1
	日平均值		23.55	52.29	34.07	8.16	7.45	6.16	1.34
	灣內站	0:00	25.04	51.23	33.38	8.42	8.88	3.8	11.4
		3:00	24.33	50.29	32.70	8.41	8.43	3.5	6.5
		6:00	23.88	52.01	33.98	8.30	6.64	3.7	13.0
		9:00	23.88	48.65	31.50	8.23	8.27	3.4	11.7
		12:00	24.34	50.02	32.50	8.30	9.91	3.3	12.9
		15:00	25.20	50.23	32.64	8.06	11.07	5.3	13.1
		18:00	25.09	48.16	31.12	8.24	12.75	4.5	25.3
		21:00	25.33	46.16	29.66	8.16	11.90	4.6	17.0
	日平均值		24.64	49.59	32.19	8.27	9.73	4.01	13.86
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月25日	蚵殼站	0:00	24.73	48.79	31.72	8.42	6.19	4.1	9.8
		3:00	24.71	48.57	31.57	8.50	6.55	3.5	6.0
		6:00	24.59	48.64	31.62	8.44	6.55	3.7	8.2
		9:00	24.67	51.36	33.63	8.47	6.30	3.1	9.2
		12:00	25.16	51.43	33.67	8.44	6.54	3.4	10.3
		15:00	25.07	51.66	33.84	8.43	6.55	3.3	16.0
		18:00	25.26	51.49	33.71	8.50	6.42	3.1	6.6
		21:00	25.31	51.42	33.66	8.50	6.44	4.2	4.8
	日平均值		24.94	50.42	32.93	8.46	6.44	3.55	8.86
	潮口站	0:00	23.04	52.09	33.94	8.20	7.55	4.2	3.3
		3:00	23.41	52.01	33.87	8.16	7.35	5.2	2.0
		6:00	23.98	51.95	33.81	8.19	8.04	3.4	4.5
		9:00	22.98	52.13	33.97	8.07	7.25	4.1	1.9
		12:00	23.08	52.28	34.08	8.18	7.79	4.0	1.9
		15:00	24.06	52.20	34.00	8.20	8.49	14.3	2.5
		18:00	24.21	52.05	33.88	8.16	9.16	5.1	8.6
		21:00	25.01	52.15	33.94	8.14	8.73	5.5	2.8
	日平均值		23.72	52.11	33.94	8.16	8.05	5.73	3.44
	灣內站	0:00	24.93	48.56	31.42	8.27	10.64	3.2	13.1
		3:00	24.67	50.45	32.81	8.16	8.74	3.0	16.2
		6:00	24.22	51.49	33.59	8.10	7.52	3.7	7.7
		9:00	24.21	49.56	32.17	8.33	8.49	4.0	12.4
		12:00	25.32	48.76	31.55	8.41	11.46	3.4	9.9
		15:00	25.43	50.35	32.72	8.47	11.72	2.5	12.0
		18:00	26.03	49.85	32.34	8.53	13.59	3.6	19.4
		21:00	25.87	47.92	30.92	8.24	11.36	12.3	24.2
	日平均值		25.09	49.62	32.19	8.31	10.44	4.46	14.36
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月26日	蚵殼站	0:00	25.48	52.40	34.19	8.40	6.67	3.6	7.0
		3:00	25.35	51.88	33.80	8.33	6.50	3.7	8.7
		6:00	25.25	52.25	34.08	8.36	6.59	3.5	8.9
		9:00	25.18	52.04	33.93	8.39	6.69	3.8	9.7
		12:00	25.77	52.11	33.97	8.44	6.75	5.6	14.4
		15:00	25.56	52.46	34.23	8.40	6.62	3.9	12.6
		18:00	25.66	52.33	34.13	8.44	6.63	4.3	12.8
		21:00	25.72	51.94	33.84	8.40	6.63	4.2	12.2
	日平均值		25.50	52.18	34.02	8.40	6.64	4.08	10.79
	潮口站	0:00	23.11	52.80	34.71	8.16	7.53	3.8	5.3
		3:00	24.37	52.30	34.32	8.15	8.23	5.4	3.7
		6:00	24.44	51.72	33.89	8.24	9.77	3.6	4.7
		9:00	24.38	51.97	34.07	8.18	9.35	3.6	2.0
		12:00	23.56	52.61	34.56	8.19	7.76	5.3	0.4
		15:00	23.69	52.62	34.56	8.17	7.93	4.2	0.7
		18:00	24.13	52.38	34.38	8.18	8.52	7.5	7.1
		21:00	24.42	52.21	34.25	8.21	9.03	4.8	2.2
	日平均值		24.01	52.33	34.34	8.19	8.52	4.78	3.26
	灣內站	0:00	25.48	49.74	32.53	8.43	13.70	3.5	7.1
		3:00	25.07	52.57	34.63	8.22	9.47	2.2	4.1
		6:00	24.78	52.64	34.69	8.27	9.58	1.7	3.0
		9:00	24.86	50.82	33.35	8.39	10.22	5.8	4.3
		12:00	25.46	50.14	32.83	8.35	10.89	2.0	2.9
		15:00	25.62	47.19	30.67	8.33	10.65	3.4	4.4
		18:00	25.46	51.72	34.00	8.36	10.21	12.2	2.7
		21:00	25.86	50.06	32.76	8.53	12.68	3.7	15.8
	日平均值		25.32	50.61	33.18	8.36	10.93	4.31	5.54
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月27日	蚵殼站	0:00	25.57	51.91	33.82	8.43	6.54	4.1	5.8
		3:00	25.36	52.26	34.09	8.36	6.51	3.1	7.3
		6:00	25.27	52.61	34.35	8.35	6.49	2.9	6.1
		9:00	25.34	52.47	34.24	8.36	6.52	3.9	9.0
		12:00	25.81	52.52	34.27	8.38	6.46	3.3	4.7
		15:00	25.60	52.31	34.11	8.38	6.62	4.1	7.1
		18:00	25.30	52.12	33.98	8.40	6.64	3.6	5.4
		21:00	25.38	52.23	34.06	8.36	6.61	3.7	11.8
	日平均值		25.45	52.30	34.12	8.38	6.55	3.59	7.15
	潮口站	0:00	24.18	52.00	34.10	8.13	7.77	4.1	2.2
		3:00	23.32	52.44	34.44	8.21	7.37	4.1	3.4
		6:00	23.43	52.44	34.44	8.20	7.59	4.0	0.0
		9:00	24.60	52.23	34.26	8.18	8.10	4.8	1.9
		12:00	24.12	52.56	34.52	8.17	7.70	4.3	2.2
		15:00	24.23	52.58	34.53	8.16	7.87	3.3	1.4
		18:00	24.60	52.38	34.37	8.17	8.33	5.8	3.1
		21:00	24.84	52.45	34.42	8.16	7.74	8.8	1.3
	日平均值		24.17	52.39	34.39	8.17	7.81	4.90	1.94
	灣內站	0:00	25.54	52.18	34.33	8.43	10.56	3.3	15.7
		3:00	25.24	53.82	35.56	8.42	8.61	2.6	1.7
		6:00	25.01	50.36	33.00	8.38	9.56	3.2	8.2
		9:00	25.12	50.85	33.36	8.36	9.24	5.1	18.8
		12:00	25.97	49.46	32.32	8.48	11.78	3.9	13.5
		15:00	26.25	50.47	33.05	8.44	12.33	2.4	59.9
		18:00	26.07	51.62	33.90	8.39	11.11	3.9	16.4
		21:00	25.74	50.35	32.98	8.43	9.81	3.7	16.9
	日平均值		25.62	51.14	33.56	8.42	10.38	3.51	18.89
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月28日	蚵殼站	0:00	25.38	52.28	34.10	8.31	6.61	5.1	7.2
		3:00	25.18	51.43	33.47	8.30	6.57	5.7	9.0
		6:00	25.50	51.42	33.46	8.33	6.47	6.1	9.8
		9:00	25.29	50.80	33.00	8.33	6.53	4.5	19.6
		12:00	25.56	52.37	34.16	8.31	6.52	4.6	14.3
		15:00	25.54	52.77	34.46	8.38	6.66	5.8	12.9
		18:00	25.30	52.30	34.11	8.34	6.63	5.9	17.1
		21:00	25.72	50.85	33.03	8.28	6.60	6.1	15.4
	日平均值		25.43	51.78	33.72	8.32	6.57	5.48	13.16
	潮口站	0:00	24.61	52.05	34.13	8.16	7.73	5.9	3.1
		3:00	23.54	52.60	34.56	8.18	7.42	4.6	2.4
		6:00	23.51	52.54	34.51	8.19	7.52	3.5	0.3
		9:00	24.35	52.30	34.31	8.13	7.15	5.3	3.3
		12:00	23.95	52.56	34.52	8.15	7.83	4.4	2.3
		15:00	24.08	52.61	34.55	8.17	8.05	4.6	1.8
		18:00	24.05	52.54	34.50	8.16	8.18	4.2	1.9
		21:00	24.84	51.75	33.90	8.16	8.14	7.5	2.6
	日平均值		24.12	52.37	34.37	8.16	7.75	5.00	2.21
	灣內站	0:00	25.39	51.78	34.04	8.44	9.19	3.2	15.8
		3:00	25.18	51.27	33.67	8.37	7.12	2.6	7.2
		6:00	25.03	52.90	34.88	8.32	7.00	4.4	8.9
		9:00	25.02	52.73	34.75	8.36	8.52	3.5	12.9
		12:00	25.94	51.83	34.06	8.39	10.53	3.6	11.6
		15:00	25.89	51.21	33.60	8.34	9.84	2.4	17.9
		18:00	25.92	52.90	34.85	8.28	8.58	5.8	13.8
		21:00	25.91	51.83	34.07	8.44	10.62	2.8	18.7
	日平均值		25.54	52.06	34.24	8.37	8.93	3.54	13.35
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月1日	蚵殼站	0:04	25.88	50.94	33.09	8.32	6.59	5.2	15.6
		3:04	25.64	51.50	33.52	8.26	6.66	6.3	12.6
		6:04	25.43	51.66	33.64	8.35	6.73	5.9	14.6
		9:04	25.35	51.67	33.65	8.34	6.65	6.2	13.8
		12:04	25.65	52.02	33.90	8.37	6.74	7.1	25.0
		15:04	25.69	52.45	34.22	8.36	6.71	5.3	17.8
		18:04	25.65	52.15	33.99	8.36	6.67	5.6	21.8
		21:04	25.43	52.13	33.99	8.36	6.76	6.7	30.8
	日平均值		25.59	51.82	33.75	8.34	6.69	6.04	19.00
	潮口站	0:04	25.10	51.83	33.95	8.12	8.06	4.9	3.4
		3:04	23.88	52.38	34.39	8.12	7.38	4.4	3.2
		6:04	23.64	50.27	32.83	8.16	7.62	4.7	1.4
		9:04	24.30	50.97	33.33	8.18	7.76	4.2	1.9
		12:04	24.57	51.68	33.85	8.11	7.89	4.8	3.6
		15:04	24.20	50.79	33.21	8.18	8.15	5.7	0.3
		18:04	24.11	51.62	33.82	8.16	8.16	5.2	1.3
		21:04	24.76	51.33	33.59	8.16	8.34	6.6	3.6
	日平均值		24.32	51.36	33.62	8.15	7.92	5.06	2.34
	灣內站	0:04	25.68	48.17	31.38	8.42	8.61	4.2	26.2
		3:04	25.20	53.01	34.96	8.33	7.24	2.4	13.7
		6:04	24.75	52.32	34.45	8.39	7.61	4.3	15.2
		9:04	24.67	51.33	33.72	8.33	7.99	2.9	22.3
		12:04	25.93	50.65	33.20	8.40	10.18	3.4	19.7
		15:04	25.60	52.73	34.74	8.31	10.04	3.4	27.4
		18:04	25.83	49.35	32.24	8.42	12.57	4.6	67.7
		21:04	25.22	51.98	34.19	8.35	9.84	5.7	33.5
	日平均值		25.36	51.19	33.61	8.37	9.26	3.86	28.21
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月2日	蚵殼站	0:04	25.29	51.92	33.84	8.42	6.80	5.9	24.8
		3:04	25.13	52.06	33.94	8.05	6.71	6.2	20.5
		6:04	24.94	52.12	33.99	8.20	6.79	7.5	29.0
		9:04	24.87	52.08	33.96	8.22	6.61	6.5	23.2
		12:04	25.18	52.00	33.89	8.33	6.79	8.2	9.6
		15:04	25.42	52.13	33.99	8.37	6.83	6.7	9.1
		18:04	25.22	52.15	34.01	8.34	6.73	5.7	19.3
		21:04	25.22	51.29	33.37	8.41	6.92	8.7	46.3
	日平均值		25.16	51.97	33.87	8.29	6.77	6.93	22.73
	潮口站	0:04	24.86	50.75	33.16	8.18	8.79	5.4	8.9
		3:04	23.51	51.14	33.47	8.11	7.72	5.8	0.6
		6:04	23.32	51.18	33.50	8.18	7.50	5.9	0.5
		9:04	24.05	50.58	33.05	8.23	8.31	3.8	4.3
		12:04	24.35	51.08	33.42	8.23	8.65	9.0	1.9
		15:04	23.74	50.98	33.35	8.20	8.26	4.1	0.5
		18:04	23.51	49.72	32.43	8.22	8.27	4.1	7.4
		21:04	23.68	50.54	33.03	8.19	8.45	5.3	2.4
	日平均值		23.88	50.75	33.18	8.19	8.24	5.43	3.31
	灣內站	0:04	25.12	51.85	34.10	8.34	7.93	4.5	25.1
		3:04	24.74	52.07	34.27	8.41	7.59	3.7	21.5
		6:04	24.67	50.41	33.04	8.25	6.43	4.8	17.2
		9:04	24.31	50.08	32.81	8.39	8.11	2.6	16.5
		12:04	24.85	49.67	32.50	8.50	9.12	3.2	18.1
		15:04	25.07	53.69	35.46	8.33	9.95	3.4	16.5
		18:04	25.07	50.98	33.46	8.37	10.29	7.2	29.1
		21:04	24.97	49.96	32.71	8.46	10.76	5.0	26.8
	日平均值		24.85	51.09	33.54	8.38	8.77	4.30	21.35
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月3日	蚵殼站	0:04	25.11	52.06	33.94	8.45	6.90	9.9	15.4
		3:04	24.96	51.76	33.73	8.43	6.86	9.2	15.2
		6:04	24.64	51.57	33.59	8.41	6.92	16.0	21.8
		9:04	24.68	52.04	33.94	8.42	6.97	7.9	23.0
		12:04	25.31	52.20	34.04	8.43	6.99	8.4	26.5
		15:04	25.30	52.54	34.29	8.46	7.00	12.3	36.9
		18:04	25.33	52.16	34.01	8.51	7.17	13.2	42.0
		21:04	25.27	51.86	33.79	8.43	7.02	14.7	30.0
	日平均值		25.08	52.02	33.92	8.44	6.98	11.45	26.35
	潮口站	0:04	24.11	51.17	33.49	8.21	8.40	7.1	8.0
		3:04	24.02	50.39	32.91	8.16	7.85	6.6	3.1
		6:04	23.25	49.90	32.57	8.15	7.45	5.1	3.3
		9:04	23.76	50.30	32.85	8.22	8.19	4.7	1.9
		12:04	24.82	50.97	33.32	8.19	9.00	5.4	0.5
		15:04	24.21	50.82	33.22	8.16	8.47	5.8	10.5
		18:04	24.02	51.28	33.57	8.19	8.19	3.9	0.0
		21:04	24.76	48.95	31.84	8.18	9.67	4.9	3.2
	日平均值		24.12	50.47	32.97	8.18	8.40	5.44	3.81
	灣內站	0:04	24.63	50.69	33.25	8.43	9.32	4.2	26.3
		3:04	24.59	53.90	35.63	8.46	7.68	5.0	23.8
		6:04	24.32	51.72	34.02	8.33	7.75	2.7	23.1
		9:04	24.23	50.88	33.40	8.32	8.81	2.9	23.9
		12:04	25.14	49.67	32.49	8.35	11.46	5.0	27.9
		15:04	25.53	50.40	33.02	8.44	13.32	5.0	30.2
		18:04	25.36	50.33	32.97	8.44	11.85	4.2	33.3
		21:04	24.94	51.84	34.10	8.23	8.83	7.0	27.9
	日平均值		24.84	51.18	33.61	8.38	9.88	4.50	27.05
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月4日	蚵殼站	0:04	25.27	52.28	34.10	8.45	6.96	18.4	14.5
		3:04	25.13	49.90	32.35	8.39	6.65	15.7	16.7
		6:04	25.01	51.11	33.24	8.41	7.02	9.0	17.1
		9:04	24.99	51.64	33.63	8.43	6.95	7.9	22.1
		12:04	25.63	50.58	32.83	8.44	7.07	7.0	22.3
		15:04	25.26	50.00	32.41	8.49	7.12	7.7	27.5
		18:04	25.08	51.25	33.34	8.50	7.09	7.9	36.9
		21:04	25.21	50.16	32.54	8.42	7.00	8.5	27.1
	日平均值		25.20	50.87	33.06	8.44	6.98	10.26	23.03
	潮口站	0:04	25.22	49.12	31.95	8.15	8.87	7.7	6.3
		3:04	25.00	49.36	32.14	8.17	8.92	5.3	5.1
		6:04	24.16	50.78	33.19	8.13	7.22	6.1	1.8
		9:04	24.52	49.93	32.56	8.21	8.28	5.1	3.8
		12:04	24.72	50.29	32.82	8.12	8.20	8.1	2.5
		15:04	24.65	50.99	33.34	8.10	7.95	7.0	3.5
		18:04	24.43	50.30	32.84	8.14	7.82	3.8	3.1
		21:04	24.53	51.00	33.35	8.17	7.89	6.6	0.1
	日平均值		24.65	50.22	32.77	8.15	8.14	6.21	3.28
	灣內站	0:04	24.68	51.62	33.93	8.24	7.56	5.7	28.1
		3:04	24.45	51.33	33.73	8.22	6.41	9.9	27.9
		6:04	24.46	53.03	34.98	8.26	8.16	3.2	29.8
		9:04	24.43	51.67	33.98	8.31	7.87	2.4	29.6
		12:04	25.21	50.82	33.34	8.34	9.48	2.6	27.9
		15:04	25.55	51.99	34.19	8.36	9.96	3.1	29.7
		18:04	25.36	52.61	34.65	8.30	8.67	4.7	29.1
		21:04	25.39	53.25	35.13	8.30	9.01	7.7	30.1
	日平均值		24.94	52.04	34.24	8.29	8.39	4.91	29.03
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月5日	蚵殼站	0:04	25.25	49.46	32.01	8.43	7.13	9.5	29.0
		3:04	25.02	49.50	32.05	8.46	7.11	9.2	23.1
		6:04	24.91	51.95	33.86	8.35	6.85	10.5	24.9
		9:04	24.87	52.31	34.14	8.46	7.01	9.4	19.1
		12:04	25.59	52.34	34.14	8.46	7.12	9.8	27.1
		15:04	25.44	52.68	34.39	8.46	7.11	9.9	26.3
		18:04	25.26	52.14	34.00	8.43	7.12	10.9	26.6
		21:04	25.27	51.46	33.49	8.42	7.06	11.0	17.4
	日平均值		25.20	51.48	33.51	8.43	7.06	10.03	24.19
	潮口站	0:04	24.87	51.54	33.74	8.06	7.50	10.0	0.4
		3:04	24.59	50.85	33.24	8.15	8.45	8.0	0.3
		6:04	23.67	50.42	32.94	8.14	7.50	6.0	0.6
		9:04	23.84	50.50	32.99	8.11	7.62	5.8	3.1
		12:04	24.92	50.89	33.26	8.10	8.25	5.9	0.5
		15:04	24.82	50.62	33.07	8.08	8.1	7.4	3.6
		18:04	24.39	51.39	33.64	8.10	7.8	5.6	0.8
		21:04	24.36	50.55	33.02	8.08	7.8	6.0	2.4
	日平均值		24.43	50.85	33.24	8.10	7.88	6.84	1.46
	灣內站	0:04	25.12	51.55	33.87	8.24	8.54	16.1	31.2
		3:04	24.69	50.50	33.11	8.26	6.85	3.5	30.7
		6:04	24.42	51.99	34.22	8.12	6.32	3.7	29.5
		9:04	24.49	51.16	33.60	8.27	6.52	4.5	30.2
		12:04	25.25	52.96	34.92	8.37	9.23	5.6	31.1
		15:04	25.40	53.51	35.32	8.27	9.23	7.8	31.1
		18:04	25.28	52.99	34.94	8.32	8.55	8.3	32.8
		21:04	25.33	52.52	34.59	8.28	8.18	9.0	34.2
	日平均值		25.00	52.15	34.32	8.27	7.93	7.31	31.35
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月6日	蚵殼站	0:04	25.17	51.46	33.50	8.46	7.07	10.5	28.2
		3:04	25.23	51.79	33.74	8.49	7.16	10.4	24.0
		6:04	25.13	51.43	33.47	8.45	7.11	10.8	37.6
		9:04	25.10	51.44	33.49	8.45	7.11	10.7	45.9
		12:04	25.60	50.45	33.35	8.42	8.60	10.3	30.5
		15:04	25.29	51.68	33.96	8.32	8.76	2.3	14.1
		18:04	24.92	52.37	34.49	8.36	8.80	3.1	16.6
		21:04	25.07	52.33	34.45	8.48	9.86	1.5	10.8
	日平均值		25.19	51.62	33.81	8.43	8.06	7.45	25.96
	潮口站	0:04	24.91	51.16	33.46	8.09	7.84	4.9	11.2
		3:04	24.66	50.63	33.08	8.09	7.57	7.0	4.7
		6:04	23.57	50.23	32.81	8.11	7.24	5.1	0.8
		9:04	23.69	50.35	32.89	8.13	7.46	5.1	0.8
		12:04	25.04	52.65	34.69	8.19	6.79	1.9	1.5
		15:04	25.17	52.63	34.67	8.13	6.81	6.7	4.3
		18:04	24.37	52.47	34.57	8.11	6.80	1.6	3.9
		21:04	24.20	52.62	34.69	8.16	6.77	0.5	2.4
	日平均值		24.45	51.59	33.86	8.13	7.16	4.10	3.70
	灣內站	0:04	25.12	50.74	33.28	8.33	8.07	12.9	30.4
		3:04	24.77	46.09	29.89	8.24	6.88	12.3	31.1
		6:04	24.59	47.20	30.70	8.25	6.55	12.2	30.9
		9:04	24.61	47.62	31.01	8.28	6.68	24.0	33.9
		12:04	25.77	50.95	33.42	8.37	8.64	1.6	30.9
		15:04	25.99	50.82	33.32	8.35	10.03	2.6	49.2
		18:04	25.61	51.24	33.64	8.32	9.33	5.3	14.3
		21:04	25.65	51.18	33.59	8.31	8.92	3.5	20.5
	日平均值		25.26	49.48	32.36	8.31	8.14	9.30	30.15
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月7日	蚵殼站	0:04	25.06	52.31	34.44	8.41	9.18	1.1	11.9
		3:04	25.14	52.17	34.33	8.46	9.45	1.8	15.8
		6:04	24.97	52.15	34.32	8.45	9.14	2.2	7.3
		9:04	24.89	52.12	34.30	8.45	9.22	2.8	10.7
		12:04	25.15	52.20	34.35	8.47	9.99	2.3	13.6
		15:04	25.26	52.32	34.44	8.42	9.64	2.9	10.0
		18:04	24.96	52.38	34.49	8.39	8.95	2.9	11.7
		21:04	24.90	52.45	34.55	8.40	8.73	2.9	4.6
	日平均值		25.04	52.26	34.40	8.43	9.29	2.36	10.70
	潮口站	0:04	24.35	52.67	34.72	8.16	6.68	5.0	2.3
		3:04	24.80	52.61	34.67	8.14	6.69	0.3	8.4
		6:04	23.60	52.63	34.71	8.29	6.73	1.6	3.1
		9:04	23.74	52.63	34.70	8.16	6.67	2.9	1.4
		12:04	24.94	52.48	34.57	8.28	6.68	0.6	0.5
		15:04	24.97	52.83	34.82	8.31	6.63	6.9	6.9
		18:04	24.26	52.18	34.36	8.19	6.60	2.5	0.2
		21:04	24.01	52.36	34.50	8.26	6.60	0.6	5.1
	日平均值		24.33	52.55	34.63	8.22	6.66	2.55	3.49
	灣內站	0:04	25.28	51.34	33.72	8.17	7.76	3.4	21.5
		3:04	25.00	51.47	33.82	8.15	7.02	5.5	13.8
		6:04	24.82	51.54	33.88	8.14	7.19	5.2	15.4
		9:04	24.82	51.48	33.83	8.24	7.76	4.1	5.9
		12:04	25.33	51.03	33.49	8.30	8.74	2.2	18.7
		15:04	25.97	50.80	33.30	8.35	9.86	2.6	29.6
		18:04	25.90	50.62	33.17	8.30	9.28	2.7	23.3
		21:04	25.44	51.22	33.62	8.26	8.40	5.6	10.1
	日平均值		25.32	51.19	33.60	8.24	8.25	3.91	17.29
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月8日	蚵殼站	0:04	25.05	52.14	34.31	8.49	10.04	4.3	25.9	
		3:04	24.91	52.21	34.37	8.46	9.19	2.1	15.9	
		6:04	24.80	52.19	34.36	8.44	8.94	2.4	13.1	
		9:04	24.80	52.26	34.41	8.42	8.36	1.9	14.6	
		12:04	25.11	52.33	34.45	8.45	9.98	2.9	16.6	
		15:04	25.14	52.56	34.63	8.41	9.64	2.9	12.6	
		18:04	24.96	52.59	34.65	8.38	8.75	2.9	11.2	
		21:04	24.85	52.56	34.63	8.44	9.41	2.1	11.5	
		日平均值			24.95	52.36	34.48	8.44	9.29	2.69
	潮口站	0:04	24.09	52.37	34.50	8.23	6.62	4.4	0.2	
		3:04	24.58	52.42	34.53	8.21	6.55	2.2	2.3	
		6:04	23.37	52.42	34.56	8.22	6.66	1.5	0.7	
		9:04	23.55	52.30	34.46	8.35	6.60	0.1	0.5	
		12:04	24.90	52.25	34.40	8.29	6.57	2.2	1.7	
		15:04	25.15	52.31	34.44	8.23	6.59	2.4	8.7	
		18:04	24.24	52.05	34.27	8.21	6.50	2.5	2.4	
		21:04	23.83	52.34	34.48	8.25	6.52	1.7	1.6	
		日平均值			24.21	52.31	34.46	8.25	6.58	2.13
	灣內站	0:04	25.27	51.14	33.57	8.18	7.77	4.6	12.5	
		3:04	24.96	51.07	33.52	8.11	6.83	8.3	6.1	
		6:04	24.76	51.55	33.88	8.10	6.49	8.2	9.0	
		9:04	24.90	51.39	33.76	8.12	6.84	5.4	8.9	
		12:04	25.41	50.69	33.23	8.29	8.65	8.5	17.6	
		15:04	26.29	50.73	33.25	8.32	9.24	4.0	11.2	
		18:04	26.25	50.58	33.14	8.26	8.61	4.2	9.4	
		21:04	25.33	51.36	33.73	8.28	8.33	9.3	3.0	
		日平均值			25.40	51.06	33.51	8.21	7.85	6.56
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上	

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月9日	蚵殼站	0:04	24.84	52.56	34.63	8.43	8.88	2.4	6.5
		3:04	24.81	52.43	34.54	8.42	8.71	2.1	6.1
		6:04	24.64	52.00	34.22	8.39	8.06	2.5	6.5
		9:04	24.34	52.30	34.45	8.38	7.62	1.9	3.3
		12:04	25.06	52.50	34.58	8.41	8.74	1.9	4.5
		15:04	24.98	52.32	34.44	8.39	9.14	4.1	5.9
		18:04	24.87	52.30	34.44	8.35	8.25	3.0	7.6
		21:04	24.77	52.73	34.76	8.36	8.26	3.7	6.1
	日平均值		24.79	52.39	34.51	8.39	8.46	2.70	5.81
	潮口站	0:04	24.01	52.19	34.37	8.36	6.53	5.4	2.4
		3:04	24.33	52.24	34.40	8.23	6.47	2.6	4.1
		6:04	23.54	52.31	34.47	8.27	6.54	2.0	2.4
		9:04	23.63	52.33	34.48	8.30	6.52	0.9	3.0
		12:04	24.26	51.99	34.14	8.23	6.45	6.4	2.9
		15:04	24.77	51.99	34.13	8.32	6.53	5.7	9.6
		18:04	24.20	51.55	33.81	8.28	6.50	3.1	1.4
		21:04	23.77	51.78	34.00	8.32	6.49	0.8	1.6
	日平均值		24.06	52.05	34.23	8.29	6.50	3.36	3.43
	灣內站	0:04	25.05	51.24	33.65	8.23	7.76	8.0	2.2
		3:04	24.89	50.15	32.85	8.24	7.74	6.9	3.9
		6:04	24.84	50.83	33.35	8.21	7.56	6.0	10.0
		9:04	24.85	51.11	33.61	8.24	7.62	6.6	8.1
		12:04	25.29	51.29	33.73	8.26	8.15	4.0	8.8
		15:04	25.63	51.32	33.75	8.25	8.05	5.0	2.5
		18:04	25.89	50.77	33.33	8.25	7.86	0.9	1.0
		21:04	25.30	50.70	33.30	8.30	8.29	4.4	12.2
	日平均值		25.22	50.93	33.45	8.25	7.88	5.23	6.09
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月10日	蚵殼站	0:04	24.84	52.13	34.31	8.44	8.65	4.0	11.1
		3:04	24.77	52.20	34.37	8.40	7.93	7.8	32.7
		6:04	24.63	52.52	34.60	8.38	7.70	2.6	19.4
		9:04	24.57	52.63	34.69	8.37	7.89	2.0	4.0
		12:04	24.70	52.53	34.61	8.42	8.82	2.8	9.0
		15:04	24.70	52.23	34.38	8.49	9.85	3.1	28.5
		18:04	24.38	51.98	34.21	8.38	7.97	4.0	10.8
		21:04	24.21	52.65	34.71	8.36	7.85	2.6	5.6
	日平均值		24.60	52.36	34.49	8.41	8.33	3.61	15.14
	潮口站	0:04	24.35	51.85	34.03	8.34	6.47	1.0	1.0
		3:04	24.27	51.86	34.04	8.33	6.41	3.0	2.9
		6:04	23.90	51.89	34.07	8.33	6.44	4.4	4.3
		9:04	23.60	51.94	34.12	8.41	6.46	0.7	2.6
		12:04	24.01	51.88	34.06	8.29	6.45	2.5	1.7
		15:04	24.60	51.81	34.00	8.35	6.52	0.0	5.3
		18:04	24.37	51.90	34.07	8.39	6.48	3.2	5.5
		21:04	23.73	51.96	34.13	8.36	6.45	1.6	1.1
	日平均值		24.10	51.89	34.07	8.35	6.46	2.05	3.05
	灣內站	0:04	25.27	50.27	32.99	8.26	7.70	6.3	2.3
		3:04	25.02	51.06	33.57	8.24	7.58	5.0	5.7
		6:04	24.86	50.96	33.50	8.21	6.87	1.2	11.3
		9:04	24.76	51.14	33.63	8.25	7.33	1.5	4.9
		12:04	24.84	50.66	33.28	8.20	7.17	5.8	13.0
		15:04	24.87	51.28	33.73	8.20	7.26	2.0	5.8
		18:04	24.63	51.01	33.54	8.33	8.49	4.2	21.0
		21:04	24.51	51.86	34.17	8.26	7.67	6.0	10.0
	日平均值		24.85	51.03	33.55	8.24	7.51	4.00	9.25
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							7.5-8.5
									5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月11日	蚵殼站	0:04	24.13	52.65	34.71	8.35	6.93	2.4	4.7
		3:04	23.98	52.27	34.43	8.35	6.57	3.1	5.6
		6:04	23.97	52.32	34.47	8.32	6.63	2.5	4.7
		9:04	23.91	52.34	34.49	8.34	6.79	2.2	5.3
		12:04	24.13	52.44	34.55	8.37	7.31	2.2	10.5
		15:04	24.12	52.56	34.65	8.38	8.07	1.9	9.6
		18:04	23.98	52.09	34.30	8.38	7.85	3.2	6.7
		21:04	23.86	52.28	34.44	8.38	7.58	4.0	0.2
	日平均值		24.01	52.37	34.51	8.36	7.22	2.69	5.91
	潮口站	0:04	23.72	52.05	34.20	8.27	6.45	4.0	0.4
		3:04	23.58	52.01	34.17	8.32	6.48	6.1	1.0
		6:04	23.55	51.96	34.13	8.33	6.45	4.5	4.2
		9:04	23.84	52.00	34.16	8.32	6.46	1.1	0.5
		12:04	24.11	52.08	34.21	8.32	6.41	1.6	3.9
		15:04	24.12	52.01	34.16	8.26	6.43	6.4	5.0
		18:04	24.05	51.94	34.11	8.43	6.49	5.4	7.6
		21:04	23.99	52.04	34.18	8.28	6.41	1.9	0.7
	日平均值		23.87	52.01	34.17	8.32	6.45	3.88	2.91
	灣內站	0:04	24.45	50.87	33.44	8.20	7.07	4.9	9.4
		3:04	24.30	50.31	33.03	8.18	6.75	5.5	6.1
		6:04	24.12	51.01	33.55	8.19	6.59	3.1	10.3
		9:04	24.01	50.34	33.06	8.21	6.85	4.7	6.5
		12:04	24.27	50.57	33.23	8.28	7.90	6.0	2.6
		15:04	24.56	51.69	34.05	8.32	8.59	0.5	32.4
		18:04	24.44	50.73	33.34	8.30	8.25	3.6	14.5
		21:04	24.26	51.18	33.67	8.28	7.65	5.7	2.7
	日平均值		24.30	50.84	33.42	8.25	7.46	4.25	10.56
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月12日	蚵殼站	0:04	23.79	52.60	34.68	8.32	6.63	2.9	7.4
		3:04	23.68	52.47	34.58	8.36	7.33	4.2	3.5
		6:04	23.65	52.07	34.29	8.33	6.63	2.7	4.8
		9:04	23.63	52.33	34.48	8.32	6.65	2.6	2.8
		12:04	23.66	52.02	34.26	8.37	7.58	3.1	9.2
		15:04	23.84	51.94	34.19	8.35	7.26	2.8	15.8
		18:04	23.62	51.73	34.04	8.37	7.75	2.7	4.7
		21:04	23.41	52.31	34.47	8.40	7.84	2.4	4.4
	日平均值		23.66	52.18	34.37	8.35	7.21	2.93	6.58
	潮口站	0:04	23.88	52.06	34.20	8.35	6.41	1.8	2.1
		3:04	23.67	51.95	34.12	8.42	6.48	3.8	2.2
		6:04	23.54	52.04	34.19	8.33	6.49	4.7	1.1
		9:04	23.87	52.13	34.25	8.36	6.43	1.5	0.3
		12:04	23.87	52.10	34.23	8.35	6.45	2.6	3.3
		15:04	23.89	52.07	34.21	8.35	6.46	3.9	2.9
		18:04	23.81	51.88	34.07	8.51	6.73	6.3	22.2
		21:04	23.65	51.87	34.07	8.53	6.58	4.0	4.3
	日平均值		23.77	52.01	34.17	8.40	6.50	3.58	4.80
	灣內站	0:04	24.03	51.19	33.68	8.15	6.57	4.6	0.0
		3:04	23.91	50.84	33.43	8.12	6.20	5.9	6.8
		6:04	23.72	50.87	33.46	8.21	7.17	6.5	5.4
		9:04	23.69	50.99	33.55	8.24	7.28	5.1	9.1
		12:04	23.72	50.70	33.33	8.26	7.81	5.1	22.3
		15:04	23.89	51.04	33.58	8.33	8.79	2.5	25.7
		18:04	23.54	51.49	33.91	8.20	7.72	4.9	19.2
		21:04	23.56	51.62	34.01	8.18	6.93	5.2	5.5
	日平均值		23.76	51.09	33.62	8.21	7.31	4.98	11.75
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月13日	蚵殼站	0:04	23.31	52.61	34.70	8.38	7.57	2.7	3.0
		3:04	23.20	52.62	34.71	8.37	7.68	4.6	3.3
		6:04	23.05	52.39	34.54	8.35	6.73	2.7	7.1
		9:04	22.94	52.26	34.45	8.35	7.36	2.5	1.2
		12:04	23.67	52.40	34.54	8.38	7.93	2.4	7.0
		15:04	23.76	52.49	34.60	8.42	9.09	2.3	7.4
		18:04	23.69	52.52	34.63	8.37	8.20	2.1	5.0
		21:04	23.71	52.50	34.61	8.34	7.73	2.3	5.5
	日平均值		23.42	52.47	34.60	8.37	7.79	2.70	4.94
	潮口站	0:04	23.78	52.09	34.22	8.36	6.43	1.2	0.1
		3:04	23.49	51.99	34.16	8.42	6.53	2.6	1.3
		6:04	23.40	52.06	34.21	8.38	6.49	2.3	12.4
		9:04	23.81	52.09	34.22	8.31	6.45	0.4	0.4
		12:04	24.06	52.14	34.26	8.30	6.44	0.6	0.1
		15:04	24.12	52.12	34.24	8.44	6.51	6.0	3.1
		18:04	24.20	52.10	34.22	8.31	6.51	4.0	0.8
		21:04	24.01	52.04	34.18	8.35	6.51	3.0	7.1
	日平均值		23.86	52.08	34.21	8.36	6.48	2.51	3.16
	灣內站	0:04	23.36	51.08	33.62	8.17	6.69	7.9	3.3
		3:04	23.26	51.81	34.16	8.21	6.99	4.7	1.4
		6:04	23.15	51.16	33.68	8.18	6.74	2.7	2.0
		9:04	22.94	50.64	33.30	8.21	7.20	5.8	4.8
		12:04	23.94	50.29	33.02	8.30	8.71	5.8	21.5
		15:04	24.15	51.02	33.56	8.30	8.83	6.8	13.6
		18:04	24.25	50.45	33.14	8.33	9.08	0.9	30.1
		21:04	24.41	49.92	32.75	8.30	8.45	4.4	18.7
	日平均值		23.68	50.80	33.40	8.25	7.84	4.88	11.93
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月14日	蚵殼站	0:04	23.59	52.45	34.58	8.32	7.06	2.2	6.6
		3:04	23.46	52.38	34.52	8.37	7.20	2.3	9.7
		6:04	23.42	51.54	33.90	8.39	7.82	3.0	20.8
		9:04	23.75	51.39	33.79	8.36	8.22	2.2	12.1
		12:04	24.14	51.81	34.09	8.44	9.47	2.1	11.8
		15:04	24.36	52.24	34.40	8.44	9.71	3.9	16.7
		18:04	24.30	52.75	34.78	8.46	10.12	3.2	14.2
		21:04	24.10	52.29	34.45	8.39	8.57	3.9	6.4
	日平均值		23.89	52.11	34.31	8.40	8.52	2.85	12.29
	潮口站	0:04	24.00	51.99	34.15	8.47	6.44	1.7	3.2
		3:04	23.89	52.05	34.19	8.38	6.45	2.1	0.4
		6:04	23.77	52.07	34.21	8.36	6.44	1.1	0.7
		9:04	23.77	52.12	34.24	8.36	6.46	0.3	0.2
		12:04	24.22	51.87	34.05	8.41	6.45	0.7	1.2
		15:04	24.44	52.11	34.23	8.31	6.43	0.3	0.3
		18:04	24.46	52.02	34.16	8.27	6.46	4.8	0.9
		21:04	24.45	51.98	34.13	8.45	6.49	5.3	3.9
	日平均值		24.13	52.03	34.17	8.38	6.45	2.04	1.35
	灣內站	0:04	24.09	50.10	32.88	8.29	8.48	5.2	9.3
		3:04	24.00	50.85	33.43	8.25	7.74	6.3	0.2
		6:04	23.76	50.95	33.51	8.18	7.15	6.4	10.1
		9:04	23.92	50.50	33.18	8.17	6.96	7.0	1.8
		12:04	24.51	50.79	33.38	8.30	8.71	6.0	3.2
		15:04	25.17	51.08	33.58	8.38	9.52	4.7	21.1
		18:04	25.11	50.33	33.03	8.33	9.22	6.0	9.6
		21:04	25.02	51.06	33.57	8.30	8.69	4.4	6.9
	日平均值		24.45	50.71	33.32	8.28	8.31	5.75	7.78
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月15日	蚵殼站	0:04	24.59	52.47	34.57	8.53	10.94	2.8	23.8
		3:04	24.60	51.76	34.04	8.50	10.75	2.5	21.3
		6:04	24.19	51.18	33.62	8.46	9.51	4.5	44.2
		9:04	24.38	51.65	33.97	8.50	10.18	3.2	25.0
		12:04	24.68	52.20	34.37	8.49	10.77	3.9	29.8
		15:04	24.83	52.56	34.63	8.44	10.04	7.2	25.7
		18:04	24.94	52.39	34.50	8.45	9.90	6.7	19.3
		21:04	24.96	51.93	34.16	8.45	9.20	4.0	19.1
	日平均值		24.65	52.02	34.23	8.48	10.16	4.35	26.03
	潮口站	0:04	24.25	51.94	34.10	8.44	6.49	1.8	4.7
		3:04	24.39	52.17	34.27	8.42	6.40	2.5	0.8
		6:04	24.31	52.15	34.26	8.42	6.42	1.5	0.5
		9:04	23.95	51.61	33.86	8.49	6.67	1.9	5.6
		12:04	24.57	52.06	34.19	8.45	6.45	2.3	1.9
		15:04	24.79	52.17	34.26	8.37	6.42	5.6	0.6
		18:04	25.28	52.04	34.15	8.33	6.41	9.0	1.4
		21:04	25.58	52.12	34.21	8.16	6.24	13.8	6.9
	日平均值		24.64	52.03	34.16	8.39	6.44	4.80	2.80
	灣內站	0:04	25.02	50.93	33.47	8.26	8.32	3.7	20.6
		3:04	24.70	51.37	33.80	8.33	8.74	5.3	6.7
		6:04	24.22	50.92	33.48	8.28	8.13	6.7	7.8
		9:04	24.30	51.07	33.59	8.30	8.31	7.0	3.4
		12:04	25.10	50.95	33.49	8.33	8.69	7.1	2.7
		15:04	24.92	51.20	33.68	8.31	8.91	5.0	10.5
		18:04	24.55	52.41	34.58	8.22	7.94	3.7	5.8
		21:04	24.31	52.28	34.49	8.19	7.15	5.1	3.6
	日平均值		24.64	51.39	33.82	8.28	8.27	5.45	7.64
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月16日	蚵殼站	0:04	25.00	51.97	34.19	8.43	8.97	3.5	13.3	
		3:04	25.00	52.00	34.21	8.43	8.65	3.9	17.5	
		6:04	24.64	52.06	34.26	8.36	7.08	3.4	29.6	
		9:04	24.86	52.34	34.47	8.41	8.43	2.6	14.1	
		12:04	24.84	52.47	34.56	8.40	8.37	3.0	19.5	
		15:04	25.04	52.43	34.53	8.43	9.29	3.0	24.2	
		18:04	24.99	52.41	34.52	8.35	8.47	1.4	5.0	
		21:04	24.89	52.47	34.56	8.39	8.53	1.4	6.1	
		日平均值			24.91	52.27	34.41	8.40	8.47	2.78
	潮口站	0:04	25.13	51.85	34.02	8.37	6.43	5.7	0.4	
		3:04	24.34	52.27	34.35	8.37	6.46	2.4	1.4	
		6:04	24.45	52.12	34.24	8.38	6.48	7.8	1.8	
		9:04	24.52	51.40	33.70	8.43	6.49	2.4	4.0	
		12:04	24.46	52.12	34.24	8.32	6.51	3.6	3.6	
		15:04	24.55	52.21	34.30	8.32	6.50	4.9	0.1	
		18:04	25.01	51.87	34.03	8.35	6.50	4.5	7.8	
		21:04	25.22	51.81	33.99	8.23	6.39	18.4	3.4	
		日平均值			24.71	51.96	34.11	8.35	6.47	6.21
	灣內站	0:04	25.13	50.05	32.83	8.27	7.59	1.5	30.3	
		3:04	24.55	51.60	33.98	8.24	7.79	6.4	8.9	
		6:04	24.62	51.81	34.13	8.25	7.69	7.3	0.5	
		9:04	24.65	51.81	34.13	8.27	7.78	8.6	1.9	
		12:04	24.67	51.80	34.12	8.26	8.07	5.7	6.4	
		15:04	24.82	51.79	34.11	8.28	8.25	4.5	10.1	
		18:04	24.84	51.42	33.84	8.28	8.45	4.1	7.3	
		21:04	24.79	51.95	34.23	8.26	8.24	5.5	21.2	
		日平均值			24.76	51.53	33.92	8.26	7.98	5.45
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上	

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月17日	蚵殼站	0:04	24.78	51.44	33.80	8.40	7.69	1.2	4.5
		3:04	24.73	52.58	34.64	8.39	7.85	1.4	3.0
		6:04	24.41	52.03	34.25	8.28	6.78	3.3	24.4
		9:04	24.48	51.74	34.03	8.37	8.01	2.8	19.4
		15:04	25.58	51.69	33.97	8.35	7.09	3.3	3.9
		18:04	25.60	51.53	33.85	8.35	7.00	4.7	6.0
		21:04	25.46	51.53	33.85	8.30	6.76	4.1	5.5
		21:00	21.61	50.84	33.35	8.29	7.02	2.2	8.5
	日平均值		24.58	51.67	33.97	8.34	7.28	2.88	9.40
		0:04	24.97	51.72	33.93	8.40	6.47	9.2	6.8
	潮口站	3:04	24.73	51.89	34.06	8.35	6.44	2.1	2.9
		6:04	24.54	51.93	34.10	8.37	6.52	2.8	3.1
		9:04	24.78	51.68	33.90	8.40	6.55	2.3	1.9
		12:04	24.93	50.70	33.26	8.30	6.31	3.5	4.3
		15:04	25.13	50.72	33.27	8.28	6.35	6.8	0.2
		18:04	25.16	50.67	33.23	8.38	6.48	9.3	0.4
		21:04	25.11	50.77	33.30	8.37	6.29	13.3	3.5
		日平均值		24.92	51.26	33.63	8.36	6.43	6.16
	0:04		24.57	51.35	33.80	8.18	7.03	3.2	22.2
	灣內站	3:04	24.68	51.86	34.17	8.19	6.71	6.0	2.9
		6:04	24.52	51.91	34.21	8.14	6.79	6.1	5.1
		9:04	24.68	51.93	34.22	8.14	6.32	4.1	0.5
		12:04	25.06	51.35	33.73	8.17	7.02	4.0	0.8
		15:04	25.15	51.39	33.76	8.34	8.68	4.1	12.8
		18:04	24.97	51.50	33.85	8.30	8.13	3.3	12.1
		21:04	24.50	51.73	34.02	8.11	6.58	9.5	11.6
		日平均值		24.77	51.63	33.97	8.20	7.16	5.04
甲類海域地面水體基準值			環評承諾日平均值需達標準		7.5-8.5		5.0以上		

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月18日	蚵殼站	0:04	25.36	51.47	33.81	8.28	6.54	2.2	3.3
		3:04	25.25	51.45	33.80	8.12	6.36	3.3	6.0
		6:04	25.12	51.41	33.77	8.18	6.24	1.4	2.8
		9:04	25.01	51.15	33.58	8.20	6.04	0.4	1.2
		12:04	25.52	51.24	33.63	8.20	6.77	1.0	6.0
		15:04	25.74	51.44	33.78	8.18	7.09	3.9	1.7
		18:04	25.80	51.44	33.78	8.20	7.02	3.5	5.3
		21:04	25.70	51.39	33.75	8.13	6.60	2.9	9.3
	日平均值		25.44	51.37	33.74	8.19	6.58	2.33	4.45
	潮口站	0:04	25.04	50.70	33.25	8.48	6.69	3.7	4.8
		3:04	24.72	50.71	33.26	8.39	6.12	9.1	1.4
		6:04	24.53	50.79	33.33	8.48	6.35	7.5	3.3
		9:04	24.77	50.73	33.28	8.49	6.35	4.1	2.5
		12:04	25.40	50.79	33.31	8.43	6.53	3.8	1.0
		15:04	25.29	50.82	33.34	8.39	6.59	2.5	1.0
		18:04	25.37	50.50	33.10	8.38	6.76	10.5	0.9
		21:04	25.41	50.87	33.37	8.39	6.28	6.3	0.4
	日平均值		25.07	50.74	33.28	8.43	6.46	5.94	1.91
	灣內站	0:04	24.77	51.64	33.95	8.21	7.10	2.8	4.2
		3:04	24.08	50.20	32.90	8.04	5.41	4.4	16.5
		6:04	24.49	51.66	33.97	8.21	6.58	2.0	3.8
		9:04	24.56	51.67	33.97	8.18	6.52	2.9	1.8
		12:04	25.14	51.56	33.88	8.25	7.70	2.3	6.8
		15:04	25.25	51.57	33.89	8.15	7.93	7.6	11.2
		18:04	25.11	51.65	33.95	8.30	7.70	4.4	13.7
		21:04	25.00	51.63	33.94	8.09	7.20	2.8	8.9
	日平均值		24.80	51.45	33.81	8.18	7.02	3.65	8.36
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月19日	蚵殼站	0:04	25.58	51.37	33.73	8.18	6.37	0.9	3.4
		3:04	25.48	51.38	33.74	7.94	6.12	1.7	3.2
		6:04	25.44	51.32	33.70	8.08	6.29	2.0	8.6
		9:04	25.55	51.28	33.67	8.10	6.06	0.6	4.0
		12:04	25.97	51.35	33.71	8.12	6.58	0.9	5.8
		15:04	26.58	51.33	33.67	8.07	7.10	1.5	4.1
		18:04	26.40	51.29	33.65	8.33	7.05	0.3	4.3
		21:04	26.28	51.25	33.63	8.34	7.07	0.1	5.6
	日平均值		25.91	51.32	33.69	8.15	6.58	1.00	4.88
	潮口站	0:04	23.71	52.61	34.31	8.22	6.84	17.0	1.8
		3:04	23.34	52.28	34.07	8.33	8.12	7.9	9.6
		6:04	22.94	52.69	34.38	8.26	7.06	8.3	2.1
		9:04	23.03	52.62	34.33	8.27	7.21	6.8	0.3
		12:04	23.71	52.20	34.01	8.31	9.22	10.1	11.6
		15:04	23.84	52.65	34.34	8.22	7.83	7.1	5.3
		18:04	23.54	52.51	34.24	8.26	7.53	3.9	3.7
		21:04	23.39	52.60	34.31	8.26	7.50	6.0	3.8
	日平均值		23.44	52.52	34.25	8.27	7.66	8.39	4.78
	灣內站	0:04	25.00	51.66	33.96	8.25	6.64	2.8	4.8
		3:04	24.90	51.72	34.01	8.17	6.32	14.4	7.7
		6:04	24.77	51.73	34.02	8.11	6.20	1.6	2.9
		9:04	24.84	51.75	34.03	8.24	6.21	2.7	1.4
		12:04	25.57	51.62	33.92	8.18	7.29	1.8	5.8
		15:04	26.61	51.77	34.00	8.21	8.81	3.1	4.6
		18:04	26.41	51.77	34.01	8.12	8.66	2.2	3.1
		21:04	26.35	51.69	33.95	7.98	7.18	3.0	6.1
	日平均值		25.56	51.71	33.99	8.16	7.16	3.95	4.55
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月20日	蚵殼站	0:04	26.42	51.27	33.64	8.34	6.95	0.0	4.5
		3:04	26.30	51.28	33.65	8.22	6.89	0.2	7.8
		6:04	25.95	50.82	33.32	8.26	6.38	1.1	2.5
		9:04	26.02	50.90	33.37	8.29	6.32	0.6	3.7
		12:04	26.65	50.99	33.42	8.32	7.08	0.3	3.1
		15:04	26.60	50.92	33.37	8.24	6.82	1.1	3.6
		18:04	26.46	51.07	33.49	8.32	7.49	0.8	9.5
		21:04	26.28	51.18	33.58	8.28	6.32	1.7	1.9
	日平均值		26.34	51.05	33.48	8.28	6.78	0.73	4.58
	潮口站	0:04	25.90	51.58	34.01	8.24	6.03	8.7	0.9
		3:04	25.64	51.59	34.03	8.26	5.82	5.4	0.9
		6:04	24.66	51.18	33.74	8.31	6.22	3.4	1.1
		9:04	24.93	51.22	33.77	8.31	6.27	6.7	0.3
		12:04	25.95	51.28	33.79	8.23	6.19	8.4	1.9
		15:04	25.63	51.19	33.73	8.25	6.94	4.0	4.7
		18:04	25.07	50.95	33.56	8.37	6.67	2.6	1.0
		21:04	25.32	51.18	33.73	8.28	6.90	1.8	4.2
	日平均值		25.39	51.27	33.80	8.28	6.38	5.13	1.88
	灣內站	0:04	26.08	51.32	33.68	8.09	7.92	1.8	6.7
		3:04	25.86	51.57	33.87	8.16	6.29	2.1	5.5
		6:04	25.66	51.58	33.89	8.04	6.70	2.1	3.1
		9:04	25.62	51.48	33.81	8.40	6.62	1.8	7.6
		12:04	26.23	52.33	34.43	8.26	7.32	2.2	55.4
		15:04	27.36	52.10	34.22	8.26	7.51	6.8	14.7
		18:04	26.72	51.73	33.97	8.12	7.34	3.5	10.9
		21:04	26.47	51.76	33.99	8.07	7.10	1.8	7.2
	日平均值		26.25	51.73	33.98	8.18	7.10	2.76	13.89
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月21日	蚵殼站	0:04	26.40	51.18	33.57	8.29	6.52	0.5	3.3
		3:04	26.55	50.85	33.33	8.24	6.96	1.4	8.4
		6:04	26.50	50.76	33.26	8.22	6.84	0.0	10.9
		9:04	26.48	50.98	33.43	8.29	6.80	0.1	8.1
		12:04	27.00	50.95	33.38	8.27	7.37	0.3	1.4
		15:04	26.43	51.15	33.55	8.23	6.92	1.8	5.1
		18:04	26.20	51.19	33.58	8.29	7.71	1.6	6.7
		21:04	26.09	51.12	33.54	8.28	6.99	2.3	8.1
	日平均值		26.46	51.02	33.46	8.26	7.01	1.00	6.50
	潮口站	0:04	25.43	51.15	33.70	8.23	6.23	7.5	1.7
		3:04	25.83	51.27	33.78	8.25	6.37	1.7	3.1
		6:04	24.75	51.15	33.72	8.35	6.46	3.8	1.5
		9:04	25.01	51.20	33.75	8.38	6.43	2.5	1.8
		12:04	26.40	51.40	33.86	8.16	5.80	9.2	1.7
		15:04	26.35	51.25	33.76	8.28	7.59	2.3	6.2
		18:04	25.18	51.18	33.73	8.30	6.81	3.3	1.0
		21:04	25.31	51.06	33.64	8.27	6.90	1.1	6.0
	日平均值		25.53	51.21	33.74	8.28	6.57	3.93	2.88
	灣內站	0:04	26.36	51.63	33.90	8.21	5.60	3.0	4.5
		3:04	26.13	50.82	33.31	8.08	4.75	3.4	11.3
		6:04	26.17	51.64	33.92	8.21	5.88	2.6	3.0
		9:04	26.16	51.45	33.78	8.12	4.76	2.7	4.4
		12:04	26.68	50.69	33.20	8.44	8.12	2.0	12.3
		15:04	27.35	51.54	33.81	8.61	9.22	3.7	19.1
		18:04	26.76	51.55	33.83	8.30	7.84	7.1	12.8
		21:04	26.60	51.24	33.61	8.50	7.65	2.7	13.9
	日平均值		26.53	51.32	33.67	8.31	6.73	3.40	10.16
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月22日	蚵殼站	0:04	26.61	50.75	33.25	8.31	7.35	0.6	6.7
		3:04	26.15	51.13	33.54	8.23	5.65	0.4	6.2
		6:04	26.36	50.72	33.24	8.32	7.00	0.2	11.2
		9:04	26.45	50.99	33.43	8.30	6.70	0.0	8.0
		12:04	26.86	50.96	33.40	8.35	8.04	0.8	6.5
		15:04	26.40	51.12	33.52	8.29	7.13	1.7	5.7
		18:04	26.34	51.11	33.52	8.25	7.98	1.8	6.2
		21:04	26.27	48.85	31.86	8.30	7.76	1.8	8.9
	日平均值		26.43	50.70	33.22	8.29	7.20	0.91	7.43
	潮口站	0:04	25.41	51.42	33.91	8.22	6.40	6.1	4.8
		3:04	26.16	51.11	33.66	8.21	6.55	4.0	5.8
		6:04	24.90	51.27	33.80	8.25	6.14	2.5	0.8
		9:04	24.90	51.26	33.80	8.32	6.45	1.6	1.2
		12:04	26.21	51.29	33.79	8.27	7.30	2.3	6.2
		15:04	26.46	51.38	33.85	8.17	6.76	6.6	6.4
		18:04	25.39	51.21	33.75	8.25	6.86	3.8	3.5
		21:04	25.04	51.24	33.78	8.31	6.87	1.3	0.6
	日平均值		25.56	51.27	33.79	8.25	6.67	3.53	3.66
	灣內站	0:04	26.53	50.62	33.16	8.42	7.17	4.7	14.3
		3:04	26.37	50.80	33.29	8.42	6.21	3.6	18.8
		6:04	25.98	51.50	33.82	8.19	5.56	2.3	13.3
		9:04	25.82	51.63	33.92	8.18	6.37	2.6	5.9
		12:04	27.24	51.21	33.57	8.34	7.51	2.5	9.6
		15:04	27.46	51.15	33.52	8.45	8.72	2.1	11.1
		18:04	27.18	51.16	33.54	8.41	7.49	5.4	14.1
		21:04	26.70	50.90	33.36	8.23	7.51	1.7	8.8
	日平均值		26.66	51.12	33.52	8.33	7.07	3.11	11.99
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月23日	蚵殼站	0:04	26.54	50.50	33.06	8.39	8.22	5.7	7.8
		3:04	26.69	50.51	33.07	8.37	8.03	0.4	10.0
		6:04	26.40	50.74	33.25	8.35	7.56	0.0	12.9
		9:04	26.45	51.08	33.49	8.38	8.12	0.3	10.6
		12:04	26.27	50.97	33.42	8.37	7.38	0.8	6.0
		15:04	26.15	51.08	33.51	8.37	7.39	2.3	10.0
		18:04	26.07	51.05	33.49	8.12	6.59	1.6	6.9
		21:04	25.70	51.24	33.63	8.23	6.59	1.5	8.4
	日平均值		26.28	50.90	33.37	8.32	7.49	1.58	9.08
	潮口站	0:04	25.05	51.26	33.79	8.28	6.82	6.2	1.0
		3:04	26.15	51.28	33.79	8.23	7.17	1.4	2.4
		6:04	24.93	50.66	33.36	8.24	6.39	2.7	1.8
		9:04	24.86	51.12	33.69	8.30	6.63	1.0	0.8
		12:04	25.53	51.68	34.09	8.27	7.23	4.7	2.0
		15:04	25.62	50.57	33.27	8.23	6.73	8.0	2.4
		18:04	25.36	51.61	34.04	8.23	6.40	8.4	4.3
		21:04	24.53	51.09	33.68	8.32	6.57	2.4	0.3
	日平均值		25.25	51.16	33.71	8.26	6.74	4.35	1.88
	灣內站	0:04	26.93	50.73	33.23	8.27	6.23	2.9	18.7
		3:04	26.51	49.84	32.59	8.33	5.97	2.2	10.1
		6:04	26.15	50.46	33.05	8.33	5.19	2.7	14.9
		9:04	25.98	51.34	33.70	8.41	6.11	2.0	11.4
		12:04	26.22	50.98	33.43	8.37	7.09	2.0	8.8
		15:04	26.17	51.15	33.56	8.32	6.69	9.1	15.0
		18:04	25.96	51.40	33.74	8.34	6.16	7.5	12.5
		21:04	25.72	51.26	33.65	8.38	5.86	8.4	12.5
	日平均值		26.21	50.90	33.37	8.34	6.16	4.60	12.99
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月24日	蚵殼站	0:04	25.94	51.10	33.53	8.30	6.53	0.9	12.8
		3:04	25.77	50.94	33.41	8.33	6.69	0.4	14.6
		6:04	25.60	50.85	33.35	8.33	6.24	0.6	8.3
		9:04	25.47	51.18	33.60	8.30	6.46	1.3	11.4
		12:04	26.17	51.15	33.56	8.37	8.00	0.2	17.7
		15:04	25.94	51.18	33.58	8.42	8.28	0.6	18.8
		18:04	25.61	51.24	33.63	8.38	8.76	0.7	6.1
		21:04	25.26	50.81	33.33	8.35	8.00	1.2	8.5
	日平均值		25.72	51.06	33.50	8.35	7.37	0.74	12.28
	潮口站	0:04	24.65	51.19	33.75	8.27	6.35	7.2	0.3
		3:04	24.80	51.68	34.11	8.26	6.03	4.8	1.7
		6:04	24.08	51.09	33.69	8.24	6.09	5.6	1.1
		9:04	23.80	50.56	33.31	8.29	6.45	3.1	3.3
		12:04	25.03	51.16	33.72	8.29	7.32	4.6	5.7
		15:04	25.73	51.20	33.74	8.15	6.49	12.8	4.0
		18:04	25.27	51.26	33.79	8.25	7.72	4.8	5.1
		21:04	24.37	50.91	33.55	8.26	6.68	4.9	1.1
	日平均值		24.72	51.13	33.71	8.25	6.64	5.98	2.79
	灣內站	0:04	25.60	51.54	33.86	8.10	4.93	5.1	16.2
		3:04	25.39	51.61	33.92	8.19	5.05	3.9	10.9
		6:04	25.25	51.10	33.54	8.24	4.91	4.5	12.0
		9:04	25.19	50.85	33.36	8.22	5.16	4.1	11.4
		12:04	26.04	50.89	33.37	8.42	7.54	3.8	27.6
		15:04	26.53	51.19	33.58	8.43	9.93	5.5	36.1
		18:04	26.39	51.01	33.45	8.37	7.34	10.1	27.7
		21:04	25.90	51.14	33.55	8.40	7.56	4.6	16.0
	日平均值		25.79	51.17	33.58	8.30	6.55	5.20	19.74
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月25日	蚵殼站	0:04	25.61	50.64	33.19	8.42	8.48	1.2	13.7
		3:04	25.54	51.00	33.46	8.43	8.02	2.4	15.8
		6:04	25.44	50.25	32.91	8.42	7.60	0.6	10.2
		9:04	25.50	50.51	33.10	8.45	8.70	0.5	8.1
		12:04	25.75	50.39	33.00	8.45	9.47	0.5	15.7
		15:04	25.55	50.31	32.96	8.46	8.75	1.4	14.9
		18:04	25.53	50.65	33.21	8.41	7.50	1.6	15.8
		21:04	25.56	50.72	33.33	8.39	8.26	0.5	27.7
		日平均值	25.56	50.56	33.15	8.43	8.35	1.09	15.24
	潮口站	0:04	24.87	51.08	33.67	8.27	6.75	1.5	0.6
		3:04	24.29	51.07	33.67	8.26	6.57	4.8	7.8
		6:04	24.29	51.07	33.67	8.26	6.34	7.1	0.4
		9:04	24.59	51.00	33.61	8.31	6.66	6.9	0.3
		12:04	24.79	51.12	33.70	8.27	7.04	3.2	3.0
		15:04	24.95	51.23	33.77	8.29	7.51	6.4	6.4
		18:04	25.35	51.33	33.84	8.22	7.57	9.8	5.9
		21:04	24.84	51.12	33.70	8.30	6.67	5.7	3.8
		日平均值	24.75	51.13	33.70	8.27	6.89	5.68	3.53
	灣內站	0:04	25.40	51.50	33.83	8.37	6.14	4.7	13.2
		3:04	25.21	51.07	33.52	8.16	5.62	5.9	15.5
		6:04	24.85	51.42	33.78	8.37	5.42	4.3	16.6
		9:04	24.82	51.11	33.56	8.48	5.78	2.2	12.6
		12:04	25.13	51.11	33.55	8.54	7.03	4.5	7.4
		15:04	25.56	51.13	33.56	8.50	7.44	5.6	25.5
		18:04	25.55	50.90	33.39	8.52	9.15	4.6	25.0
		21:04	25.23	50.33	33.05	8.59	6.85	5.5	34.3
		日平均值	25.22	51.07	33.53	8.44	6.68	4.66	18.76
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月26日	蚵殼站	0:04	25.46	51.00	33.54	8.38	8.05	0.4	16.0
		3:04	25.36	51.08	33.60	8.41	7.87	0.6	10.9
		6:04	25.10	50.68	33.31	8.43	7.70	0.2	16.1
		9:04	25.18	50.42	33.12	8.41	7.74	0.0	10.8
		12:04	25.51	50.83	33.41	8.47	9.52	0.6	20.2
		15:04	25.42	51.18	33.68	8.46	8.96	0.6	11.0
		18:04	25.35	51.29	33.76	8.35	7.38	4.0	10.1
		21:04	25.28	50.95	33.51	8.40	7.40	0.8	9.1
	日平均值		25.33	50.93	33.49	8.41	8.08	0.90	13.03
	潮口站	0:04	24.97	51.26	33.79	8.23	6.64	2.6	3.1
		3:04	24.72	51.05	33.65	8.31	6.86	4.2	1.2
		6:04	24.54	50.96	33.58	8.30	6.68	3.3	5.1
		9:04	24.75	50.74	33.42	8.24	6.77	2.4	5.1
		12:04	25.07	51.02	33.61	8.25	6.97	2.8	1.2
		15:04	25.03	51.05	33.64	8.29	7.85	3.5	11.6
		18:04	25.20	51.14	33.71	8.24	7.57	9.0	1.5
		21:04	25.00	51.14	33.70	8.29	7.36	5.7	4.4
	日平均值		24.91	51.05	33.64	8.27	7.09	4.19	4.15
	灣內站	0:04	25.07	51.63	34.01	8.40	5.81	3.0	12.3
		3:04	24.99	51.51	33.93	8.38	5.54	4.5	16.8
		6:04	24.86	51.78	34.13	8.22	5.40	5.8	16.4
		9:04	24.86	51.37	33.83	8.40	5.94	4.0	12.8
		12:04	25.28	51.98	34.27	8.39	7.74	3.8	15.5
		15:04	25.32	51.41	33.85	8.50	8.17	2.0	19.2
		18:04	25.59	51.51	33.91	8.42	8.12	4.1	12.1
		21:04	25.43	51.47	33.89	8.49	7.31	4.6	24.1
	日平均值		25.18	51.58	33.98	8.40	6.75	3.98	16.15
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月27日	蚵殼站	0:04	25.22	50.51	33.18	8.42	8.11	0.0	10.4
		3:04	25.15	50.86	33.45	8.40	7.49	1.3	6.9
		6:04	25.17	50.75	33.36	8.49	8.63	0.9	11.5
		9:04	25.19	50.81	33.41	8.47	8.19	0.6	7.6
		12:04	25.44	51.04	33.57	8.49	8.56	0.2	10.3
		15:04	25.72	51.94	34.23	8.41	9.58	0.3	8.5
		18:04	25.48	51.05	33.58	8.30	8.35	0.7	9.7
		21:04	25.30	50.92	33.49	8.30	7.32	0.5	5.4
	日平均值		25.33	50.99	33.53	8.41	8.28	0.56	8.79
	潮口站	0:04	24.93	51.02	33.62	8.25	6.55	3.7	3.2
		3:04	24.81	50.97	33.59	8.24	6.79	2.9	2.3
		6:04	24.71	51.37	33.88	8.27	6.73	2.4	2.9
		9:04	24.72	51.12	33.70	8.25	6.39	2.1	0.7
		12:04	24.97	51.02	33.62	8.26	6.99	2.4	4.0
		15:04	25.08	50.97	33.58	8.24	7.35	3.4	3.3
		18:04	25.36	51.36	33.86	8.24	7.59	4.1	9.0
		21:04	25.14	50.64	33.34	8.22	7.46	6.7	5.0
	日平均值		24.97	51.06	33.65	8.25	6.98	3.46	3.80
	灣內站	0:04	25.07	51.37	33.82	8.24	6.30	3.0	23.1
		3:04	24.99	51.70	34.07	8.41	6.16	2.2	4.3
		6:04	24.83	51.27	33.76	8.32	5.04	2.2	11.6
		9:04	24.75	51.63	33.97	8.26	4.97	3.6	13.2
		12:04	24.98	51.30	33.72	8.43	5.99	2.0	16.0
		15:04	25.51	50.93	33.44	8.53	7.07	3.0	16.8
		18:04	25.80	51.02	33.50	8.54	7.23	6.3	22.9
		21:04	25.54	51.77	34.05	8.51	6.41	5.8	10.1
	日平均值		25.18	51.37	33.79	8.41	6.15	3.51	14.75
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月28日	蚵殼站	0:04	25.24	50.53	33.20	8.21	7.48	1.2	4.7
		3:04	25.25	50.70	33.33	8.25	7.53	0.3	10.3
		6:04	25.08	50.91	33.48	8.23	6.40	0.3	20.0
		9:04	25.24	49.97	32.79	8.23	7.84	1.5	15.0
		12:04	25.90	51.13	33.62	8.34	8.79	0.1	5.3
		15:04	25.74	51.15	33.64	8.33	8.64	0.6	11.4
		18:04	25.83	51.17	33.65	8.34	8.47	0.0	2.6
		21:04	25.80	51.28	33.74	8.32	8.25	0.2	5.2
	日平均值		25.51	50.86	33.43	8.28	7.93	0.53	9.31
	潮口站	0:04	24.98	50.95	33.57	8.24	6.96	3.9	1.5
		3:04	24.90	50.90	33.54	8.22	6.46	2.5	1.2
		6:04	24.86	50.74	33.42	8.22	6.67	2.8	0.1
		9:04	24.97	50.97	33.59	8.21	6.51	2.1	1.4
		12:04	25.08	50.75	33.42	8.22	6.82	1.3	0.9
		15:04	25.32	50.66	33.34	8.25	7.17	2.7	2.0
		18:04	25.24	50.68	33.36	8.26	7.42	4.6	0.3
		21:04	25.41	50.86	33.49	8.23	7.20	6.1	1.6
	日平均值		25.10	50.81	33.47	8.23	6.90	3.25	1.13
	灣內站	0:04	25.02	51.61	33.95	8.52	5.36	5.1	9.2
		3:04	25.04	51.46	33.84	8.27	5.33	3.4	12.2
		6:04	24.71	51.04	33.53	8.52	5.89	2.0	6.5
		9:04	24.93	51.32	33.74	8.44	5.60	1.8	7.2
		12:04	25.68	50.40	33.04	8.51	6.03	2.6	11.4
		15:04	25.87	51.27	33.68	8.61	6.55	2.6	10.3
		18:04	26.01	49.15	32.12	8.52	6.25	4.5	12.0
		21:04	25.83	51.23	33.65	8.53	5.59	3.3	8.5
	日平均值		25.39	50.94	33.44	8.49	5.83	3.16	9.66
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

灣域水質日報表

104年

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月29日	蚵殼站	0:04	25.83	50.57	33.22	8.20	7.47	0.5	6.1
		3:04	25.72	50.57	33.22	8.21	7.45	0.6	6.7
		6:04	25.56	50.77	33.37	8.30	8.15	0.1	8.1
		9:04	25.80	50.82	33.40	8.29	8.13	0.2	3.6
		12:04	26.06	51.17	33.65	8.31	8.48	1.2	9.3
		15:04	26.31	51.45	33.85	8.30	8.56	0.7	8.5
		18:04	26.23	51.60	33.97	8.30	8.71	0.2	8.8
		21:04	26.16	51.38	33.81	8.29	8.26	0.3	5.6
	日平均值		25.96	51.04	33.56	8.28	8.15	0.48	7.09
	潮口站	0:04	25.21	50.80	33.46	8.24	7.03	5.4	3.0
		3:04	24.93	50.52	33.25	8.22	6.88	1.9	3.1
		6:04	25.07	50.60	33.31	8.21	6.78	1.6	1.1
		9:04	25.07	50.74	33.41	8.23	7.11	3.4	0.1
		12:04	25.18	50.76	33.43	8.22	6.86	5.8	3.7
		15:04	25.36	50.62	33.32	8.28	7.02	3.3	0.6
		18:04	25.52	50.57	33.28	8.29	7.48	4.4	0.5
		21:04	25.55	50.89	33.51	8.18	7.04	6.6	0.1
	日平均值		25.24	50.69	33.37	8.23	7.03	4.05	1.53
	灣內站	0:04	25.50	46.86	30.46	8.49	4.94	10.0	36.4
		3:04	25.80	51.25	33.67	8.50	5.08	2.0	9.9
		6:04	25.38	50.55	33.16	8.26	4.74	1.8	6.6
		9:04	25.47	51.44	33.81	8.33	4.88	1.4	8.4
		12:04	26.19	49.86	32.63	8.52	5.96	1.2	2.4
		15:04	26.45	51.29	33.68	8.53	6.25	1.2	7.5
		18:04	26.59	51.56	33.87	8.31	5.42	3.8	5.8
		21:04	26.79	51.00	33.46	8.49	6.03	4.4	16.4
	日平均值		26.02	50.48	33.09	8.43	5.41	3.23	11.68
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月30日	蚵殼站	0:04	26.44	51.27	33.71	8.20	7.32	0.0	7.0
		3:04	26.40	51.08	33.58	8.20	8.27	0.2	7.6
		6:04	26.10	47.13	30.70	8.21	7.63	0.0	8.2
		9:04	26.31	47.46	30.93	8.23	8.26	0.4	12.6
		12:04	26.65	46.92	30.53	8.25	8.95	1.1	17.3
		15:04	26.57	47.52	30.97	8.24	8.62	1.3	11.6
		18:04	26.69	47.98	31.30	8.24	8.89	1.4	5.7
		21:04	26.34	47.34	30.84	8.25	8.17	0.3	8.7
	日平均值		26.44	48.34	31.57	8.23	8.26	0.59	9.84
	潮口站	0:04	25.96	50.27	33.05	8.19	6.79	5.4	2.0
		3:04	24.86	50.31	33.10	8.21	6.68	2.1	1.3
		6:04	24.91	50.41	33.17	8.19	6.72	1.5	3.3
		9:04	25.59	50.51	33.23	8.26	7.48	3.8	1.4
		12:04	25.64	50.29	33.07	8.18	6.98	5.3	2.5
		15:04	25.30	50.79	33.44	8.20	7.01	11.2	1.4
		18:04	25.52	50.64	33.33	8.19	7.05	6.7	0.5
		21:04	26.10	50.32	33.08	8.24	7.02	8.9	3.5
	日平均值		25.49	50.44	33.18	8.21	6.97	5.61	1.99
	灣內站	0:04	25.92	48.82	31.88	8.40	3.71	8.0	44.3
		3:04	26.26	50.50	33.10	8.60	4.88	1.4	9.5
		6:04	25.84	50.49	33.11	8.38	4.69	1.8	3.7
		9:04	25.94	51.26	33.67	8.45	4.97	1.0	5.4
		12:04	26.59	51.03	33.49	8.38	5.86	1.2	3.8
		15:04	26.82	50.79	33.30	8.16	6.06	2.1	13.9
		18:04	26.70	51.04	33.49	8.51	5.67	1.8	7.3
		21:04	26.52	51.40	33.76	8.55	5.07	4.8	9.1
	日平均值		26.32	50.67	33.23	8.43	5.11	2.76	12.13
甲類海域地面水體基準值		環評承諾日平均值需達標準⇨							5.0以上

104年 灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
3月31日	蚵殼站	0:04	26.16	47.46	30.94	8.25	8.00	0.7	8.1
		3:04	26.03	45.67	29.64	8.21	7.27	1.6	5.4
		6:04	26.64	46.23	30.03	8.22	7.62	0.0	7.4
		9:04	26.93	47.34	30.83	8.21	7.58	0.0	5.4
		12:04	27.03	48.17	31.43	8.25	8.24	0.6	6.8
		15:04	27.01	51.93	34.13	8.24	7.93	3.0	11.0
		18:04	27.08	51.58	33.87	8.25	7.75	1.7	5.7
		21:04	27.01	51.68	33.95	8.26	7.45	3.6	10.6
	日平均值		26.74	48.76	31.85	8.24	7.73	1.40	7.55
	潮口站	0:04	26.42	50.02	32.85	8.19	6.99	8.7	0.6
		3:04	25.76	50.85	33.48	8.17	6.79	4.1	1.3
		6:04	25.66	50.47	33.20	8.16	6.61	2.9	4.1
		9:04	25.92	50.35	33.10	8.24	7.01	5.2	3.6
		12:09	26.58	51.32	3.75	8.20	6.96	1.1	4.4
		15:04	26.35	51.49	33.85	8.18	6.97	0.0	3.1
		18:04	26.62	51.38	33.76	8.39	6.88	0.2	3.7
		21:04	26.75	51.68	33.98	8.62	6.83	4.1	7.9
	日平均值		26.26	50.95	29.75	8.27	6.88	3.29	3.59
	灣內站	0:04	26.25	50.90	33.39	8.55	5.08	3.7	6.0
		3:04	26.09	49.92	32.68	8.35	3.51	5.2	11.7
		6:04	25.92	50.70	33.25	8.33	3.68	3.4	7.2
		9:04	25.92	50.13	32.84	8.31	4.11	3.7	7.7
		12:04	26.75	51.55	33.68	8.21	8.20	4.1	4.6
		15:04	26.85	51.41	33.57	8.20	9.32	16.2	21.3
		18:04	26.64	51.35	33.53	8.11	9.29	6.4	15.8
		21:04	26.40	51.32	33.52	8.14	8.50	4.4	14.1
	日平均值		26.35	50.91	33.31	8.28	6.46	5.89	11.05
甲類海域地面水體基準值		環評承諾日平均值需達標準							5.0以上

附錄4.6灣域水質(自動監測系統)

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月1日	蚵殼站	0:04	26.86	51.58	33.88	8.23	7.11	0.8	3.6
		3:04	26.83	51.71	33.98	8.25	7.19	1.6	8.6
		6:04	26.79	51.53	33.85	8.25	7.06	2.0	3.5
		9:04	27.10	51.27	33.65	8.26	7.25	0.6	5.6
		12:04	27.56	51.24	33.61	8.27	8.06	0.3	7.1
		15:04	27.60	51.42	33.74	8.28	8.19	2.1	4.3
		18:04	27.89	51.39	33.71	8.28	8.64	1.4	8.1
		21:04	27.70	51.73	33.97	8.26	8.16	0.5	5.9
	日平均值		27.29	51.48	33.80	8.26	7.71	1.16	5.84
	潮口站	0:04	27.32	52.01	34.21	8.30	6.54	7.5	5.4
		3:04	26.15	51.66	33.99	8.28	6.80	0.2	5.1
		6:04	25.91	51.66	33.99	8.34	6.85	1.0	0.3
		9:04	26.66	51.71	34.01	8.44	6.76	1.9	3.4
		12:04	28.28	51.92	34.12	8.19	6.55	5.7	8.7
		15:04	26.24	51.85	34.12	8.20	6.85	1.6	1.2
		18:04	26.61	51.76	34.02	8.23	6.78	0.3	1.0
		21:04	27.29	51.75	33.99	8.36	6.73	2.0	7.6
	日平均值		26.81	51.79	34.06	8.29	6.73	2.53	4.09
	灣內站	0:04	26.29	51.37	33.56	8.28	7.76	3.4	17.0
		3:04	26.35	51.14	33.39	8.29	6.01	4.5	20.1
		6:04	26.09	51.35	33.55	8.14	6.70	2.9	9.5
		9:04	26.73	51.29	33.49	8.18	7.52	6.2	13.5
		12:04	27.24	51.32	33.50	8.27	8.76	2.2	3.1
		15:04	27.68	51.15	33.35	8.23	9.68	3.6	14.6
		18:04	27.52	51.15	33.36	8.22	9.55	5.7	11.9
		21:04	27.69	51.30	33.47	8.40	10.06	3.4	12.3
	日平均值		26.95	51.26	33.46	8.25	8.26	3.99	12.75
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月2日	蚵殼站	0:04	27.49	51.43	33.75	8.30	7.99	0.2	5.6
		3:04	27.19	51.74	33.99	8.27	7.25	0.4	1.9
		6:04	27.25	51.45	33.77	8.27	7.32	0.0	3.6
		9:04	27.62	51.05	33.47	8.26	7.50	0.3	6.5
		12:04	27.71	51.70	33.94	8.26	7.93	1.0	4.7
		15:04	28.05	51.77	33.99	8.21	7.77	1.4	12.0
		18:04	28.16	51.47	33.76	8.25	8.45	1.1	7.8
		21:04	27.92	51.73	33.96	8.25	7.52	0.8	9.5
	日平均值		27.67	51.54	33.83	8.26	7.72	0.65	6.45
	潮口站	0:04	28.05	51.95	34.12	8.16	6.44	7.0	8.6
		3:04	26.12	51.70	33.99	8.23	6.79	1.7	2.2
		6:04	26.34	51.76	34.03	8.35	6.78	0.3	2.5
		9:04	27.21	51.76	34.00	8.37	6.70	0.6	1.3
		12:04	28.55	51.94	34.10	8.17	6.45	7.6	5.8
		15:04	26.69	51.58	33.89	8.27	6.80	2.4	2.3
		18:04	27.03	51.83	34.06	8.13	6.71	4.5	2.8
		21:04	27.54	51.76	33.99	8.23	6.67	6.8	7.6
	日平均值		27.19	51.79	34.02	8.24	6.67	3.86	4.14
	灣內站	0:04	27.18	51.36	33.53	8.31	8.24	4.4	8.1
		3:04	27.11	49.83	32.40	8.16	6.15	5.2	20.2
		6:04	27.07	51.34	33.52	8.22	6.82	5.4	12.2
		9:04	26.93	51.27	33.47	8.25	7.82	2.4	5.0
		12:04	27.49	51.32	33.49	8.11	8.42	2.2	3.7
		15:04	27.72	51.30	33.47	8.14	8.82	3.3	10.4
		18:04	27.49	51.24	33.43	8.25	8.85	3.6	10.7
		21:04	27.13	51.35	33.52	7.92	8.05	3.5	9.2
	日平均值		27.27	51.13	33.35	8.17	7.90	3.75	9.94
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月3日	蚵殼站	0:04	27.69	51.57	33.85	8.23	7.23	1.0	8.3
		3:04	27.52	51.33	33.68	8.22	6.96	0.6	2.8
		6:04	27.41	51.53	33.83	8.23	6.69	2.0	4.6
		9:04	27.67	51.17	33.55	8.25	6.89	0.0	2.3
		12:04	28.14	51.46	33.75	8.23	7.50	0.2	3.3
		15:04	28.50	51.92	34.08	8.28	7.91	1.3	2.9
		18:04	28.44	51.57	33.83	8.37	8.20	1.0	2.3
		21:04	28.43	51.51	33.78	8.29	7.64	0.3	5.1
	日平均值		27.98	51.51	33.79	8.26	7.38	0.80	3.95
	潮口站	0:04	28.10	52.24	34.33	8.14	6.36	10.3	10.4
		3:04	27.28	51.78	34.02	8.26	6.61	9.6	5.9
		6:04	26.35	51.73	34.01	8.33	6.80	14.6	2.2
		9:04	27.43	52.23	34.34	8.46	6.55	3.7	7.7
		12:04	28.80	51.98	34.12	8.16	6.32	11.2	4.3
		15:04	28.40	51.74	33.95	8.19	6.53	7.2	7.2
		18:04	27.05	51.51	33.82	8.44	6.76	6.0	6.4
		21:04	27.67	51.63	33.89	8.19	6.67	2.9	6.3
	日平均值		27.64	51.86	34.06	8.27	6.58	8.19	6.30
	灣內站	0:04	26.62	51.82	33.88	8.12	7.02	6.0	4.9
		3:04	26.64	51.01	33.28	8.02	5.90	3.5	10.2
		6:04	26.55	51.05	33.31	7.91	6.08	2.1	5.1
		9:04	26.79	51.34	33.52	7.93	6.62	2.6	6.0
		12:04	27.75	51.55	33.65	8.17	7.47	2.5	7.4
		15:04	28.42	51.50	33.59	8.12	8.66	3.0	6.9
		18:04	28.70	50.47	32.82	8.20	9.77	5.0	11.1
		21:04	28.27	51.29	33.44	8.13	7.35	4.5	11.0
	日平均值		27.47	51.25	33.44	8.08	7.36	3.65	7.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月4日	蚵殼站	0:04	27.95	51.39	33.71	8.28	7.37	0.7	4.9
		3:04	27.69	51.30	33.65	8.27	7.19	0.4	2.8
		6:04	27.53	51.41	33.74	8.25	7.23	0.3	4.5
		9:04	27.95	51.16	33.54	8.25	7.58	1.1	6.5
		12:04	28.22	51.05	33.45	8.22	8.05	1.3	9.8
		15:04	27.85	51.15	33.53	8.21	7.48	2.3	8.6
		18:04	28.18	51.17	33.54	8.24	8.32	3.2	9.1
		21:04	28.53	51.52	33.79	8.25	8.48	1.0	2.5
	日平均值		27.99	51.27	33.62	8.25	7.71	1.29	6.09
	潮口站	0:04	28.68	51.93	34.09	8.22	6.29	6.0	2.1
		3:04	28.19	51.73	33.95	8.21	6.48	2.3	4.1
		6:04	25.60	51.86	34.12	8.26	6.93	5.3	7.5
		9:04	27.63	51.86	34.06	8.45	6.62	4.3	3.7
		12:04	29.32	52.10	34.19	8.10	6.32	10.1	6.5
		15:04	28.86	51.90	34.06	8.18	6.54	2.0	6.7
		18:04	26.31	51.65	33.95	8.31	6.87	4.1	5.1
		21:04	27.38	51.79	34.02	8.27	6.66	3.8	3.0
	日平均值		27.75	51.85	34.06	8.25	6.59	4.74	4.84
	灣內站	0:04	27.81	51.59	33.67	8.19	8.08	3.7	16.2
		3:04	27.64	51.30	33.47	8.14	6.91	4.5	8.8
		6:04	27.23	51.09	33.32	8.02	6.40	3.0	11.5
		9:04	27.38	51.02	33.27	8.27	7.76	2.0	4.5
		12:04	28.35	51.37	33.50	8.29	8.56	2.1	4.4
		15:04	28.74	50.67	32.97	8.27	9.22	4.8	13.6
		18:04	28.95	50.82	33.08	8.39	10.13	5.5	16.8
		21:04	28.73	51.11	33.25	8.27	8.73	8.1	16.0
	日平均值		28.10	51.12	33.32	8.23	8.22	4.21	11.48
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月5日	蚵殼站	0:04	28.55	51.50	33.77	8.24	7.94	0.8	9.9
		3:04	28.29	51.51	33.79	8.21	7.71	0.3	6.2
		6:04	28.23	51.28	33.62	8.24	7.49	0.3	9.8
		9:04	28.46	51.28	33.61	8.23	7.63	0.5	2.0
		12:04	28.96	51.21	33.55	8.23	8.38	0.1	6.2
		15:04	28.53	51.27	33.60	8.21	7.78	1.1	9.0
		18:04	28.45	51.54	33.80	8.24	7.95	3.2	6.8
		21:04	28.40	51.42	33.72	8.18	7.18	1.7	10.1
	日平均值		28.48	51.38	33.68	8.22	7.76	1.00	7.50
	潮口站	0:04	28.19	50.96	33.39	8.17	6.53	4.8	7.0
		3:04	28.03	51.28	33.63	8.30	6.64	1.0	7.0
		6:04	26.04	51.31	33.70	8.44	6.89	4.8	1.3
		9:04	27.27	51.47	33.79	8.27	6.71	5.5	1.9
		12:04	28.65	51.71	33.92	8.19	6.58	5.8	4.9
		15:04	28.13	51.54	33.81	8.12	6.7	9.7	6.9
		18:04	27.16	51.25	33.63	8.21	6.8	14.0	3.5
		21:04	27.27	51.49	33.81	8.27	6.7	4.7	1.2
	日平均值		27.59	51.38	33.71	8.25	6.69	6.29	4.21
	灣內站	0:04	28.24	51.09	33.45	8.10	8.16	4.8	15.7
		3:04	27.66	50.91	33.34	8.09	6.79	4.4	7.3
		6:04	27.44	51.14	33.51	8.08	6.92	4.1	3.2
		9:04	27.75	50.72	33.19	8.06	7.70	3.4	3.9
		12:04	28.56	50.68	33.14	8.02	8.87	3.1	4.2
		15:04	28.95	50.85	33.25	8.25	9.09	5.2	7.4
		18:04	28.73	51.31	33.60	8.31	8.89	4.2	5.6
		21:04	28.88	51.23	33.54	8.19	8.19	5.4	14.9
	日平均值		28.28	50.99	33.38	8.14	8.08	4.33	7.78
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月6日	蚵殼站	0:04	28.70	52.06	34.18	8.25	8.19	0.8	8.0
		3:04	28.55	48.09	31.28	8.20	7.56	0.2	11.2
		6:04	28.40	47.04	30.52	8.24	7.31	2.5	6.4
		9:04	28.41	46.40	30.05	8.21	7.21	0.9	10.6
		12:04	27.87	46.88	30.42	8.20	6.65	3.5	16.2
		15:04	28.25	37.74	23.89	8.21	8.10	2.9	20.8
		18:04	28.13	40.75	26.01	8.18	7.41	3.0	22.0
		21:04	27.97	38.81	24.64	8.18	7.10	2.6	16.8
	日平均值		28.29	44.72	28.87	8.21	7.44	2.05	14.00
	潮口站	0:04	27.43	51.45	33.77	8.04	6.71	4.2	5.8
		3:04	27.98	51.59	33.85	8.08	6.56	1.5	8.2
		6:04	26.05	51.41	33.78	8.38	6.95	3.1	3.6
		9:04	26.62	51.33	33.70	8.39	6.86	1.8	2.4
		12:04	27.60	51.67	33.92	8.19	6.63	23.8	9.9
		15:04	27.75	51.72	33.96	7.90	6.51	21.1	6.4
		18:04	26.49	51.45	33.80	8.25	6.88	4.0	8.1
		21:04	26.16	51.04	33.50	8.41	6.99	4.4	0.6
	日平均值		27.01	51.46	33.79	8.21	6.76	7.99	5.63
	灣內站	0:04	28.87	51.40	33.66	7.97	7.94	4.4	12.9
		3:04	28.50	50.74	33.19	8.04	6.54	5.9	7.4
		6:04	28.10	50.99	33.38	8.21	6.55	5.4	8.6
		9:04	27.96	50.97	33.37	8.12	6.77	3.5	11.9
		12:04	27.81	50.76	33.22	8.16	6.73	11.1	9.8
		15:04	28.22	50.67	33.14	8.07	6.55	6.5	11.9
		18:04	27.85	50.56	33.08	8.09	6.48	7.3	13.3
		21:04	27.57	47.10	30.55	8.07	6.01	4.7	15.3
	日平均值		28.11	50.40	32.95	8.09	6.70	6.10	11.39
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月7日	蚵殼站	0:04	27.90	50.34	32.32	8.18	7.04	1.8	11.2
		3:04	27.83	50.61	33.34	8.16	6.97	1.8	6.4
		6:04	27.67	50.46	33.27	8.12	6.13	1.4	3.4
		9:04	27.96	50.87	33.67	8.20	7.50	1.1	10.2
		12:04	28.23	50.76	33.59	8.16	7.71	1.8	13.8
		15:04	28.17	51.25	33.91	8.15	6.88	4.4	9.1
		18:04	28.38	47.59	32.05	8.15	7.59	3.8	15.7
		21:04	28.30	48.34	32.56	8.14	7.45	3.6	20.5
	日平均值		28.06	50.03	33.09	8.16	7.16	2.46	11.29
	潮口站	0:04	27.28	51.32	33.68	8.44	6.78	3.5	8.6
		3:04	27.35	51.25	33.62	8.05	6.71	3.6	7.7
		6:04	25.93	51.35	33.74	8.34	6.99	4.1	1.0
		9:04	26.15	51.48	33.83	8.42	7.00	0.3	1.1
		12:04	27.87	51.62	33.88	8.22	6.79	2.9	6.1
		15:04	27.64	51.35	33.69	8.21	6.86	8.9	7.5
		18:04	27.12	51.36	33.71	8.23	6.86	8.0	5.1
		21:04	26.52	50.67	33.22	8.42	7.00	3.4	5.0
	日平均值		26.98	51.30	33.67	8.29	6.87	4.34	5.26
	灣內站	0:04	27.63	50.30	32.89	8.03	5.90	6.2	9.6
		3:04	27.41	49.57	32.36	8.19	5.62	3.6	8.6
		6:04	27.21	49.23	32.11	8.16	5.23	5.3	10.3
		9:04	27.45	49.83	32.95	8.32	5.97	3.5	4.7
		12:04	27.99	51.91	34.59	8.36	8.23	4.5	8.1
		15:04	28.19	52.52	35.03	8.54	8.13	12.4	8.2
		18:04	28.05	51.85	34.55	8.28	7.91	9.8	5.8
		21:04	27.86	49.00	32.48	8.20	7.33	6.4	5.5
	日平均值		27.72	50.53	33.37	8.26	6.79	6.46	7.60
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月8日	蚵殼站	0:04	28.24	50.52	33.47	8.19	7.90	2.2	18.6
		3:04	28.14	50.88	33.39	8.22	7.61	2.3	20.9
		6:04	27.90	50.87	33.41	8.18	7.06	1.8	8.9
		9:04	27.92	48.52	32.34	8.20	7.50	1.7	17.7
		12:04	27.95	49.26	32.83	8.20	7.56	2.5	11.9
		15:04	28.29	51.21	34.14	8.22	8.44	2.5	13.2
		18:04	28.10	50.83	33.88	8.12	8.23	2.2	16.6
		21:04	27.88	52.35	34.28	8.11	7.35	1.8	7.8
	日平均值		28.05	50.56	33.47	8.18	7.71	2.13	14.45
	潮口站	0:04	26.50	51.76	34.02	8.41	6.94	8.3	4.5
		3:04	26.96	52.23	34.36	8.21	6.85	5.5	6.3
		6:04	25.61	51.94	34.18	8.30	7.13	4.0	0.6
		9:04	26.04	51.43	33.79	8.34	7.05	8.1	3.7
		12:04	26.66	51.80	34.05	8.47	6.99	5.5	5.3
		15:04	27.55	51.33	33.68	8.01	6.88	11.8	15.8
		18:04	27.41	51.69	33.95	8.38	7.03	2.5	13.1
		21:04	26.33	51.37	33.74	8.23	7.10	2.6	2.7
	日平均值		26.63	51.69	33.97	8.29	7.00	6.04	6.50
	灣內站	0:04	27.75	48.85	32.37	8.27	6.87	6.5	11.9
		3:04	27.58	50.74	33.75	8.24	5.47	7.1	8.4
		6:04	27.64	49.09	32.54	8.24	6.14	5.5	8.9
		9:04	27.53	50.86	33.84	8.10	6.45	8.7	10.6
		12:04	27.82	51.77	34.49	8.31	8.49	4.1	7.9
		15:04	28.49	52.84	35.26	8.34	9.88	5.0	16.0
		18:04	28.51	47.08	31.07	8.43	11.26	8.1	33.6
		21:04	27.99	46.05	30.34	8.30	9.66	7.4	30.2
	日平均值		27.91	49.66	32.96	8.28	8.03	6.55	15.94
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月9日	蚵殼站	0:04	27.75	50.07	33.43	8.18	7.61	2.0	11.2
		3:04	27.57	50.63	33.82	8.21	7.23	1.7	10.2
		6:04	27.32	47.57	31.74	8.17	6.59	1.8	7.5
		9:04	27.36	46.63	31.10	8.20	6.86	3.4	2.7
		12:04	27.74	48.61	32.44	8.21	8.06	1.4	11.8
		15:04	27.46	49.20	32.85	8.24	7.92	2.8	11.3
		18:04	27.28	50.06	33.44	8.21	7.28	5.5	12.6
		21:04	27.21	50.66	33.58	8.17	6.46	4.2	8.6
	日平均值		27.46	49.18	32.80	8.20	7.25	2.85	9.49
	潮口站	0:04	26.24	51.71	33.99	8.53	7.09	1.2	0.8
		3:04	26.32	51.39	33.76	8.43	7.10	1.9	6.1
		6:04	25.67	51.78	34.06	8.37	7.19	0.9	4.9
		9:04	25.93	51.76	34.04	8.47	7.17	1.0	3.6
		12:04	26.75	51.25	33.64	8.68	7.10	0.8	3.1
		15:04	27.04	51.06	33.49	8.38	7.10	5.5	8.6
		18:04	26.87	51.27	33.65	8.34	7.10	6.4	10.5
		21:04	26.34	51.67	33.96	8.47	7.14	1.2	4.1
	日平均值		26.40	51.49	33.82	8.46	7.12	2.36	5.21
	灣內站	0:04	27.71	46.96	31.00	8.27	8.26	4.7	17.1
		3:04	27.18	47.19	31.18	8.07	6.30	5.2	9.2
		6:04	26.93	48.01	31.78	7.98	5.80	5.6	12.7
		9:04	26.95	48.67	32.26	8.22	7.01	4.7	11.1
		12:04	27.70	45.54	29.98	8.23	9.26	3.2	9.2
		15:04	28.10	47.71	31.53	8.26	9.39	7.5	14.3
		18:04	27.92	46.60	30.74	8.39	9.36	6.8	10.4
		21:04	27.64	46.94	30.99	8.29	8.39	5.5	11.4
	日平均值		27.52	47.20	31.18	8.21	7.97	5.40	11.93
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月10日	蚵殼站	0:04	27.66	50.38	33.27	8.28	8.34	1.0	7.6
		3:04	27.66	51.20	33.84	8.25	8.06	1.7	10.1
		6:04	27.43	48.76	33.14	8.17	7.55	1.7	12.6
		9:04	27.48	49.75	33.44	8.26	7.82	0.8	12.2
		12:04	27.50	50.46	33.63	8.14	7.71	2.0	11.0
		15:04	27.37	50.96	33.98	8.21	7.83	4.5	9.6
		18:04	27.53	51.46	34.00	8.18	7.45	3.3	11.6
		21:04	27.50	51.45	33.99	8.14	7.51	1.6	7.8
	日平均值		27.52	50.55	33.66	8.20	7.78	2.08	10.31
	潮口站	0:04	26.21	52.08	34.27	8.35	7.13	1.0	0.6
		3:04	26.24	51.77	34.03	8.63	7.16	2.5	6.9
		6:04	26.14	52.34	34.46	8.52	7.13	1.4	0.4
		9:04	26.02	51.14	33.58	8.39	7.24	0.3	5.5
		12:04	26.30	51.31	33.70	8.34	7.24	1.3	3.5
		15:04	26.88	51.42	33.76	8.50	7.19	5.3	7.1
		18:04	26.98	51.02	33.46	8.47	7.19	3.5	6.6
		21:04	26.70	51.75	34.01	8.27	7.12	6.7	7.9
	日平均值		26.43	51.60	33.91	8.43	7.18	2.75	4.81
	灣內站	0:04	27.36	45.87	30.23	8.27	6.85	5.2	13.7
		3:04	27.09	46.67	30.81	8.12	6.24	4.6	13.5
		6:04	26.81	46.11	30.42	8.24	6.55	3.8	8.7
		9:04	26.84	46.18	30.46	8.25	6.97	4.2	10.8
		12:04	27.24	45.70	30.11	8.36	8.41	4.8	16.8
		15:04	27.62	46.31	30.54	8.25	8.31	8.3	10.6
		18:04	27.71	47.15	31.14	8.28	8.91	7.7	12.2
		21:04	27.37	50.21	33.37	8.14	6.82	8.1	27.0
	日平均值		27.26	46.78	30.89	8.24	7.38	5.84	14.16
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月11日	蚵殼站	0:04	27.34	49.45	33.58	8.14	7.07	2.1	9.7
		3:04	27.29	49.45	33.58	8.19	7.34	2.9	11.3
		6:04	27.13	50.12	33.25	8.20	7.10	4.4	8.4
		9:04	27.17	50.30	33.37	8.21	7.47	1.4	14.6
		12:04	27.41	52.47	34.73	8.24	8.02	1.5	15.4
		15:04	27.03	52.31	34.62	8.26	7.61	1.7	8.9
		18:04	26.90	51.79	34.25	8.23	7.28	4.8	12.9
		21:04	26.80	50.87	33.60	8.20	7.20	6.2	12.4
	日平均值		27.13	50.85	33.87	8.21	7.39	3.13	11.70
	潮口站	0:04	26.33	51.00	33.47	8.45	7.23	0.5	1.2
		3:04	26.34	51.15	33.57	8.49	7.21	1.8	5.3
		6:04	26.24	51.10	33.54	8.47	7.20	2.7	6.6
		9:04	25.81	49.72	32.54	8.49	7.36	0.1	0.1
		12:04	26.24	51.06	33.51	8.42	7.26	8.5	4.8
		15:04	26.32	50.46	33.07	8.43	7.30	7.4	6.8
		18:04	26.49	50.51	33.10	8.43	7.34	3.2	7.8
		21:04	26.35	51.03	33.49	8.53	7.29	2.8	7.8
	日平均值		26.27	50.75	33.29	8.46	7.27	3.38	5.05
	灣內站	0:04	27.14	52.09	34.75	8.08	6.38	6.3	14.6
		3:04	26.94	52.91	35.36	8.01	5.79	8.1	9.6
		6:04	26.70	52.56	35.11	8.08	5.02	7.5	7.3
		9:04	26.74	52.46	35.03	8.21	6.48	6.6	8.5
		12:04	27.05	52.14	34.79	8.36	8.13	6.0	10.5
		15:04	26.93	52.75	35.24	8.28	7.23	8.4	10.0
		18:04	26.69	52.24	34.87	8.21	6.77	6.8	13.2
		21:04	26.55	53.28	35.64	8.33	6.12	8.5	13.2
	日平均值		26.84	52.55	35.10	8.20	6.49	7.28	10.86
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月12日	蚵殼站	0:04	26.60	51.41	34.07	8.16	6.81	2.2	8.8
		3:04	26.30	49.45	33.70	8.14	5.96	5.1	7.5
		6:04	26.27	49.60	33.80	8.16	6.15	3.1	9.4
		9:04	26.27	50.89	33.71	8.16	6.42	2.8	14.1
		12:04	27.27	51.18	33.89	8.15	7.59	2.8	11.2
		15:04	26.92	50.58	33.48	8.23	8.82	2.1	12.5
		18:04	26.59	50.60	33.50	8.22	7.58	2.8	12.9
		21:04	26.50	50.32	33.31	8.17	6.84	3.8	7.7
	日平均值		26.59	50.50	33.68	8.17	7.02	3.09	10.51
	潮口站	0:04	25.75	50.91	33.41	8.32	7.37	0.1	4.4
		3:04	25.65	50.73	33.29	8.43	7.39	0.1	0.7
		6:04	25.55	50.89	33.40	8.41	7.44	2.0	3.3
		9:04	25.57	50.55	33.16	8.41	7.42	2.3	3.5
		12:04	25.75	50.24	32.93	8.50	7.48	2.0	2.3
		15:04	25.95	51.17	33.60	8.40	7.41	7.7	6.9
		18:04	26.08	51.09	33.54	8.44	7.42	7.1	6.4
		21:04	26.24	51.09	33.53	8.24	7.37	4.9	4.2
	日平均值		25.82	50.83	33.36	8.39	7.41	3.28	3.96
	灣內站	0:04	26.42	53.01	35.45	8.08	4.92	8.5	11.1
		3:04	26.15	52.88	35.36	8.21	5.02	6.1	9.5
		6:04	26.02	52.25	34.90	8.15	5.33	6.0	4.3
		9:04	25.82	52.34	34.96	8.04	5.85	5.3	9.8
		12:04	26.69	52.85	35.32	8.11	6.96	3.8	9.4
		15:04	26.97	52.00	34.69	8.18	7.87	5.2	12.1
		18:04	27.04	52.45	35.02	8.19	8.06	6.9	18.2
		21:04	26.66	52.47	35.05	8.24	6.72	6.8	16.3
	日平均值		26.47	52.53	35.09	8.15	6.34	6.08	11.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月13日	蚵殼站	0:04	26.36	49.75	34.16	8.07	6.78	3.0	6.1
		3:04	26.03	50.18	34.47	8.15	6.54	2.8	1.7
		6:04	25.90	51.03	34.06	8.11	6.83	2.3	8.3
		9:04	25.97	50.46	33.27	8.23	7.47	1.4	12.0
		12:04	26.55	50.59	33.35	8.21	8.81	2.3	16.8
		15:04	26.64	49.03	33.65	8.25	9.46	3.3	19.4
		18:04	26.42	50.92	34.98	8.28	9.16	3.7	15.2
		21:04	26.18	49.83	33.29	8.26	8.87	2.7	12.5
	日平均值		26.26	50.22	33.90	8.20	7.99	2.69	11.50
	潮口站	0:04	25.79	51.53	33.87	8.49	7.41	3.2	7.1
		3:04	25.47	51.32	33.72	8.40	7.50	0.5	1.6
		6:04	25.30	51.41	33.79	8.46	7.51	2.9	0.7
		9:04	25.44	51.36	33.75	8.47	7.49	2.6	1.6
		12:04	25.56	51.22	33.65	8.45	7.56	1.3	0.5
		15:04	25.71	50.63	33.21	8.33	7.59	0.9	3.9
		18:04	26.30	51.19	33.61	8.27	7.58	3.7	11.9
		21:04	26.12	50.82	33.34	8.02	7.65	4.4	8.4
	日平均值		25.71	51.19	33.62	8.36	7.54	2.44	4.46
	灣內站	0:04	26.47	52.61	35.15	8.10	6.32	4.5	9.8
		3:04	26.24	52.25	34.89	8.19	5.78	5.3	8.9
		6:04	25.99	52.24	34.89	8.18	5.83	6.7	9.0
		9:04	25.94	52.02	34.73	8.09	6.05	4.3	10.8
		12:04	26.31	52.16	34.83	8.20	7.33	4.4	13.7
		15:04	26.48	51.82	34.57	8.40	9.15	6.2	20.9
		18:04	26.15	52.28	34.91	8.08	7.22	6.9	16.7
		21:04	26.18	52.41	35.01	8.26	7.20	9.2	26.8
	日平均值		26.22	52.22	34.87	8.19	6.86	5.94	14.58
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月14日	蚵殼站	0:04	26.05	52.18	34.32	8.00	8.52	3.1	14.2
		3:04	25.62	50.47	34.38	8.12	8.27	3.3	13.5
		6:04	25.43	51.32	34.27	8.18	7.81	3.8	16.1
		9:04	25.46	51.04	33.77	8.23	8.08	4.1	10.2
		12:04	25.77	51.09	34.47	8.24	8.82	2.8	14.0
		15:04	25.94	53.01	34.01	8.21	8.54	9.7	9.7
		18:04	25.75	52.20	34.13	8.31	8.25	2.9	13.6
		21:04	25.47	52.13	34.09	8.31	7.67	1.7	5.5
	日平均值		25.69	51.68	34.18	8.20	8.25	3.93	12.10
	潮口站	0:04	25.83	51.52	33.87	8.34	7.59	1.4	11.3
		3:04	25.21	50.80	33.35	8.14	7.64	1.9	3.4
		6:04	24.81	50.79	33.35	8.19	7.72	2.2	3.9
		9:04	24.80	51.26	33.69	8.06	7.75	4.9	0.7
		12:34	25.42	50.45	33.08	8.32	6.28	23.4	3.5
		15:04	25.39	50.57	33.28	8.35	6.30	20.6	4.3
		18:04	25.16	51.12	33.85	8.40	6.57	25.1	5.1
		21:04	24.93	51.20	33.94	8.37	6.36	24.1	4.4
	日平均值		25.19	50.96	33.55	8.27	7.03	12.95	4.58
	灣內站	0:04	25.57	49.40	32.82	8.41	5.65	5.6	17.3
		3:04	25.13	49.52	32.92	8.01	5.56	5.3	8.7
		6:04	24.49	50.26	33.48	8.03	5.32	5.1	9.8
		9:04	24.49	50.07	33.34	8.03	5.55	6.6	12.7
		12:04	24.91	52.06	34.00	8.18	8.05	10.4	14.4
		15:04	24.86	51.71	33.69	8.16	8.79	11.5	20.8
		18:04	24.59	51.72	33.70	8.28	9.07	7.5	22.1
		21:04	24.93	52.11	33.98	8.09	8.39	5.3	17.3
	日平均值		24.87	50.86	33.49	8.15	7.05	7.16	15.39
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月15日	蚵殼站	0:04	25.37	52.19	34.13	8.11	7.55	2.6	8.8
		3:04	24.94	52.14	34.11	8.12	7.35	1.4	11.8
		6:04	24.89	52.07	34.06	8.24	7.31	2.7	10.2
		9:04	25.10	52.10	34.08	8.31	7.65	3.1	3.7
		12:04	25.23	51.96	33.97	8.28	8.15	1.5	15.8
		15:04	25.57	52.16	34.11	8.20	8.32	5.0	8.2
		18:04	25.30	52.20	34.15	8.20	8.41	7.0	8.9
		21:04	25.35	52.16	34.11	8.17	8.02	5.2	0.9
	日平均值		25.22	52.12	34.09	8.20	7.85	3.56	8.54
	潮口站	0:04	24.83	51.20	33.94	8.44	6.57	24.1	13.0
		3:04	24.69	51.12	33.89	8.40	6.12	22.2	0.3
		6:04	24.54	51.12	33.89	8.41	6.15	21.4	2.6
		9:04	24.57	51.19	33.94	8.43	6.34	22.0	1.7
		12:04	25.10	51.18	33.92	8.37	6.47	25.9	1.6
		15:04	25.18	51.28	34.02	8.36	6.58	29.1	5.5
		18:04	25.08	51.32	34.05	8.39	6.51	26.0	2.3
		21:04	24.89	51.42	34.13	8.40	6.21	30.8	4.2
	日平均值		24.86	51.23	33.97	8.40	6.37	25.19	3.90
	灣內站	0:04	24.65	52.13	34.00	8.21	7.98	6.5	15.3
		3:04	24.41	52.10	33.99	8.20	7.93	5.3	9.0
		6:04	24.18	52.11	34.00	8.17	7.38	4.1	12.9
		9:04	24.31	52.06	33.96	8.12	8.45	3.7	13.2
		12:04	24.99	52.03	33.92	8.16	9.82	6.7	16.6
		15:04	24.88	51.97	33.88	8.12	9.68	7.6	16.1
		18:04	24.68	52.04	33.94	8.19	9.20	6.2	16.1
		21:04	24.32	52.13	34.02	8.22	8.41	5.8	10.7
	日平均值		24.55	52.07	33.96	8.17	8.61	5.74	13.74
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月16日	蚵殼站	0:04	25.23	52.14	34.10	8.15	8.10	3.6	5.6
		3:04	25.00	52.16	34.12	8.10	7.98	2.3	8.8
		6:04	24.83	51.98	33.99	8.12	7.66	5.2	6.2
		9:04	25.19	51.99	33.99	8.16	8.39	1.2	3.1
		12:04	26.21	52.05	34.01	8.19	8.79	0.2	7.6
		15:04	26.73	50.56	34.03	8.16	8.81	2.1	5.5
		18:04	25.91	52.11	34.19	8.46	8.52	1.3	7.2
		21:04	25.90	51.98	34.10	8.23	7.84	138.1	8.0
	日平均值		25.63	51.87	34.07	8.20	8.26	19.25	6.50
	潮口站	0:04	24.72	51.34	34.07	8.45	6.60	22.6	6.1
		3:04	24.97	51.19	33.96	8.34	6.08	27.3	4.1
		6:04	24.66	51.05	33.86	8.40	6.08	27.5	0.8
		9:04	24.66	51.27	34.02	8.37	6.17	22.9	4.9
		12:04	25.40	51.40	34.10	8.38	6.88	22.2	4.1
		15:04	25.84	51.15	33.91	8.33	6.36	20.2	0.7
		18:04	25.72	51.26	34.02	8.33	6.41	21.9	1.1
		21:04	25.36	51.35	34.10	8.39	6.31	24.3	4.9
	日平均值		25.17	51.25	34.01	8.37	6.36	23.61	3.34
	灣內站	0:04	24.14	51.98	33.91	8.15	7.82	5.2	10.8
		3:04	23.99	50.84	33.06	8.22	7.54	4.1	10.0
		6:04	24.42	52.16	34.03	8.14	7.54	3.3	6.3
		9:04	24.58	52.13	34.00	8.21	7.64	2.3	6.5
		12:04	25.98	52.61	34.33	8.32	8.23	2.6	7.2
		15:04	25.89	52.65	34.36	8.31	8.84	4.7	5.1
		18:04	25.96	52.49	34.24	8.15	9.11	3.2	9.4
		21:04	25.80	52.14	33.98	8.33	8.48	3.6	9.3
	日平均值		25.10	52.13	33.99	8.23	8.15	3.63	8.08
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月17日	蚵殼站	0:04	26.39	51.30	33.59	8.13	7.57	3.0	9.1
		3:04	26.92	49.90	32.53	8.15	8.07	4.0	4.5
		6:04	25.86	52.49	34.47	8.22	7.78	0.5	4.7
		9:04	26.13	52.44	34.43	8.24	8.21	1.0	7.5
		12:04	26.79	52.21	34.24	8.40	8.62	1.3	7.3
		15:04	26.91	51.32	33.58	8.25	9.30	2.6	2.6
		18:04	27.05	51.32	33.58	8.19	8.55	2.0	4.8
		21:04	26.61	50.81	33.21	8.19	8.19	1.7	5.6
	日平均值		26.58	51.47	33.70	8.22	8.29	2.01	5.76
	潮口站	0:04	25.39	51.43	34.15	8.36	6.10	24.9	7.6
		3:04	25.21	51.27	34.04	8.29	5.77	20.7	0.7
		6:04	25.18	51.29	34.06	8.34	6.05	20.1	1.0
		9:04	25.28	51.33	34.08	8.37	6.13	22.8	0.1
		12:14	26.82	51.52	34.18	8.35	6.53	20.3	1.9
		15:04	26.46	51.16	33.93	8.26	6.66	21.0	3.0
		18:04	26.03	51.18	33.95	8.30	6.64	19.6	1.7
		21:04	26.08	51.30	34.04	8.28	6.70	22.6	4.4
	日平均值		25.81	51.31	34.05	8.32	6.32	21.50	2.55
	灣內站	0:04	26.35	52.37	34.14	8.33	8.99	5.0	7.7
		3:04	25.62	52.03	33.91	8.37	7.90	4.2	10.3
		6:04	25.28	52.04	33.92	8.33	7.48	2.6	7.5
		9:04	25.47	52.06	33.93	8.34	7.87	2.2	0.5
		12:14	26.63	52.07	33.91	8.33	8.72	2.5	4.3
		15:04	27.23	51.65	33.58	8.32	9.54	3.2	9.4
		18:04	27.08	51.84	33.73	8.32	9.07	4.3	12.6
		21:04	26.78	52.01	33.86	8.48	8.37	3.9	8.7
	日平均值		26.31	52.01	33.87	8.35	8.49	3.49	7.63
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月18日	蚵殼站	0:04	28.75	47.94	31.05	8.17	8.05	4.0	8.1
		3:04	26.34	52.13	34.20	8.19	8.10	0.9	5.2
		6:04	26.40	49.17	32.01	8.17	7.92	6.2	6.1
		9:04	26.64	49.44	32.21	8.10	8.34	204.0	6.6
		12:04	27.08	51.57	33.76	8.16	9.03	4.6	0.5
		15:04	27.50	51.94	34.03	8.10	8.12	359.9	3.2
		18:04	27.60	51.50	33.70	8.11	7.72	16.2	6.6
		21:04	29.21	46.63	30.08	8.15	7.81	0.6	5.2
	日平均值		27.44	50.04	32.63	8.14	8.14	74.55	5.19
	潮口站	0:04	26.76	51.47	34.15	8.22	5.74	29.2	0.9
		3:04	26.03	51.26	34.01	8.28	6.18	20.3	2.1
		6:04	26.22	50.93	33.76	8.26	6.13	21.7	1.4
		9:04	26.45	50.92	33.75	8.26	6.23	21.6	2.2
		12:04	28.38	51.72	34.28	8.15	5.90	30.8	3.4
		15:04	27.42	51.08	33.84	8.19	6.97	22.7	0.9
		18:04	27.12	50.97	33.77	8.29	7.09	22.3	8.9
		21:04	27.30	50.56	33.46	8.23	6.66	22.1	8.6
	日平均值		26.96	51.11	33.88	8.24	6.36	23.84	3.55
	灣內站	0:04	25.99	52.02	33.89	8.20	6.66	3.8	5.0
		3:04	25.32	51.74	33.70	8.21	6.58	6.1	9.7
		6:04	26.21	51.67	33.62	8.40	6.81	4.2	4.6
		9:04	26.36	51.57	33.55	8.39	7.03	3.2	3.7
		12:04	26.75	51.38	33.39	8.40	7.24	6.1	5.1
		15:04	27.06	51.53	33.50	8.42	7.54	6.4	1.9
		18:04	26.77	51.44	33.44	8.33	7.15	6.5	3.5
		21:04	26.73	52.01	33.86	8.37	6.36	5.8	7.0
	日平均值		26.40	51.67	33.62	8.34	6.92	5.26	5.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月19日	蚵殼站	0:04	29.03	42.73	27.28	8.13	8.52	1.6	1.3
		3:04	28.08	47.10	30.45	8.13	8.27	0.5	7.7
		6:04	27.77	50.36	32.85	8.13	7.74	0.9	3.9
		9:04	30.76	45.35	29.11	8.18	8.34	390.1	3.0
		12:04	30.18	46.87	30.23	8.12	8.51	2.5	1.2
		15:04	28.86	49.86	32.45	8.24	8.12	2.1	6.5
		18:04	30.16	47.69	30.82	8.14	7.67	0.3	7.9
		21:04	31.77	44.90	28.75	8.14	7.69	17.2	6.1
	日平均值		29.58	46.86	30.24	8.15	8.11	51.90	4.70
	潮口站	0:04	27.33	51.10	33.86	8.21	5.96	23.2	1.0
		3:04	27.08	51.14	33.89	8.17	5.68	27.3	2.2
		6:04	26.23	51.12	33.90	8.20	6.16	21.2	0.9
		9:04	26.63	51.07	33.86	8.23	6.14	22.9	4.9
		12:04	27.95	51.40	34.06	8.17	5.80	30.2	4.7
		15:04	28.18	51.31	33.99	8.24	7.06	21.3	16.4
		18:04	27.11	51.00	33.79	8.25	6.92	20.3	7.9
		21:04	27.08	51.01	33.80	8.18	6.23	20.5	0.9
	日平均值		27.20	51.14	33.89	8.21	6.24	23.36	4.86
	灣內站	0:04	26.60	51.98	33.85	8.39	6.03	7.3	5.4
		3:04	26.84	51.97	33.83	8.32	5.84	5.1	2.6
		6:04	26.90	51.95	33.82	8.20	6.08	4.5	3.0
		9:04	26.94	51.43	33.43	8.12	6.23	3.8	5.9
		12:04	27.59	51.65	33.57	8.31	6.67	4.2	7.4
		15:04	28.31	51.69	33.58	8.32	6.95	3.9	1.7
		18:04	28.17	52.06	33.86	8.23	7.25	6.8	9.7
		21:04	27.87	51.93	33.77	8.41	6.09	5.9	5.6
	日平均值		27.40	51.83	33.71	8.29	6.39	5.19	5.16
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月20日	蚵殼站	0:04	30.20	47.78	30.89	8.16	7.65	17.5	8.6
		3:04	28.91	50.25	32.74	8.16	6.92	5.4	0.3
		6:04	27.62	51.73	33.87	8.21	7.59	0.1	7.9
		9:04	27.67	51.76	33.88	8.21	7.08	0.7	4.6
		12:04	28.22	52.58	34.47	8.18	7.10	2.0	10.9
		15:04	28.60	52.65	34.51	8.22	7.71	1.7	11.2
		18:04	28.61	52.65	34.51	8.19	7.74	2.7	10.9
		21:04	28.55	52.63	34.50	8.23	7.28	2.7	7.1
	日平均值		28.55	51.50	33.67	8.20	7.38	4.10	7.69
	潮口站	0:04	26.92	51.05	33.84	8.35	6.30	22.2	6.4
		3:04	26.93	51.15	33.90	8.27	5.94	21.3	2.4
		6:04	25.94	51.14	33.93	8.24	5.91	20.8	3.6
		9:04	26.54	51.10	33.88	8.24	6.22	20.3	4.0
		12:04	27.19	51.20	33.94	8.25	6.32	27.1	8.0
		15:04	27.91	51.24	33.95	8.27	6.79	24.9	7.5
		18:04	26.57	50.81	33.67	8.28	6.58	19.7	4.6
		21:04	26.78	51.17	33.92	8.25	6.32	21.2	3.0
	日平均值		26.85	51.11	33.88	8.27	6.30	22.19	4.94
	灣內站	0:04	27.82	51.93	33.77	8.31	5.33	6.3	10.2
		3:04	27.76	51.94	33.78	8.16	5.22	5.6	3.2
		6:04	27.57	51.51	33.47	8.09	5.45	6.1	4.2
		9:04	27.56	52.04	33.86	8.39	5.25	4.7	1.7
		12:04	28.00	52.55	34.23	8.30	5.70	5.7	7.1
		15:04	28.44	51.85	33.69	8.36	5.79	8.1	8.7
		18:04	28.26	51.67	33.57	8.29	5.54	9.9	6.4
		21:04	27.96	51.52	33.46	8.30	4.95	10.3	6.6
	日平均值		27.92	51.88	33.73	8.28	5.40	7.09	6.01
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月21日	蚵殼站	0:04	28.54	52.61	34.49	8.24	7.33	1.5	11.9
		3:04	28.31	52.26	34.23	8.26	7.09	1.3	0.1
		6:04	28.05	52.59	34.49	8.26	6.79	1.3	5.0
		9:04	28.26	52.50	34.42	8.25	7.26	0.8	5.3
		12:04	28.03	52.38	34.33	8.28	7.24	1.2	6.1
		15:04	27.71	52.42	34.38	8.25	7.13	2.4	7.4
		18:04	27.46	52.44	34.40	8.05	6.87	2.4	3.5
		21:04	27.55	52.15	34.18	8.14	6.87	2.0	6.4
	日平均值		27.99	52.42	34.37	8.22	7.07	1.61	5.71
	潮口站	0:04	26.77	51.25	34.04	8.27	6.33	22.6	4.1
		3:04	27.12	51.80	34.43	8.22	5.93	21.9	3.1
		6:04	25.93	51.85	34.50	8.25	6.05	20.7	2.1
		9:04	26.41	51.05	33.90	8.26	6.14	20.8	1.4
		12:04	26.89	50.92	33.79	8.26	5.90	30.1	4.4
		15:04	27.41	51.15	33.94	8.25	6.23	23.8	8.6
		18:04	26.95	50.99	33.84	8.27	5.86	27.4	4.3
		21:04	26.17	51.13	33.96	8.29	6.03	29.0	0.4
	日平均值		26.71	51.27	34.05	8.26	6.06	24.54	3.55
	灣內站	0:04	28.23	51.75	34.47	8.30	6.71	9.0	8.1
		3:04	28.03	50.46	33.53	8.33	6.50	7.8	5.4
		6:04	27.82	48.64	32.22	8.26	5.59	6.9	7.6
		9:04	28.05	48.99	32.46	8.30	6.15	6.9	7.8
		12:04	27.75	49.51	32.85	8.29	6.26	7.8	3.5
		15:04	27.67	48.32	31.99	8.41	5.95	12.6	6.7
		18:04	27.29	46.11	30.40	8.23	5.73	11.7	12.8
		21:04	27.15	49.17	32.62	8.17	5.97	9.6	8.9
	日平均值		27.75	49.12	32.57	8.29	6.11	9.04	7.60
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月22日	蚵殼站	0:04	27.66	52.03	34.09	8.17	6.26	2.2	3.9
		3:04	27.48	51.91	34.00	8.18	6.15	1.2	3.6
		6:04	27.33	52.40	34.37	8.22	6.09	0.9	3.6
		9:04	27.51	52.39	34.36	8.21	6.35	0.5	4.0
		12:04	27.83	52.32	34.30	8.19	7.01	0.3	9.4
		15:04	27.98	52.39	34.34	8.18	7.42	1.1	7.1
		18:04	27.68	52.34	34.32	8.02	6.65	2.4	4.3
		21:04	27.68	52.38	34.34	8.01	6.49	2.1	6.8
	日平均值		27.64	52.27	34.27	8.15	6.55	1.34	5.34
	潮口站	0:04	26.36	51.08	33.93	8.28	5.81	23.8	2.9
		3:04	26.58	50.86	33.76	8.31	5.42	21.6	3.9
		6:04	25.84	50.96	33.85	8.22	5.86	21.0	1.7
		9:04	26.04	50.91	33.81	8.31	6.10	21.1	0.6
		12:04	27.07	51.50	34.22	8.19	5.89	24.3	0.5
		15:04	28.09	52.04	34.58	8.15	5.75	32.3	3.9
		18:04	27.05	51.20	33.99	8.18	5.98	26.6	1.4
		21:04	26.55	51.62	34.31	8.28	6.01	23.5	1.0
	日平均值		26.70	51.27	34.06	8.24	5.85	24.28	1.99
	灣內站	0:04	27.04	50.23	33.39	8.26	5.80	8.4	1.0
		3:04	26.88	48.63	32.23	8.28	5.87	9.1	0.1
		6:04	26.79	50.47	33.57	8.12	6.05	8.4	1.9
		9:04	27.01	47.93	31.72	8.12	6.28	43.9	4.3
		12:04	27.60	47.45	31.36	8.23	6.56	7.2	4.1
		15:04	28.34	48.74	32.27	8.30	6.83	8.8	8.3
		18:04	28.47	45.92	30.23	8.07	6.69	11.0	4.8
		21:04	28.19	48.34	31.98	8.12	6.32	11.1	5.2
	日平均值		27.54	48.46	32.09	8.19	6.30	13.49	3.71
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月23日	蚵殼站	0:04	27.61	52.31	34.29	8.10	6.35	1.4	8.8
		3:04	27.65	52.34	34.31	8.19	6.51	3.2	1.7
		6:04	27.70	52.02	34.08	8.18	6.32	1.0	4.7
		9:04	27.92	52.35	34.31	8.32	6.61	0.7	4.6
		12:04	27.95	52.32	34.29	8.35	7.48	1.4	5.0
		15:04	27.76	52.32	34.30	8.22	7.36	4.9	6.1
		18:04	27.87	52.38	34.34	8.29	7.38	3.1	10.9
		21:04	27.92	52.25	34.24	8.24	8.19	1.3	8.9
	日平均值		27.80	52.29	34.27	8.24	7.03	2.13	6.34
	潮口站	0:04	26.57	51.86	34.49	8.25	6.19	21.2	2.6
		3:04	26.51	51.77	34.43	8.22	5.74	22.0	0.9
		6:04	26.27	51.26	34.06	8.25	5.72	25.2	1.1
		9:04	26.11	50.91	33.80	8.22	6.18	19.9	1.7
		12:04	26.51	51.65	34.34	8.22	6.31	21.9	0.2
		15:04	27.32	51.74	34.38	8.18	6.78	24.2	9.6
		18:04	27.58	51.37	34.10	8.28	6.45	27.9	8.5
		21:04	26.63	51.10	33.93	8.24	6.06	21.8	5.1
	日平均值		26.69	51.46	34.19	8.23	6.18	23.01	3.71
	灣內站	0:04	27.78	44.08	28.94	8.20	6.03	8.1	7.1
		3:04	27.59	50.96	33.91	8.08	5.72	8.6	3.3
		6:04	27.38	48.70	32.27	8.26	5.84	9.2	1.0
		9:04	27.41	52.61	35.12	8.24	5.85	10.0	7.9
		12:04	27.91	50.47	33.55	8.16	6.27	11.1	12.7
		15:04	28.54	50.20	33.33	8.34	6.85	13.7	16.3
		18:04	28.35	51.22	34.07	8.11	6.70	11.1	14.8
		21:04	28.29	49.70	32.97	8.23	6.14	10.8	11.7
	日平均值		27.91	49.74	33.02	8.20	6.18	10.33	9.35
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月24日	蚵殼站	0:04	28.20	49.89	32.49	8.32	8.49	1.1	13.1
		3:04	28.16	49.16	31.96	8.34	7.96	0.9	12.7
		6:04	28.09	49.63	32.30	8.35	7.73	0.6	12.0
		9:04	28.20	50.40	32.87	8.39	8.51	0.7	14.5
		12:04	28.06	50.04	32.61	8.42	9.05	1.1	6.1
		15:04	28.01	50.16	32.70	8.44	9.03	2.1	8.9
		18:04	28.20	49.69	32.35	8.43	9.58	1.2	16.7
		21:04	28.32	52.14	34.14	8.31	9.40	0.7	16.7
	日平均值		28.16	50.14	32.68	8.38	8.72	1.05	12.59
	潮口站	0:04	26.45	51.77	34.42	8.26	6.21	21.7	1.4
		3:04	26.61	51.23	34.03	8.23	6.07	21.1	1.6
		6:04	26.55	51.17	33.98	8.24	5.85	20.6	2.3
		9:04	25.64	51.07	33.93	8.23	6.12	23.6	1.8
		12:04	25.90	50.96	33.84	8.27	6.32	20.1	1.8
		15:04	27.65	51.65	34.30	8.13	6.46	25.1	5.7
		18:04	27.60	50.92	33.77	8.18	6.96	25.2	5.4
		21:04	27.25	51.30	34.06	8.19	6.46	22.7	4.0
	日平均值		26.71	51.26	34.04	8.22	6.31	22.51	3.00
	灣內站	0:04	27.69	48.29	31.96	8.21	5.76	10.3	8.4
		3:04	27.41	47.87	31.67	8.13	5.34	10.8	3.3
		6:04	27.27	48.16	31.88	8.18	5.37	10.9	4.5
		9:04	27.49	50.33	33.45	8.27	5.72	11.7	7.0
		12:04	28.20	50.89	33.84	8.33	6.10	11.1	6.4
		15:04	28.81	49.69	32.95	8.13	6.52	14.2	13.6
		18:04	28.91	49.87	33.08	8.40	6.60	12.2	10.7
		21:04	28.41	49.55	32.86	8.32	6.31	12.2	10.7
	日平均值		28.02	49.33	32.71	8.25	5.97	11.68	8.08
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月25日	蚵殼站	0:04	28.19	52.16	34.16	8.38	8.89	0.9	6.9
		3:04	28.02	49.73	32.38	8.41	8.65	0.6	13.8
		6:04	27.95	47.41	30.69	8.42	8.36	1.2	9.8
		9:04	28.14	47.79	30.96	8.45	8.85	1.2	4.8
		12:04	28.40	47.25	30.56	8.41	9.01	2.3	10.5
		15:04	28.25	48.05	31.14	8.45	9.17	1.2	11.6
		18:04	28.40	48.29	31.32	8.46	9.60	0.7	10.1
		21:04	28.48	47.21	30.53	8.41	9.43	0.7	12.3
	日平均值		28.23	48.49	31.47	8.42	9.00	1.10	9.98
	潮口站	0:04	25.97	51.26	34.07	8.22	6.23	19.7	2.6
		3:04	26.04	51.30	34.09	8.28	6.20	19.9	2.3
		6:04	26.31	50.79	33.71	8.21	5.96	22.2	3.0
		9:04	25.83	50.30	33.36	8.30	6.27	20.6	0.6
		12:04	26.10	51.05	33.91	8.33	6.61	20.2	1.4
		15:04	27.61	51.35	34.09	8.23	7.15	22.6	3.7
		18:04	27.69	51.35	34.08	8.35	7.22	21.8	7.2
		21:04	27.67	51.27	34.03	8.20	7.00	23.4	5.3
	日平均值		26.65	51.08	33.92	8.27	6.58	21.30	3.26
	灣內站	0:04	28.28	50.18	33.32	8.25	6.07	12.1	9.9
		3:04	27.95	48.65	32.22	8.22	5.34	12.6	13.0
		6:04	27.76	48.51	32.12	8.13	5.21	15.8	2.1
		9:04	27.83	48.79	32.32	8.23	5.12	13.2	3.8
		12:04	28.42	50.53	33.57	8.34	5.51	8.2	5.6
		15:04	29.12	51.27	34.09	8.33	5.51	9.7	10.1
		18:04	29.12	50.67	33.65	8.37	5.43	9.9	9.8
		21:04	28.96	52.61	35.08	8.18	5.05	8.7	6.2
	日平均值		28.43	50.15	33.30	8.26	5.41	11.28	7.56
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月26日	蚵殼站	0:04	28.39	44.56	28.61	8.39	9.26	1.1	5.7
		3:04	28.49	43.64	27.95	8.43	9.34	1.9	13.2
		6:04	28.31	48.66	31.59	8.45	8.76	0.6	7.7
		9:04	28.46	48.76	31.66	8.48	9.38	0.6	6.5
		12:04	28.55	48.85	31.72	8.46	9.11	4.0	11.5
		15:04	28.56	48.61	31.54	8.47	9.21	2.6	6.9
		18:04	28.50	48.32	31.34	8.49	9.47	0.9	10.8
		21:04	28.51	47.87	31.01	8.48	9.18	1.7	11.0
	日平均值		28.47	47.41	30.68	8.46	9.21	1.68	9.16
	潮口站	0:04	26.61	50.95	33.82	8.16	6.21	20.0	2.9
		3:04	26.50	50.72	33.66	8.24	6.35	20.1	3.1
		6:04	26.55	50.83	33.73	8.26	6.18	20.5	1.3
		9:04	26.57	51.25	34.04	8.19	6.12	20.2	0.7
		12:04	26.49	51.21	34.01	8.19	6.35	20.4	2.0
		15:04	26.54	50.90	33.78	8.22	6.75	21.2	2.1
		18:04	27.40	51.20	33.98	8.18	6.82	24.7	5.5
		21:04	27.60	51.18	33.96	8.20	6.93	24.5	4.1
	日平均值		26.78	51.03	33.87	8.21	6.46	21.45	2.71
	灣內站	0:04	28.50	46.51	30.66	8.30	5.41	8.6	4.3
		3:04	28.07	49.50	32.83	8.27	5.78	7.2	5.5
		6:04	27.75	48.63	32.21	8.27	5.58	6.8	4.9
		9:04	28.02	48.66	32.22	8.28	5.42	7.1	8.3
		12:04	28.33	50.64	33.66	8.37	5.68	7.0	5.3
		15:04	28.68	48.78	32.29	8.39	5.70	10.5	7.7
		18:04	28.51	49.40	32.75	8.39	5.52	10.4	7.6
		21:04	28.61	48.45	32.05	8.48	5.44	11.6	8.2
	日平均值		28.31	48.82	32.33	8.34	5.57	8.65	6.48
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月27日	蚵殼站	0:04	28.54	47.67	30.86	8.43	8.98	0.9	7.7
		3:04	28.46	38.81	24.51	8.44	8.89	0.5	6.6
		6:04	28.17	42.56	27.18	8.49	8.47	0.3	6.2
		9:04	28.75	42.47	27.11	8.48	8.79	0.3	3.2
		12:04	28.76	43.91	28.13	8.48	8.40	1.7	10.6
		15:04	28.51	43.77	28.04	8.50	8.90	0.9	8.3
		18:04	28.59	41.82	26.65	8.51	9.50	1.9	7.7
		21:04	28.65	43.86	28.10	8.49	9.08	1.0	5.4
	日平均值		28.55	43.11	27.57	8.48	8.88	0.94	6.96
	潮口站	0:04	26.43	51.14	33.97	8.22	6.18	21.2	0.7
		3:04	26.47	50.67	33.62	8.22	6.23	20.1	0.7
		6:04	26.45	50.72	33.66	8.22	6.18	20.9	3.1
		9:04	27.06	50.77	33.68	8.18	6.10	20.4	0.2
		12:04	26.79	51.21	34.01	8.24	6.52	20.0	1.7
		15:04	27.36	50.70	33.62	8.20	6.52	21.0	4.0
		18:04	27.55	51.01	33.84	8.16	6.73	22.8	3.0
		21:04	27.93	51.06	33.87	8.13	6.46	25.0	1.7
	日平均值		27.01	50.91	33.78	8.20	6.37	21.43	1.89
	灣內站	0:04	28.55	47.79	31.58	8.35	6.15	15.5	6.0
		3:04	28.35	49.69	32.96	8.36	5.84	14.6	9.4
		6:04	27.97	49.03	32.50	8.27	5.83	16.8	4.3
		9:04	28.24	49.21	32.61	8.40	5.96	48.6	1.2
		12:04	28.77	49.85	33.07	8.26	6.19	20.5	9.6
		15:04	28.98	49.66	32.92	8.34	6.16	25.3	5.2
		18:04	29.08	49.75	32.99	8.43	5.96	28.0	1.1
		21:04	29.05	48.71	32.23	8.29	5.80	42.9	1.0
	日平均值		28.62	49.21	32.61	8.34	5.99	26.53	4.73
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月28日	蚵殼站	0:04	28.85	44.64	28.65	8.46	9.24	0.6	3.9
		3:04	28.92	42.51	27.12	8.51	8.99	1.5	7.9
		6:04	28.78	42.51	27.13	8.53	8.89	0.8	7.0
		9:04	29.00	42.94	27.43	8.54	9.06	1.1	10.2
		12:04	29.80	43.39	27.73	8.52	10.55	1.9	14.5
		15:04	29.70	51.70	33.93	8.22	10.41	1.5	10.7
		18:04	29.27	51.79	34.02	8.23	9.80	0.2	7.4
	21:04	29.27	51.70	34.18	8.18	9.51	0.4	2.8	
	日平均值		29.20	46.40	30.02	8.40	9.56	1.00	8.05
	潮口站	0:04	27.77	51.11	33.90	8.15	6.30	22.3	3.4
		3:04	26.89	50.65	33.59	8.20	5.98	19.3	2.3
		6:04	26.97	50.34	33.36	8.18	6.30	19.5	1.9
		9:04	27.79	50.40	33.39	8.24	6.69	20.5	1.0
		12:04	27.41	50.46	33.44	8.09	6.39	21.2	0.2
		15:04	27.38	52.06	34.19	8.24	7.23	2.3	2.2
		18:04	28.12	52.03	34.15	8.27	7.16	3.1	7.0
	21:04	28.24	52.01	34.13	8.27	7.13	4.4	7.3	
	日平均值		27.57	51.13	33.77	8.21	6.65	14.08	3.16
	灣內站	0:04	29.02	47.01	31.00	8.25	5.71	40.0	8.7
		3:04	28.75	46.20	30.43	8.23	5.62	53.2	3.1
		6:04	28.30	47.82	31.60	8.14	5.68	46.7	1.1
		9:04	28.54	46.83	30.89	8.06	5.68	49.0	3.2
		12:34	29.79	52.63	34.41	8.23	8.97	0.8	1.9
		15:04	30.00	52.23	34.10	8.14	9.50	0.8	2.9
		18:04	29.92	52.22	34.10	8.30	9.32	4.3	5.4
	21:04	29.53	52.33	34.09	8.26	8.75	1.3	9.4	
	日平均值		29.23	49.66	32.58	8.20	7.40	24.51	4.46
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月29日	蚵殼站	0:04	29.18	52.56	34.82	8.28	9.00	0.4	5.8
		3:04	28.95	53.17	34.58	8.27	8.33	0.1	9.5
		6:04	28.83	53.12	34.55	8.31	8.20	0.7	2.8
		9:04	29.25	52.24	34.27	8.17	8.62	0.1	4.9
		12:04	29.33	52.25	34.27	8.18	8.38	1.5	9.4
		15:04	29.62	52.47	34.42	8.26	8.66	2.7	12.2
		18:04	29.72	52.10	34.15	8.26	8.90	2.3	12.7
		21:04	29.68	52.21	34.23	8.26	8.46	1.5	7.7
	日平均值		29.32	52.52	34.41	8.25	8.57	1.16	8.13
	潮口站	0:04	28.34	52.07	34.17	8.16	6.98	2.9	3.8
		3:04	26.56	51.92	34.12	8.33	7.15	2.5	0.6
		6:04	27.45	52.05	34.19	8.38	6.97	3.2	2.1
		9:04	28.06	52.22	34.29	8.13	6.78	5.6	3.2
		12:04	28.61	52.28	34.32	8.18	6.82	3.2	3.6
		15:04	26.76	51.89	34.08	8.30	7.16	2.7	1.1
		18:04	26.99	51.97	34.14	8.36	7.03	4.6	5.5
		21:04	28.37	52.25	34.30	8.16	6.91	4.4	6.5
	日平均值		27.64	52.08	34.20	8.25	6.98	3.64	3.30
	灣內站	0:04	29.19	52.30	34.08	8.22	8.59	2.0	5.2
		3:04	28.93	52.23	34.04	8.21	8.24	1.0	3.3
		6:04	28.73	51.96	33.84	8.06	7.76	1.2	8.2
		9:04	28.71	52.04	33.90	8.13	7.78	2.3	5.4
		12:04	28.90	52.34	34.12	7.96	7.81	5.6	5.9
		15:04	29.01	52.09	33.93	8.26	8.02	4.9	6.2
		18:04	28.84	52.35	34.13	8.19	8.09	4.5	7.7
		21:04	28.67	52.09	33.94	8.15	7.59	3.5	8.2
	日平均值		28.87	52.18	34.00	8.15	7.99	3.13	6.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
4月30日	蚵殼站	0:04	29.55	51.15	33.45	8.22	7.70	1.6	12.3
		3:04	29.31	52.12	34.18	8.10	7.19	1.7	3.3
		6:04	29.06	52.41	34.40	8.12	7.16	1.6	10.3
		9:04	29.32	52.47	34.44	8.23	7.72	1.0	1.7
		12:04	29.87	51.10	33.41	8.09	8.50	0.7	8.3
		15:04	29.87	52.20	34.22	8.22	8.41	0.7	7.8
		18:04	29.95	51.49	33.69	8.15	8.89	0.7	11.0
		21:04	29.89	51.10	33.41	8.12	8.60	3.1	9.3
	日平均值		29.60	51.76	33.90	8.16	8.02	1.39	8.00
	潮口站	0:04	28.42	52.28	34.33	8.21	6.83	3.6	4.7
		3:04	26.19	52.13	34.28	8.25	7.10	2.7	2.8
		6:04	26.34	52.07	34.23	8.36	7.08	2.4	4.2
		9:04	28.37	52.30	34.34	8.23	6.81	4.0	9.1
		12:04	29.09	52.33	34.34	8.09	6.81	4.2	5.8
		15:04	27.23	52.09	34.22	8.27	7.11	2.4	2.2
		18:04	26.63	52.13	34.27	8.31	7.15	1.6	5.0
		21:04	28.97	52.35	34.36	8.25	6.85	2.3	6.2
	日平均值		27.66	52.21	34.30	8.25	6.97	2.90	5.00
	灣內站	0:04	29.17	52.34	34.11	8.05	4.99	6.6	7.7
		3:04	28.99	52.03	33.89	8.10	6.43	5.9	11.1
		6:04	28.67	52.00	33.87	8.08	6.80	3.3	2.3
		9:04	28.86	52.27	34.05	8.02	7.31	2.0	3.4
		12:04	29.50	52.14	33.93	8.22	8.22	4.6	7.4
		15:04	30.33	52.27	34.00	8.24	9.09	5.8	15.9
		18:04	30.38	52.14	33.89	8.32	9.90	4.1	7.5
		21:04	29.96	52.13	33.91	8.27	9.40	3.5	13.3
	日平均值		29.48	52.17	33.96	8.16	7.77	4.48	8.58
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月1日	蚵殼站	0:04	29.74	52.45	34.41	8.16	8.37	0.3	1.2
		3:04	29.55	51.77	33.91	8.08	7.88	0.1	10.1
		6:04	29.38	51.21	33.5	8.11	7.3	96.2	8.2
		9:04	29.64	51.67	33.84	8.15	8.17	0.2	7.7
		12:04	30.04	52.25	34.25	8.12	8.6	0.1	9.1
		15:04	29.94	52.11	34.15	8.11	8.68	0.6	9.2
		18:04	29.72	51.97	34.05	8.17	8.99	0.9	8.9
		21:04	29.78	51.99	34.07	8.17	8.56	0.6	3.7
	日平均值		29.72	51.93	34.02	8.13	8.32	12.38	7.26
	潮口站	0:04	29.03	52.39	34.39	8.14	6.75	3.1	3.8
		3:04	26.6	52.1	34.25	8.44	7.03	2.6	0.3
		6:04	25.86	52.15	34.3	8.42	7.18	1.6	5
		9:04	28.82	52.4	34.4	8.11	6.56	4.3	0.6
		12:04	29.79	52.46	34.41	8.09	6.61	2.6	4.5
		15:04	27.88	52.3	34.36	8.11	6.94	3.6	5.1
		18:04	27.04	52.22	34.32	8.3	7.11	0.8	6.5
		21:04	27.53	52.28	34.36	8.26	6.97	3.2	3.4
	日平均值		27.82	52.29	34.35	8.23	6.89	2.73	3.65
	灣內站	0:04	29.62	51.94	33.78	8.11	8.22	3.5	10
		3:04	29.44	52.07	33.87	8.06	7.75	1.9	2.5
		6:04	29.21	52.14	33.94	8.17	7.52	1.6	3.1
		9:04	29.35	52.07	33.88	8.12	7.88	2.1	3.1
		12:04	29.98	53	34.54	8.08	8.83	3.5	5.4
		15:00	28.63	52.82	34.61	8.03	9.54	9.9	32.0
		18:00	28.05	53.10	34.84	7.82	5.99	11.1	20.6
		21:00	27.76	53.34	35.03	7.85	5.60	9.1	9.6
	日平均值		29.01	52.56	34.31	8.03	7.67	5.34	10.79
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月2日	蚵殼站	0:04	29.92	51.09	33.4	8.19	8.72	0.3	0.4
		3:04	29.86	52.55	34.47	8.15	8.11	0.6	8
		6:04	29.7	52.55	34.48	8.16	7.7	0.6	3.3
		9:04	29.93	52.54	34.47	7.99	8.06	0.5	7.4
		12:04	30.32	52.58	34.49	8.13	8.53	0.3	1.7
		15:04	30.5	52.54	34.45	8.24	9.35	0.2	3.9
		18:04	30.53	52.64	34.52	8.26	9.4	0.2	5.9
		21:04	30.43	52.66	34.54	8.27	8.84	0.2	4.2
	日平均值		30.15	52.39	34.35	8.17	8.59	0.36	4.35
	潮口站	0:04	28.93	52.34	34.35	8.19	6.71	1.5	4.7
		3:04	26.6	52.12	34.26	8.3	7.04	2.7	3.1
		6:04	26.75	52.18	34.3	8.37	6.97	1.3	2.3
		9:04	28.9	52.38	34.39	8.27	6.65	3.7	1.8
		12:04	30.01	52.45	34.4	8.17	6.57	3.5	4.2
		15:04	30.1	52.44	34.39	8.06	6.56	3.3	3.2
		18:04	27.87	52.1	34.21	8.34	6.98	1.4	4.6
		21:04	29.35	52.36	34.35	8.25	6.68	3.9	8.7
	日平均值		28.56	52.30	34.33	8.24	6.77	2.66	4.08
	灣內站	0:00	27.62	52.58	34.47	7.82	5.30	10.1	19.4
		3:00	27.39	52.83	34.66	7.78	4.22	11.2	37.2
		6:00	27.22	52.84	34.67	7.81	4.33	9.7	37.9
		9:00	27.29	53.09	34.85	7.93	6.24	8.0	28.7
		12:00	27.42	53.11	34.87	7.92	6.93	8.0	24.6
		15:00	27.90	53.20	34.92	8.07	11.01	10.4	41.0
		18:00	27.75	50.87	33.20	7.82	7.59	12.0	18.9
		21:00	27.94	52.69	34.54	7.87	8.01	10.2	27.8
	日平均值		27.57	52.65	34.52	7.88	6.70	9.95	29.44
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月3日	蚵殼站	0:04	30.23	52.65	34.54	8.15	8.66	0.7	3.8
		3:04	30.01	52.65	34.55	8.18	8.23	0.2	2
		6:04	29.83	52.65	34.55	8.17	7.67	0.3	3.9
		9:04	29.87	52.64	34.55	8.17	8.11	0.1	4.6
		12:04	29.7	52.62	34.53	8.19	8.52	1.3	4.4
		15:04	30.06	52.58	34.5	8.27	9.1	1.1	16.2
		18:04	30.24	52.57	34.48	8.28	9.12	2.6	8.3
		21:04	30.11	52.53	34.46	8.29	8.48	0.1	9.1
	日平均值		30.01	52.61	34.52	8.21	8.49	0.80	6.54
	潮口站	0:04	29.76	52.51	34.45	8.12	6.53	3.6	4.2
		3:04	27.58	51.91	34.08	8.17	6.91	1.7	3.4
		6:04	27.12	51.98	34.14	8.41	6.99	1.5	4.2
		9:04	28.36	52.26	34.31	8.31	6.69	5.7	2.4
		12:04	29.56	52.44	34.41	8.12	6.51	7.4	0.5
		15:04	29.19	52.27	34.29	8.27	6.75	4.1	0.7
		18:04	27.6	51.88	34.06	8.33	6.93	2	7.9
		21:04	27.43	51.86	34.04	8.42	6.97	2	3.1
	日平均值		28.33	52.14	34.22	8.27	6.79	3.50	3.30
	灣內站	0:00	27.69	52.85	34.67	7.79	5.62	9.9	19.6
		3:00	27.54	53.05	34.82	7.81	5.46	8.9	15.1
		6:00	27.41	53.06	34.83	7.81	5.35	12.4	45.7
		9:00	27.52	53.06	34.83	7.83	7.20	8.1	32.8
		12:00	28.38	52.99	34.75	8.03	11.19	11.3	45.6
		15:00	28.85	53.34	34.99	8.10	13.03	11.2	36.2
		18:00	28.73	52.66	34.49	8.08	12.44	9.9	22.9
		21:00	28.51	53.28	34.96	8.08	10.56	10.3	25.2
	日平均值		28.08	53.04	34.79	7.94	8.86	10.25	30.39
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月4日	蚵殼站	0:04	30.04	52.61	34.51	8.27	8.09	0.1	7.8
		3:04	29.89	52.61	34.52	8.28	7.57	0.9	2.7
		6:04	29.61	52.61	34.53	8.28	7.21	0.6	2.4
		9:04	29.72	52.61	34.53	8.28	7.56	1	1.7
		12:04	29.94	52.58	34.5	8.25	8.17	0.2	3.1
		15:04	30.24	52.58	34.49	8.19	8.68	0.4	5.5
		18:04	30.2	52.58	34.49	8.21	8.74	0.6	0.5
		21:04	29.98	52.58	34.49	8.24	8.74	0.1	2.2
	日平均值		29.95	52.60	34.51	8.25	8.10	0.49	3.24
	潮口站	0:04	28.4	52.17	34.24	8.34	6.79	7	3.9
		3:04	27.91	51.98	34.12	8.25	6.8	3.6	14.4
		6:04	26.64	52.06	34.22	8.47	7.05	3.1	2.3
		9:04	28.03	52.1	34.21	8.4	6.77	3	3.7
		12:04	29.8	52.31	34.3	8.24	6.61	0.8	2.5
		15:04	29.88	52.32	34.3	8.07	6.58	4.1	5.6
		18:04	27.66	51.96	34.11	8.33	7.01	2.8	4.8
		21:04	27.73	51.98	34.13	8.32	6.95	2	0.3
	日平均值		28.26	52.11	34.20	8.30	6.82	3.30	4.69
	灣內站	0:00	28.57	51.89	33.93	8.04	10.11	9.4	32.0
		3:00	28.04	52.06	34.07	7.96	8.21	9.6	35.3
		6:00	27.97	52.52	34.41	7.92	7.04	8.4	34.8
		9:00	27.84	53.25	34.96	7.84	6.79	6.2	21.5
		12:00	28.91	52.85	34.63	8.21	15.03	17.2	88.9
		15:00	29.15	52.88	34.64	8.22	15.41	13.8	62.0
		18:00	29.04	52.96	34.71	8.16	13.16	9.9	34.7
		21:00	29.23	52.76	34.55	8.11	12.35	14.1	54.7
	日平均值		28.59	52.65	34.49	8.06	11.01	11.08	45.49
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月5日	蚵殼站	0:04	29.78	52.56	34.49	8.27	8.83	0	13.2
		3:04	29.66	52.56	34.49	8.29	7.95	0.7	4.4
		6:04	29.73	51.67	33.83	8.22	8.12	2	1.8
		9:04	29.75	51.82	33.95	8.22	8.19	1.5	9.8
		12:04	30	51.62	33.79	8.29	8.67	0.6	1.6
		15:04	30.49	51.71	33.83	8.27	10.24	0.4	15.3
		18:04	29.57	51.76	33.9	8.16	9.02	1.1	0.3
		21:04	29.67	51.04	33.37	8.08	9.42	0.4	10.3
	日平均值		29.83	51.84	33.96	8.23	8.81	0.84	7.09
	潮口站	0:04	29.22	52.27	34.29	8.28	6.65	3.2	3.4
		3:04	28.85	52.15	34.22	8.15	6.76	1.4	2.6
		6:04	26.78	51.94	34.12	8.4	7.05	2.1	3.3
		9:04	27.42	51.88	34.06	8.4	6.95	2.4	4.2
		12:04	29.5	52.31	34.31	8.24	6.69	1.9	2.3
		15:04	30.4	52.43	34.37	8	6.43	9.5	2.1
		18:04	27.82	52.02	34.15	8.29	6.95	2.7	0.4
		21:04	27.56	52.05	34.18	8.38	6.97	2	2
	日平均值		28.44	52.13	34.21	8.27	6.81	3.15	2.54
	灣內站	0:00	29.05	52.47	34.34	8.07	10.96	8.6	24.8
		3:00	28.54	52.78	34.58	8.03	8.56	7.6	27.0
		6:00	28.11	53.21	34.92	7.89	7.42	6.8	22.6
		9:00	28.05	53.00	34.76	7.99	8.11	12.0	43.9
		12:00	28.75	52.86	34.64	8.08	11.65	15.8	82.5
		15:00	29.16	52.84	34.61	8.18	13.50	11.1	47.0
		18:00	29.11	52.90	34.66	8.17	12.89	21.1	71.2
		21:00	28.86	52.84	34.62	8.18	12.03	19.4	79.9
	日平均值		28.70	52.86	34.64	8.07	10.64	12.80	49.86
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月6日	蚵殼站	0:04	29.45	50.46	32.95	8.21	8.91	0.2	2.2
		3:04	29.44	52.64	34.56	8.19	8.63	0.2	10.6
		6:04	29.31	52.63	34.55	8.23	8.16	0.3	3.5
		9:04	29.54	52.63	34.55	8.24	8.96	0.5	8.3
		12:04	30.04	52.66	34.55	8.21	9.11	1	2.6
		15:04	29.58	52.63	34.54	8.19	9.34	3.5	7.8
		18:04	30.1	52.65	34.54	8.19	9.7	2.8	4.9
		21:04	30.06	52.66	34.55	8.18	9.79	1	2.9
	日平均值		29.69	52.37	34.35	8.21	9.08	1.19	5.35
	潮口站	0:04	28.5	52.05	34.16	8.33	6.91	3.5	6.6
		3:04	28.77	52.09	34.18	8.26	6.77	2.3	4.2
		6:04	27.28	52.15	34.26	8.33	7.01	1.5	2.1
		9:04	27.71	52.09	34.2	8.39	6.85	2.2	1.7
		12:04	30	52.32	34.3	8.17	6.64	9	1.3
		15:04	29.61	52.18	34.21	8.12	6.88	5.9	0.1
		18:04	28.85	52.15	34.21	8.16	6.88	4.4	2.4
		21:04	28.33	52.16	34.24	8.28	6.9	1.8	1
	日平均值		28.63	52.15	34.22	8.26	6.86	3.83	2.43
	灣內站	0:00	28.63	52.99	34.74	8.06	10.04	10.5	33.3
		3:00	28.36	53.06	34.80	8.03	8.49	7.2	22.3
		6:00	28.20	52.66	34.51	8.02	7.43	10.4	29.3
		9:00	28.06	52.79	34.61	7.97	7.35	10.4	46.3
		12:00	28.14	52.49	34.38	8.22	12.13	23.7	146.6
		15:00	28.07	52.63	34.49	8.18	11.22	10.7	39.9
		18:00	28.00	52.68	34.53	8.21	11.60	13.4	69.2
		21:00	27.72	51.94	33.99	8.13	9.59	15.3	74.4
	日平均值		28.15	52.66	34.51	8.10	9.73	12.70	57.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月7日	蚵殼站	0:04	29.91	52.7	34.59	8.17	9.09	1.4	2.8
		3:04	29.76	52.69	34.59	8.02	8.91	1.1	2.3
		6:04	29.53	52.57	34.5	8.18	8.7	6.5	9.8
		9:04	29.63	52.63	34.54	8.22	8.99	0.7	2.8
		12:04	29.02	52.52	34.48	8.23	8.06	5.9	16.5
		15:04	29.78	52.48	34.43	8.15	8.54	4.5	20.2
		18:04	29.93	53.3	35.03	7.96	8.7	4.7	10.4
		21:04	29.89	52.62	34.53	7.99	8.66	4.6	9.5
	日平均值		29.68	52.69	34.59	8.12	8.71	3.68	9.29
	潮口站	0:04	28.95	52.22	34.26	8.34	6.89	9.7	2.5
		3:04	29.31	52.18	34.22	8.34	6.76	1.5	3
		6:04	27.39	52.11	34.23	8.37	6.98	2.1	0.7
		9:04	27.82	52.09	34.2	8.33	7.02	2.6	3.1
		12:04	28.75	52.18	34.24	8.38	6.96	4.2	3.7
		15:04	29.17	52.16	34.21	8.41	6.96	6	5.2
		18:04	29.05	52.16	34.21	8.34	6.92	6.1	3.4
		21:04	28.18	51.81	33.99	8.35	6.95	2.3	3.5
	日平均值		28.58	52.11	34.20	8.36	6.93	4.31	3.14
	灣內站	0:00	27.64	52.14	34.14	8.17	10.09	8.9	38.0
		3:00	27.63	52.51	34.42	7.98	6.97	12.6	72.8
		6:00	27.50	52.75	34.60	7.84	4.57	17.1	78.8
		9:00	27.59	52.60	34.48	7.90	5.90	29.8	162.1
		12:00	27.92	51.97	34.00	8.39	15.67	26.0	128.7
		15:00	27.91	52.21	34.18	8.21	11.83	11.3	43.5
		18:00	27.84	52.22	34.19	8.14	10.06	8.7	23.3
		21:00	27.64	52.23	34.21	8.11	8.80	7.5	18.5
	日平均值		27.71	52.33	34.28	8.09	9.24	15.24	70.71
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月8日	蚵殼站	0:04	29.66	52.63	34.54	8.1	8.17	5	9.6
		3:04	29.51	52.63	34.55	8.09	7.45	0.4	7.6
		6:04	29.39	52.44	34.41	8.12	7.26	1.5	8.7
		9:04	29.7	52.58	34.51	8.14	8.43	1.8	9.8
		12:04	29.75	52.61	34.52	8.14	7.88	2.5	4.3
		15:04	29.76	52.63	34.54	8.1	7.72	4.3	15.5
		18:04	29.97	52.65	34.55	8.07	8.73	8.2	13.6
		21:04	30.09	52.68	34.56	8	9.18	0.4	15.5
	日平均值		29.73	52.61	34.52	8.10	8.10	3.01	10.58
	潮口站	0:04	28.12	52.04	34.15	8.42	6.92	1.7	4
		3:04	28.35	51.97	34.1	8.37	6.94	2.5	3.6
		6:04	27.1	52.05	34.19	8.43	7.14	7.3	2
		9:04	27.44	52.04	34.18	8.48	7.08	3.9	1.1
		12:04	28.71	52.1	34.18	8.46	6.98	4.1	8.3
		15:04	29.54	52.21	34.23	8.24	6.9	8.1	3.5
		18:04	29.64	52.2	34.23	8.3	7.01	4.1	7.2
		21:04	27.8	51.78	33.98	8.32	7.1	3	3
	日平均值		28.34	52.05	34.16	8.38	7.01	4.34	4.09
	灣內站	0:00	27.48	52.13	34.14	8.09	8.27	5.8	9.9
		3:00	27.27	51.86	33.94	8.13	8.13	7.1	12.6
		6:00	27.29	52.27	34.25	8.09	6.86	13.5	55.8
		9:00	27.41	52.46	34.39	8.13	8.57	17.8	74.8
		12:00	27.94	51.00	33.28	8.81	9.53	6.9	20.6
		15:00	28.03	50.97	33.25	8.24	10.38	5.1	9.0
		18:00	27.97	50.87	33.18	8.35	10.61	8.1	13.0
		21:00	28.47	50.38	32.80	8.40	11.94	9.6	38.1
	日平均值		27.73	51.49	33.65	8.28	9.29	9.24	29.23
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
5月9日	蚵殼站	0:04	30.23	52.64	34.53	8.14	9.64	4	9.2
		3:04	30.13	50.95	33.29	8.21	9.63	12.8	14.6
		6:04	29.91	52	34.07	8.2	8.83	1.5	12
		9:04	30.02	52.21	34.22	8.22	9.23	1.2	14.3
		12:04	29.73	51.59	33.77	8.2	8.4	10.2	17.6
		15:04	30.11	51.9	33.99	8.22	9.92	18.5	12.1
		18:04	30.57	52.41	34.35	8.31	10.07	36.9	10.2
		21:04	30.56	52.58	34.48	8.08	9.71	8.2	13.2
	日平均值		30.16	52.04	34.09	8.20	9.43	11.66	12.90
	潮口站	0:04	27.86	52.1	34.21	8.59	7.08	2.2	4.4
		3:04	28.98	52.03	34.12	8.45	7.03	2.8	6.2
		6:04	27.73	52.08	34.2	8.45	7.1	2.9	1.7
		9:04	27.42	51.9	34.07	8.49	7.17	2.4	3.9
		12:04	28.69	51.99	34.11	8.51	7.02	4.8	4.2
		15:04	29.08	51.98	34.08	8.3	7.06	13.2	5.3
		18:04	29.5	52.1	34.16	8.31	7.03	5	7
		21:04	28.83	51.99	34.1	8.36	7.02	3.4	1.3
	日平均值		28.51	52.02	34.13	8.43	7.06	4.59	4.25
	灣內站	0:00	28.13	50.20	32.68	8.49	11.85	10.4	27.1
		3:00	28.02	50.37	32.81	8.46	11.22	9.2	22.4
		6:00	27.70	50.54	32.95	8.25	9.61	6.3	23.2
		9:00	27.61	50.62	33.00	8.36	9.72	16.7	58.4
		12:00	27.49	50.75	33.11	8.34	10.25	9.5	57.8
		15:00	27.28	50.95	33.26	8.23	7.96	7.8	26.2
		18:00	27.10	50.98	33.29	8.07	6.83	7.7	23.5
		21:00	26.97	50.98	33.29	8.15	6.53	9.5	30.8
	日平均值		27.54	50.67	33.05	8.29	9.25	9.64	33.68
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月10日	蚵殼站	0:04	30.36	50.44	32.91	8.14	9.07	7.8	9.6
		3:04	30.28	50.41	32.89	8.19	9.26	0.6	12.5
		6:04	30.13	48.67	31.62	8.17	8.88	8.2	2.5
		9:04	30.27	49.71	32.38	8.19	8.86	2.3	4.8
		12:04	30.26	51.47	33.67	8.19	9.12	8.3	8.6
		15:04	29.99	48.28	31.34	8.2	9.11	17.1	3.6
		18:04	30.14	50.6	33.03	8.2	9.27	17	1.2
		21:04	30.13	49.38	32.14	8.05	9.29	24	7
	日平均值		30.20	49.87	32.50	8.17	9.11	10.66	6.23
	潮口站	0:04	28.41	51.88	34.03	8.35	7	2.3	1.7
		3:04	28.4	51.81	33.98	8.39	7.04	2.5	1.4
		6:04	28.35	51.87	34.02	8.35	7.04	2.9	2.6
		9:04	27.42	52.35	34.4	8.44	7.25	4.6	1.5
		12:04	28.07	52.29	34.34	8.45	7.14	2.9	1.3
		15:04	29.79	52.56	34.48	8.26	6.92	4.8	7.6
		18:04	29.69	52.58	34.51	8.33	6.93	6.4	4
		21:04	29.46	52.28	34.29	8.37	6.95	2.8	0.9
	日平均值		28.70	52.20	34.26	8.37	7.03	3.65	2.63
	灣內站	0:00	26.74	50.62	33.03	8.26	6.61	6.2	18.3
		3:00	26.78	50.84	33.19	8.15	5.59	10.4	43.4
		6:00	26.65	50.62	33.03	8.07	4.86	20.6	107.4
		9:00	26.83	50.69	33.08	8.22	6.80	15.4	73.4
		12:00	27.04	50.71	33.09	8.23	9.32	12.6	52.4
		15:00	28.02	50.59	32.97	8.64	19.41	20.0	89.1
		18:00	27.83	50.70	33.06	8.50	16.08	7.3	36.6
		21:00	27.85	50.67	33.03	8.43	15.24	15.1	49.9
	日平均值		27.22	50.68	33.06	8.31	10.49	13.45	58.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月11日	蚵殼站	0:04	30	51.94	34.02	8.11	8.39	49	6.2
		3:04	30.01	52.03	34.09	8.24	8.8	26.8	6.2
		6:04	29.96	52.23	34.24	8.26	8.61	11.5	5.2
		9:04	30.01	52.93	34.75	8.23	8.51	12.9	5.2
		12:04	30.22	52.73	34.6	8.27	9.45	0.9	7.2
		15:04	30.12	51.61	33.78	8.23	8.97	23.3	8.7
		18:04	29.63	51.53	33.73	8.16	6.52	63.5	12
		21:04	29.49	51.84	33.96	8.02	6.01	67.2	11.3
	日平均值		29.93	52.11	34.15	8.19	8.16	31.89	7.75
	潮口站	0:04	28.24	52.21	34.28	8.36	7.06	6.9	1.7
		3:04	28.22	52.15	34.24	8.47	7.07	5	3.2
		6:04	28.72	52.24	34.29	8.48	7.09	2.7	2.6
		9:04	27.48	52.04	34.17	8.46	7.27	14.5	1.4
		12:04	27.71	51.71	33.93	8.54	7.22	14.7	1.3
		15:04	29.33	52.18	34.22	8.49	7.05	5	3.4
		18:04	29	52.28	34.3	8.38	7.07	8.8	7
		21:04	28.77	52.17	34.23	8.42	7.01	9.3	4.9
	日平均值		28.43	52.12	34.21	8.45	7.11	8.36	3.19
	灣內站	0:00	27.57	48.33	31.33	8.21	10.00	20.5	64.1
		3:00	27.54	50.61	33.00	8.35	12.55	12.0	62.8
		6:00	27.13	50.84	33.18	8.19	9.00	16.8	86.8
		9:00	27.72	50.74	33.10	8.39	14.71	29.3	199.8
		12:00	28.33	50.85	33.16	8.43	15.65	17.9	76.5
		15:00	28.61	51.01	33.27	8.25	12.80	12.9	50.3
		18:00	28.55	51.07	33.31	7.90	9.04	9.1	22.4
		21:00	28.47	50.94	33.22	8.27	13.30	5.3	21.1
	日平均值		27.99	50.55	32.95	8.25	12.13	15.48	72.98
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月12日	蚵殼站	0:04	29.1	50.19	32.77	7.99	6.62	68.9	4.7
		3:04	28.9	50.16	32.75	8.12	6.91	63.5	4.7
		6:04	29.05	51.67	33.85	8.19	6.98	39.8	2.7
		9:04	29.4	51.72	33.88	8.19	7.24	66.6	2.3
		12:04	29.3	50.82	33.22	8.08	7.58	70.2	8.2
		15:04	29.77	50.78	33.18	8.23	8.7	21.5	9
		18:04	29.71	50.6	33.05	8.28	9.33	108	9.5
		21:04	29.3	47.7	30.94	8.18	7.62	104.6	9.3
	日平均值		29.32	50.46	32.96	8.16	7.62	67.89	6.30
	潮口站	0:04	27.49	51.78	33.98	8.45	7.25	5.3	2.9
		3:04	27.19	51.88	34.07	8.48	7.35	4.7	1.9
		6:04	27.77	51.99	34.13	8.42	7.18	5.4	2.8
		9:04	27.89	51.53	33.79	8.4	7.19	4.8	0.7
		12:04	26.68	51.36	33.69	8.55	7.5	4.4	0.8
		15:04	28.06	51.71	33.92	8.45	7.28	5.4	0.2
		18:04	29.37	52.16	34.2	8.35	7.06	7	3.2
		21:04	29.25	51.45	33.69	8.39	7.12	4.8	8.1
	日平均值		27.96	51.73	33.93	8.43	7.24	5.23	2.58
	灣內站	0:00	28.29	49.82	32.40	8.07	8.51	10.3	36.0
		3:00	27.91	51.06	33.33	8.13	9.83	4.1	16.3
		6:00	27.95	51.16	33.39	8.28	10.28	4.1	24.4
		9:00	28.38	51.06	33.31	8.28	11.99	4.5	28.2
		12:00	29.66	51.17	33.35	8.24	13.95	10.2	45.0
		15:00	30.30	51.07	33.25	8.01	15.18	8.2	46.2
		18:00	30.77	50.98	33.17	8.26	17.07	7.6	30.3
		21:00	29.27	51.14	33.34	8.26	12.85	5.4	25.4
	日平均值		29.07	50.93	33.19	8.19	12.46	6.80	31.48
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月13日	蚵殼站	0:04	29.2	47.38	30.71	7.97	6.58	57.8	3.8
		3:04	29.27	47.49	30.79	8.14	7.64	92.6	7.2
		6:04	29.12	50.6	33.06	8.2	6.9	36.2	3.6
		9:04	29.21	51.23	33.52	8.19	6.61	49.5	4.9
		12:04	29.5	52.83	34.7	8.11	8.25	0.6	16.1
		15:04	29.72	52.84	34.69	8.14	9.64	1.6	3.4
		18:04	29.04	52.83	34.71	8.21	9.86	1.2	7.6
		21:04	29.54	52.88	34.73	8.14	9.12	1.5	5.9
	日平均值		29.33	51.01	33.36	8.14	8.08	30.13	6.56
	潮口站	0:04	27.39	51.24	33.59	8.53	7.4	3.6	1.7
		3:04	27.18	51.3	33.64	8.47	7.41	2.7	0.7
		6:04	28.31	51.7	33.9	8.55	7.23	11.8	7.6
		9:04	28.99	51.17	33.49	8.57	7.2	2.6	3.6
		12:04	27.44	51.05	33.45	8.69	7.44	3.8	0.2
		15:04	27.97	51.41	33.83	8.4	7.82	0.5	1.1
		18:04	28.94	51.42	33.81	8.23	8.11	4.3	5.3
		21:04	29.57	51.52	33.88	8.07	7.61	5.7	5.4
	日平均值		28.22	51.35	33.70	8.44	7.53	4.38	3.20
	灣內站	0:00	29.25	51.01	33.25	8.30	13.65	3.4	25.4
		3:00	29.31	51.06	33.28	8.40	13.87	7.2	34.2
		6:00	29.00	51.10	33.31	8.23	11.43	7.6	40.1
		9:00	29.17	51.10	33.31	8.41	13.11	17.9	78.1
		12:00	30.59	51.07	33.24	8.28	13.33	6.6	17.3
		15:00	31.56	50.99	33.15	8.13	14.39	8.3	29.3
		18:00	30.07	51.13	33.30	7.86	10.08	10.4	37.3
		21:00	30.58	51.07	33.24	8.41	17.01	4.4	19.5
	日平均值		29.94	51.07	33.26	8.25	13.36	8.23	35.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月14日	蚵殼站	0:04	29.32	52.91	34.76	8.09	8.63	0.5	5.9
		3:04	29.55	52.87	34.72	8.18	9.79	1.8	2.2
		6:04	29.32	52.86	34.72	8.21	8.89	1.7	5.1
		9:04	29.43	52.86	34.72	8.22	9.19	1.7	2.6
		12:04	29.4	52.86	34.72	8.19	8.68	1	7.6
		15:04	29.65	52.88	34.73	8.17	9.21	0.3	3.9
		18:04	29.69	52.84	34.7	8.21	9.29	0	6.1
		21:04	29.55	52.82	34.69	8.2	8.75	1.7	5.7
	日平均值		29.49	52.86	34.72	8.18	9.05	1.09	4.89
	潮口站	0:04	28.52	51.11	33.62	8.05	7.61	1.2	0.5
		3:04	27.74	51.16	33.68	8.18	7.55	0.1	0.7
		6:04	27.73	50.92	33.51	8.23	7.39	6.9	1.5
		9:04	29.06	51.48	33.93	8.26	8.61	1.5	5.8
		12:04	29.33	51.51	33.94	8.18	8.38	2.9	6.9
		15:04	28.63	51.1	33.66	8.07	7.97	4.1	2.9
		18:04	28.72	51.1	33.66	8.12	8.08	2.7	2.8
		21:04	29.5	51.52	33.94	8.15	7.58	5.9	8.4
	日平均值		28.65	51.24	33.74	8.16	7.90	3.16	3.69
	灣內站	0:00	29.84	49.99	32.47	8.17	11.07	5.4	25.9
		3:00	30.05	50.77	33.04	8.29	12.04	8.2	47.5
		6:00	29.43	51.00	33.23	8.18	10.50	7.2	30.8
		9:00	29.77	51.06	33.26	8.29	13.07	9.9	54.3
		12:00	31.20	50.80	33.03	8.40	16.23	7.3	32.5
		15:00	32.19	50.23	32.57	8.51	20.69	16.5	40.4
		18:00	31.54	50.40	32.71	8.28	15.36	5.7	21.4
		21:00	31.48	51.08	33.22	8.33	16.01	6.0	14.4
	日平均值		30.69	50.67	32.94	8.31	14.37	8.28	33.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月15日	蚵殼站	0:04	29.41	52.81	34.69	8.16	8.58	2.1	7.8
		3:04	29.51	52.85	34.71	8.18	8.47	0.7	7.5
		6:04	29.3	52.8	34.68	8.16	7.83	0.4	5.7
		9:04	29.27	52.81	34.69	8.18	8.02	0.3	11.3
		12:04	29.82	52.87	34.71	8.16	8.85	0.6	10.5
		15:04	30.3	52.85	34.68	8.16	9.89	0	9.4
		18:04	30.23	52.85	34.69	8.19	10.16	0.5	5.4
		21:04	30.08	52.84	34.69	8.2	9.76	0.4	8
	日平均值		29.74	52.84	34.69	8.17	8.95	0.63	8.20
	潮口站	0:04	29.33	51.59	34	8.17	8.13	3.5	8.4
		3:04	28.18	51.46	33.94	8.15	7.52	4.8	4.8
		6:04	28.13	51.04	33.63	8.2	7.31	2.5	2.3
		9:04	28.69	51.71	34.16	8.11	7.2	7.9	2
		12:04	29.76	51.89	34.26	8.05	7.81	5.5	6.5
		15:04	29.05	51.69	34.13	8.02	8.09	1.8	1.9
		18:04	29.4	51.36	33.88	8	8.26	3.5	9.7
		21:04	29.38	51.77	34.19	8.06	8.47	4.8	9
	日平均值		28.99	51.56	34.02	8.10	7.85	4.29	5.58
	灣內站	0:00	31.22	51.00	33.17	8.29	15.26	5.5	33.3
		3:00	30.66	51.69	33.70	8.19	11.83	7.0	28.9
		6:00	30.13	51.34	33.46	8.22	10.87	8.2	35.9
		9:00	30.25	51.24	33.38	8.23	11.64	7.9	50.9
		12:00	31.38	50.48	32.78	8.39	14.79	9.2	35.4
		15:00	31.58	50.31	32.65	8.50	14.07	10.2	33.2
		18:00	31.52	50.50	32.79	8.35	13.62	7.6	23.3
		21:00	31.34	51.26	33.36	8.34	12.16	8.1	22.4
	日平均值		31.01	50.98	33.16	8.31	13.03	7.96	32.91
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月16日	蚵殼站	0:04	29.93	52.87	34.71	8.19	9.42	0.8	11.2
		3:04	29.85	52.85	34.7	8.2	8.79	1.2	10.1
		6:04	29.92	52.87	34.71	8.2	8.66	0.6	4.2
		9:04	30.13	52.45	34.4	8.23	9.14	1	6.3
		12:04	30.17	51.57	33.74	8.22	9.41	0.1	6.8
		15:04	30.45	52.22	34.21	8.13	9.64	0.1	12.3
		18:04	30.55	51.85	33.94	8.16	9.73	1.7	9.7
		21:04	30.51	52.69	34.56	8.17	9.16	1.8	9.6
	日平均值		30.19	52.42	34.37	8.19	9.24	0.91	8.78
	潮口站	0:04	29.56	51.77	34.18	8	7.71	4.4	9
		3:04	28.67	51.52	34.02	8.04	7.55	0.9	3
		6:04	28.68	51.49	34	8.07	7.37	16.7	2.1
		9:04	29.12	51.72	34.16	8.02	7.02	5.9	2
		12:04	30.18	51.97	34.3	8.05	8.52	4.4	4.7
		15:04	29.01	50.94	33.58	8	8.26	3.8	11
		18:04	29.11	51.53	34.01	8.13	8.13	0.8	3.7
		21:04	29.18	51.5	33.99	8.05	8.13	8.4	4.7
	日平均值		29.19	51.56	34.03	8.05	7.84	5.66	5.03
	灣內站	0:00	31.34	50.97	33.14	8.33	11.57	11.9	30.3
		3:00	31.46	50.15	32.54	8.20	8.88	13.5	46.3
		6:00	30.77	51.30	33.40	8.09	9.88	8.8	44.2
		9:00	30.53	51.26	33.39	8.13	10.15	11.4	58.3
		12:00	32.20	49.53	32.06	8.34	13.78	9.5	33.2
		15:00	33.37	49.93	32.30	8.41	17.89	23.4	74.2
		18:00	32.52	50.78	32.96	8.50	14.52	10.9	44.7
		21:00	31.47	51.24	33.34	8.21	10.24	6.4	31.4
	日平均值		31.71	50.65	32.89	8.28	12.11	11.98	45.33
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月17日	蚵殼站	0:04	30.41	52.73	34.59	8.17	8.74	3.1	14.2
		3:04	30.29	51.39	33.61	8.14	8.03	0.2	11
		6:04	29.88	52.37	34.35	8.15	7.06	0	11.5
		9:04	30.56	52.51	34.43	8.18	8.66	0.1	11.6
		12:04	30.84	52.55	34.44	8.12	8.83	0.8	2.2
		15:04	30.75	52.51	34.42	8.01	9.11	0.4	9.4
		18:04	30.44	52.57	34.47	8.1	9.47	0.1	6.8
		21:04	30.36	51.64	33.79	8.11	8.88	0	9
	日平均值		30.44	52.28	34.26	8.12	8.60	0.59	9.46
	潮口站	0:04	29.21	51.54	34.02	8.03	7.13	3.7	3
		3:04	28.05	51.54	34.05	8.23	7.2	4.1	3.6
		6:04	28.29	51.55	34.05	8.09	7.46	6.3	4.7
		9:04	29.13	51.69	34.13	8.1	7.7	3.2	5
		12:04	30.94	52.07	34.35	8	7.04	7.9	3.3
		15:04	29.75	51.75	34.16	7.97	8.1	4.1	6.6
		18:04	29.04	51.68	34.13	8.04	8.2	1.5	4.7
		21:04	29.08	51.64	34.1	8.03	7.87	1.7	0.7
	日平均值		29.19	51.68	34.12	8.06	7.59	4.06	3.95
	灣內站	0:00	32.12	50.45	32.73	8.15	9.57	10.9	41.4
		3:00	31.73	51.02	33.16	8.16	10.30	11.6	53.8
		6:00	30.32	51.12	33.29	7.73	7.25	13.9	59.5
		9:00	30.01	51.24	33.39	7.97	7.83	10.3	59.6
		12:00	31.65	51.02	33.17	8.16	12.71	11.4	68.2
		15:00	32.74	50.24	32.55	8.36	17.36	15.4	66.3
		18:00	32.92	51.06	33.15	8.15	13.71	9.7	30.3
		21:00	31.79	51.19	33.29	8.17	10.82	10.3	37.8
	日平均值		31.66	50.92	33.09	8.11	11.19	11.69	52.11
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月18日	蚵殼站	0:04	30.74	52.56	34.45	8.12	8.59	0.1	5.7
		3:04	30.61	51.8	33.9	8.15	7.98	0.2	6.7
		6:04	30.36	51.61	33.77	8.14	7.72	0.7	9.8
		9:04	30.73	50.92	33.25	8.18	8.49	0.5	4.8
		12:04	31.24	51.74	33.83	8.13	8.56	1.9	10.2
		15:04	30.61	51.26	33.5	8	9.27	1.8	9.6
		18:04	30.64	51.35	33.57	8.02	9.47	0.8	6.5
		21:04	30.23	49.7	32.37	8.12	8.61	0.9	9.5
	日平均值		30.65	51.37	33.58	8.11	8.59	0.86	7.85
	潮口站	0:04	29.89	51.8	34.18	8.1	7.35	4.4	6.1
		3:04	28.45	51.52	34.02	8.05	7.3	2.1	2
		6:04	28.43	51.67	34.14	8.1	7.51	1.6	1.8
		9:04	28.97	51.7	34.15	8.03	7.32	4.6	4.9
		12:04	31	52.23	34.46	7.92	6.79	12.1	4
		15:04	30.77	52.06	34.35	8.01	8.48	11.8	7.6
		18:04	29.34	51.67	34.11	8.09	7.72	9.9	0.9
		21:04	29.06	51.77	34.19	8.07	7.47	1.4	1
	日平均值		29.49	51.80	34.20	8.05	7.49	5.99	3.54
	灣內站	0:00	31.74	51.05	33.19	8.12	9.45	9.5	38.8
		3:00	31.26	51.04	33.20	8.18	9.90	10.2	49.7
		6:00	30.58	51.19	33.33	8.03	7.71	11.3	56.9
		9:00	30.18	51.14	33.31	7.93	6.99	12.4	51.0
		12:00	31.26	51.15	33.27	8.11	9.58	6.3	26.9
		15:00	31.25	49.65	32.18	8.15	10.38	7.3	35.3
		18:00	30.98	50.27	32.64	8.40	9.19	9.7	38.9
		21:00	30.41	51.21	33.35	8.13	8.38	6.0	26.2
	日平均值		30.96	50.84	33.06	8.13	8.95	9.09	40.46
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月19日	蚵殼站	0:04	31.03	50.72	33.09	8.1	8.68	0.4	7.4
		3:04	30.76	51.43	33.62	8.13	8.25	0.7	7.4
		6:04	30.4	50.13	32.68	8.17	8.03	0.5	6.7
		9:04	30.52	49.84	32.46	8.2	8.4	0.3	2.6
		12:04	30.99	49.49	32.19	8.13	8.54	0.3	6.2
		15:04	31.11	49.32	32.06	8.09	8.82	2.7	22.9
		18:04	31.24	52.47	34.37	7.96	9.11	1.5	12.6
		21:04	31.15	50.62	33.01	8.06	8.72	1.5	11
	日平均值		30.90	50.50	32.94	8.11	8.57	0.99	9.60
	潮口站	0:04	29.21	51.85	34.24	8.05	7.65	5.6	1.6
		3:04	29.19	51.85	34.25	8.08	7.2	4.6	6.3
		6:04	28.1	51.81	34.25	8.07	7.52	2.1	3.6
		9:04	28.48	51.84	34.26	8.13	7.52	3.7	1.8
		12:04	29.48	52.07	34.4	8.04	7.14	17.7	1.6
		15:04	30.37	52.11	34.4	7.98	8.36	6.9	10.5
		18:04	28.13	51.15	33.76	8.03	7.54	2.9	2.4
		21:04	28.76	51.87	34.27	8.09	7.44	5.9	4.3
	日平均值		28.97	51.82	34.23	8.06	7.55	6.18	4.01
	灣內站	0:00	30.21	50.97	33.18	8.20	9.59	4.5	24.5
		3:00	30.45	51.45	33.53	8.17	9.34	6.4	25.3
		6:00	30.15	51.13	33.30	8.14	8.05	6.8	25.3
		9:00	30.47	51.05	33.23	8.16	8.63	10.5	43.5
		12:00	30.85	51.19	33.32	8.18	11.24	7.8	32.2
		15:00	31.48	50.88	33.07	8.19	13.98	17.3	82.3
		18:00	31.20	50.55	32.84	8.43	13.26	11.4	53.2
		21:00	30.70	51.16	33.30	8.36	11.89	5.6	27.8
	日平均值		30.69	51.05	33.22	8.23	10.75	8.79	39.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月20日	蚵殼站	0:04	30.98	49.71	32.35	8.11	8.19	1.7	13
		3:04	30.86	50.09	32.63	8.11	7.94	1.9	4.2
		6:04	30.6	52.11	34.12	8.13	6.82	3.1	11.2
		9:04	30.72	52.11	34.12	8.16	7.23	3	14
		12:04	31.17	52.39	34.31	8.18	9.09	4.6	19.7
		15:04	31.36	52.57	34.44	8.17	9.53	6.1	11.8
		18:04	31.24	52.5	34.39	8	9.34	6.4	22.9
		21:04	31.22	50.59	32.99	8.08	9	9.9	18.3
	日平均值		31.02	51.51	33.67	8.12	8.39	4.59	14.39
	潮口站	0:04	29.2	51.94	34.31	8.13	7.74	3.7	8.6
		3:04	28.59	51.77	34.21	8.05	7.07	6	3
		6:04	27.35	51.77	34.24	8.19	7.19	3.9	0.7
		9:04	27.73	51.82	34.27	8.1	7.48	6.1	3.6
		12:04	30.4	52.36	34.58	8.14	8.58	3.3	7.9
		15:04	30.19	52.2	34.47	8.01	8.6	8.9	11.8
		18:04	29.63	52.04	34.37	8.11	7.89	15	9.8
		21:04	27.88	51.78	34.24	8.09	7.6	9.9	3.3
	日平均值		28.87	51.96	34.34	8.10	7.77	7.10	6.09
	灣內站	0:00	30.21	50.86	33.10	8.26	10.71	7.4	39.2
		3:00	29.49	51.21	33.38	8.24	8.44	9.6	51.2
		6:00	29.54	51.03	33.25	8.21	8.74	7.3	49.7
		9:00	29.57	50.79	33.07	8.29	9.98	30.5	112.0
		12:00	29.89	51.06	33.26	8.17	10.16	5.6	30.8
		15:00	28.98	50.05	32.55	8.14	7.93	11.3	51.1
		18:00	29.92	48.00	31.02	8.15	8.82	13.5	44.8
		21:00	29.25	46.95	30.27	8.42	7.07	19.9	60.6
	日平均值		29.61	49.99	32.49	8.24	8.98	13.14	54.93
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月21日	蚵殼站	0:04	31.23	50.57	32.97	8.13	9.27	10.8	14.3
		3:04	30.77	50.19	32.71	8.16	8.33	18.4	10.7
		6:04	30.55	51.28	33.51	8.18	8	13.5	11.7
		9:04	30.39	51.23	33.49	8.17	7.59	15.9	13.6
		12:04	29.8	52.22	34.24	8.22	7.65	14.7	9.4
		15:04	30.04	51.96	34.04	8.24	8.98	15.1	18.7
		18:04	29.44	50.87	33.25	8.13	7.86	16.9	12.8
		21:04	29.23	50.67	33.11	8.09	7.39	17.3	12.3
	日平均值		30.18	51.12	33.42	8.17	8.13	15.33	12.94
	潮口站	0:04	28.73	51.89	34.29	8.22	7.38	5.2	9.5
		3:04	29.13	51.96	34.33	8.01	7.23	3.2	11.8
		6:04	27.58	51.75	34.22	8.08	7.74	1.8	4.3
		9:04	27.17	51.91	34.35	8.21	7.75	5.8	1.7
		12:04	29.04	51.97	34.34	8.19	8.11	5.9	11.2
		15:04	29.01	51.99	34.35	7.97	7.15	8.7	9.8
		18:04	28.96	52	34.37	8.21	7.96	6.6	13.2
		21:04	27.23	51.82	34.29	8.17	7.66	6.7	5.6
	日平均值		28.36	51.91	34.32	8.13	7.62	5.49	8.39
	灣內站	0:04	30.82	52.13	34.13	8.15	7.9	2.6	13.8
		3:04	30.29	52.16	34.17	8.26	7.3	1.7	11.3
		6:04	30.03	52.06	34.11	8.18	6.73	2.6	13.6
		9:04	29.76	52.02	34.09	8.11	7.01	1.2	9.3
		12:04	29.29	52.03	34.11	8.15	6.91	2.6	12
		15:04	29.4	52.05	34.12	8.19	7.34	2	23.1
		18:04	29.03	51.13	33.46	8.27	6.5	4.9	28.3
		21:04	28.58	51.97	34.09	8.1	6.08	5.1	20.9
	日平均值		29.65	51.94	34.04	8.18	6.97	2.84	16.54
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月22日	蚵殼站	0:04	29	50.68	33.13	8.15	6.95	19.6	13.8
		3:04	28.73	51.79	33.95	8.17	7.02	17.8	10
		6:04	28.52	52.34	34.36	8.17	6.71	18.8	12
		9:04	28.53	52.49	34.48	8.17	7.11	22.3	13.6
		12:04	28.31	52.36	34.39	8.18	7.25	21.7	10.3
		15:04	28.27	52.4	34.42	8.19	7.33	23.9	8.1
		18:04	28.16	51.8	33.98	8.17	7.09	22	6.7
		21:04	28.04	49.11	32.01	8.15	6.92	25.9	8.4
	日平均值		28.45	51.62	33.84	8.17	7.05	21.50	10.36
	潮口站	0:04	27.99	51.88	34.3	8.26	7.23	9.8	10.2
		3:04	27.78	51.86	34.29	8.15	6.94	6.6	5.5
		6:04	26.96	51.8	34.27	8.13	7.51	7.3	0.4
		9:04	27.14	51.71	34.2	8.15	7.57	6.3	1.8
		12:04	27.49	51.31	33.9	8.23	7.19	12	8.2
		15:04	27.49	51.11	33.76	8.12	7.12	13.2	7.9
		18:04	27.42	51.3	33.9	8.18	7.48	7.5	10.8
		21:04	27.19	51.3	33.9	8.18	7.39	23.6	4.9
	日平均值		27.43	51.53	34.07	8.18	7.30	10.79	6.21
	灣內站	0:04	28.39	51.92	34.06	8.18	6.14	2.3	7
		3:04	28.01	51.96	34.1	8.11	5.51	3.8	17.6
		6:04	27.69	52	34.14	8.22	4.9	3.7	14.7
		9:04	27.74	52	34.14	8.02	5.7	18.2	16
		12:04	27.38	51.58	33.84	8.09	5.75	3.5	9.9
		15:04	27.5	51.58	33.83	8.04	5.91	2.8	6.9
		18:04	27.02	51.19	33.56	8.09	5.36	2.5	5.8
		21:04	26.95	50.49	33.05	8.36	5.29	5	11.9
	日平均值		27.59	51.59	33.84	8.14	5.57	5.23	11.23
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月23日	蚵殼站	0:00	28.80	48.89	31.82	8.26	12.84	4.8	6.3
		3:00	29.34	50.82	33.22	8.17	13.79	6.4	16.4
		6:00	29.20	51.15	33.47	8.31	14.51	6.2	15.7
		9:00	29.27	51.12	33.45	8.22	14.00	13.7	96.7
		12:30	29.66	49.19	32.01	8.35	13.29	6.7	20.2
		15:00	29.19	50.93	33.31	8.30	9.92	3.1	9.7
		18:00	29.69	50.85	33.23	8.56	13.02	2.4	8.9
		21:00	29.48	50.88	33.26	8.57	12.79	2.4	9.6
	日平均值		29.33	50.48	32.97	8.34	13.02	5.71	22.94
	潮口站	0:04	27	50.77	33.47	8.15	7.28	5.7	1.9
		3:04	27.08	50.51	33.28	8.31	6.83	3.2	4.2
		6:04	27	50.59	33.33	8.18	7.21	8.2	6.2
		9:04	27.04	49.55	32.57	8.16	7.39	8.1	0.3
		12:04	27.08	49.11	32.25	8.19	7.36	2.8	0.9
		15:04	27.2	48.88	32.08	8.13	7.4	9.6	11.1
		18:04	27.02	46.67	30.47	8.05	6.78	7.6	3.3
		21:04	26.73	45.96	29.97	8.04	6.73	10.2	4.2
	日平均值		27.02	49.01	32.18	8.15	7.12	6.93	4.01
	灣內站	0:04	26.97	50.69	33.19	8.17	5.04	1.5	6.7
		3:04	27.22	51.53	33.81	8.36	5.17	1	13.2
		6:04	27.26	51.6	33.86	8.28	5.39	0.2	4
		9:04	27.27	51.32	33.65	8.32	5.56	1.1	10.7
		12:04	27.25	50.86	33.31	8.08	6.15	1.3	10.6
		15:04	27.17	49.68	32.45	8.18	5.42	2.3	6.2
		18:04	26.82	44.65	28.8	8.17	5.38	5.8	11.5
		21:04	27.2	50.07	32.73	8.26	5.21	1.5	7.8
	日平均值		27.15	50.05	32.73	8.23	5.42	1.84	8.84
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月24日	蚵殼站	0:00	29.28	50.88	33.26	8.55	12.36	2.3	6.8
		3:00	28.97	50.96	33.33	8.54	11.37	1.8	2.4
		6:00	28.60	51.02	33.39	8.55	10.45	1.6	1.9
		9:00	29.02	50.81	33.23	8.51	11.32	3.3	7.5
		12:00	29.25	51.37	33.63	8.36	9.70	3.6	10.2
		15:00	28.85	51.60	33.81	8.27	9.55	3.3	5.9
		18:00	28.91	51.63	33.83	8.45	9.25	2.9	3.0
		21:00	29.26	51.55	33.76	8.36	10.43	2.4	2.5
	日平均值		29.02	51.23	33.53	8.45	10.55	2.65	5.03
	潮口站	0:04	26.72	45.58	29.7	8.16	6.76	3.7	11.5
		3:04	26.79	46.94	30.68	8.22	6.8	2.4	7.4
		6:04	26.76	48.21	31.6	8.16	6.8	9	4.4
		9:04	26.97	49.52	32.55	8.31	7.38	22.4	4.1
		12:04	26.98	47.47	31.06	8.26	7.38	6.7	2.3
		15:04	27.15	48.15	31.55	8.05	6.9	17.1	6.7
		18:04	27.14	48.24	31.61	8.07	6.78	8.7	6.3
		21:04	26.91	44.78	29.12	8.09	7.7	30.8	4.1
	日平均值		26.93	47.36	30.98	8.17	7.06	12.60	5.85
	灣內站	0:04	27.18	50.97	33.4	8.12	5.26	0.4	3.9
		3:04	26.63	49.39	32.25	8.15	5.84	0.6	7.8
		6:04	26.64	49.62	32.42	8.17	5.87	0.2	7.1
		9:04	26.78	49.78	32.54	8.33	6.25	0.9	6.4
		12:04	26.75	48.61	31.68	8.17	6.33	1.2	5
		15:04	26.69	47.08	30.56	8.21	7.2	1.6	20.7
		18:04	26.71	46.61	30.22	8.21	6.71	2	12.9
		21:04	26.57	45.44	29.38	8.23	6.7	2.8	14.4
	日平均值		26.74	48.44	31.56	8.20	6.27	1.21	9.78
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月25日	蚵殼站	0:00	29.64	51.44	33.67	8.43	11.36	2.7	2.4
		3:00	28.83	51.51	33.74	8.32	9.23	2.8	3.3
		6:00	29.06	51.20	33.51	8.48	10.11	2.7	6.6
		9:00	29.47	51.15	33.46	8.38	9.85	2.7	5.9
		12:00	28.84	51.64	33.84	8.22	7.71	3.6	3.5
		15:00	29.64	51.69	33.85	8.38	10.17	4.2	6.9
		18:00	29.79	51.47	33.68	8.31	9.92	4.5	5.5
		21:00	29.79	44.73	28.78	8.22	10.08	2.6	6.9
	日平均值		29.38	50.60	33.07	8.34	9.80	3.23	5.13
	潮口站	0:04	26.5	37.97	24.3	8.05	8.11	57.7	2.2
		3:04	26.81	44.81	29.14	8.09	6.99	19.1	1.1
		6:04	27.25	48.85	32.06	8.05	5.48	10.2	4.6
		9:04	26.71	45.65	29.75	8.1	7.58	204.9	6.5
		12:04	26.56	46.41	30.3	8.21	7.36	184.1	2.1
		15:04	26.9	44.64	29.02	8.01	7.19	12.4	0.5
		18:04	26.82	43.78	28.41	8.02	7.1	7.6	11.3
		21:04	26.72	42.25	27.31	7.95	6.92	9.3	5.6
	日平均值		26.78	44.30	28.79	8.06	7.09	63.16	4.24
	灣內站	0:04	26.49	45.29	29.27	8.14	6.56	1.9	18.7
		3:04	26.44	44.74	28.87	8.12	6.21	6.9	4.9
		6:04	26.41	45.66	29.54	8.18	6.3	4.5	4
		9:04	26.33	43.89	28.27	8.08	5.85	7	5.3
		12:04	26.51	46.01	29.79	7.97	5.94	2.7	3.1
		15:04	26.39	43.16	27.74	8.07	6.38	6.3	5
		18:04	26.3	40.3	25.7	8.19	7.01	9.2	11.1
		21:04	26.21	37.17	23.5	8.1	6.72	8.3	12.2
	日平均值		26.39	43.28	27.84	8.11	6.37	5.85	8.04
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月26日	蚵殼站	0:00	30.09	44.56	28.64	8.33	10.41	2.3	6.5
		3:00	30.00	43.91	28.18	8.35	10.45	3.1	2.7
		6:00	29.71	40.00	25.40	8.16	8.42	4.4	12.0
		9:00	30.17	38.64	24.44	8.37	11.86	17.1	93.8
		12:00	29.32	47.13	30.53	8.11	7.59	5.30	12.90
		15:00	28.95	51.78	33.94	8.09	6.85	4.2	9.9
		18:00	29.27	51.74	33.90	8.09	7.51	7.0	11.6
		21:00	29.50	51.68	33.85	8.17	8.18	7.3	22.3
	日平均值		29.63	46.18	29.86	8.21	8.91	6.34	21.46
	潮口站	0:04	26.25	42.17	27.27	8.1	7.23	55.2	1.4
		3:04	26	37.82	24.2	8.14	7.37	17.1	4.7
		6:04	26.14	38.97	25.01	8.1	7.15	7.1	1.1
		9:04	26.49	40.7	26.22	8.1	6.95	12.7	5.2
		12:04	25.93	39.75	25.56	8.16	7.59	44.5	2.9
		15:04	26.49	30.99	19.48	8.15	8.74	16	7.8
		18:04	26.85	34.95	22.19	8.1	8.71	7.8	32.2
		21:04	26.81	37.18	23.74	8.1	7.23	11.1	11.7
	日平均值		26.37	37.82	24.21	8.12	7.62	21.44	8.38
	灣內站	0:04	26.28	40.97	26.18	8.12	6.27	3.1	3.5
		3:04	26.35	41.85	26.81	8.07	6.2	2.7	3
		6:04	26.35	42.27	27.11	8.14	6.08	1.9	7.8
		9:04	26.39	40.37	25.75	8.16	6.38	2	6.4
		12:04	26.1	31.26	19.41	7.99	6.85	5.8	12.4
		15:04	26.47	41.07	26.25	8.15	6.5	3.5	4.5
		18:04	26.71	34.21	21.43	8.28	8	5.5	9.4
		21:04	26.62	26.34	16.08	8.17	7.94	6.7	6.1
	日平均值		26.41	37.29	23.63	8.14	6.78	3.90	6.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月27日	蚵殼站	0:04	26.87	38.2	24.21	8.38	6.78	6.8	13.2
		3:04	26.8	32.74	20.42	8.12	7.04	5.4	10.1
		6:04	26.81	36.99	23.36	8.08	6.8	7.8	0.4
		9:04	26.58	32.53	20.27	8.21	7.04	4.8	9.5
		12:04	26.87	37.98	24.06	8.02	6.85	6.8	5.8
		15:04	27.51	36.32	22.88	8.15	7.33	5.9	26.9
		18:04	28.93	30.93	19.13	8.56	7.39	5.1	43.6
		21:04	28.91	29.79	18.36	8.29	7.39	5.6	34.3
	日平均值		27.41	34.44	21.59	8.23	7.08	6.03	17.98
	潮口站	0:04	26.64	39.5	25.37	8	7.18	14.8	8.3
		3:04	25.96	43.11	27.95	8.1	7.39	33.9	0.1
		6:04	26.61	40.64	26.17	8.07	6.62	4.4	6.4
		9:04	26.5	36.64	23.37	8.1	6.92	5.7	7.2
		12:04	27.51	39.86	25.6	7.98	7.77	10.1	3.2
		15:04	27.26	43.71	28.35	8.04	7.15	16.5	4.6
		18:04	27.22	42.42	27.42	8.07	9.2	4.3	17.1
		21:04	27.89	38.72	24.79	8.06	9.86	6.8	26.6
	日平均值		26.95	40.58	26.13	8.05	7.76	12.06	9.19
	灣內站	0:04	26.48	26.97	16.5	8.06	7.3	8	11
		3:04	26.58	37.68	23.86	8.11	6.35	4.5	11.6
		6:04	26.56	31.95	19.88	7.94	5.85	6.2	19.1
		9:04	26.51	31.86	19.82	8.05	6.98	4	10.6
		12:04	26.82	35.91	22.61	8.09	7.3	3.4	3.7
		15:04	29.03	26.84	16.36	8.29	10.44	6.5	23.7
		18:04	29.03	27.97	17.12	8.52	11.79	5.8	34.3
		21:04	29.1	27.69	16.93	8.44	10.82	6.8	39.2
	日平均值		27.51	30.86	19.14	8.19	8.35	5.65	19.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月28日	蚵殼站	0:04	28.16	30.39	18.78	8.26	7.28	5.5	44.4
		3:04	27.78	33.09	20.63	7.92	6.94	5.9	20.4
		6:04	27.72	31.65	19.65	7.92	6.89	5.6	19.4
		9:04	27.88	27.28	16.68	8.27	7.25	5.8	25.2
		12:04	27.98	29.35	18.08	8.02	7.22	5.4	15.8
		15:04	29.1	35.02	21.94	8.46	7.55	4.1	53.9
		18:04	29.22	32.59	20.26	8.43	7.47	3.8	73.9
		21:04	29.79	30.18	18.6	8.75	7.73	5	88.1
	日平均值		28.45	31.19	19.33	8.25	7.29	5.14	42.64
	潮口站	0:04	27.31	42.92	27.78	8.02	7.49	15.1	9.2
		3:04	26.96	36.96	23.58	8.07	9.09	15.3	14.8
		6:04	26.49	39.21	25.17	7.85	8.02	10.6	6
		9:04	27.37	32.93	20.78	8.15	10.06	3.8	22
		12:04	27	44.78	29.11	7.87	7.57	9.8	8.4
		15:04	27.1	44.16	28.67	7.92	7.26	62.2	2.4
		18:04	27.98	44.02	28.54	8.1	10.23	4.2	22.6
		21:04	28.32	41.75	26.92	8.21	11.26	3.4	41.8
	日平均值		27.32	40.84	26.32	8.02	8.87	15.55	15.90
	灣內站	0:04	28.58	27.96	17.13	8.39	10.03	6.4	32.5
		3:04	27.13	41.03	26.2	7.99	7.57	2.8	18.8
		6:04	28.06	29.28	18.02	8.06	7.3	7.7	51.1
		9:04	28.05	30.5	18.86	7.94	5.98	7.3	42.4
		12:04	29.07	27	16.47	8.5	11.13	14.7	36.2
		15:04	29.69	30.78	19.01	8.56	16.19	96.6	101.9
		18:04	29.73	29.19	17.93	8.4	16.63	6.5	105
		21:04	29.42	26.72	16.28	8.31	14.02	8.2	103.1
	日平均值		28.72	30.31	18.74	8.27	11.11	18.78	61.38
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月29日	蚵殼站	0:04	29.61	29.2	17.94	8.09	7.48	4.4	69.4
		3:04	29.38	32.23	20.01	8.05	7.32	3.9	67.4
		6:04	29.19	32.83	20.43	7.85	7.13	5.2	64.6
		9:04	29.08	27.97	17.12	8.11	7.11	4.9	75.7
		12:04	30.77	29.36	18.02	8.32	8	4.4	113.6
		15:04	31.12	32.6	20.22	8.23	8.09	5.1	124.5
		18:04	31.2	33.38	20.76	8.27	7.95	5.2	112.5
	21:04	31.27	32.17	19.92	8.4	7.81	4.7	119	
	日平均值		30.20	31.22	19.30	8.17	7.61	4.73	93.34
	潮口站	0:04	28.51	40.38	25.95	8.11	11.17	4.4	42.3
		3:04	27.31	40.55	26.09	8.13	9.59	19.8	23.9
		6:04	28.31	34.4	21.77	8.28	11.44	5.4	68.1
		9:04	27.14	41.98	27.11	7.82	8.66	7.4	28.5
		12:04	27.77	44.27	28.73	7.93	9.21	19.8	26.3
		15:04	26.97	47.9	31.37	7.87	7.54	40.1	2.5
		18:04	26.51	44.27	28.76	7.95	8.12	23.4	5.1
	21:04	29.9	39.91	25.57	8.33	16	4.4	81.2	
	日平均值		27.80	41.71	26.92	8.05	10.22	15.59	34.74
	灣內站	0:04	29.25	25.32	15.35	8.32	11.64	8	114.6
		3:04	29.34	27.01	16.47	8.39	12.08	9.6	82
		6:04	28.24	39.66	25.21	7.65	8.35	6.8	28.1
		9:04	29.18	28.86	17.72	8.46	13.43	7.5	74.1
		12:04	30.9	29.81	18.33	8.18	19.64	8.5	117.3
		15:04	31.37	28.7	17.56	8.27	22.28	10	129.6
		18:04	31.32	29.68	18.23	8.3	19.6	7.6	146.6
	21:04	30.92	26.89	16.36	8.18	15.81	8.9	120.9	
	日平均值		30.07	29.49	18.15	8.22	15.35	8.36	101.65
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月30日	蚵殼站	0:04	31.12	32.42	20.1	8.39	7.73	4.1	115.3
		3:04	30.94	33.49	20.83	8.34	7.52	3.3	111.3
		6:04	29.77	35.46	22.23	7.88	7.21	3.9	79.1
		9:04	30.15	30.9	19.08	8.32	7.37	4.3	104
		12:04	31.04	34.52	21.55	8.38	7.57	4.2	105.5
		15:04	30.97	36.31	22.79	8.39	7.51	3.8	102.3
		18:04	31.33	35.63	22.3	8.48	7.59	3.6	114.8
		21:04	30.9	34.6	21.6	8.45	7.33	3.9	108
	日平均值		30.78	34.17	21.31	8.33	7.48	3.89	105.04
	潮口站	0:04	29.4	39.61	25.38	8.17	12.77	11.3	68.3
		3:04	25.14	49.19	32.36	7.84	8.08	229.5	17
		6:04	29.38	36.54	23.23	8.4	12.19	4.8	82.9
		9:04	28.1	42.14	27.2	8.16	13.03	31.3	52.6
		12:04	26.99	47.24	30.89	7.89	7.45	29.6	19.6
		15:04	26.59	48.72	31.98	7.94	6.87	49.5	6.4
		18:04	25.88	48.37	31.74	8.02	6.79	29	4
		21:04	29.58	42.63	27.51	8.3	13.82	5.3	86
	日平均值		27.63	44.31	28.79	8.09	10.13	48.79	42.10
	灣內站	0:04	30.55	26.52	16.12	8.13	14.26	10	146.3
		3:04	30.6	32.85	20.41	7.91	14.97	7.9	97.5
		6:04	29.51	39.88	25.33	7.9	11.09	6.2	81.2
		9:04	29.72	30.79	19.02	8.34	11.75	7.7	102.1
		12:04	30.41	33.23	20.67	8.14	15.2	7.5	98.9
		15:04	31.58	31.81	19.67	8.45	17.3	10.4	170.9
		18:04	31.31	32.61	20.22	8.37	15.93	8.4	114.2
		21:04	30.86	32.21	19.96	8.34	13.49	9.3	89.3
	日平均值		30.57	32.49	20.18	8.20	14.25	8.43	112.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
5月31日	蚵殼站	0:04	30.68	32.84	20.4	8.49	7.2	2.8	110.7
		3:04	30.29	36.66	23.05	8.44	7.04	3.2	106.3
		6:04	30.14	36.62	23.03	8.04	6.29	0.8	104.2
		9:04	30.41	35.01	21.9	8.15	7.18	3.5	96.5
		12:04	30.97	35.3	22.08	8.04	7.49	3.4	100.8
		15:04	31.11	35.42	22.17	8.02	7.46	3.7	98.2
		18:04	30.72	35.54	22.25	8.13	7.46	4	92.6
		21:04	30.32	32.75	20.34	8.21	7.38	4.8	76.8
	日平均值		30.58	35.02	21.90	8.19	7.19	3.28	98.26
	潮口站	0:04	28.47	45.19	29.37	7.96	8.99	10.1	44.9
		3:04	25.71	49.94	32.89	7.88	7.44	80.7	9.6
		6:04	29.12	40.44	25.97	8.25	9.63	6.2	73.3
		9:04	29.98	38.13	24.32	8.59	15.01	4.1	93.3
		12:04	28.03	46.63	30.43	8.17	9.53	6.6	33.2
		15:04	26.91	47.75	31.27	7.85	6.92	29.4	4.3
		18:04	30.01	41.45	26.66	8.48	15.53	4.7	78.3
		21:04	29.9	38.93	24.89	8.5	14.38	4.3	69.5
	日平均值		28.52	43.56	28.23	8.21	10.93	18.26	50.80
	灣內站	0:04	30.45	32.24	19.99	8.27	11.41	8.9	88.8
		3:04	29.79	32.11	19.92	8.2	10.08	7.5	84.9
		6:04	28.61	43.27	27.77	8.28	3.97	5.8	49.6
		9:04	30.12	32.05	19.87	8.28	12.07	6.5	71.3
		12:04	30.47	32.66	20.28	8.41	14.06	8.7	109.6
		15:04	31.19	30.58	18.84	8.45	15.9	10.4	78.2
		18:04	30.77	34.3	21.4	8.43	15.22	8.2	100.2
		21:04	30.24	34.74	21.71	8.39	9.34	10.8	114.2
	日平均值		30.21	33.99	21.22	8.34	11.51	8.35	87.10
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月1日	蚵殼站	0:04	29.78	49.81	29.90	8.14	7.27	5.3	56.7
		3:04	29.29	54.09	32.88	7.92	7.00	5.1	42.0
		6:04	27.31	52.61	32.26	7.57	6.95	0.0	19.4
		9:04	28.19	51.08	31.14	7.54	6.91	3.8	21.8
		12:04	29.83	49.08	28.85	7.99	7.50	4.7	40.5
		15:04	31.72	49.29	28.95	7.91	7.52	5.3	46.4
		18:04	31.17	51.63	30.61	7.83	7.38	2.1	31.3
		21:04	31.28	50.05	29.49	8.07	7.49	5.8	30.7
	日平均值		29.82	50.96	30.51	7.87	7.25	4.01	36.10
	潮口站	0:04	29.29	37.44	23.86	8.11	12.30	3.6	57.4
		3:04	26.61	47.85	31.35	7.98	7.87	9.6	12.6
		6:04	27.93	39.11	25.06	8.23	9.43	7.5	22.9
		9:04	29.15	45.04	32.02	8.29	9.18	2.8	16.8
		12:04	29.24	39.04	27.73	8.11	7.50	14.6	35.5
		15:04	30.39	39.25	27.83	8.16	8.24	16.0	41.4
		18:04	29.99	41.59	29.49	8.08	8.47	2.5	26.3
		21:04	30.02	40.01	28.37	8.32	8.79	9.7	25.7
	日平均值		29.08	41.17	28.21	8.16	8.97	8.29	29.83
	灣內站	0:04	30.10	35.36	22.15	8.24	11.40	11.9	106.5
		3:04	29.89	36.71	23.09	7.88	10.04	5.1	31.6
		6:04	27.92	44.52	28.68	7.91	5.50	5.7	24.7
		9:04	28.28	44.15	28.41	8.15	7.38	6.6	29.3
		12:04	30.81	35.40	22.16	8.16	18.47	9.9	125.9
		15:04	33.22	34.55	21.50	8.33	22.67	21.4	267.6
		18:04	32.72	35.32	22.05	8.44	20.11	4.2	38.6
		21:04	31.47	37.51	23.61	8.29	12.95	7.4	48.0
	日平均值		30.55	37.94	23.96	8.18	13.57	9.03	84.03
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月2日	蚵殼站	0:04	30.36	51.59	30.60	8.39	7.25	5.8	29.4
		3:04	30.15	49.74	29.31	8.38	7.25	5.9	26.3
		6:04	27.93	53.37	32.79	7.77	6.65	4.6	10.4
		9:04	28.02	52.98	32.51	7.97	7.02	2.7	5.1
		12:04	30.47	49.45	29.92	7.93	6.85	4.8	20.2
		15:04	31.42	51.45	31.31	7.99	7.15	5.2	29.4
		18:04	31.91	48.81	29.42	8.39	7.42	6.1	26.3
		21:04	31.33	49.77	30.11	8.10	7.25	5.7	21.9
	日平均值		30.20	50.90	30.75	8.12	7.11	5.10	21.13
	潮口站	0:04	29.82	41.55	29.48	8.14	10.09	6.0	24.4
		3:04	29.67	39.70	28.19	8.13	8.53	20.2	21.3
		6:04	28.31	47.33	33.67	7.92	8.49	14.3	5.4
		9:04	28.70	46.94	33.39	8.22	9.63	2.8	2.1
		12:04	29.79	43.41	30.80	8.48	9.10	4.9	15.2
		15:04	30.37	45.41	32.19	8.24	9.38	11.4	24.4
		18:04	30.66	42.77	30.30	8.14	9.50	5.8	21.3
		21:04	30.28	43.73	30.99	8.35	8.33	8.8	16.9
	日平均值		29.70	43.86	31.13	8.20	9.13	9.28	16.38
	灣內站	0:04	30.90	36.01	22.58	8.45	12.04	7.1	31.8
		3:04	29.75	38.89	24.63	8.06	10.03	8.2	80.2
		6:04	27.67	44.90	28.96	7.60	6.39	6.5	16.7
		9:04	27.64	45.49	29.39	7.00	2.29	7.2	10.1
		12:04	30.93	41.60	26.51	8.23	13.71	8.5	22.9
		15:04	32.99	40.68	25.79	8.43	18.86	21.7	129.6
		18:04	32.61	41.09	26.09	8.41	17.95	8.7	27.5
		21:04	31.43	40.19	25.50	8.54	17.01	7.7	31.8
	日平均值		30.49	41.11	26.18	8.09	12.29	9.45	43.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月3日	蚵殼站	0:04	30.54	50.72	30.82	8.23	7.18	6.0	19.9
		3:04	30.24	49.02	29.61	8.33	7.32	5.8	18.6
		6:04	28.52	55.20	34.10	7.72	6.79	4.6	13.6
		9:04	28.47	54.76	33.78	7.85	6.82	4.3	11.7
		12:04	30.28	52.24	31.91	8.02	7.03	5.6	13.0
		15:04	30.48	53.29	32.66	8.20	7.13	4.2	22.7
		18:04	30.69	52.89	32.37	8.17	7.11	1.5	19.6
		21:04	30.58	52.10	31.80	8.08	7.08	3.4	17.5
	日平均值		29.98	52.53	32.13	8.08	7.06	4.43	17.08
	潮口站	0:04	30.09	44.68	31.70	8.48	9.94	8.2	14.9
		3:04	30.12	42.98	30.49	8.58	8.56	14.9	13.6
		6:04	28.82	49.16	34.98	8.46	8.62	11.0	8.6
		9:04	29.00	48.72	34.66	8.35	11.23	4.2	6.7
		12:04	30.49	46.20	32.79	8.27	9.16	2.7	8.0
		15:04	30.35	47.25	33.54	8.45	9.81	9.2	17.7
		18:04	30.87	46.85	33.25	8.42	8.54	10.1	14.6
		21:04	30.08	46.06	32.68	8.33	8.45	9.6	12.5
	日平均值		29.98	46.49	33.01	8.42	9.29	8.74	12.08
	灣內站	0:04	31.16	41.92	26.72	8.43	14.38	7.3	27.7
		3:04	30.56	43.19	27.65	7.99	9.81	7.1	50.2
		6:04	28.65	44.28	28.49	7.67	7.02	5.4	11.4
		9:04	28.69	44.78	28.85	7.47	6.23	4.9	21.3
		12:04	30.92	43.73	28.03	8.35	12.80	5.6	20.1
		15:04	31.07	42.49	27.14	8.65	15.57	9.3	98.8
		18:04	30.82	44.49	28.57	8.70	14.16	9.9	94.1
		21:04	30.39	42.34	27.05	8.47	11.15	6.6	30.4
	日平均值		30.28	43.40	27.81	8.22	11.39	7.01	44.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月4日	蚵殼站	0:04	30.64	51.69	31.51	8.43	7.06	4.1	18.5
		3:04	30.25	52.29	31.95	8.46	6.90	4.6	16.5
		6:04	29.81	51.94	31.71	8.45	6.93	3.4	15.7
		9:04	29.34	54.55	33.60	8.12	6.72	5.6	17.4
		12:04	29.78	55.09	33.98	8.26	6.96	3.7	38.1
		15:04	30.00	54.18	33.31	8.34	7.14	3.3	23.3
		18:04	30.34	53.57	32.87	8.50	7.21	3.9	16.4
		21:04	30.26	55.38	34.18	8.45	7.06	3.8	8.3
	日平均值		30.05	53.59	32.89	8.38	7.00	4.05	19.28
	潮口站	0:04	29.49	47.03	30.45	8.31	8.17	6.4	7.4
		3:04	29.48	46.79	30.28	8.34	8.12	4.5	7.4
		6:04	27.89	50.86	33.30	8.22	6.47	23.3	2.3
		9:04	30.10	45.95	29.65	8.17	9.73	4.6	11.1
		12:04	28.64	49.43	32.22	8.12	6.71	10.4	11.0
		15:04	29.05	49.47	32.24	8.05	6.33	12.7	8.9
		18:04	28.81	50.08	32.70	8.02	6.20	15.9	2.4
		21:04	28.75	50.98	33.35	8.00	6.43	19.0	1.8
	日平均值		29.03	48.82	31.77	8.15	7.27	12.10	6.54
	灣內站	0:04	30.46	38.01	23.99	8.45	10.90	8.7	18.8
		3:04	29.95	39.63	25.14	8.28	10.12	5.4	14.9
		6:04	29.39	39.17	24.83	8.08	8.62	5.5	19.6
		9:04	28.85	39.92	25.37	7.66	7.87	4.9	11.4
		12:04	30.51	40.17	25.51	7.35	13.96	6.7	38.5
		15:04	30.52	36.97	23.26	8.43	14.05	7.2	61.4
		18:04	31.26	38.00	23.96	8.48	11.83	16.5	36.8
		21:04	30.69	37.98	23.96	8.44	12.19	10.6	21.4
	日平均值		30.20	38.73	24.50	8.15	11.19	8.19	27.85
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月5日	蚵殼站	0:04	30.01	52.24	31.92	8.45	7.08	5.2	4.4
		3:04	29.99	53.55	32.87	8.43	7.06	4.6	7.1
		6:04	29.82	52.06	31.79	8.40	6.92	5.1	7.0
		9:04	29.50	52.81	32.34	8.20	6.80	6.0	7.0
		12:04	29.15	53.93	33.16	8.09	6.94	4.4	7.1
		15:04	30.10	54.07	33.24	8.27	6.96	4.4	9.2
		18:04	30.41	54.43	33.48	8.21	6.91	4.6	13.8
		21:04	30.51	50.05	30.33	8.25	7.19	4.5	5.2
	日平均值		29.94	52.89	32.39	8.29	6.98	4.85	7.60
	潮口站	0:04	29.28	48.61	31.61	8.11	7.71	5.9	0.8
		3:04	29.19	48.62	31.61	8.17	7.18	6.1	5.0
		6:04	28.69	50.62	33.10	8.04	6.62	18.9	2.2
		9:04	29.37	49.90	32.54	8.07	6.73	24.3	1.4
		12:04	29.10	50.24	32.80	8.10	6.74	14.8	5.3
		15:04	29.32	50.14	32.72	8.01	6.4	13.2	1.5
		18:04	29.41	49.08	31.94	8.01	6.3	12.1	2.8
		21:04	29.22	51.11	33.44	8.01	6.3	12.2	2.0
	日平均值		29.20	49.79	32.47	8.07	6.74	13.44	2.63
	灣內站	0:04	30.38	40.66	25.86	8.48	10.02	10.1	19.1
		3:04	29.86	37.87	23.90	8.25	9.98	6.1	43.7
		6:04	29.82	39.87	25.31	8.08	9.22	6.2	22.6
		9:04	29.02	41.06	26.18	7.69	7.28	5.1	7.9
		12:04	30.44	43.69	28.01	8.42	14.63	8.0	88.9
		15:04	30.51	46.11	29.75	8.23	10.41	5.9	20.2
		18:04	31.61	39.83	25.23	8.47	12.79	20.6	171.5
		21:04	31.07	41.06	26.12	8.50	12.29	10.6	24.6
	日平均值		30.34	41.27	26.30	8.27	10.83	9.08	49.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月6日	蚵殼站	0:04	30.51	50.29	30.51	8.20	7.10	6.2	6.2
		3:04	30.25	51.41	31.32	8.54	7.18	5.8	9.7
		6:04	29.91	50.49	30.67	8.27	6.86	4.4	7.7
		9:04	30.03	51.57	31.44	8.04	6.80	6.9	2.1
		12:04	29.82	53.52	32.85	7.95	6.84	5.2	10.3
		15:04	30.55	52.44	32.05	8.02	6.91	6.1	8.7
		18:04	30.99	52.48	32.06	7.95	7.05	5.4	17.5
	21:04	31.00	50.53	30.67	8.11	7.11	6.0	9.4	
	日平均值		30.38	51.59	31.45	8.14	6.98	5.75	8.95
	潮口站	0:04	29.64	48.73	31.68	8.10	6.88	5.9	1.0
		3:04	30.00	48.20	31.28	8.16	8.06	4.3	3.7
		6:04	29.11	50.66	33.11	8.03	6.56	15.6	2.0
		9:04	29.53	50.78	33.18	8.00	6.62	15.7	1.2
		12:04	30.70	49.94	32.95	8.09	8.63	17.9	4.6
		15:04	30.22	50.47	33.36	8.07	6.78	14.5	1.0
		18:04	31.05	49.94	32.94	8.05	7.55	18.9	9.8
	21:04	29.58	50.01	33.04	8.00	6.64	14.3	1.9	
	日平均值		29.98	49.84	32.69	8.06	7.22	13.39	3.15
	灣內站	0:04	30.54	39.87	25.29	8.46	11.82	5.5	10.6
		3:04	30.41	42.91	27.46	8.29	10.34	6.9	37.5
		6:04	30.01	42.61	27.25	8.14	8.30	5.8	50.8
		9:04	29.97	42.74	27.34	7.95	7.69	4.3	8.2
		12:04	30.93	47.62	30.83	8.34	11.04	5.8	23.9
		15:04	31.65	47.50	30.72	8.20	15.38	6.5	49.3
		18:04	32.60	46.53	29.98	8.43	17.76	28.5	468.7
	21:04	31.60	46.55	30.03	8.13	13.00	10.6	96.2	
	日平均值		30.96	44.54	28.61	8.24	11.92	9.24	93.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月7日	蚵殼站	0:04	30.94	50.78	30.85	8.11	7.10	5.9	2.8
		3:04	30.61	49.00	29.59	8.25	7.21	4.0	5.8
		6:04	30.35	51.12	31.11	8.13	7.07	6.0	4.0
		9:04	29.67	53.51	32.85	7.70	6.77	4.8	2.8
		12:04	30.02	53.22	32.62	7.84	6.91	3.1	5.0
		15:04	31.41	53.66	32.89	7.72	6.74	5.9	5.7
		18:04	31.91	55.01	33.91	7.78	6.70	5.9	7.7
		21:04	31.73	53.07	32.53	7.93	6.93	6.0	1.6
	日平均值		30.83	52.42	32.04	7.93	6.93	5.20	4.43
	潮口站	0:04	29.99	49.52	32.67	8.09	7.10	6.1	0.9
		3:04	30.51	49.23	32.44	8.18	8.11	4.4	0.2
		6:04	29.46	49.13	32.40	8.02	6.53	7.8	1.5
		9:04	29.75	49.61	32.74	7.97	6.71	9.2	5.6
		12:04	31.40	49.34	32.49	8.12	8.41	6.4	1.9
		15:04	31.14	49.61	32.69	7.99	6.82	13.9	2.3
		18:04	32.09	49.00	32.22	8.03	7.85	6.9	5.9
		21:04	29.01	50.76	33.61	8.07	6.53	12.0	2.4
	日平均值		30.42	49.53	32.66	8.06	7.26	8.34	2.59
	灣內站	0:04	31.14	48.60	31.53	8.10	8.01	6.9	63.3
		3:04	30.69	46.76	30.22	7.94	7.14	13.2	132.2
		6:04	30.31	48.96	31.83	7.85	6.33	7.5	108.5
		9:04	30.48	47.30	30.61	8.05	9.42	7.2	90.6
		12:04	31.11	48.14	31.20	8.14	9.38	7.0	16.5
		15:04	32.49	47.22	30.49	8.19	12.04	4.9	7.2
		18:04	33.14	47.95	30.99	8.29	9.95	38.2	551.7
		21:04	32.49	45.75	29.42	8.46	14.46	17.5	292.0
	日平均值		31.48	47.59	30.79	8.13	9.59	12.80	157.75
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月8日	蚵殼站	0:04	31.51	52.08	31.83	7.95	7.21	5.5	4.9
		3:04	30.91	46.56	27.96	7.87	7.29	3.5	7.7
		6:04	30.81	50.70	30.87	8.02	6.95	4.1	10.9
		9:04	30.52	51.37	31.35	8.20	6.91	5.5	2.3
		12:04	29.94	49.92	30.34	8.05	7.02	3.5	0.1
		15:04	30.87	49.60	30.09	7.85	6.95	4.7	4.9
		18:04	30.89	49.38	29.94	7.92	6.95	5.2	6.8
		21:04	31.10	50.10	30.44	8.05	6.87	5.1	6.4
	日平均值		30.82	49.96	30.35	7.99	7.02	4.64	5.50
	潮口站	0:04	29.69	49.28	32.50	7.97	6.61	7.1	0.0
		3:04	31.09	48.24	31.70	8.10	8.69	4.0	1.8
		6:04	30.83	48.28	31.74	8.12	7.76	5.6	1.0
		9:04	29.55	50.73	33.57	7.96	6.69	6.0	0.5
		12:04	30.19	50.71	33.53	7.91	6.79	6.3	0.3
		15:04	30.20	50.31	33.24	7.90	6.75	9.0	4.7
		18:04	30.08	49.96	32.98	7.90	6.30	9.3	0.5
		21:04	29.79	47.47	31.19	7.89	5.84	6.8	6.5
	日平均值		30.18	49.37	32.56	7.97	6.93	6.76	1.91
	灣內站	0:04	31.88	45.59	29.33	8.33	11.42	6.4	36.2
		3:04	31.24	45.69	29.42	7.85	7.24	11.6	208.1
		6:04	30.53	46.96	30.36	7.55	4.02	13.4	217.9
		9:04	31.34	45.07	28.97	8.11	12.61	17.1	239.5
		12:04	32.03	46.41	29.91	8.20	12.38	4.3	18.6
		15:04	32.11	47.22	30.50	8.04	9.81	5.3	7.1
		18:04	32.31	47.23	30.50	8.37	12.49	10.2	97.0
		21:04	31.61	47.14	30.45	8.13	8.25	5.4	18.7
	日平均值		31.63	46.41	29.93	8.07	9.78	9.21	105.39
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月9日	蚵殼站	0:04	31.84	50.40	30.63	8.19	6.94	2.4	21.3
		3:04	31.35	50.31	30.58	8.13	6.72	2.3	20.0
		6:04	30.91	49.62	30.11	8.29	6.71	3.0	28.4
		9:04	30.95	49.27	29.86	8.04	6.77	4.2	12.8
		12:04	30.53	51.18	31.22	7.79	6.80	5.4	10.2
		15:04	31.59	50.06	30.40	8.04	6.93	4.1	6.3
		18:04	31.67	48.58	29.35	8.01	7.12	3.6	10.0
		21:04	31.47	48.98	29.64	8.02	7.13	3.4	12.8
	日平均值		31.29	49.80	30.22	8.06	6.89	3.55	15.23
	潮口站	0:04	28.38	48.82	32.21	8.03	6.73	11.7	0.4
		3:04	31.02	49.57	32.67	7.98	7.10	4.2	4.9
		6:04	31.03	49.23	32.42	8.03	6.64	6.6	11.4
		9:04	28.55	50.68	33.56	8.06	6.71	6.9	2.4
		12:04	29.11	50.62	33.50	7.93	6.81	10.2	1.8
		15:04	30.00	52.16	34.60	7.88	7.08	9.7	6.1
		18:04	30.43	50.64	33.48	7.88	6.69	8.6	12.3
		21:04	30.42	47.91	31.92	7.92	5.55	8.1	12.3
	日平均值		29.87	49.95	33.05	7.96	6.66	8.25	6.45
	灣內站	0:04	31.34	44.71	28.71	8.09	6.02	9.3	25.5
		3:04	31.02	44.64	28.67	8.12	6.67	6.6	27.4
		6:04	30.18	41.46	26.43	7.74	5.01	6.5	38.7
		9:04	30.51	46.15	29.78	8.05	9.26	4.5	19.5
		12:04	31.02	44.36	28.48	8.17	9.02	5.4	21.0
		15:04	31.23	44.65	28.67	8.16	8.80	5.0	16.5
		18:04	31.24	44.72	28.72	8.26	8.70	8.0	12.6
		21:04	31.74	46.65	30.10	8.40	7.49	25.1	240.0
	日平均值		31.04	44.67	28.70	8.12	7.62	8.80	50.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月10日	蚵殼站	0:04	31.29	50.61	30.80	8.09	7.06	2.7	10.5
		3:04	31.04	49.88	30.50	8.01	6.99	4.8	7.9
		6:04	30.81	53.41	32.80	8.12	6.93	3.5	22.4
		9:04	31.12	49.98	30.35	7.92	6.97	4.3	18.5
		12:04	31.50	50.80	31.40	8.32	6.77	7.3	15.0
		15:04	31.53	50.07	31.59	8.33	6.67	6.2	21.4
		18:04	31.81	49.91	31.47	8.35	6.77	7.6	16.0
		21:04	31.65	49.95	31.50	8.50	6.85	7.7	17.1
	日平均值		31.34	50.58	31.30	8.21	6.88	5.51	16.10
	潮口站	0:04	28.63	49.03	32.78	8.01	6.64	6.8	1.5
		3:04	30.48	48.42	32.29	7.97	6.84	5.3	4.3
		6:04	30.87	49.47	33.03	7.97	6.90	4.9	6.5
		9:04	30.92	49.23	32.86	7.97	6.93	4.9	8.0
		12:04	28.92	49.35	33.01	7.99	7.04	8.6	3.7
		15:04	29.16	51.88	33.74	8.45	7.66	5.1	12.3
		18:04	29.72	51.83	33.69	8.32	6.56	4.3	7.8
		21:04	30.68	51.68	33.55	8.40	7.24	1.8	15.0
	日平均值		29.92	50.11	33.12	8.14	6.98	5.21	7.39
	灣內站	0:04	31.44	47.65	30.83	8.33	6.73	20.4	183.9
		3:04	31.15	47.54	30.77	8.12	7.17	13.2	102.2
		6:04	30.74	45.16	29.06	8.03	5.23	11.7	119.4
		9:04	30.98	43.51	27.86	8.13	8.22	10.9	113.4
		12:04	31.59	50.70	33.05	8.41	10.65	5.5	30.2
		15:04	31.81	50.85	33.16	8.41	10.32	5.5	30.0
		18:04	32.69	50.70	33.01	8.22	13.38	11.8	108.5
		21:04	32.26	50.43	32.83	8.16	9.55	14.1	101.0
	日平均值		31.58	48.32	31.32	8.23	8.91	11.64	98.58
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月11日	蚵殼站	0:04	31.46	49.91	31.48	8.50	6.73	7.5	9.6
		3:04	31.57	49.65	31.28	8.47	6.77	7.0	17.9
		6:04	31.08	49.39	31.11	8.63	6.78	6.6	19.8
		9:04	31.32	49.22	30.98	8.53	6.89	6.7	30.2
		12:04	31.92	49.58	31.22	8.30	6.73	6.4	18.6
		15:04	31.74	50.22	31.70	8.20	6.84	7.3	20.7
		18:04	32.18	50.04	31.55	8.41	6.89	7.6	18.8
		21:04	32.03	49.92	31.46	8.33	6.78	7.3	22.3
	日平均值		31.66	49.74	31.35	8.42	6.80	7.05	19.74
	潮口站	0:04	27.48	52.74	34.44	8.26	6.90	5.5	0.0
		3:04	27.65	53.10	34.70	8.24	7.08	3.2	1.8
		6:04	30.74	51.81	33.64	8.25	7.14	0.5	6.7
		9:04	31.46	51.60	33.46	8.34	8.52	1.9	13.4
		12:04	28.82	53.01	34.59	8.09	7.49	5.4	1.0
		15:04	28.77	53.24	34.77	8.08	8.24	2.0	0.1
		18:04	29.75	52.85	34.44	8.13	8.50	3.9	16.6
		21:04	30.32	52.68	34.30	8.10	7.10	4.3	9.5
	日平均值		29.37	52.63	34.29	8.19	7.62	3.34	6.14
	灣內站	0:04	31.95	50.13	32.62	8.59	8.35	9.3	57.3
		3:04	31.33	50.68	33.05	8.23	7.89	7.5	51.7
		6:04	31.04	49.66	32.31	8.30	7.16	5.9	41.2
		9:04	31.28	50.83	33.16	8.10	6.73	6.8	73.6
		12:04	32.11	50.62	32.98	8.42	10.91	5.8	34.5
		15:04	32.33	50.86	33.15	8.36	9.87	3.6	15.1
		18:04	32.23	49.88	32.43	8.50	10.01	5.2	21.4
		21:04	32.19	50.97	33.23	8.49	9.61	7.9	37.4
	日平均值		31.81	50.45	32.87	8.37	8.82	6.50	41.53
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月12日	蚵殼站	0:04	31.91	49.90	31.45	8.42	6.77	7.9	12.7
		3:04	31.63	49.95	31.50	8.46	6.74	7.5	16.1
		6:04	31.59	49.88	31.45	8.46	6.84	7.3	15.1
		9:04	31.93	49.64	31.27	8.47	6.69	6.2	26.5
		12:04	31.69	50.11	31.62	8.23	6.83	6.7	14.2
		15:04	31.28	50.56	31.96	8.42	6.90	6.4	27.5
		18:04	31.72	50.31	31.77	8.48	6.97	4.9	19.9
		21:04	31.71	50.20	31.69	8.43	6.75	5.3	11.9
	日平均值		31.68	50.07	31.59	8.42	6.81	6.53	17.99
	潮口站	0:04	26.91	53.59	35.09	7.99	7.24	14.3	0.8
		3:04	27.21	53.56	35.05	8.17	7.21	2.1	2.8
		6:04	30.92	52.21	33.92	8.24	7.60	0.7	10.7
		9:04	31.76	52.11	33.82	8.25	8.63	0.4	11.1
		12:04	31.41	52.50	34.13	8.08	7.98	4.1	9.0
		15:04	29.98	46.85	30.03	8.08	8.40	4.1	6.5
		18:04	28.79	53.00	34.59	8.13	7.16	8.3	5.2
		21:04	29.59	52.54	34.22	8.08	7.67	3.5	6.9
	日平均值		29.57	52.05	33.86	8.13	7.74	4.69	6.63
	灣內站	0:04	32.13	50.75	33.07	7.97	8.58	6.1	46.1
		3:04	31.91	50.79	33.11	7.88	8.13	8.2	45.6
		6:04	31.50	49.59	32.24	7.97	7.85	6.0	26.3
		9:04	31.56	50.98	33.26	7.83	6.72	14.6	50.9
		12:04	32.15	51.02	33.27	8.13	9.64	5.5	32.8
		15:04	32.09	49.98	32.51	8.16	9.58	4.4	18.1
		18:04	32.00	50.70	33.04	8.32	9.68	6.0	23.9
		21:04	32.18	51.04	33.28	8.18	7.63	9.8	32.3
	日平均值		31.94	50.61	32.97	8.06	8.48	7.58	34.50
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月13日	蚵殼站	0:04	31.19	50.04	31.59	8.52	6.78	6.4	14.2
		3:04	31.00	45.28	29.14	8.43	6.89	5.3	11.9
		6:04	30.58	46.79	30.24	8.44	6.90	5.9	17.3
		9:04	30.54	47.91	31.05	8.35	6.87	6.8	15.8
		12:04	31.03	47.76	30.92	8.44	6.96	7.5	11.4
		15:04	31.81	48.36	31.34	8.35	7.00	7.5	9.2
		18:04	31.69	48.27	31.27	8.40	7.08	7.9	9.4
		21:04	31.42	46.42	29.95	8.41	7.11	8.0	8.3
	日平均值		31.16	47.60	30.69	8.42	6.95	6.91	12.19
	潮口站	0:04	28.85	53.07	34.64	8.03	6.73	4.5	3.0
		3:04	27.79	53.68	35.13	8.11	7.27	2.1	4.0
		6:04	30.24	52.27	34.00	8.23	7.06	1.9	6.5
		9:04	31.20	52.38	34.05	8.13	7.50	3.3	7.7
		12:04	32.01	52.46	34.07	8.14	8.17	3.2	10.5
		15:04	30.13	52.33	34.05	8.06	9.05	3.7	6.4
		18:04	30.93	52.49	34.13	8.26	8.18	4.5	8.3
		21:04	31.54	52.56	34.16	8.19	7.61	7.0	4.5
	日平均值		30.34	52.66	34.28	8.14	7.70	3.78	6.36
	灣內站	0:04	32.42	50.35	32.77	8.24	6.36	10.1	31.1
		3:04	31.53	51.03	33.30	8.03	7.19	7.0	34.9
		6:04	31.06	50.99	33.28	8.05	6.09	7.3	33.4
		9:04	30.37	49.63	32.32	7.90	6.41	6.9	31.2
		12:04	31.31	49.80	32.40	8.00	9.11	11.2	35.6
		15:04	32.56	49.62	32.23	8.23	12.56	8.4	38.9
		18:04	31.81	49.81	32.40	7.98	9.39	8.2	22.0
		21:04	30.83	51.47	33.65	7.92	7.48	8.7	23.1
	日平均值		31.49	50.34	32.79	8.04	8.07	8.48	31.28
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月14日	蚵殼站	0:04	30.94	46.56	30.06	8.36	7.01	8.0	5.4
		3:04	30.82	47.24	30.56	8.51	7.06	7.0	6.5
		6:04	30.02	49.71	32.38	8.41	7.00	6.6	4.3
		9:04	30.48	48.22	31.28	8.41	7.13	7.0	22.1
		12:04	30.46	46.35	29.92	8.41	7.19	7.3	6.1
		15:04	30.40	49.84	32.47	8.29	7.13	7.5	8.2
		18:04	30.67	49.63	32.30	8.38	7.18	7.2	10.6
	21:04	30.44	47.80	30.98	8.39	7.11	7.9	9.3	
	日平均值		30.53	48.17	31.24	8.40	7.10	7.31	9.06
	潮口站	0:04	31.33	52.53	34.15	8.07	7.31	3.8	6.6
		3:04	29.17	52.69	34.34	8.16	7.91	3.7	0.9
		6:04	29.15	52.70	34.35	8.09	7.70	6.9	4.9
		9:04	30.48	52.66	34.28	8.13	6.81	12.4	3.2
		12:04	32.05	53.00	34.47	7.98	6.99	15.2	9.7
		15:04	30.21	53.10	34.61	8.08	8.27	6.5	3.8
		18:04	30.34	52.36	34.06	8.18	8.47	2.6	5.9
	21:04	30.71	52.83	34.39	8.24	7.81	6.4	7.6	
	日平均值		30.43	52.73	34.33	8.12	7.66	7.19	5.33
	灣內站	0:04	30.81	49.90	32.50	8.36	5.50	10.6	22.2
		3:04	30.36	51.48	33.67	8.37	6.61	5.4	15.9
		6:04	29.35	50.34	32.87	8.46	6.47	7.4	6.3
		9:04	30.20	49.02	31.88	8.40	6.31	6.2	40.5
		12:04	30.67	49.82	32.44	8.41	8.99	9.2	42.7
		15:04	30.52	47.43	30.70	8.48	8.48	10.0	20.8
		18:04	30.36	48.44	31.44	8.55	8.16	8.3	14.0
	21:04	29.96	51.90	33.99	8.44	7.15	6.0	9.2	
	日平均值		30.28	49.79	32.44	8.43	7.21	7.89	21.45
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月15日	蚵殼站	0:04	30.23	50.72	33.12	8.24	7.10	7.7	9.8
		3:04	30.56	50.48	32.93	8.30	7.05	8.1	10.8
		6:04	29.95	48.63	31.60	8.30	7.08	7.1	4.1
		9:04	30.19	50.35	32.84	8.26	7.01	7.6	9.2
		12:04	30.71	47.71	30.90	8.24	7.20	6.0	4.7
		15:04	30.77	50.27	32.76	8.25	7.13	6.3	12.4
		18:04	30.85	46.39	29.94	8.27	7.24	6.8	6.0
		21:04	30.73	46.69	30.16	8.35	7.13	7.5	9.0
	日平均值		30.50	48.91	31.78	8.28	7.12	7.14	8.25
	潮口站	0:04	30.56	52.84	34.41	8.08	6.82	7.5	7.4
		3:04	29.57	52.68	34.32	8.09	7.61	4.1	4.8
		6:04	29.59	52.30	34.04	8.07	7.51	4.4	6.6
		9:04	30.04	52.82	34.41	8.17	7.12	6.4	4.0
		12:04	31.27	52.93	34.45	8.05	7.79	11.1	10.7
		15:04	30.90	52.70	34.29	8.03	7.89	6.9	8.2
		18:04	30.24	52.83	34.41	8.07	8.32	1.8	2.5
		21:04	30.65	53.14	34.63	8.12	8.07	5.2	3.9
	日平均值		30.35	52.78	34.37	8.09	7.64	5.93	6.01
	灣內站	0:04	29.85	51.83	33.95	8.46	6.69	6.1	11.3
		3:04	29.73	51.20	33.49	8.31	5.91	7.0	18.8
		6:04	29.57	50.30	32.83	8.36	6.08	5.3	7.6
		9:04	29.83	50.18	32.73	8.32	6.43	8.0	13.6
		12:04	30.31	50.59	33.02	8.45	8.10	4.6	10.3
		15:04	30.87	51.22	33.46	8.41	9.22	8.0	19.7
		18:04	30.81	48.34	31.36	8.46	8.99	8.3	33.8
		21:04	30.40	51.91	33.99	8.48	8.01	6.2	13.5
	日平均值		30.17	50.70	33.10	8.41	7.43	6.69	16.08
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月16日	蚵殼站	0:04	30.71	46.36	29.93	8.25	7.20	7.7	11.2
		3:04	30.72	46.93	30.34	8.29	7.06	6.4	8.5
		6:04	30.43	46.75	30.22	8.24	7.05	7.6	14.7
		9:04	30.66	46.19	29.80	8.13	7.11	8.4	8.5
		12:14	31.38	46.35	29.90	8.21	7.31	6.9	4.4
		15:04	31.24	46.45	29.97	8.18	7.12	6.9	8.0
		18:04	31.30	46.00	29.64	8.32	7.33	7.2	11.4
		21:04	31.55	46.56	30.04	8.27	7.33	9.4	6.8
	日平均值		31.00	46.45	29.98	8.24	7.19	7.56	9.19
	潮口站	0:04	30.73	53.11	34.60	8.09	7.57	3.7	8.3
		3:04	29.71	52.43	34.13	8.03	7.52	2.5	3.2
		6:04	29.75	52.75	34.37	8.08	7.27	1.9	1.3
		9:04	30.42	52.61	34.24	8.09	7.47	4.8	5.7
		12:14	32.37	52.84	34.34	7.91	7.06	16.4	6.2
		15:04	32.16	51.96	33.69	8.07	8.84	4.1	8.2
		18:04	30.93	51.58	33.46	8.12	8.86	2.1	6.9
		21:04	30.60	51.96	33.75	8.11	8.59	0.9	0.2
	日平均值		30.83	52.41	34.07	8.06	7.90	4.55	5.00
	灣內站	0:04	30.57	51.11	33.39	8.36	7.19	7.4	19.0
		3:04	30.54	51.68	33.81	8.38	7.15	6.5	14.4
		6:04	30.16	51.73	33.86	8.29	6.68	4.3	13.9
		9:04	30.36	50.20	32.73	8.31	7.37	3.9	9.5
		12:14	31.32	50.65	33.03	8.33	8.48	3.3	8.3
		15:04	33.95	48.05	31.03	8.54	12.98	11.5	34.4
		18:04	32.94	49.42	32.06	8.24	11.02	8.0	27.8
		21:04	31.93	51.71	33.78	8.30	9.12	22.5	12.3
	日平均值		31.47	50.57	32.96	8.34	8.75	8.43	17.45
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月17日	蚵殼站	0:04	31.28	47.67	30.97	8.24	7.30	8.4	7.0
		3:04	30.93	48.62	31.66	8.28	7.24	8.8	6.0
		6:04	30.88	48.92	31.88	8.25	7.21	5.7	7.2
		9:04	30.97	48.42	31.52	8.28	7.23	8.4	10.6
		12:04	31.78	48.95	31.87	8.14	7.29	7.2	1.1
		15:04	31.42	48.31	31.42	8.17	7.27	7.4	8.0
		18:04	31.07	47.99	31.21	8.25	7.49	8.2	7.8
		21:04	30.93	47.49	30.85	8.17	7.39	8.0	5.9
	日平均值		31.16	48.30	31.42	8.22	7.30	7.76	6.70
	潮口站	0:04	31.03	52.57	34.19	7.96	6.97	4.1	5.5
		3:04	29.34	53.35	34.83	7.99	7.35	2.1	0.9
		6:04	29.61	52.38	34.10	8.18	7.45	1.6	7.4
		9:04	30.54	52.51	34.16	8.27	7.94	4.3	4.0
		12:04	32.54	52.26	33.90	8.08	7.89	14.1	9.4
		15:04	31.09	53.05	34.55	8.15	8.56	11.5	8.9
		18:04	30.62	52.92	34.47	8.19	8.48	5.3	0.8
		21:04	30.11	53.06	34.59	8.22	7.90	4.0	6.1
	日平均值		30.61	52.76	34.35	8.13	7.82	5.88	5.38
	灣內站	0:04	31.62	48.85	31.70	8.34	7.55	7.9	23.4
		3:04	31.21	51.53	33.68	8.28	7.49	4.0	11.2
		6:04	30.69	51.60	33.75	8.18	6.39	4.6	8.4
		9:04	30.22	51.77	33.89	7.96	4.61	8.8	11.3
		12:04	31.97	51.74	33.80	8.26	8.31	4.6	5.4
		15:04	32.87	52.08	34.02	8.42	10.06	8.9	10.3
		18:04	32.25	51.83	33.86	8.30	8.67	9.5	8.3
		21:04	31.77	51.72	33.79	8.34	8.23	4.6	8.3
	日平均值		31.58	51.39	33.56	8.26	7.66	6.61	10.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月18日	蚵殼站	0:04	31.64	48.00	31.20	8.21	7.18	9.1	3.9
		3:04	31.60	47.90	31.13	8.22	7.26	8.6	10.4
		6:04	31.15	48.34	31.46	8.21	7.23	8.7	9.9
		9:04	31.44	48.61	31.64	8.15	7.18	7.5	12.6
		12:04	30.91	49.34	32.18	8.10	7.12	4.8	15.4
		15:04	31.85	49.39	32.19	8.12	7.27	3.3	21.3
		18:04	31.84	48.79	31.76	8.06	7.33	0.6	15.1
		21:04	31.61	49.21	32.06	8.26	7.20	7.5	8.8
	日平均值		31.51	48.70	31.70	8.17	7.22	6.26	12.18
	潮口站	0:04	30.61	52.91	34.46	8.23	7.58	3.3	6.6
		3:04	29.82	53.27	34.76	8.17	7.36	1.5	4.5
		6:04	27.86	53.69	35.13	8.30	7.39	4.8	3.3
		9:04	29.49	53.41	34.87	8.22	7.56	2.5	3.1
		12:04	30.87	52.25	33.96	8.14	8.19	11.4	6.3
		15:04	31.18	52.61	34.22	8.15	8.26	8.0	8.1
		18:04	30.06	52.23	33.97	8.16	7.59	6.3	3.8
		21:04	28.61	53.77	35.17	8.16	7.22	3.7	2.7
	日平均值		29.81	53.02	34.57	8.19	7.64	5.19	4.80
	灣內站	0:04	31.66	51.69	33.78	8.29	7.58	5.0	6.4
		3:04	31.49	51.65	33.76	8.25	7.10	5.3	8.9
		6:04	30.66	51.48	33.66	8.15	6.78	4.4	9.9
		9:04	30.87	51.67	33.79	8.16	7.53	3.6	4.0
		12:04	30.91	50.14	32.67	8.24	7.76	6.1	8.5
		15:04	31.12	46.68	30.14	8.23	7.39	13.9	13.1
		18:04	30.97	51.85	33.92	8.23	7.34	10.0	9.5
		21:04	30.85	51.88	33.95	8.22	6.57	15.1	8.2
	日平均值		31.07	50.88	33.21	8.22	7.26	7.93	8.56
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月19日	蚵殼站	0:04	31.52	49.35	32.17	8.08	7.10	6.6	11.5
		3:04	31.29	48.89	31.84	8.22	7.12	6.3	8.4
		6:04	30.83	48.73	31.75	8.24	7.13	7.3	6.4
		9:04	31.06	49.45	32.26	8.30	7.20	6.6	17.7
		12:04	31.69	49.35	32.16	8.11	7.31	6.9	16.8
		15:04	31.66	48.43	31.50	8.17	7.40	6.1	19.4
		18:04	31.90	48.73	31.71	8.18	7.40	7.5	6.6
		21:04	31.75	49.33	32.15	8.25	7.44	7.8	4.3
	日平均值		31.46	49.03	31.94	8.19	7.26	6.89	11.39
	潮口站	0:04	30.03	52.96	34.52	8.16	7.16	3.7	4.8
		3:04	30.07	52.99	34.54	8.16	6.53	0.9	4.3
		6:04	28.12	53.19	34.75	8.28	7.31	3.6	3.0
		9:04	28.70	53.21	34.75	8.27	7.58	0.8	3.4
		12:04	31.65	53.17	34.61	8.17	8.90	1.6	8.8
		15:04	30.41	53.26	34.72	8.09	8.01	8.8	8.3
		18:04	30.47	50.52	32.70	8.19	8.41	2.8	11.1
		21:04	29.29	53.48	34.93	8.22	7.67	1.8	0.7
	日平均值		29.84	52.85	34.44	8.19	7.70	3.00	5.55
	灣內站	0:04	31.14	51.65	33.77	8.17	5.82	22.8	13.1
		3:04	31.00	50.90	33.23	8.23	5.87	12.0	15.5
		6:04	30.68	51.63	33.77	8.13	5.77	12.3	8.2
		9:04	30.86	51.84	33.92	8.15	6.87	12.7	8.3
		12:04	31.59	51.80	33.87	8.30	8.45	9.7	6.0
		15:04	31.88	49.22	31.96	8.35	9.01	6.0	16.9
		18:04	32.82	51.29	33.44	8.37	9.51	13.3	30.5
		21:04	32.59	51.57	33.65	8.39	9.81	56.7	18.7
	日平均值		31.57	51.24	33.45	8.26	7.64	18.19	14.65
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月20日	蚵殼站	0:04	31.54	48.52	31.57	8.17	7.41	7.6	19.6
		3:04	31.37	49.66	32.39	8.17	7.28	6.2	14.8
		6:04	31.19	50.03	32.67	8.29	7.25	8.1	13.8
		9:04	31.32	49.21	32.07	8.15	7.35	7.3	15.0
		12:04	30.60	50.04	32.70	8.16	7.55	7.8	16.0
		15:04	31.54	49.59	32.34	8.13	7.54	7.4	13.4
		18:04	31.72	49.05	31.95	8.19	7.59	7.7	11.7
		21:04	31.58	49.57	32.32	8.17	7.52	8.3	13.0
	日平均值		31.36	49.46	32.25	8.18	7.44	7.55	14.66
	潮口站	0:04	31.00	52.90	34.44	8.21	8.56	1.6	9.5
		3:04	30.75	52.82	34.39	8.19	7.76	13.0	5.4
		6:04	28.56	52.87	34.50	8.18	7.71	6.0	0.1
		9:04	29.39	52.60	34.27	8.26	7.78	1.8	7.3
		12:04	32.24	52.74	34.27	8.12	9.70	1.5	6.2
		15:04	33.39	52.97	34.40	7.98	8.41	7.3	5.9
		18:04	32.79	52.74	34.25	8.10	10.12	3.8	11.7
		21:04	30.68	52.80	34.37	8.09	8.21	5.1	6.2
	日平均值		31.10	52.81	34.36	8.14	8.53	5.01	6.54
	灣內站	0:04	31.78	50.95	33.23	8.29	8.13	76.3	17.9
		3:04	31.04	47.42	30.68	8.20	6.41	88.6	20.0
		6:04	30.78	50.30	32.79	8.17	7.10	72.2	3.9
		9:04	31.16	51.02	33.30	8.20	7.88	40.8	5.1
		12:04	31.82	51.31	33.49	8.28	9.20	4.9	6.0
		15:04	32.46	50.86	33.14	8.30	10.02	52.4	13.5
		18:04	33.17	46.89	30.23	8.35	10.61	242.3	25.0
		21:04	32.44	48.41	31.35	8.30	9.16	296.3	22.1
	日平均值		31.83	49.65	32.28	8.26	8.56	109.23	14.19
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月21日	蚵殼站	0:04	31.95	48.93	31.86	8.29	7.55	9.0	15.5
		3:04	31.33	48.31	31.43	8.10	7.45	7.6	12.9
		6:04	31.07	48.56	31.62	8.30	7.42	0.4	19.4
		9:04	30.97	47.88	31.13	8.08	7.45	8.6	6.4
		12:04	30.18	48.77	31.79	8.11	7.68	2.6	18.5
		15:04	30.63	48.86	31.84	8.21	7.62	7.0	13.8
		18:04	30.45	48.85	31.84	8.23	7.77	5.0	10.0
		21:04	31.02	49.18	32.06	8.09	7.46	6.1	13.5
	日平均值		30.95	48.67	31.70	8.18	7.55	5.79	13.75
	潮口站	0:04	31.92	52.57	34.16	8.18	8.40	5.2	14.4
		3:04	31.29	52.44	34.09	8.19	8.84	2.4	7.1
		6:04	29.52	52.55	34.23	8.08	7.72	10.1	1.9
		9:04	28.98	52.73	34.38	8.15	7.77	8.3	0.8
		12:04	31.96	52.37	34.01	8.03	8.45	6.2	8.3
		15:04	32.51	51.39	33.26	7.94	7.96	18.0	10.2
		18:04	32.66	51.33	33.21	7.95	8.01	9.6	4.1
		21:04	30.49	52.16	33.91	8.06	7.54	9.3	4.9
	日平均值		31.17	52.19	33.91	8.07	8.09	8.64	6.46
	灣內站	0:04	31.84	48.04	31.10	8.24	8.52	219.2	11.4
		3:04	31.10	46.25	29.83	8.18	7.93	170.7	4.5
		6:04	30.86	46.59	30.09	8.21	7.77	268.4	2.8
		9:04	31.13	49.00	31.83	8.23	8.58	8.1	5.5
		12:04	31.11	52.33	34.27	8.26	8.45	98.7	12.0
		15:04	30.21	46.22	29.84	8.14	7.67	53.2	20.2
		18:04	29.13	45.93	29.66	8.14	6.88	8.8	17.9
		21:04	30.38	42.09	26.87	8.35	7.36	32.9	25.8
	日平均值		30.72	47.06	30.44	8.22	7.90	107.50	12.51
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月22日	蚵殼站	0:04	30.82	48.29	31.43	8.26	7.44	6.8	16.7
		3:04	30.81	45.76	29.62	8.22	7.52	7.4	8.2
		6:04	30.42	47.46	30.85	8.18	7.42	7.2	9.5
		9:04	30.68	47.68	30.99	8.09	7.49	8.2	8.9
		12:04	30.80	47.48	30.85	8.10	7.62	7.4	9.9
		15:04	31.21	47.64	30.95	8.05	7.57	6.7	11.5
		18:04	31.04	46.37	30.05	8.10	7.63	5.1	16.3
		21:04	30.86	46.81	30.37	8.10	7.67	5.7	14.9
	日平均值		30.83	47.19	30.64	8.14	7.55	6.81	11.99
	潮口站	0:04	30.12	54.02	34.16	8.13	7.41	4.3	3.3
		3:04	30.64	54.03	34.14	8.11	6.83	8.2	5.7
		6:04	29.91	53.57	33.79	7.99	7.17	20.5	2.2
		9:04	30.06	53.23	33.51	7.99	7.61	15.2	7.8
		12:04	31.41	53.34	33.54	8.02	7.73	8.1	5.5
		15:04	31.92	54.03	34.09	7.89	8.15	13.5	5.2
		18:04	31.91	53.01	33.24	7.81	7.80	9.9	5.2
		21:04	30.87	52.60	32.94	7.95	7.27	41.0	4.1
	日平均值		30.86	53.48	33.68	7.99	7.50	15.09	4.88
	灣內站	0:04	30.21	48.19	31.27	8.22	6.88	27.1	5.5
		3:04	29.80	47.45	30.74	8.24	6.75	269.2	13.1
		6:04	29.71	46.96	30.39	8.22	6.73	114.1	12.3
		9:04	30.15	46.66	30.16	8.26	7.39	325.8	4.1
		12:04	30.34	46.74	30.21	8.31	8.37	255.9	10.9
		15:04	30.71	46.39	29.95	8.34	8.71	225.7	17.9
		18:04	30.49	47.36	30.66	8.29	8.13	7.3	25.5
		21:04	30.29	46.37	29.95	8.33	7.55	156.5	15.7
	日平均值		30.21	47.02	30.42	8.28	7.56	172.70	13.13
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月23日	蚵殼站	0:04	30.73	47.21	30.66	8.06	7.65	6.9	19.6
		3:04	30.53	46.21	29.95	8.16	7.58	0.5	19.6
		6:04	30.35	46.18	29.94	8.07	7.48	5.2	14.3
		9:04	30.44	45.69	29.59	8.14	7.60	5.5	16.9
		12:04	30.59	45.24	29.26	8.22	7.64	4.8	11.2
		15:04	30.69	45.69	29.58	8.12	7.60	6.4	12.3
		18:04	30.64	46.03	29.82	8.14	7.66	6.3	12.6
		21:04	30.63	46.23	29.25	8.03	7.69	0.2	13.4
	日平均值		30.58	46.06	29.76	8.12	7.61	4.48	14.99
	潮口站	0:04	30.34	51.74	32.24	7.97	7.46	34.9	3.2
		3:04	30.16	53.85	34.36	7.93	7.44	16.8	1.6
		6:04	30.13	54.35	34.14	7.89	7.18	22.4	5.3
		9:04	30.02	54.04	33.86	7.91	7.60	65.7	2.3
		12:04	30.69	54.40	34.16	7.86	7.37	39.3	1.0
		15:04	31.15	54.02	35.32	7.86	7.87	17.1	6.0
		18:04	31.17	53.93	34.99	7.77	7.67	14.2	10.1
		21:04	30.69	54.92	33.44	7.99	8.00	10.2	9.0
	日平均值		30.54	53.91	34.06	7.90	7.57	27.58	4.81
	灣內站	0:04	30.14	45.44	29.28	8.31	7.29	9.9	12.7
		3:04	29.98	52.22	34.23	8.39	6.68	60.1	10.8
		6:04	29.85	46.61	30.13	8.39	6.49	397.0	10.8
		9:04	30.05	47.99	31.13	8.33	6.48	50.5	16.5
		12:04	30.45	46.95	30.36	8.41	7.39	1531.5	17.1
		15:04	30.45	47.33	30.64	8.39	7.74	16.6	13.7
		18:04	30.21	45.95	29.64	8.38	7.40	8.5	15.8
		21:04	29.84	47.57	30.83	8.36	6.60	407.7	14.2
	日平均值		30.12	47.51	30.78	8.37	7.01	310.23	13.95
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月24日	蚵殼站	0:04	30.50	47.33	30.19	8.17	7.53	2.0	12.3
		3:04	30.39	45.72	29.36	8.09	7.69	4.5	16.5
		6:04	30.21	47.18	29.94	8.12	7.66	7.6	7.3
		9:04	30.36	46.57	29.28	8.18	7.78	6.8	9.6
		12:04	30.94	47.22	30.62	8.42	7.37	8.8	15.0
		15:04	30.98	47.15	30.55	8.31	7.56	7.7	13.4
		18:04	30.96	47.12	30.51	8.43	7.62	5.3	13.1
		21:04	30.90	47.25	30.65	8.39	7.44	9.2	15.4
	日平均值		30.66	46.94	30.14	8.26	7.58	6.49	12.83
	潮口站	0:04	30.09	55.88	33.07	7.88	7.61	56.0	4.6
		3:04	29.98	55.30	33.15	7.86	7.20	20.2	0.3
		6:04	29.85	53.96	33.11	8.06	6.97	12.2	9.8
		9:04	30.07	53.81	32.41	7.92	7.18	30.5	4.4
		12:04	31.30	52.51	33.18	8.12	7.09	31.1	9.3
		15:04	32.66	51.93	33.03	8.15	8.19	15.3	9.1
		18:04	32.11	51.92	32.94	8.19	8.96	11.9	13.2
		21:04	31.90	51.75	33.42	8.18	8.48	10.2	9.0
	日平均值		31.00	53.38	33.04	8.05	7.71	23.43	7.46
	灣內站	0:04	29.70	48.12	31.23	8.37	6.62	28.4	11.7
		3:04	29.66	47.70	30.93	8.31	6.24	343.7	9.6
		6:04	29.72	46.24	29.87	8.29	6.23	83.3	6.5
		9:04	30.05	45.77	29.52	8.32	7.06	1315.8	14.3
		12:04	30.74	52.66	34.53	8.21	7.71	5.1	7.3
		15:04	31.02	52.53	34.42	8.32	8.62	5.3	11.1
		18:04	31.36	52.47	34.37	8.40	9.38	6.6	17.2
		21:04	30.82	50.48	32.92	8.30	7.59	5.5	16.8
	日平均值		30.38	49.50	32.22	8.32	7.43	224.21	11.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月25日	蚵殼站	0:04	30.81	46.95	30.35	8.34	7.45	8.1	12.6
		3:04	30.87	46.98	30.38	8.39	7.51	7.7	12.0
		6:04	30.76	46.93	30.34	8.35	7.48	8.8	10.9
		9:04	31.00	46.91	30.31	8.27	7.58	9.3	12.1
		12:04	31.50	46.95	30.33	8.33	7.49	8.9	11.1
		15:04	31.84	46.89	30.26	8.40	7.63	8.6	12.9
		18:04	31.58	46.91	30.29	8.33	7.68	8.8	10.7
		21:04	31.56	47.05	30.43	8.48	7.54	8.4	9.8
	日平均值		31.24	46.95	30.34	8.36	7.55	8.58	11.51
	潮口站	0:04	30.78	51.09	33.50	8.12	6.58	65.9	7.5
		3:04	30.75	51.01	33.44	8.11	6.56	22.7	6.7
		6:04	30.93	50.90	33.36	8.16	6.49	10.3	11.2
		9:04	31.51	50.95	33.37	8.12	6.87	10.7	11.6
		12:04	31.21	51.09	33.49	8.09	6.83	40.3	5.6
		15:04	32.22	51.17	33.51	8.07	7.98	9.7	12.7
		18:04	31.41	51.10	33.49	8.16	8.51	14.2	15.8
		21:04	31.04	51.14	33.53	8.11	7.35	9.2	15.6
	日平均值		31.23	51.06	33.46	8.12	7.15	22.88	10.84
	灣內站	0:04	30.50	52.12	34.14	8.34	7.60	5.1	15.5
		3:04	30.16	51.92	34.00	8.27	7.14	11.8	12.6
		6:04	29.84	51.96	34.05	8.30	6.86	3.7	15.5
		9:04	30.30	52.16	34.17	8.34	8.17	3.6	6.9
		12:04	31.57	52.21	34.17	8.31	9.63	4.1	10.0
		15:04	32.28	52.29	34.20	8.48	10.84	3.8	8.6
		18:04	32.80	52.38	34.25	8.47	10.22	3.6	7.2
		21:04	32.38	52.41	34.28	8.48	9.76	3.5	9.2
	日平均值		31.23	52.18	34.16	8.37	8.78	4.90	10.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月26日	蚵殼站	0:04	31.61	47.01	30.39	8.42	7.69	8.2	5.6
		3:04	31.86	47.00	30.37	8.52	7.60	9.7	5.1
		6:04	31.36	47.04	30.42	8.51	7.56	9.0	2.4
		9:04	31.98	46.78	30.15	8.46	7.72	8.0	11.0
		12:04	31.97	46.96	30.33	8.27	7.51	8.8	10.2
		15:04	32.31	46.95	30.30	8.35	7.56	9.5	13.3
		18:04	32.24	46.96	30.32	8.45	7.62	6.3	8.7
		21:04	32.31	47.36	30.59	8.38	7.58	8.7	10.1
	日平均值		31.96	47.01	30.36	8.42	7.61	8.53	8.30
	潮口站	0:04	29.77	50.92	33.41	8.13	6.92	25.7	0.4
		3:04	30.12	51.34	33.71	8.08	6.73	62.3	3.2
		6:04	30.67	51.17	33.57	8.13	7.10	6.0	8.3
		9:04	31.86	51.19	33.53	8.02	7.18	6.0	5.5
		12:04	32.09	51.26	33.58	8.04	7.34	29.9	7.0
		15:04	31.43	50.51	33.05	8.03	6.98	22.6	0.7
		18:04	30.96	51.67	33.92	8.07	6.95	8.9	10.5
		21:04	31.37	51.76	33.98	8.09	7.71	3.6	9.2
	日平均值		31.03	51.23	33.59	8.07	7.11	20.63	5.60
	灣內站	0:04	32.17	52.06	34.03	8.34	9.37	4.6	12.1
		3:04	31.95	51.92	33.94	8.38	8.75	4.3	10.6
		6:04	31.69	52.14	34.11	8.32	8.69	3.7	12.6
		9:04	31.95	52.25	34.18	8.38	9.23	3.5	6.2
		12:04	32.48	52.28	34.18	8.42	9.95	4.0	10.0
		15:04	32.59	52.43	34.29	8.42	9.91	3.0	8.7
		18:04	33.40	52.28	34.15	8.55	11.08	4.7	17.1
		21:04	33.01	52.24	34.13	8.52	9.74	5.0	13.3
	日平均值		32.41	52.20	34.13	8.42	9.59	4.10	11.33
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月27日	蚵殼站	0:04	32.30	47.64	30.80	8.44	7.66	9.4	15.7
		3:04	32.08	46.68	30.11	8.49	7.67	9.8	10.7
		6:04	31.80	46.93	30.30	8.53	7.39	8.7	6.4
		9:04	31.97	48.51	31.44	8.30	7.49	9.8	6.2
		12:04	32.78	48.51	31.41	8.29	7.41	9.0	7.3
		15:04	33.05	46.68	30.08	8.39	7.51	8.9	3.1
		18:04	32.77	46.69	30.09	8.50	7.66	8.4	16.1
		21:04	32.87	46.68	30.08	8.38	7.55	9.2	11.6
	日平均值		32.45	47.29	30.54	8.42	7.54	9.15	9.64
	潮口站	0:04	30.25	50.74	33.27	8.07	6.64	27.4	2.4
		3:04	30.40	49.96	32.69	8.00	6.87	33.5	0.8
		6:04	30.37	50.06	32.76	8.04	6.48	11.3	2.5
		9:04	32.03	51.01	33.40	8.06	7.85	3.7	4.8
		12:04	32.37	50.98	33.36	8.02	7.49	9.0	4.5
		15:04	30.94	50.81	33.29	8.23	7.21	16.2	6.7
		18:04	30.78	50.93	33.39	8.24	7.44	11.6	10.6
		21:04	31.14	50.98	33.41	8.23	7.48	4.5	15.7
	日平均值		31.04	50.68	33.20	8.11	7.18	14.65	6.00
	灣內站	0:04	33.05	52.07	34.01	8.35	8.40	6.8	13.8
		3:04	32.57	52.01	33.98	8.37	8.50	4.9	11.0
		6:04	32.14	52.17	34.12	8.29	7.65	2.9	5.8
		9:04	32.02	51.95	33.96	8.42	8.46	4.3	10.6
		12:04	32.92	52.12	34.05	8.46	10.53	6.0	12.4
		15:04	33.29	52.18	34.08	8.25	10.85	4.1	7.5
		18:04	32.95	52.26	34.15	8.18	9.26	3.3	10.3
		21:04	32.77	52.20	34.12	8.15	8.56	5.5	11.5
	日平均值		32.71	52.12	34.06	8.31	9.03	4.73	10.36
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月28日	蚵殼站	0:04	32.77	47.16	30.43	8.26	7.50	10.2	10.5
		3:04	32.63	47.05	30.36	8.35	7.37	8.5	5.3
		6:04	32.32	47.12	30.42	8.42	7.48	6.5	10.5
		9:04	32.69	46.70	30.10	8.28	7.60	9.8	5.3
		12:04	32.59	46.41	29.89	8.29	7.42	8.4	9.1
		15:04	32.34	46.81	30.19	8.18	7.42	8.9	14.3
		18:04	32.49	46.85	30.22	8.37	7.60	7.1	12.4
		21:04	32.50	46.16	31.44	8.32	7.76	6.7	13.3
	日平均值		32.54	46.78	30.38	8.31	7.52	8.26	10.09
	潮口站	0:04	30.77	51.05	33.47	8.17	6.05	15.2	8.1
		3:04	29.91	51.12	33.55	8.23	6.83	25.0	1.3
		6:04	30.19	51.17	33.58	8.20	6.58	4.8	6.6
		9:04	32.39	51.35	33.63	8.21	8.05	1.9	9.0
		12:04	32.48	51.33	33.62	8.19	7.99	5.3	15.7
		15:04	30.68	49.15	32.09	8.23	7.38	7.0	1.2
		18:04	30.32	50.26	32.91	8.19	6.94	7.9	5.4
		21:04	31.24	50.99	33.41	8.17	7.46	7.9	8.1
	日平均值		31.00	50.80	33.28	8.20	7.16	9.38	6.93
	灣內站	0:04	32.62	52.02	33.99	8.40	8.12	8.6	11.1
		3:04	32.39	51.93	33.92	8.36	7.89	5.2	7.5
		6:04	32.38	52.00	33.98	8.30	7.00	5.8	12.8
		9:04	32.44	52.11	34.06	8.26	7.76	2.9	6.6
		12:04	32.84	52.06	34.00	8.32	8.54	5.8	8.1
		15:04	32.84	52.01	33.97	8.32	8.35	5.1	8.5
		18:04	32.59	51.95	33.94	8.34	8.12	7.1	8.2
		21:04	32.49	51.95	33.94	8.30	7.29	5.7	13.6
	日平均值		32.57	52.00	33.98	8.33	7.88	5.78	9.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月29日	蚵殼站	0:04	32.42	45.57	30.02	8.18	7.49	9.2	8.5
		3:04	32.30	44.38	30.19	8.26	7.73	8.8	10.0
		6:04	32.19	47.51	30.70	8.26	7.36	9.5	9.0
		9:04	32.37	47.85	30.95	8.23	7.40	8.4	10.5
		12:04	32.74	46.09	29.66	8.24	7.60	9.1	12.0
		15:04	32.44	49.42	32.08	8.21	7.50	8.9	8.8
		18:04	32.46	49.61	32.23	8.23	7.46	7.4	13.6
		21:04	32.44	47.19	30.47	8.24	7.50	6.6	8.5
	日平均值		32.42	47.20	30.79	8.23	7.51	8.49	10.11
	潮口站	0:04	30.82	50.94	33.39	8.18	6.33	7.4	7.0
		3:04	29.75	46.65	30.31	8.19	6.85	11.7	0.3
		6:04	29.80	47.16	30.67	8.25	6.56	4.0	0.0
		9:04	32.04	49.96	32.77	8.18	7.26	1.6	8.6
		12:04	32.39	51.12	33.60	8.23	8.38	1.5	6.5
		15:04	30.25	51.17	33.71	8.27	6.82	12.1	3.9
		18:04	30.10	46.44	30.28	8.24	7.26	4.9	1.3
		21:04	30.43	49.30	32.34	8.25	7.13	5.6	11.5
	日平均值		30.70	49.09	32.13	8.22	7.07	6.10	4.89
	灣內站	0:04	32.34	51.79	33.83	8.33	7.22	5.0	9.4
		3:04	32.15	50.19	32.66	8.29	6.50	6.5	17.8
		6:04	31.96	52.02	34.01	8.21	6.74	4.7	15.7
		9:04	32.23	51.68	33.75	8.22	7.23	4.1	10.3
		12:04	32.26	50.67	33.01	8.24	7.96	3.5	7.2
		15:04	32.31	50.33	32.76	8.26	7.94	6.8	7.9
		18:04	32.01	50.16	32.65	8.24	7.48	8.7	2.6
		21:04	31.89	50.40	32.82	8.21	6.89	17.5	1.8
	日平均值		32.14	50.91	33.19	8.25	7.25	7.10	9.09
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月30日	蚵殼站	0:04	32.31	46.56	31.73	8.16	7.58	6.9	6.4
		3:04	31.93	46.32	31.57	8.26	7.72	9.3	4.1
		6:04	31.76	46.96	30.32	8.26	7.46	10.0	8.2
		9:04	31.86	50.20	32.68	8.28	7.36	9.6	7.7
		12:04	32.18	46.11	29.70	8.36	7.74	8.9	14.5
		15:04	31.82	45.75	29.45	8.31	7.76	8.7	13.1
		18:04	32.22	46.72	30.13	8.24	7.75	8.0	13.8
	21:04	32.20	47.47	30.68	8.29	7.68	7.3	10.3	
	日平均值		32.04	47.01	30.78	8.27	7.63	8.59	9.76
	潮口站	0:04	30.50	49.17	32.25	8.22	6.73	5.8	3.1
		3:04	29.04	48.60	31.87	8.30	6.98	8.8	0.2
		6:04	29.02	47.15	30.82	8.27	6.84	7.6	2.2
		9:04	31.74	48.05	31.39	8.23	7.71	0.8	5.1
		12:04	32.34	49.77	32.61	8.16	7.52	12.6	10.3
		15:04	31.47	48.35	31.61	8.18	7.39	9.9	3.2
		18:04	29.78	48.12	31.51	8.25	7.23	4.3	3.6
	21:04	30.17	51.65	34.07	8.22	7.21	7.2	9.0	
	日平均值		30.51	48.86	32.02	8.23	7.20	7.13	4.59
	灣內站	0:04	32.27	50.15	32.62	8.26	5.95	20.9	14.2
		3:04	31.75	49.95	32.50	8.12	6.81	12.7	2.3
		6:04	31.49	50.12	32.63	8.09	5.75	21.1	5.4
		9:04	31.68	50.30	32.76	8.08	6.06	17.4	3.3
		12:04	31.87	50.06	32.58	8.19	7.83	10.8	7.2
		15:04	32.02	49.99	32.52	8.31	8.16	13.9	11.0
		18:04	32.01	49.99	32.52	8.31	8.04	15.3	6.1
	21:04	31.48	50.32	32.78	8.27	7.76	23.1	10.1	
	日平均值		31.82	50.11	32.61	8.20	7.05	16.90	7.45
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

附錄 4.6 灣域水質(自動監測系統)

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月1日	蚵殼站	0:04	32.10	40.30	25.55	8.25	7.93	8.1	13.9
		3:04	31.75	46.66	30.11	8.22	7.65	9.3	15.1
		6:04	31.50	49.13	31.91	8.25	7.51	8.7	5.9
		9:04	31.75	50.08	32.59	8.27	7.55	9.3	17.9
		12:04	32.08	50.34	32.77	8.23	7.71	8.5	15.3
		15:04	31.52	47.26	30.54	8.34	7.95	8.2	18.8
		18:04	31.46	44.25	28.38	8.36	8.15	7.5	10.8
		21:04	31.84	42.38	27.03	8.38	8.11	5.6	14.4
	日平均值		31.75	46.30	29.86	8.29	7.82	8.15	14.01
	潮口站	0:04	30.31	51.73	34.12	8.20	6.93	8.4	6.1
		3:04	28.69	52.17	34.50	8.29	6.76	12.5	3.2
		6:04	28.94	52.15	34.47	8.26	6.60	11.2	3.9
		9:04	31.48	51.87	34.19	8.23	8.12	4.4	4.5
		12:04	32.27	52.01	34.26	8.09	7.08	18.4	3.5
		15:04	32.13	51.89	34.17	8.26	9.54	10.1	12.0
		18:04	29.80	50.98	33.59	8.23	6.95	18.5	6.8
		21:04	30.00	51.38	33.88	8.22	7.45	10.6	9.2
	日平均值		30.45	51.77	34.15	8.22	7.43	11.76	6.15
	灣內站	0:04	31.62	45.18	29.04	8.30	7.09	22.5	7.9
		3:04	31.66	44.15	28.30	8.20	6.88	20.7	7.4
		6:04	31.32	42.82	27.36	8.16	6.91	17.9	3.6
		9:04	31.45	42.96	27.46	8.19	7.99	19.6	9.9
		12:04	32.31	43.57	27.87	8.29	9.76	9.8	13.9
		15:04	32.44	49.93	32.45	8.38	9.56	8.4	9.1
		18:04	32.41	50.07	32.57	8.39	8.94	6.5	9.2
		21:04	31.90	51.76	33.81	8.31	7.74	15.2	6.2
	日平均值		31.89	46.31	29.86	8.28	8.11	15.08	8.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月2日	蚵殼站	0:04	32.12	41.91	26.69	8.26	8.07	6.9	20.2
		3:04	31.55	39.29	24.86	8.42	8.06	6.1	18.3
		6:04	31.10	50.12	32.64	8.22	7.65	7.4	12.4
		9:04	31.68	48.56	31.49	8.30	7.97	7.1	11.8
		12:04	30.96	46.94	30.34	8.05	8.09	5.3	20.4
		15:04	31.35	46.99	30.36	8.31	8.28	6.9	16.3
		18:04	31.22	48.33	31.34	8.35	8.12	5.7	18.3
		21:04	32.21	47.90	30.99	8.35	8.18	3.9	19.2
	日平均值		31.52	46.26	29.84	8.28	8.05	6.16	17.11
	潮口站	0:04	30.17	51.36	33.86	8.20	7.16	12.3	6.2
		3:04	29.08	51.84	34.24	8.23	6.83	22.0	2.3
		6:04	29.21	51.76	34.18	8.21	6.93	22.9	8.7
		9:04	30.32	51.64	34.05	8.19	7.87	12.7	14.5
		12:04	32.12	51.87	34.16	8.15	8.96	14.6	12.6
		15:04	31.42	51.74	34.09	8.26	9.63	14.1	16.5
		18:04	30.10	51.32	33.83	8.20	7.09	27.6	6.2
		21:04	29.89	51.64	34.07	8.23	7.71	16.7	7.3
	日平均值		30.29	51.65	34.06	8.21	7.77	17.86	9.29
	灣內站	0:04	32.17	50.38	32.79	8.43	8.33	11.9	11.1
		3:04	31.83	50.39	32.80	8.35	7.64	12.7	7.5
		6:04	31.53	50.35	32.78	8.30	7.56	14.1	14.4
		9:04	31.55	50.73	33.04	8.31	8.47	10.5	6.5
		12:04	32.42	50.45	32.81	8.44	10.06	8.2	13.6
		15:04	32.65	50.73	32.99	8.52	10.53	36.4	13.4
		18:04	32.81	51.00	33.20	8.33	9.06	44.3	15.1
		21:04	32.67	50.99	33.18	8.35	8.93	31.6	13.2
	日平均值		32.20	50.63	32.95	8.38	8.82	21.21	11.85
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月3日	蚵殼站	0:04	32.30	38.56	24.32	8.27	8.21	1.8	13.3
		3:04	31.96	40.75	25.87	8.42	8.01	4.0	24.0
		6:04	31.83	47.29	30.56	8.37	7.79	1.1	19.4
		9:04	30.65	47.42	30.69	8.23	7.91	14.4	26.6
		12:04	31.69	47.72	30.87	8.05	8.18	0.6	28.9
		15:04	31.52	46.77	30.20	8.47	8.63	2.9	36.0
		18:04	32.01	45.43	29.21	8.47	8.42	2.9	35.8
		21:04	32.04	42.98	27.45	8.37	8.23	2.5	26.4
	日平均值		31.75	44.62	28.65	8.33	8.17	3.78	26.30
	潮口站	0:04	30.72	51.71	34.09	8.23	8.62	16.5	13.6
		3:04	29.36	51.87	34.26	8.19	6.97	21.6	6.3
		6:04	28.86	51.93	34.31	8.22	6.84	24.1	13.3
		9:04	31.62	51.66	34.02	8.20	8.91	16.4	11.3
		12:04	32.70	51.95	34.20	8.09	9.29	23.0	12.7
		15:04	31.69	51.70	34.05	8.22	8.96	24.9	23.4
		18:04	30.25	51.45	33.92	8.21	7.23	31.1	33.5
		21:04	28.85	52.04	34.40	8.23	6.93	28.6	6.2
	日平均值		30.51	51.79	34.16	8.20	7.97	23.28	15.04
	灣內站	0:04	32.13	50.95	33.17	8.35	8.61	23.4	14.0
		3:04	32.10	50.83	33.08	8.31	8.13	24.2	29.1
		6:04	31.38	50.99	33.22	8.07	7.33	17.7	12.1
		9:04	31.44	51.38	33.50	8.05	7.89	22.5	17.4
		12:04	32.66	51.40	33.46	8.21	9.75	15.3	17.4
		15:04	33.10	51.07	33.21	8.32	10.90	39.0	21.8
		18:04	33.28	51.46	33.48	8.31	10.11	8.3	10.1
		21:04	32.26	51.71	33.69	8.28	9.74	12.9	14.4
	日平均值		32.29	51.22	33.35	8.24	9.06	20.41	17.04
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月4日	蚵殼站	0:04	31.99	42.35	27.00	8.32	8.42	0.7	46.3
		3:04	32.14	42.00	26.76	8.25	8.12	0.5	24.0
		6:04	31.50	50.04	32.58	8.23	8.02	0.6	34.4
		9:04	30.88	50.19	32.70	8.15	7.78	1.1	34.6
		12:04	30.66	50.21	32.73	8.23	8.24	0.0	86.1
		15:04	30.30	50.22	32.75	8.30	8.33	1.5	15.5
		18:04	30.85	44.04	28.25	8.40	8.34	4.3	29.2
		21:04	31.71	47.61	30.80	8.38	8.09	7.5	28.0
	日平均值		31.25	47.08	30.45	8.28	8.17	2.03	37.26
	潮口站	0:04	31.26	51.81	34.14	8.17	8.53	23.7	18.0
		3:04	31.19	51.74	34.10	8.21	7.76	29.3	10.2
		6:04	29.09	51.73	34.16	8.25	7.05	28.4	6.7
		9:04	29.35	51.86	34.25	8.26	7.64	29.2	6.5
		12:04	30.23	51.66	34.07	8.25	8.31	39.2	18.4
		15:04	30.65	51.55	33.98	8.27	8.38	40.4	16.6
		18:04	29.76	51.16	33.72	8.28	7.35	42.0	14.3
		21:04	28.72	51.59	34.07	8.30	6.84	40.0	7.4
	日平均值		30.03	51.64	34.06	8.25	7.73	34.03	12.26
	灣內站	0:04	32.37	51.32	33.40	8.29	9.23	13.7	19.5
		3:04	31.53	50.49	32.82	8.26	9.14	21.6	18.9
		6:04	30.85	50.64	32.96	8.11	8.46	12.8	21.3
		9:04	29.90	51.10	33.33	7.96	7.84	11.9	14.1
		12:04	31.64	50.74	32.99	8.28	10.84	15.4	15.5
		15:04	31.68	51.12	33.27	8.38	10.45	8.0	8.4
		18:04	31.52	51.03	33.21	8.42	9.60	9.2	23.5
		21:04	31.51	50.82	33.06	8.37	8.45	13.2	17.4
	日平均值		31.38	50.91	33.13	8.26	9.25	13.23	17.33
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月5日	蚵殼站	0:04	31.44	42.77	27.32	8.22	8.08	4.5	28.5
		3:04	31.06	45.25	29.11	8.24	7.84	6.8	23.6
		6:04	30.66	49.61	32.29	8.26	7.75	6.0	27.9
		9:04	30.12	50.01	32.60	8.21	7.90	8.6	26.1
		12:04	30.15	49.94	32.55	8.22	7.92	8.6	30.8
		15:04	30.85	49.88	32.48	8.27	8.26	8.8	24.6
		18:04	30.76	49.88	32.48	8.27	8.15	3.1	31.6
		21:04	30.77	49.78	32.41	8.28	8.24	7.0	28.3
	日平均值		30.73	48.39	31.41	8.25	8.02	6.68	27.68
	潮口站	0:04	30.47	51.46	33.91	8.20	7.36	38.1	10.4
		3:04	31.35	51.10	33.63	8.27	8.36	31.7	22.9
		6:04	29.14	51.44	33.95	8.30	7.03	32.1	11.6
		9:04	29.28	51.45	33.95	8.23	6.89	28.1	13.2
		12:04	31.55	51.21	33.70	8.23	8.68	30.7	21.7
		15:04	30.96	51.27	33.76	8.23	8.3	35.0	32.3
		18:04	30.86	51.15	33.68	8.25	8.7	29.9	51.8
		21:04	29.72	51.02	33.62	8.23	6.9	29.2	32.2
	日平均值		30.42	51.26	33.78	8.24	7.78	31.85	24.51
	灣內站	0:04	31.16	52.27	34.12	8.35	8.16	14.5	21.3
		3:04	30.78	50.08	32.54	8.32	7.36	13.1	16.1
		6:04	30.06	48.88	31.68	8.20	7.74	13.3	9.5
		9:04	30.25	49.58	32.18	8.29	8.14	12.4	8.1
		12:04	31.11	49.19	31.87	8.34	9.28	9.2	9.3
		15:04	31.82	50.45	32.75	8.27	10.52	21.5	9.8
		18:04	31.62	48.69	31.49	8.26	9.22	10.0	11.5
		21:04	30.89	47.58	30.71	8.27	8.22	12.8	9.5
	日平均值		30.96	49.59	32.17	8.29	8.58	13.35	11.89
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月6日	蚵殼站	0:04	30.84	49.51	32.21	8.36	8.18	12.2	16.5
		3:04	30.79	49.21	31.99	8.28	8.07	12.4	35.9
		6:04	30.71	49.40	32.13	8.29	7.87	6.6	12.1
		9:04	30.50	49.56	32.26	8.26	8.04	10.3	10.7
		12:04	30.01	49.64	32.34	8.00	8.00	7.2	5.2
		15:04	30.13	49.61	32.31	8.13	8.08	14.3	9.3
		18:04	30.42	49.48	32.20	8.25	8.29	6.7	6.9
		21:04	30.46	41.86	26.71	8.23	8.41	10.4	12.9
	日平均值		30.48	48.53	31.52	8.23	8.12	10.01	13.69
	潮口站	0:04	30.14	48.15	31.51	8.22	7.55	28.9	17.2
		3:04	30.17	48.76	31.94	8.20	7.16	30.7	24.4
		6:04	29.34	49.27	32.32	8.24	6.69	30.8	9.3
		9:04	29.39	49.80	32.69	8.22	6.92	27.9	12.4
		12:04	30.22	49.60	32.49	8.19	7.60	37.6	25.6
		15:04	30.85	49.82	32.62	8.16	6.90	35.2	17.1
		18:04	30.13	50.23	32.92	8.20	6.86	32.6	19.9
		21:04	29.58	48.91	31.96	8.20	7.18	62.6	8.1
	日平均值		29.98	49.32	32.31	8.20	7.11	35.79	16.75
	灣內站	0:04	30.80	45.59	29.28	8.28	8.08	11.2	13.8
		3:04	30.46	47.07	30.34	8.22	7.46	21.9	19.9
		6:04	30.30	47.17	30.42	8.10	6.82	11.5	19.8
		9:04	30.21	44.62	28.61	8.16	7.99	14.6	15.8
		12:04	30.75	45.81	29.43	8.21	9.26	6.5	17.5
		15:04	31.15	45.84	29.44	8.27	9.69	4.8	25.9
		18:04	31.08	46.97	30.25	8.31	9.31	25.9	11.7
		21:04	30.66	47.71	30.79	8.17	8.21	17.0	14.7
	日平均值		30.68	46.35	29.82	8.22	8.35	14.18	17.39
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月7日	蚵殼站	0:04	30.74	41.63	26.53	8.32	8.38	7.8	8.2
		3:04	29.96	41.67	26.58	8.28	8.40	10.1	4.7
		6:04	30.10	49.10	31.93	8.17	7.89	15.8	8.7
		9:04	30.00	49.02	31.88	8.11	7.90	32.4	10.7
		12:04	29.82	48.72	31.66	8.07	7.99	33.3	17.6
		15:04	29.87	48.42	31.45	8.12	8.11	19.1	24.4
		18:04	29.99	47.15	30.52	8.09	8.30	9.7	19.9
		21:04	29.56	40.95	26.08	8.18	8.37	10.9	16.5
	日平均值		30.01	45.83	29.58	8.17	8.17	17.39	13.84
	潮口站	0:04	29.91	49.96	32.70	8.18	7.12	47.7	6.1
		3:04	30.10	49.46	32.31	8.16	6.28	36.8	11.9
		6:04	29.80	50.73	33.22	8.18	6.67	31.3	4.0
		9:04	29.42	51.19	33.55	8.19	5.65	48.0	4.0
		12:04	29.56	50.33	32.90	8.20	6.80	33.9	5.0
		15:04	30.16	49.97	32.61	8.22	7.20	33.3	11.8
		18:04	30.19	49.69	32.39	8.25	8.64	32.9	21.3
		21:04	29.72	48.11	31.25	8.21	7.40	48.8	8.4
	日平均值		29.86	49.93	32.62	8.20	6.97	39.09	9.06
	灣內站	0:04	30.86	46.81	30.14	8.14	7.92	20.9	18.2
		3:04	30.38	47.54	30.68	8.14	7.55	25.1	24.3
		6:04	30.03	48.44	31.33	8.07	6.74	24.4	12.7
		9:04	29.86	47.90	30.95	8.08	7.39	22.1	17.1
		12:04	29.66	49.80	32.33	8.12	7.20	25.4	14.1
		15:04	29.89	48.55	31.41	8.18	8.24	23.8	18.2
		18:04	29.89	49.38	32.02	8.15	7.02	21.1	16.6
		21:04	29.22	50.75	33.03	8.15	6.04	20.1	9.5
	日平均值		29.97	48.65	31.49	8.13	7.26	22.86	16.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月8日	蚵殼站	0:04	29.46	40.13	25.50	8.32	8.34	20.4	14.3
		3:04	29.24	41.63	26.58	8.25	8.27	26.7	7.2
		6:04	29.06	47.36	30.70	8.14	8.11	11.2	8.3
		9:04	29.02	47.21	30.59	8.25	7.93	31.6	12.7
		12:04	29.03	47.05	30.47	8.18	7.86	15.2	7.5
		15:04	29.00	46.83	30.32	8.21	8.06	14.9	17.3
		18:04	29.02	46.69	30.21	8.16	8.36	15.2	17.8
		21:04	28.82	46.61	30.17	8.18	8.22	14.4	9.1
	日平均值		29.08	45.44	29.32	8.21	8.14	18.70	11.78
	潮口站	0:04	29.51	49.42	32.18	8.21	7.00	41.0	8.4
		3:04	29.44	50.47	32.92	8.26	7.19	36.6	11.8
		6:04	28.88	50.32	32.81	8.22	5.88	38.2	7.3
		9:04	29.21	49.01	31.84	8.21	7.04	46.6	7.8
		12:04	29.24	50.09	32.59	8.22	6.95	41.6	10.9
		15:04	29.15	51.45	33.56	8.18	6.52	46.7	9.3
		18:04	28.89	49.45	32.11	8.20	6.66	44.3	8.7
		21:04	28.78	45.90	29.57	8.22	7.71	129.5	12.6
	日平均值		29.14	49.51	32.20	8.22	6.87	53.06	9.60
	灣內站	0:04	29.18	49.84	32.37	8.13	6.38	21.3	8.0
		3:04	29.08	51.58	33.64	8.14	6.13	25.8	7.3
		6:04	28.65	46.69	30.13	8.11	5.82	27.6	6.6
		9:04	28.74	48.55	31.47	8.16	5.75	14.2	9.2
		12:04	28.81	46.78	30.18	8.19	6.50	17.8	6.8
		15:04	28.86	49.35	32.03	8.26	6.73	14.2	4.8
		18:04	28.68	50.02	32.52	8.39	6.73	25.4	4.6
		21:04	28.32	52.45	34.22	8.17	6.10	9.7	5.4
	日平均值		28.79	49.41	32.07	8.19	6.27	19.50	6.59
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月9日	蚵殼站	0:04	28.69	46.59	30.15	8.23	8.28	30.8	11.5
		3:04	28.54	45.56	29.41	8.14	8.22	16.8	7.7
		6:04	28.37	45.58	29.43	8.33	8.30	18.6	8.4
		9:04	28.51	43.94	28.25	8.15	8.43	22.3	6.3
		12:04	29.02	44.28	28.47	8.15	8.59	20.1	12.7
		15:04	28.99	44.87	28.90	8.14	8.62	23.5	17.6
		18:04	29.04	43.45	27.89	8.24	8.53	28.1	31.1
		21:04	29.17	39.84	25.31	8.11	8.44	35.2	12.3
	日平均值		28.79	44.26	28.48	8.19	8.43	24.43	13.45
	潮口站	0:04	28.76	49.43	32.06	8.21	7.46	107.1	6.2
		3:04	28.58	49.82	32.32	8.21	7.30	52.3	3.1
		6:04	28.37	50.05	32.48	8.23	6.78	38.8	5.0
		9:04	28.64	50.87	33.04	8.20	7.05	38.5	4.9
		12:04	29.67	49.59	32.08	8.18	7.37	48.7	2.5
		15:04	29.06	51.15	33.18	8.23	7.39	37.6	9.1
		18:04	28.93	51.24	33.25	8.21	6.61	39.3	18.4
		21:04	28.96	49.40	31.92	8.21	7.12	40.5	15.6
	日平均值		28.87	50.19	32.54	8.21	7.14	50.35	8.10
	灣內站	0:04	28.26	53.23	33.33	8.26	6.16	20.7	6.7
		3:04	28.22	53.35	34.95	8.28	6.49	26.9	3.7
		6:04	28.12	53.94	35.39	8.35	6.24	17.6	4.8
		9:04	28.24	53.60	35.13	8.47	6.70	19.7	5.9
		12:04	28.77	52.96	34.65	8.33	8.26	15.8	6.1
		15:04	29.56	52.17	34.04	8.39	8.74	19.0	6.8
		18:04	29.49	50.76	33.03	8.28	7.86	25.0	5.6
		21:04	29.29	49.63	32.22	8.24	7.23	18.0	9.8
	日平均值		28.74	52.46	34.09	8.33	7.21	20.34	6.18
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月10日	蚵殼站	0:04	29.12	43.64	28.01	8.17	8.49	28.5	24.8
		3:04	28.98	44.08	28.33	8.22	8.44	30.6	13.9
		6:04	28.82	44.16	28.40	8.19	8.33	29.7	16.7
		9:04	29.27	41.73	26.65	8.18	8.47	25.8	17.5
		12:04	29.56	43.19	27.67	8.07	8.73	27.4	28.0
		15:04	29.72	43.81	28.12	8.18	8.75	29.5	42.5
		18:04	29.61	44.66	28.73	8.17	8.77	28.9	38.3
		21:04	29.36	44.65	28.74	8.02	8.67	29.8	45.8
	日平均值		29.31	43.74	28.08	8.15	8.58	28.78	28.44
	潮口站	0:04	29.27	48.48	31.22	8.17	7.23	37.9	4.1
		3:04	29.33	45.55	29.15	8.19	7.15	37.1	6.2
		6:04	29.21	48.76	31.40	8.18	6.93	36.8	10.2
		9:04	29.47	47.13	30.23	8.20	7.58	34.3	12.5
		12:04	29.75	50.80	32.79	8.16	7.08	37.3	3.6
		15:04	29.89	52.51	33.97	8.16	6.82	35.6	0.3
		18:04	29.62	52.50	33.97	8.24	7.50	36.5	18.0
		21:04	29.47	51.66	33.34	8.34	8.12	39.5	23.6
	日平均值		29.50	49.67	32.01	8.21	7.30	36.88	9.81
	灣內站	0:04	29.05	51.16	33.33	8.22	7.18	17.1	5.7
		3:04	28.94	52.29	34.15	8.31	7.10	13.7	8.8
		6:04	28.77	49.14	31.88	8.36	6.99	15.0	8.2
		9:04	28.98	48.52	31.44	8.38	8.27	16.2	4.2
		12:04	29.30	48.26	31.24	8.40	10.47	18.0	5.3
		15:04	29.49	48.17	31.17	8.46	11.72	18.1	6.9
		18:04	29.51	47.41	30.62	8.45	11.72	18.9	4.6
		21:04	29.35	47.57	30.76	8.38	9.91	14.1	6.5
	日平均值		29.17	49.07	31.82	8.37	9.17	16.39	6.28
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月11日	蚵殼站	0:04	29.15	45.42	29.29	8.20	8.63	30.4	29.6
		3:04	29.14	45.08	29.04	8.08	8.44	35.7	31.3
		6:04	29.09	45.60	29.42	8.21	8.52	37.3	45.9
		9:04	29.20	44.99	28.97	8.18	8.67	43.5	35.3
		12:04	29.50	44.53	28.65	8.13	8.80	47.8	41.1
		15:04	29.59	44.97	28.95	8.17	8.97	61.2	39.2
		18:04	29.41	44.92	28.93	8.37	9.07	70.1	52.2
		21:04	29.53	43.49	27.89	8.29	9.24	80.4	61.8
	日平均值		29.33	44.88	28.89	8.20	8.79	50.80	42.05
	潮口站	0:04	28.88	53.34	34.54	8.30	6.98	36.4	0.3
		3:04	28.79	50.49	32.50	8.29	7.19	39.3	5.2
		6:04	28.96	52.60	33.97	8.31	6.98	37.6	9.2
		9:04	29.03	51.43	33.12	8.36	7.57	39.0	20.3
		12:04	29.26	50.00	32.09	8.31	7.76	38.7	9.5
		15:04	29.25	49.73	31.88	8.31	7.39	40.4	1.6
		18:04	29.50	51.62	33.19	8.31	8.47	41.0	15.1
		21:04	29.66	50.72	32.52	8.41	9.37	40.8	22.1
	日平均值		29.17	51.24	32.98	8.33	7.71	39.15	10.41
	灣內站	0:04	29.07	45.47	29.27	8.36	8.31	10.6	11.9
		3:04	28.93	49.82	32.38	8.33	8.01	14.4	10.6
		6:04	28.72	45.77	29.50	8.30	7.20	10.5	16.4
		9:04	28.79	43.81	28.10	8.40	6.70	15.3	9.7
		12:04	29.13	46.05	29.69	8.52	10.87	17.0	15.1
		15:04	29.78	44.37	28.47	8.52	15.43	14.0	20.6
		18:04	29.88	44.45	28.53	8.43	14.39	22.0	21.8
		21:04	29.48	46.00	29.65	8.29	11.03	28.4	21.3
	日平均值		29.22	45.72	29.45	8.39	10.24	16.53	15.93
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月12日	蚵殼站	0:04	29.64	43.05	27.60	8.40	9.10	73.8	45.8
		3:04	29.36	43.15	27.67	8.22	8.80	70.4	38.2
		6:04	29.10	44.03	28.30	8.07	8.45	88.7	30.6
		9:04	29.39	43.52	27.93	8.30	8.76	69.1	30.0
		12:04	30.54	43.78	28.08	8.21	8.87	47.2	33.9
		15:04	30.95	43.96	28.21	8.23	9.03	93.8	32.5
		18:04	30.71	42.88	27.46	8.29	9.13	51.1	37.2
		21:04	30.77	42.18	26.96	8.28	9.12	67.3	54.0
	日平均值		30.06	43.32	27.78	8.25	8.91	70.18	37.78
	潮口站	0:04	29.05	52.75	33.95	8.34	7.21	41.5	6.3
		3:04	28.77	51.79	33.27	8.36	7.46	56.5	6.6
		6:04	28.82	51.98	33.37	8.33	7.45	40.6	1.3
		9:04	29.31	52.60	33.77	8.38	8.27	39.6	19.8
		12:04	30.15	53.17	34.11	8.35	9.43	41.9	17.6
		15:04	30.22	41.70	26.18	8.21	7.57	41.1	6.7
		18:04	29.71	52.15	33.38	8.42	10.14	39.6	21.0
		21:04	29.83	50.64	32.29	8.38	9.24	42.8	12.7
	日平均值		29.48	50.85	32.54	8.35	8.35	42.95	11.50
	灣內站	0:04	29.51	46.44	29.96	8.36	11.17	16.8	14.9
		3:04	29.27	48.83	31.68	8.23	8.83	27.2	14.7
		6:04	29.06	44.34	28.49	8.27	9.09	24.1	12.6
		9:04	28.93	44.33	28.50	8.20	8.35	16.0	15.4
		12:04	30.04	42.30	27.03	8.41	14.74	31.3	12.3
		15:04	30.82	43.61	27.93	8.36	14.67	26.3	12.4
		18:04	31.29	36.92	23.24	8.31	15.54	30.7	13.6
		21:04	30.61	40.49	25.76	8.33	13.30	31.5	13.3
	日平均值		29.94	43.41	27.82	8.31	11.96	25.49	13.65
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月13日	蚵殼站	0:04	30.28	41.22	26.30	8.45	8.62	59.1	32.4
		3:04	30.66	42.78	27.39	8.35	8.70	57.9	47.9
		6:04	30.34	41.91	26.79	8.29	8.94	58.2	45.2
		9:04	30.42	42.00	26.85	8.28	8.85	63.3	29.9
		12:04	31.61	42.61	27.25	8.61	8.89	60.2	27.6
		15:04	31.49	43.23	27.69	8.10	8.88	58.2	32.0
		18:04	31.74	42.81	27.40	8.09	8.90	62.6	46.7
		21:04	31.47	44.03	28.29	8.21	8.75	62.6	54.7
	日平均值		31.00	42.57	27.25	8.30	8.82	60.26	39.55
	潮口站	0:04	29.80	48.97	31.12	8.34	8.16	44.0	8.4
		3:04	29.27	53.88	34.55	8.31	7.24	39.3	0.8
		6:04	30.13	48.31	30.62	8.46	9.59	38.6	24.4
		9:04	30.08	49.76	31.61	8.42	8.77	37.7	21.1
		12:04	31.58	47.46	29.96	8.39	9.68	38.5	17.9
		15:04	29.94	54.03	34.54	8.37	7.51	43.3	16.4
		18:04	29.50	48.84	30.94	8.30	7.35	46.3	5.8
		21:04	30.14	50.05	31.73	8.28	7.40	45.5	7.5
	日平均值		30.06	50.16	31.88	8.36	8.21	41.65	12.79
	灣內站	0:04	30.80	39.64	25.16	8.24	12.23	23.7	12.0
		3:04	29.95	45.76	29.50	7.91	9.90	31.7	8.1
		6:04	30.06	47.39	30.67	7.95	9.02	24.6	6.3
		9:04	29.90	46.18	29.81	8.01	9.57	25.5	6.6
		12:04	31.24	47.05	30.40	7.98	12.64	32.8	6.7
		15:04	31.42	46.00	29.64	8.16	13.85	38.2	4.2
		18:04	31.78	45.65	29.39	8.09	12.61	31.7	5.4
		21:04	31.82	45.74	29.46	8.09	11.57	29.7	6.6
	日平均值		30.87	45.43	29.25	8.05	11.42	29.74	6.99
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月14日	蚵殼站	0:04	31.18	43.95	28.24	8.25	8.75	68.2	46.1
		3:04	31.04	43.61	28.02	8.40	8.63	74.3	55.9
		6:04	30.76	44.16	28.42	7.95	8.50	63.4	42.4
		9:04	30.97	43.82	28.19	8.15	8.63	69.8	46.2
		12:04	31.85	44.49	28.64	8.06	8.63	71.9	23.6
		15:04	32.13	43.77	28.01	8.34	8.56	7.5	13.7
		18:04	32.19	43.61	27.90	8.26	8.94	8.8	13.9
		21:04	31.62	43.64	27.94	8.22	8.74	9.6	15.6
	日平均值		31.47	43.88	28.17	8.20	8.67	46.69	32.18
	潮口站	0:04	30.28	50.39	31.94	8.33	8.09	44.0	7.1
		3:04	28.98	55.91	35.80	8.34	7.09	42.7	2.9
		6:04	29.92	51.81	32.89	8.41	8.80	42.0	10.0
		9:04	31.03	51.49	32.61	8.44	10.56	40.9	19.0
		12:04	31.01	50.23	31.72	8.33	9.11	41.0	21.2
		15:04	30.56	50.35	33.21	8.28	8.60	33.9	18.6
		18:04	29.82	48.58	32.39	8.21	7.16	33.6	3.8
		21:04	31.34	48.11	32.00	8.29	10.95	2.3	13.5
	日平均值		30.37	50.86	32.82	8.33	8.80	35.05	12.01
	灣內站	0:04	31.02	48.11	31.18	8.10	10.25	26.3	5.2
		3:04	30.07	48.50	31.50	7.94	8.73	26.8	4.7
		6:04	30.23	47.35	30.67	7.86	7.34	23.9	4.1
		9:04	30.21	49.12	31.96	7.93	9.07	28.8	4.6
		12:04	31.93	47.90	31.00	8.22	12.50	2.4	6.5
		15:04	32.22	48.62	31.51	8.32	13.71	2.8	12.6
		18:04	32.11	48.42	31.37	8.20	14.14	3.0	18.4
		21:04	32.11	48.55	31.47	8.28	12.83	4.2	10.6
	日平均值		31.24	48.32	31.33	8.11	11.07	14.78	8.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月15日	蚵殼站	0:04	31.24	43.62	27.94	8.39	8.85	8.6	13.2
		3:04	31.02	43.64	27.96	8.35	8.79	9.0	13.6
		6:04	30.77	43.68	27.99	8.42	8.65	8.7	12.3
		9:04	30.37	44.78	28.80	8.09	8.62	8.6	22.8
		12:04	30.74	44.68	28.71	8.23	9.10	6.9	16.5
		15:04	31.94	44.36	28.44	8.32	9.13	7.9	18.4
		18:04	32.05	44.21	28.33	8.38	9.28	7.2	16.5
		21:04	31.55	44.40	28.48	8.35	9.01	8.4	14.6
	日平均值		31.21	44.17	28.33	8.32	8.93	8.16	15.99
	潮口站	0:04	31.30	47.03	31.23	8.29	10.24	3.4	11.2
		3:04	29.44	50.02	33.44	8.23	7.01	53.8	3.2
		6:04	29.25	47.18	31.40	8.23	7.21	20.2	1.5
		9:04	31.27	46.85	31.10	8.34	11.27	2.9	9.2
		12:04	32.13	47.01	31.18	8.17	8.65	20.7	9.0
		15:04	32.64	45.96	30.42	8.23	11.16	10.6	10.4
		18:04	30.36	41.17	27.10	8.16	7.40	36.3	10.7
		21:04	30.29	45.03	29.83	8.12	8.64	12.8	5.8
	日平均值		30.84	46.28	30.71	8.22	8.95	20.09	7.63
	灣內站	0:04	31.68	48.32	31.32	8.25	10.45	4.8	11.5
		3:04	31.35	48.67	31.58	8.26	10.76	3.2	15.1
		6:04	30.62	49.85	32.46	8.04	8.48	6.2	18.7
		9:04	30.74	49.94	32.53	8.11	10.02	5.9	20.6
		12:04	32.41	49.46	32.12	8.24	13.02	3.9	12.2
		15:04	33.06	49.69	32.26	8.24	13.69	5.6	9.0
		18:04	33.15	49.31	31.98	8.24	13.76	4.2	13.4
		21:04	32.40	49.75	32.33	8.20	11.87	9.3	13.6
	日平均值		31.93	49.37	32.07	8.20	11.51	5.39	14.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月16日	蚵殼站	0:04	30.56	44.49	28.58	8.21	8.69	7.5	10.0
		3:04	30.93	43.48	27.85	8.42	8.56	5.7	9.5
		6:04	30.85	43.53	27.88	8.40	8.38	7.7	17.0
		9:04	29.64	44.24	28.43	8.26	8.52	1.8	11.9
		12:14	31.20	44.10	28.28	8.29	8.59	6.5	22.3
		15:04	31.05	44.35	28.46	8.18	8.99	5.5	26.4
		18:04	30.82	43.94	28.18	8.21	8.83	6.0	15.8
		21:04	31.31	43.86	28.11	8.24	8.71	5.5	15.0
	日平均值		30.80	44.00	28.22	8.28	8.66	5.78	15.99
	潮口站	0:04	30.86	45.25	29.97	8.18	8.31	6.4	8.8
		3:04	29.22	46.12	30.64	8.16	7.36	34.2	5.8
		6:04	29.43	47.03	31.28	8.15	7.19	74.8	5.5
		9:04	30.39	45.19	29.94	8.24	8.84	7.2	13.1
		12:14	30.59	46.69	31.00	8.18	9.09	33.4	18.8
		15:04	30.21	46.66	31.00	8.18	8.88	19.9	20.1
		18:04	29.75	46.46	30.86	8.16	7.16	23.0	6.7
		21:04	29.90	45.11	29.90	8.16	7.40	14.2	15.3
	日平均值		30.04	46.06	30.57	8.18	8.03	26.64	11.76
	灣內站	0:04	31.51	50.44	32.87	8.17	10.22	7.0	21.8
		3:04	31.18	49.86	32.46	8.17	9.21	7.2	14.6
		6:04	30.64	50.40	32.87	8.24	9.91	4.0	12.1
		9:04	30.50	49.78	32.42	8.24	10.15	5.6	14.0
		12:14	31.89	49.75	32.34	8.30	12.07	2.9	10.3
		15:04	32.09	50.09	32.59	8.34	12.86	4.1	15.0
		18:04	31.71	49.50	32.17	8.33	12.47	7.1	22.6
		21:04	31.68	49.73	32.34	8.33	11.67	10.9	19.6
	日平均值		31.40	49.94	32.51	8.27	11.07	6.10	16.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月17日	蚵殼站	0:04	31.42	43.40	27.78	8.28	8.67	8.0	17.8
		3:04	30.92	42.24	26.96	8.21	8.47	6.3	17.2
		6:04	30.85	43.72	28.02	8.37	8.57	6.5	19.8
		9:04	31.04	43.09	27.56	8.23	8.67	6.5	27.3
		12:04	30.93	43.79	28.07	8.31	8.79	7.3	19.0
		15:04	32.01	43.10	27.54	8.23	9.27	6.7	23.6
		18:04	32.29	43.18	27.59	8.41	9.01	7.2	20.4
		21:04	31.48	43.06	27.53	8.18	9.03	8.0	11.5
	日平均值		31.37	43.20	27.63	8.28	8.81	7.06	19.58
	潮口站	0:04	30.60	44.05	29.13	8.29	8.68	10.0	14.4
		3:04	29.59	45.33	30.07	8.26	7.37	24.8	10.8
		6:04	29.17	47.27	31.46	8.21	7.17	18.0	4.6
		9:04	30.66	45.07	29.85	8.30	9.32	4.9	16.7
		12:04	31.02	46.74	31.03	8.31	11.87	17.4	22.5
		15:04	31.79	46.22	30.63	8.25	12.00	8.7	14.5
		18:04	30.13	47.21	31.39	8.19	7.29	32.5	8.2
		21:04	29.74	46.14	30.64	8.17	7.19	27.8	4.0
	日平均值		30.34	46.00	30.53	8.25	8.86	18.01	11.96
	灣內站	0:04	31.93	48.75	31.62	8.24	9.38	7.8	14.4
		3:04	31.46	49.99	32.54	8.25	10.73	9.9	16.1
		6:04	31.07	49.54	32.22	8.24	10.39	5.7	12.9
		9:04	31.04	49.68	32.33	8.24	10.86	5.2	15.1
		12:04	32.05	49.44	32.12	8.33	12.88	2.8	15.2
		15:04	32.75	49.09	31.83	8.41	15.73	5.0	17.2
		18:04	33.19	48.12	31.11	8.39	15.11	5.6	18.8
		21:04	32.41	49.34	32.03	8.35	13.58	4.2	18.3
	日平均值		31.99	49.24	31.98	8.31	12.33	5.78	16.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月18日	蚵殼站	0:04	30.60	43.38	27.78	8.31	8.72	6.3	18.2
		3:04	31.10	44.99	29.78	8.35	8.78	7.8	18.3
		6:04	31.12	45.12	29.87	8.59	8.75	6.5	22.6
		9:04	30.48	46.33	30.75	8.19	8.71	4.7	19.9
		12:04	30.18	46.49	30.88	8.33	8.88	3.7	17.8
		15:04	31.19	46.19	30.63	8.30	8.99	6.3	28.2
		18:04	30.23	46.50	30.89	8.22	8.85	2.7	13.9
		21:04	30.24	46.32	30.74	8.25	8.76	0.9	20.7
	日平均值		30.64	45.67	30.17	8.32	8.81	4.86	19.95
	潮口站	0:04	31.39	43.91	29.00	8.23	9.50	9.2	17.8
		3:04	30.90	44.16	29.19	8.24	8.03	13.1	9.7
		6:04	29.35	42.18	27.83	8.21	7.46	27.8	0.3
		9:04	29.94	41.27	27.18	8.18	7.93	20.0	5.1
		12:04	30.38	42.36	27.93	8.24	9.05	13.0	21.9
		15:04	32.59	40.77	26.75	8.19	10.80	17.4	19.1
		18:04	31.07	41.71	27.45	8.32	8.54	16.4	7.5
		21:04	29.87	40.41	26.58	8.23	7.58	39.9	1.8
	日平均值		30.69	42.10	27.74	8.23	8.61	19.60	10.40
	灣內站	0:04	32.17	49.28	31.99	8.34	11.55	6.1	14.1
		3:04	30.68	50.20	32.72	8.11	9.08	6.7	13.2
		6:04	30.85	49.56	32.24	8.23	9.74	3.7	11.9
		9:04	30.89	49.32	32.07	8.25	10.26	3.0	9.2
		12:04	31.38	49.04	31.84	8.27	11.49	6.2	13.9
		15:04	31.30	50.10	32.63	8.09	9.49	15.6	19.3
		18:04	29.92	51.36	33.60	8.07	7.79	13.5	15.9
		21:04	29.48	51.67	33.84	8.09	6.98	8.5	14.1
	日平均值		30.83	50.07	32.62	8.18	9.55	7.91	13.95
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月19日	蚵殼站	0:04	30.02	46.11	30.59	8.32	8.53	3.0	10.8
		3:04	29.80	45.85	30.40	8.24	8.73	45.7	12.4
		6:04	29.54	45.98	30.49	8.24	8.42	45.2	9.9
		9:04	29.48	45.59	30.20	8.21	8.75	74.4	15.5
		12:04	29.11	45.19	29.92	8.14	8.79	20.7	17.1
		15:04	29.05	45.23	29.94	8.15	8.79	31.6	20.5
		18:04	28.97	44.68	29.54	8.22	8.76	49.9	15.2
		21:04	28.89	44.57	29.45	8.17	8.88	3.2	11.7
	日平均值		29.36	45.40	30.07	8.21	8.71	34.21	14.14
	潮口站	0:04	30.55	42.00	27.67	8.39	7.04	11.6	18.4
		3:04	30.16	43.14	28.48	8.38	6.69	15.7	17.6
		6:04	29.49	43.67	28.87	8.23	7.44	130.2	2.9
		9:04	29.42	43.26	28.58	8.31	7.17	59.4	8.7
		12:04	29.46	41.99	27.68	8.33	7.47	21.7	18.4
		15:04	29.33	41.18	27.12	8.29	7.72	24.5	17.0
		18:04	29.30	42.60	28.12	8.28	7.56	26.0	12.8
		21:04	29.14	41.36	27.26	8.22	7.89	131.5	4.7
	日平均值		29.61	42.40	27.97	8.30	7.37	52.58	12.56
	灣內站	0:04	29.49	50.78	33.19	8.07	6.75	6.2	24.7
		3:04	29.20	50.69	33.13	8.06	6.65	6.4	13.2
		6:04	29.06	48.79	31.74	8.07	6.47	7.6	12.3
		9:04	28.96	47.56	30.85	8.00	6.55	12.1	21.7
		12:04	29.13	50.87	33.27	8.07	7.26	12.9	19.4
		15:04	29.21	50.59	33.06	8.12	7.55	10.0	18.4
		18:04	29.09	50.52	33.01	8.16	7.50	12.5	17.7
		21:04	28.90	49.88	32.54	8.12	7.13	11.2	16.5
	日平均值		29.13	49.96	32.60	8.08	6.98	9.86	17.99
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月20日	蚵殼站	0:04	28.66	44.05	29.08	8.37	8.70	0.1	9.8
		3:04	28.52	44.09	29.12	8.26	8.89	55.7	7.4
		6:04	28.41	43.78	28.88	8.13	8.89	3.0	10.6
		9:04	28.29	43.47	28.65	8.24	8.88	13.5	7.3
		12:04	28.32	43.44	28.63	8.34	9.00	84.6	14.7
		15:04	28.57	41.50	27.25	8.31	9.38	16.7	26.9
		18:04	28.51	42.99	28.29	8.36	9.44	21.2	17.7
		21:04	28.40	42.45	27.90	8.35	9.20	44.2	15.8
	日平均值		28.46	43.22	28.48	8.30	9.05	29.88	13.78
	潮口站	0:04	28.59	40.05	26.35	8.25	7.17	43.4	7.5
		3:04	28.14	38.52	25.30	8.25	6.89	23.5	8.3
		6:04	28.72	40.96	26.99	8.21	7.62	120.5	5.6
		9:04	29.01	42.17	27.82	8.22	7.74	159.1	1.1
		12:04	28.81	42.23	27.87	8.25	7.56	26.2	5.1
		15:04	28.81	40.92	26.94	8.25	7.81	31.1	12.7
		18:04	28.78	38.43	25.23	8.29	9.20	21.9	34.9
		21:04	28.82	42.60	28.11	8.23	7.74	56.0	3.6
	日平均值		28.71	40.74	26.83	8.24	7.72	60.21	9.85
	灣內站	0:04	28.76	49.81	32.49	8.09	6.79	12.9	11.4
		3:04	28.68	49.44	32.23	8.10	6.66	7.5	13.5
		6:04	28.59	49.37	32.18	8.08	6.45	5.8	13.4
		9:04	28.46	48.61	31.63	8.10	7.11	4.9	9.7
		12:04	28.47	46.86	30.36	8.14	8.28	6.3	24.4
		15:04	28.58	44.84	28.89	8.10	7.98	8.4	10.5
		18:04	28.45	40.73	25.96	8.15	9.48	9.8	17.1
		21:04	28.35	43.85	28.19	8.09	7.78	3.8	9.5
	日平均值		28.54	46.69	30.24	8.11	7.57	7.43	13.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月21日	蚵殼站	0:04	28.35	43.05	28.32	8.28	9.21	214.2	6.9
		3:04	28.27	43.26	28.45	8.20	8.98	19.9	10.1
		6:04	28.13	42.80	28.13	8.20	9.06	292.1	9.0
		9:04	28.20	41.87	27.47	8.17	9.35	14.4	19.3
		12:04	28.87	43.08	28.28	8.32	9.43	44.0	14.1
		15:04	29.96	43.41	28.48	8.30	9.60	18.6	11.6
		18:04	29.54	43.55	28.57	8.37	9.73	53.7	14.1
		21:04	29.86	42.82	28.05	8.57	9.81	11.6	31.6
	日平均值		28.90	42.98	28.22	8.30	9.40	83.56	14.59
	潮口站	0:04	28.59	39.88	26.24	8.32	8.56	13.4	15.9
		3:04	28.45	40.78	26.86	8.30	7.95	19.9	23.2
		6:04	28.68	42.84	28.29	8.23	7.75	35.8	7.9
		9:04	28.95	44.10	29.17	8.21	7.52	46.9	4.9
		12:04	29.42	41.30	27.18	8.27	8.76	19.4	11.5
		15:04	30.29	41.14	27.06	8.37	13.99	23.2	35.4
		18:04	31.16	39.77	26.09	8.24	11.43	20.0	21.4
		21:04	28.92	45.90	30.44	8.32	8.07	50.9	5.1
	日平均值		29.31	41.96	27.67	8.28	9.25	28.69	15.66
	灣內站	0:04	28.45	46.57	30.15	8.10	8.01	3.5	10.4
		3:04	28.41	46.85	30.35	8.13	7.58	4.6	8.7
		6:04	28.38	46.89	30.38	8.11	7.17	4.1	13.0
		9:04	28.47	46.47	30.07	8.12	8.46	4.6	18.8
		12:04	28.94	45.61	29.44	8.11	10.34	4.0	10.1
		15:04	30.51	46.19	29.81	8.32	15.61	5.7	35.2
		18:04	30.48	46.41	29.97	8.30	15.23	7.4	38.2
		21:04	29.36	46.87	30.33	8.22	11.41	9.2	20.6
	日平均值		29.13	46.48	30.06	8.18	10.48	5.39	19.38
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月22日	蚵殼站	0:04	29.33	43.17	28.29	8.44	9.61	115.5	20.1
		3:04	28.76	43.35	28.42	8.43	9.63	69.1	17.4
		6:04	28.66	43.86	28.78	8.36	9.29	44.8	13.0
		9:04	28.96	43.33	28.39	8.38	9.76	23.6	21.7
		12:04	28.67	44.43	29.16	8.35	9.26	189.6	17.4
		15:04	29.20	44.23	29.00	8.35	9.72	72.0	24.3
		18:04	29.42	44.39	29.09	8.37	9.64	54.1	18.4
		21:04	29.97	42.59	27.81	8.58	10.09	48.2	16.8
	日平均值		29.12	43.67	28.62	8.41	9.63	77.11	18.64
	潮口站	0:04	29.63	41.74	27.49	8.44	12.52	9.9	25.3
		3:04	29.45	41.37	27.24	8.46	12.03	14.3	21.7
		6:04	29.21	42.70	28.18	8.38	9.68	10.3	18.1
		9:04	29.27	45.46	30.12	8.27	7.92	22.7	0.8
		12:04	30.43	42.22	27.81	8.47	15.95	8.4	29.6
		15:04	30.44	42.61	28.07	8.45	15.12	10.0	30.9
		18:04	31.18	41.43	27.22	8.46	16.15	12.1	24.8
		21:04	29.55	44.89	29.69	8.30	7.82	13.3	5.8
	日平均值		29.90	42.80	28.23	8.40	12.15	12.63	19.63
	灣內站	0:04	29.04	47.87	31.08	8.12	9.50	3.7	15.8
		3:04	28.76	48.24	31.35	8.09	7.77	3.8	16.1
		6:04	28.57	47.45	30.78	8.01	7.01	3.3	12.8
		9:04	29.11	48.12	31.25	8.22	11.67	3.6	29.6
		12:04	30.04	47.24	30.58	8.16	15.90	4.3	29.1
		15:04	30.72	47.46	30.72	8.42	17.99	6.4	33.2
		18:04	31.41	47.10	30.43	8.39	20.17	8.9	31.9
		21:04	30.25	46.98	30.38	8.29	13.95	4.1	28.4
	日平均值		29.74	47.56	30.82	8.21	13.00	4.76	24.61
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月23日	蚵殼站	0:04	29.86	43.34	28.32	8.44	9.75	42.9	13.3
		3:04	29.56	43.49	28.43	8.48	9.84	65.8	14.3
		6:04	29.26	43.66	28.55	8.49	9.66	70.9	12.3
		9:04	29.53	43.72	28.57	8.45	9.62	85.5	15.3
		12:04	29.71	44.61	29.17	8.40	9.58	81.7	20.3
		15:04	30.31	44.91	29.36	8.38	9.36	100.2	11.8
		18:04	30.31	43.94	28.67	8.39	9.79	119.9	13.0
		21:04	30.02	42.42	27.62	8.48	10.12	71.5	33.8
	日平均值		29.82	43.76	28.59	8.44	9.72	79.80	16.76
	潮口站	0:04	29.92	42.40	27.93	8.48	12.69	9.0	18.1
		3:04	29.75	38.74	25.42	8.55	13.75	6.5	17.1
		6:04	29.39	40.18	26.41	8.49	11.24	14.6	23.0
		9:04	29.38	43.77	28.91	8.29	8.07	18.3	7.8
		12:04	31.05	41.02	26.95	8.42	12.37	4.8	7.3
		15:04	30.75	40.96	26.93	8.34	12.30	7.8	23.5
		18:04	30.85	39.50	25.92	8.52	14.64	10.2	16.3
		21:04	29.45	43.83	28.95	8.33	7.92	12.2	3.3
	日平均值		30.07	41.30	27.18	8.43	11.62	10.43	14.55
	灣內站	0:04	29.73	47.46	30.75	8.28	12.71	4.1	20.1
		3:04	29.57	46.82	30.29	8.32	12.23	2.8	15.9
		6:04	29.46	47.53	30.81	8.24	10.89	4.4	21.7
		9:04	29.88	47.55	30.81	8.33	13.83	8.8	42.8
		12:04	30.70	47.22	30.54	8.40	16.45	5.5	46.8
		15:04	30.90	47.92	31.04	8.39	17.34	97.9	31.7
		18:04	30.98	48.10	31.17	8.39	17.62	5.3	27.1
		21:04	30.86	47.17	30.50	8.40	16.92	9.6	13.8
	日平均值		30.26	47.47	30.74	8.34	14.75	17.30	27.49
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月24日	蚵殼站	0:04	29.90	44.28	28.90	8.51	9.82	144.3	24.9
		3:04	29.66	42.44	27.62	8.53	10.00	93.3	10.2
		6:04	29.32	44.67	29.16	8.56	10.06	40.6	8.0
		9:04	29.64	45.23	29.54	8.42	9.71	42.3	12.5
		12:04	29.88	44.91	29.30	8.30	9.66	52.0	11.0
		15:04	30.70	44.86	29.22	8.47	10.02	57.6	16.1
		18:04	30.69	43.66	28.38	8.40	9.80	41.3	19.1
		21:04	30.19	41.68	27.02	8.28	9.93	69.5	10.8
	日平均值		30.00	43.97	28.64	8.43	9.88	67.61	14.08
	潮口站	0:04	29.26	45.59	30.19	8.29	7.31	11.4	0.7
		3:04	29.28	41.06	27.04	8.62	13.36	5.7	11.1
		6:04	29.49	40.28	26.49	8.63	14.21	3.2	12.0
		9:04	29.63	42.43	27.98	8.41	10.10	5.8	7.5
		12:04	30.30	44.28	29.24	8.23	7.77	5.3	1.8
		15:04	30.94	44.33	29.26	8.29	9.32	5.8	7.5
		18:04	30.52	43.58	28.75	8.41	10.83	6.0	10.1
		21:04	29.94	43.09	28.43	8.33	7.86	6.6	3.8
	日平均值		29.92	43.08	28.42	8.40	10.10	6.23	6.81
	灣內站	0:04	30.63	47.70	30.90	8.32	15.38	3.7	6.4
		3:04	30.06	48.50	31.50	8.24	12.83	4.2	9.9
		6:04	29.77	48.60	31.58	8.06	8.90	4.5	35.3
		9:04	30.18	46.97	30.38	8.35	13.52	3.0	13.0
		12:04	31.48	46.22	29.80	8.31	15.55	4.4	26.1
		15:04	31.59	45.86	29.53	8.38	16.63	3.6	16.5
		18:04	31.82	46.18	29.75	8.38	17.04	5.3	34.0
		21:04	31.39	45.45	29.24	8.43	15.45	4.2	22.0
	日平均值		30.87	46.94	30.34	8.31	14.41	4.11	20.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月25日	蚵殼站	0:04	30.30	42.45	27.55	8.47	9.74	87.4	15.0
		3:04	30.26	41.91	27.17	8.57	9.73	69.0	21.3
		6:04	30.18	41.73	27.04	8.62	9.93	95.7	26.2
		9:04	30.34	42.56	27.59	8.67	9.82	84.0	26.2
		12:04	30.64	43.10	27.94	8.33	9.55	77.3	20.4
		15:04	31.03	43.11	27.92	8.34	9.68	91.8	37.4
		18:04	30.85	42.45	27.47	8.29	9.59	118.0	64.2
		21:04	30.56	43.70	28.32	8.25	9.38	91.0	47.4
	日平均值		30.52	42.63	27.63	8.44	9.68	89.28	32.26
	潮口站	0:04	29.34	44.98	29.75	8.30	7.21	12.5	1.8
		3:04	30.03	41.88	27.58	8.46	10.67	3.3	5.9
		6:04	30.17	40.27	26.47	8.50	11.41	4.9	8.7
		9:04	30.25	40.28	26.48	8.47	10.98	5.3	9.0
		12:04	29.78	42.58	28.08	8.32	7.51	25.0	2.2
		15:04	30.13	42.47	27.99	8.24	7.28	11.6	4.3
		18:04	29.89	42.72	28.18	8.23	7.09	4.5	15.2
		21:04	29.91	43.20	28.51	8.24	7.10	4.2	9.6
	日平均值		29.94	42.30	27.88	8.35	8.66	8.91	7.09
	灣內站	0:04	31.11	47.31	30.60	8.37	14.32	5.6	7.4
		3:04	30.79	45.46	29.27	8.37	13.12	3.4	11.9
		6:04	29.94	48.01	31.14	7.92	6.79	3.7	19.1
		9:04	30.05	47.39	30.69	8.20	9.50	110.2	3.0
		12:04	30.86	46.31	29.88	8.28	11.22	4.0	8.5
		15:04	31.26	47.15	30.48	8.34	13.09	7.6	37.0
		18:04	31.63	45.87	29.54	8.36	13.04	6.2	23.0
		21:04	31.32	46.23	29.81	8.32	11.25	4.4	7.8
	日平均值		30.87	46.72	30.18	8.27	11.54	18.14	14.71
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月26日	蚵殼站	0:04	30.19	45.19	29.35	8.34	8.96	81.3	36.0
		3:04	30.08	46.58	30.30	8.41	9.32	64.9	10.0
		6:04	30.02	47.08	30.64	8.39	9.27	74.9	12.5
		9:04	30.23	47.39	30.85	8.48	9.26	61.9	19.4
		12:04	30.55	47.52	30.90	8.21	8.97	71.1	18.9
		15:04	30.88	47.71	31.01	8.21	8.95	156.8	22.3
		18:04	30.68	47.91	31.16	8.22	9.20	190.5	26.2
		21:04	30.58	44.17	28.56	8.38	9.24	138.2	8.2
	日平均值		30.40	46.69	30.35	8.33	9.15	104.95	19.19
	潮口站	0:04	29.31	44.24	29.25	8.27	7.25	20.2	0.7
		3:04	29.35	39.02	25.66	8.25	7.55	13.1	3.1
		6:04	29.82	39.19	25.77	8.36	8.67	3.8	8.0
		9:04	30.31	39.42	25.92	8.36	9.65	7.6	4.5
		12:04	30.19	40.25	26.49	8.27	7.46	14.6	9.8
		15:04	30.24	40.30	26.52	8.22	7.60	8.9	0.1
		18:04	30.07	41.70	27.49	8.21	6.14	16.3	3.7
		21:04	30.26	44.79	29.62	8.12	5.97	13.7	6.6
	日平均值		29.94	41.11	27.09	8.26	7.54	12.28	4.56
	灣內站	0:04	30.68	49.89	32.49	8.27	10.33	4.8	1.2
		3:04	30.72	49.47	32.19	8.34	9.97	5.8	13.6
		6:04	30.46	49.72	32.38	8.28	9.81	3.2	14.2
		9:04	30.72	49.88	32.49	8.27	10.45	4.0	19.9
		12:04	30.90	49.87	32.47	8.35	11.75	4.8	13.8
		15:04	31.15	50.29	32.77	8.30	11.55	7.0	18.0
		18:04	31.27	49.96	32.52	8.37	12.07	5.3	13.2
		21:04	31.26	50.04	32.59	8.30	10.10	11.6	8.8
	日平均值		30.90	49.89	32.49	8.31	10.75	5.81	12.84
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月27日	蚵殼站	0:04	30.42	48.28	31.40	8.35	8.91	73.5	15.9
		3:04	30.42	46.26	29.98	8.32	8.96	68.7	18.6
		6:04	30.29	48.22	31.33	8.39	9.12	67.9	13.0
		9:04	30.60	48.03	31.18	8.41	9.28	77.9	16.7
		12:04	31.38	48.58	31.52	8.31	8.76	73.9	26.8
		15:04	31.03	49.53	32.18	8.02	8.86	86.7	16.8
		18:04	31.01	49.19	31.94	8.34	9.15	91.9	15.8
		21:04	31.18	49.02	31.79	8.27	9.08	60.7	9.5
	日平均值		30.79	48.39	31.42	8.30	9.02	75.15	16.64
	潮口站	0:04	29.29	44.99	29.78	8.29	7.27	11.5	0.7
		3:04	29.17	42.16	27.84	8.26	7.34	9.1	3.8
		6:04	30.35	42.24	27.86	8.30	7.96	10.1	7.5
		9:04	30.77	41.69	27.46	8.38	9.76	19.9	2.4
		12:04	31.36	41.73	27.48	8.30	8.47	11.8	0.4
		15:04	30.06	41.17	27.13	8.28	7.32	11.9	4.2
		18:04	30.10	43.26	28.57	8.25	7.46	8.8	5.4
		21:04	30.26	43.61	28.82	8.27	7.79	18.8	4.5
	日平均值		30.17	42.61	28.12	8.29	7.92	12.74	3.61
	灣內站	0:04	30.76	50.00	32.57	8.31	10.43	3.1	0.4
		3:04	30.76	49.98	32.55	8.33	10.33	2.8	1.2
		6:04	30.73	50.11	32.65	8.28	9.79	4.0	9.4
		9:04	30.99	50.02	32.58	8.31	10.20	7.7	16.2
		12:04	32.16	49.90	32.45	8.34	12.59	5.6	18.9
		15:04	32.29	50.44	32.84	8.32	13.30	6.4	34.4
		18:04	32.06	50.27	32.72	8.27	11.30	4.6	15.4
		21:04	31.33	50.27	32.75	8.26	10.16	6.1	6.8
	日平均值		31.39	50.12	32.64	8.30	11.01	5.04	12.84
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月28日	蚵殼站	0:04	31.08	47.90	31.01	8.38	9.40	72.9	10.2
		3:04	30.75	49.33	32.01	8.30	9.02	64.7	10.9
		6:04	30.51	48.57	31.47	8.27	8.77	73.1	22.0
		9:04	30.57	48.47	31.39	8.42	8.97	72.2	29.4
		12:04	31.35	48.95	31.68	8.11	9.26	75.6	29.1
		15:04	30.99	48.85	31.61	8.16	9.09	96.6	23.0
		18:04	30.71	49.25	31.88	8.18	9.35	91.3	21.5
		21:04	30.88	47.51	30.66	8.44	9.40	96.0	23.7
	日平均值		30.86	48.60	31.46	8.28	9.16	80.30	21.23
	潮口站	0:04	29.53	44.06	29.15	8.27	7.41	12.1	5.1
		3:04	29.19	43.71	28.93	8.29	7.39	6.4	2.2
		6:04	30.41	42.71	28.20	8.47	10.11	3.1	1.2
		9:04	30.66	43.40	28.67	8.38	9.00	3.1	5.6
		12:04	31.72	41.87	27.60	8.38	10.08	4.6	7.5
		15:04	29.99	39.99	26.36	8.24	7.37	8.2	5.9
		18:04	29.57	44.06	29.16	8.26	6.32	12.2	0.3
		21:04	29.80	43.16	28.55	8.21	7.74	6.3	5.4
	日平均值		30.11	42.87	28.33	8.31	8.18	7.00	4.15
	灣內站	0:04	31.19	49.95	32.52	8.34	10.92	4.3	5.2
		3:04	30.98	50.47	32.91	8.17	7.68	3.8	3.7
		6:04	30.61	50.66	33.06	8.23	8.28	6.1	9.2
		9:04	30.87	50.49	32.93	8.11	8.44	5.8	40.0
		12:04	32.52	49.92	32.45	8.24	14.70	8.4	43.3
		15:04	32.13	50.54	32.92	8.23	12.46	6.4	20.5
		18:04	32.18	50.38	32.80	8.14	12.23	5.0	12.7
		21:04	31.34	50.58	32.97	8.22	10.37	6.0	14.7
	日平均值		31.48	50.37	32.82	8.21	10.64	5.73	18.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月29日	蚵殼站	0:04	31.29	48.71	31.46	8.51	9.01	97.5	22.5
		3:04	30.48	49.31	31.90	8.22	8.98	91.2	7.8
		6:04	29.75	49.94	32.35	8.07	8.58	85.7	8.6
		9:04	30.39	48.85	31.56	8.38	9.16	89.1	22.5
		12:04	31.61	49.06	31.64	8.21	9.44	95.0	20.3
		15:04	31.29	48.83	31.49	8.31	9.56	95.3	11.7
		18:04	31.51	45.70	29.32	8.33	10.04	87.9	16.1
		21:04	31.71	45.47	29.14	8.59	9.42	83.9	6.7
	日平均值		31.00	48.23	31.11	8.33	9.27	90.70	14.53
	潮口站	0:04	29.73	45.29	30.01	8.21	7.23	5.3	7.8
		3:04	28.97	46.97	31.21	8.26	7.37	8.4	3.5
		6:04	29.64	44.96	29.80	8.30	8.07	5.0	1.8
		9:04	30.38	46.34	30.73	8.33	9.22	7.8	5.8
		12:04	31.76	45.66	30.22	8.28	9.84	8.3	5.5
		15:04	30.56	41.82	27.63	8.13	7.03	9.8	4.3
		18:04	30.30	42.60	28.16	8.17	7.90	12.6	2.6
		21:04	30.81	47.57	31.58	8.31	11.20	4.3	2.8
	日平均值		30.27	45.15	29.92	8.25	8.48	7.69	4.26
	灣內站	0:04	30.98	49.67	32.32	8.21	9.72	10.3	7.3
		3:04	30.76	50.15	32.68	8.24	9.77	4.9	2.8
		6:04	30.57	46.75	30.21	8.25	8.81	5.0	9.4
		9:04	30.84	47.16	30.50	7.90	2.46	17.1	21.6
		12:04	32.48	46.51	29.97	8.19	13.03	9.1	32.3
		15:04	32.90	47.54	30.70	8.16	13.29	8.6	19.7
		18:04	32.72	48.47	31.39	8.12	12.93	6.3	15.9
		21:04	33.06	48.66	31.51	8.15	13.25	10.5	7.7
	日平均值		31.79	48.11	31.16	8.15	10.41	8.98	14.59
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月30日	蚵殼站	0:04	31.78	45.88	29.41	8.71	9.51	97.7	9.4
		3:04	31.11	45.77	29.35	8.54	9.71	98.8	8.0
		6:04	30.56	49.49	31.89	8.37	8.99	93.3	16.1
		9:04	31.15	50.04	32.23	8.48	9.06	99.1	8.1
		12:04	32.15	50.61	32.58	8.32	9.21	101.4	13.1
		15:04	32.11	50.74	32.95	8.35	9.81	2.5	61.6
		18:04	32.13	50.33	32.66	8.33	9.58	5.4	14.9
		21:04	30.73	49.93	32.41	8.23	9.09	4.8	9.6
	日平均值		31.47	49.10	31.69	8.42	9.37	62.88	17.60
	潮口站	0:04	30.30	45.74	30.33	8.20	7.48	5.5	2.6
		3:04	29.33	45.50	30.22	8.27	7.86	4.4	3.5
		6:04	29.50	45.48	30.19	8.21	7.63	14.3	5.0
		9:04	30.51	43.98	29.12	8.28	10.38	9.5	7.7
		12:04	31.20	46.20	31.21	8.22	8.22	16.0	5.2
		15:04	32.11	48.80	32.27	8.43	9.54	5.6	13.1
		18:04	30.81	47.65	31.49	8.47	9.31	4.3	8.9
		21:04	30.76	48.55	32.14	8.31	8.86	4.6	14.7
	日平均值		30.57	46.49	30.87	8.30	8.66	8.03	7.59
	灣內站	0:04	32.48	48.17	31.17	8.28	11.71	8.9	14.1
		3:04	31.63	48.91	31.74	8.20	11.80	7.0	7.1
		6:04	30.02	50.18	32.73	8.07	7.17	9.4	5.4
		9:04	30.06	48.82	31.73	8.17	9.17	8.0	4.9
		12:04	32.46	52.72	32.25	8.39	13.12	6.8	23.3
		15:04	34.28	50.83	30.78	8.38	14.02	11.8	25.0
		18:04	33.16	52.58	32.12	8.32	14.63	7.1	27.2
		21:04	32.58	52.54	32.11	8.39	13.15	5.5	10.1
	日平均值		32.08	50.59	31.83	8.28	11.85	8.06	14.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月31日	蚵殼站	0:04	30.41	50.09	32.54	8.37	8.97	6.1	6.9
		3:04	30.32	50.29	32.68	8.28	8.92	7.0	9.3
		6:04	30.10	50.85	33.09	8.21	8.82	5.8	8.2
		9:04	30.82	50.75	33.00	8.28	9.25	7.3	15.6
		12:04	31.76	50.75	32.97	8.26	9.41	6.0	25.3
		15:04	31.60	50.81	33.02	8.30	9.27	5.2	27.7
		18:04	31.84	50.80	33.00	8.28	9.68	7.2	12.3
		21:04	31.26	50.36	32.70	8.30	9.31	6.3	9.4
	日平均值		31.01	50.59	32.88	8.29	9.20	6.36	14.34
	潮口站	0:04	30.93	48.70	32.24	8.39	10.24	3.7	13.3
		3:04	29.80	49.67	32.98	8.38	7.96	2.7	10.4
		6:04	30.01	49.89	33.14	8.30	7.45	1.4	2.7
		9:04	30.65	48.74	32.28	8.40	9.94	7.3	11.8
		12:04	31.79	47.40	30.92	8.25	8.29	19.7	5.9
		15:04	32.33	47.58	31.03	8.37	10.90	7.0	10.3
		18:04	30.93	46.46	30.32	8.35	9.24	3.6	14.4
		21:04	30.85	46.33	30.23	8.34	9.03	1.8	4.2
	日平均值		30.91	48.10	31.64	8.35	9.13	5.90	9.13
	灣內站	0:04	31.70	50.14	30.38	8.33	10.76	6.5	21.9
		3:04	31.83	52.72	32.27	8.36	11.43	3.8	5.8
		6:04	30.45	52.90	32.46	8.28	9.18	4.1	8.0
		9:04	30.50	52.84	32.41	8.38	10.33	5.6	14.4
		12:04	32.28	50.89	32.34	8.45	13.26	4.7	19.8
		15:04	33.21	50.69	32.16	8.38	12.51	10.0	19.7
		18:04	32.77	51.07	32.46	8.36	13.25	6.8	20.7
		21:04	32.35	50.69	32.19	8.43	13.44	2.9	5.5
	日平均值		31.89	51.49	32.08	8.37	11.77	5.55	14.48
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月1日	蚵殼站	0:04	30.57	49.57	32.16	8.30	8.87	5.1	10.9
		3:04	30.51	49.78	32.31	8.25	8.87	7.3	5.5
		6:04	30.39	49.93	32.42	8.20	8.95	7.2	10.2
		9:04	30.59	50.58	32.88	8.13	9.18	6.3	31.1
		12:04	31.43	50.61	32.88	8.18	9.54	5.6	55.7
		15:04	30.36	51.04	33.23	8.08	8.90	3.2	21.6
		18:04	31.05	50.94	33.13	8.20	9.34	5.8	9.8
		21:04	31.18	50.56	32.85	8.29	9.05	7.0	5.0
	日平均值		30.76	50.38	32.73	8.20	9.09	5.94	18.73
	潮口站	0:04	31.23	47.51	31.07	8.18	7.50	7.4	14.2
		3:04	30.04	48.51	31.84	8.37	7.51	2.3	4.4
		6:04	29.90	48.65	31.94	8.34	7.66	1.0	1.4
		9:04	30.79	47.18	30.85	8.40	9.77	1.8	6.5
		12:04	31.79	47.30	30.90	8.36	10.52	5.4	8.6
		15:04	30.79	47.95	31.40	8.26	6.91	10.9	8.4
		18:04	30.42	47.74	31.26	8.33	7.87	1.9	4.8
		21:04	30.09	48.42	31.76	8.34	7.59	1.4	4.4
	日平均值		30.63	47.91	31.38	8.32	8.17	4.01	6.59
	灣內站	0:04	32.20	50.56	32.10	8.40	12.06	2.6	1.3
		3:04	31.96	50.75	32.25	8.36	10.68	3.5	11.1
		6:04	31.14	50.74	32.27	8.36	10.03	2.4	8.7
		9:04	31.36	51.18	32.59	8.36	10.35	2.6	8.3
		12:04	31.89	50.92	32.38	8.40	11.91	3.2	6.2
		15:04	32.39	51.25	32.61	8.44	12.04	7.2	18.7
		18:04	32.07	51.14	32.54	8.44	12.30	10.3	30.6
		21:04	31.83	51.24	32.62	8.39	10.72	3.7	11.1
	日平均值		31.86	50.97	32.42	8.39	11.26	4.44	12.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月2日	蚵殼站	0:04	31.10	50.52	32.83	8.24	9.07	6.7	8.6
		3:04	31.04	50.19	32.59	8.21	9.06	7.6	10.8
		6:04	30.87	50.26	32.65	8.25	8.94	7.4	7.9
		9:04	30.63	50.56	32.87	8.26	8.53	5.4	12.0
		12:04	31.32	50.43	32.76	8.19	9.18	6.9	21.0
		15:04	30.53	50.68	32.96	8.13	8.78	4.6	10.8
		18:04	30.99	50.55	32.85	8.13	8.78	5.4	14.0
		21:04	31.03	50.82	33.04	8.18	8.84	6.4	7.0
	日平均值		30.94	50.50	32.82	8.20	8.90	6.30	11.51
	潮口站	0:04	30.89	47.31	30.94	8.39	9.25	3.5	10.7
		3:04	30.33	47.53	31.12	8.32	6.74	3.3	5.2
		6:04	29.61	47.99	31.47	8.33	7.30	2.9	3.9
		9:04	29.98	48.08	31.52	8.31	7.32	1.7	4.0
		12:04	30.91	47.46	31.05	8.33	8.94	9.8	5.5
		15:04	31.73	47.39	30.97	8.27	8.72	14.7	8.8
		18:04	30.09	46.71	30.53	8.36	7.88	3.1	2.9
		21:04	30.22	47.67	31.22	8.32	7.94	2.1	0.5
	日平均值		30.47	47.52	31.10	8.33	8.01	5.14	5.19
	灣內站	0:04	31.65	50.24	31.89	8.37	9.24	8.5	18.8
		3:04	31.50	51.04	32.48	8.33	8.69	5.4	17.4
		6:04	30.80	51.36	32.75	8.27	7.94	3.9	13.5
		9:04	30.50	51.63	32.96	8.20	6.83	3.8	13.3
		12:04	31.40	51.66	32.95	8.32	9.77	5.8	17.8
		15:04	31.73	51.73	32.99	8.34	10.50	6.1	11.7
		18:04	32.23	51.33	32.67	8.36	11.00	7.5	24.1
		21:04	31.98	51.36	32.70	8.34	10.71	4.9	10.7
	日平均值		31.47	51.29	32.67	8.32	9.34	5.74	15.91
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月3日	蚵殼站	0:04	30.93	50.51	32.83	8.24	8.72	6.6	12.0
		3:04	30.51	49.30	31.97	8.19	8.96	6.2	10.6
		6:04	30.63	50.38	32.74	8.22	8.87	5.9	4.5
		9:04	30.23	50.75	33.02	8.20	8.57	0.5	8.3
		12:04	30.37	50.78	33.04	8.14	8.86	2.5	8.1
		15:04	30.95	50.53	32.84	8.18	8.85	1.8	10.9
		18:04	31.11	50.10	32.52	8.16	9.30	2.3	14.2
		21:04	30.78	50.14	32.56	8.22	9.14	2.5	5.9
	日平均值		30.69	50.31	32.69	8.19	8.91	3.54	9.31
	潮口站	0:04	30.47	45.68	29.77	8.33	7.76	4.6	10.3
		3:04	30.79	45.71	29.79	8.34	8.08	6.8	7.7
		6:04	29.40	45.84	29.92	8.34	7.52	2.9	2.8
		9:04	29.62	46.21	30.18	8.36	7.58	1.7	1.3
		12:04	31.39	46.09	30.03	8.30	9.03	5.7	6.4
		15:04	31.22	46.22	30.13	8.33	8.56	19.9	7.5
		18:04	30.57	45.82	29.86	8.36	7.61	6.1	5.9
		21:04	30.41	43.13	27.95	8.34	8.28	1.6	7.9
	日平均值		30.48	45.59	29.70	8.34	8.05	6.16	6.23
	灣內站	0:04	31.59	50.95	32.41	8.41	11.30	3.9	12.7
		3:04	31.26	50.45	32.06	8.32	8.63	6.3	22.4
		6:04	31.11	51.63	32.94	8.30	8.64	3.9	13.9
		9:04	30.97	51.60	32.92	8.32	9.24	3.5	16.0
		12:04	31.97	51.11	32.52	8.43	13.08	5.6	24.1
		15:04	32.76	51.34	32.65	8.45	14.61	6.4	31.0
		18:04	32.37	51.28	32.63	8.46	14.10	7.3	25.6
		21:04	31.76	51.43	32.76	8.40	11.53	3.8	8.6
	日平均值		31.72	51.22	32.61	8.39	11.39	5.09	19.29
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月4日	蚵殼站	0:04	31.06	50.22	32.61	8.25	9.12	1.5	2.6
		3:04	31.00	50.63	32.91	8.23	9.30	0.6	4.7
		6:04	30.81	50.28	32.66	8.23	9.38	0.8	4.2
		9:04	30.84	49.90	32.38	8.18	9.20	3.1	3.3
		12:04	30.13	50.55	32.88	8.14	9.20	5.8	2.0
		15:04	31.15	50.28	32.65	8.12	8.80	8.8	11.3
		18:04	31.20	50.14	32.55	8.22	9.23	9.2	8.5
		21:04	31.00	50.41	32.75	8.21	8.99	9.6	0.2
	日平均值		30.90	50.30	32.67	8.20	9.15	4.93	4.60
	潮口站	0:04	30.11	44.51	28.94	8.34	7.60	5.7	9.0
		3:04	30.52	44.58	28.98	8.37	8.12	3.3	4.5
		6:04	29.74	44.62	29.03	8.36	7.03	4.0	4.6
		9:04	29.62	44.98	29.28	8.34	7.67	2.3	4.7
		12:04	31.31	45.18	29.38	8.37	9.66	2.7	2.4
		15:04	31.65	44.15	28.62	8.34	9.32	7.4	9.3
		18:04	30.89	44.26	28.73	8.31	8.36	4.7	3.1
		21:04	30.69	45.47	29.59	8.35	8.67	5.4	3.1
	日平均值		30.57	44.72	29.07	8.35	8.30	4.44	5.09
	灣內站	0:04	31.61	51.34	32.70	8.43	11.38	6.0	8.8
		3:04	31.62	50.98	32.44	8.38	9.60	6.9	32.7
		6:04	31.20	51.20	32.61	8.31	8.31	4.7	17.2
		9:04	31.02	51.64	32.95	8.26	8.87	5.7	48.7
		12:04	32.18	51.21	32.58	8.42	12.31	4.6	20.6
		15:04	32.63	51.06	32.46	8.45	14.18	5.8	34.8
		18:04	32.98	50.90	32.32	8.44	14.74	9.2	47.5
		21:04	32.22	51.33	32.67	8.42	12.66	3.8	6.9
	日平均值		31.93	51.21	32.59	8.39	11.51	5.84	27.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月5日	蚵殼站	0:04	30.95	50.35	32.71	8.18	9.17	13.4	6.5
		3:04	31.09	50.10	32.52	8.31	9.13	14.0	7.6
		6:04	31.06	50.06	32.50	8.25	9.26	15.6	8.4
		9:04	31.18	49.48	32.08	8.22	9.19	17.5	12.3
		12:04	30.79	50.32	32.69	8.15	8.84	19.2	3.3
		15:04	30.54	50.14	32.57	8.13	8.88	19.3	9.0
		18:04	30.70	49.19	31.88	8.26	8.87	18.9	8.9
		21:04	30.79	49.86	32.36	8.20	8.87	20.8	9.3
	日平均值		30.89	49.94	32.41	8.21	9.03	17.34	8.16
	潮口站	0:04	30.54	45.28	29.46	8.36	8.30	3.7	4.6
		3:04	30.80	45.77	29.80	8.41	8.48	9.7	4.3
		6:04	30.54	45.48	29.61	8.34	7.31	7.0	0.7
		9:04	29.96	45.57	29.69	8.32	7.93	2.1	4.7
		12:04	30.45	46.51	30.34	8.32	8.02	0.8	3.4
		15:04	31.00	47.79	31.25	8.32	8.0	11.2	7.4
		18:04	30.88	45.33	29.49	8.33	6.5	10.4	7.2
		21:04	30.33	46.17	30.10	8.37	8.0	2.2	5.5
	日平均值		30.56	45.99	29.97	8.35	7.82	5.89	4.73
	灣內站	0:04	31.94	51.56	32.85	8.41	11.82	5.4	11.0
		3:04	32.23	51.47	32.78	8.37	10.88	6.9	18.2
		6:04	31.54	51.10	32.53	8.29	8.24	5.7	29.3
		9:04	31.12	51.56	32.88	8.29	9.12	3.2	16.0
		12:04	31.55	51.59	32.89	8.35	10.29	3.8	13.2
		15:04	32.00	51.67	32.93	8.32	9.54	19.3	48.4
		18:04	31.86	51.69	32.95	8.32	9.44	6.7	18.5
		21:04	31.78	51.35	32.70	8.30	8.80	6.8	25.9
	日平均值		31.75	51.50	32.81	8.33	9.77	7.23	22.56
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月6日	蚵殼站	0:04	30.89	49.58	32.15	8.15	9.08	22.0	3.7
		3:04	30.56	50.06	32.51	8.23	8.78	21.5	6.2
		6:04	30.38	50.02	32.49	8.12	8.64	23.0	10.4
		9:04	30.42	50.31	32.70	8.24	8.75	22.1	6.8
		12:04	30.59	49.89	32.39	8.17	8.82	22.0	10.5
		15:04	30.69	49.82	32.33	8.10	8.68	20.0	6.0
		18:04	30.79	49.10	31.81	8.22	8.84	18.9	2.9
		21:04	30.72	49.68	32.23	8.13	8.67	22.1	5.4
	日平均值		30.63	49.81	32.33	8.17	8.78	21.45	6.49
	潮口站	0:04	29.14	46.37	30.29	8.44	7.41	1.7	0.5
		3:04	30.30	45.68	29.75	8.34	6.98	5.3	7.1
		6:04	30.46	44.76	29.10	8.40	7.21	4.4	1.6
		9:04	29.43	46.29	30.21	8.30	7.35	2.2	5.1
		12:04	29.86	45.89	29.92	8.36	7.51	1.6	6.8
		15:04	30.49	45.97	29.95	8.38	8.50	6.3	3.8
		18:04	30.64	45.38	29.54	8.34	7.50	6.1	7.7
		21:04	29.49	46.63	30.45	8.41	7.73	3.9	0.7
	日平均值		29.98	45.87	29.90	8.37	7.52	3.94	4.16
	灣內站	0:04	31.20	51.41	32.77	8.34	8.53	5.2	12.5
		3:04	30.94	51.54	32.88	8.25	7.09	6.0	16.2
		6:04	30.52	51.63	32.96	8.24	5.80	8.8	12.3
		9:04	30.63	51.71	33.02	8.25	6.36	7.0	9.5
		12:04	30.95	51.80	33.07	8.31	8.86	5.6	23.8
		15:04	31.11	51.75	33.02	8.31	9.09	7.6	38.0
		18:04	31.04	51.76	33.04	8.34	9.01	7.4	20.5
		21:04	31.10	51.72	33.00	8.33	8.51	6.0	22.6
	日平均值		30.94	51.67	32.97	8.30	7.91	6.70	19.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月7日	蚵殼站	0:04	30.58	49.81	32.33	8.11	8.57	21.8	5.0
		3:04	30.41	49.80	32.33	8.18	8.87	20.3	5.6
		6:04	30.28	49.60	32.19	8.13	8.65	19.8	3.1
		9:04	30.65	49.42	32.05	8.09	8.88	19.0	7.3
		12:04	31.28	48.59	31.43	8.07	9.27	18.3	4.8
		15:04	30.37	49.40	32.04	8.08	9.08	18.9	4.7
		18:04	31.30	48.75	31.54	8.14	9.03	19.8	2.7
		21:04	31.19	48.07	31.06	8.11	8.97	19.2	1.6
	日平均值		30.76	49.18	31.87	8.11	8.92	19.64	4.35
	潮口站	0:04	28.61	47.33	30.99	8.42	7.43	7.0	4.6
		3:04	30.02	44.78	29.13	8.36	7.29	4.2	3.9
		6:04	30.26	43.89	28.49	8.33	6.63	9.3	3.1
		9:04	29.45	43.76	28.42	8.40	7.32	13.2	10.6
		12:04	29.63	43.74	28.41	8.37	7.35	9.4	4.5
		15:04	30.11	45.44	29.60	8.37	7.59	10.6	10.0
		18:04	30.67	43.89	28.49	8.26	8.12	7.6	11.7
		21:04	29.26	46.75	30.55	8.42	7.47	15.8	3.9
	日平均值		29.75	44.95	29.26	8.37	7.40	9.64	6.54
	灣內站	0:04	31.12	51.73	33.01	8.34	7.95	4.3	11.5
		3:04	30.93	51.59	32.92	8.32	7.39	3.3	11.9
		6:04	30.82	51.49	32.84	8.32	6.73	5.6	17.2
		9:04	30.93	51.52	32.86	8.33	8.25	5.7	24.8
		12:04	31.94	51.01	32.44	8.36	10.80	6.1	21.0
		15:04	31.61	50.81	32.31	8.37	10.82	5.4	19.7
		18:04	31.36	51.20	32.61	8.37	10.02	4.2	12.6
		21:04	31.37	51.39	32.75	8.37	9.75	4.8	8.8
	日平均值		31.26	51.34	32.72	8.35	8.96	4.93	15.94
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月8日	蚵殼站	0:04	30.66	48.61	31.46	8.14	9.03	17.6	0.7
		3:04	30.17	49.08	31.81	8.17	8.94	16.8	0.7
		6:04	29.57	48.63	31.51	8.07	8.82	13.0	2.1
		9:04	29.41	47.94	31.02	8.12	8.86	12.3	0.8
		12:04	28.96	48.53	31.46	8.18	9.12	13.8	1.8
		15:04	28.36	48.28	31.29	8.15	9.15	12.3	1.9
		18:04	28.03	49.38	31.86	8.01	9.20	9.5	0.8
		21:04	27.92	49.35	31.84	8.01	9.28	8.1	0.0
	日平均值		29.14	48.73	31.53	8.11	9.05	12.93	1.10
	潮口站	0:04	28.25	47.25	30.95	8.45	7.50	11.9	1.4
		3:04	28.09	46.74	30.59	8.42	7.38	6.6	1.3
		6:04							
		9:04							
		12:04							
		15:04							
		18:04							
		21:04							
	日平均值		28.17	47.00	30.77	8.44	7.44	9.25	1.35
	灣內站	0:04	30.92	54.44	35.84		8.35	4.8	14.5
		3:04	30.62	54.47	35.87		7.60	5.6	15.1
		6:04	30.26	53.85	35.42		6.43	51.8	22.1
		9:04	29.76	54.23	35.73		6.37	113.7	16.9
		12:04	28.79	53.55	35.25		6.53	346.4	17.4
		15:04	28.30	53.90	35.53		6.90	46.0	10.9
		18:04	27.87	51.05	33.43		6.84	31.9	13.2
		21:04	27.79	51.67	33.90		6.66	21.9	10.3
	日平均值		29.29	53.40	35.12	—	6.96	77.76	15.05
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月9日	蚵殼站	0:04	27.82	48.91	31.53	7.99	9.21	8.6	0.4
		3:04	27.64	47.90	30.81	8.04	9.30	6.7	0.4
		6:04	27.23	45.60	29.19	8.03	9.57	4.7	0.6
		9:04	27.00	43.44	27.67	8.07	9.67	3.7	0.5
		12:04	27.54	45.01	28.77	7.98	9.53	4.4	0.2
		15:04	27.58	43.84	27.94	7.97	9.74	4.4	0.0
		18:04	27.61	42.65	27.11	7.99	9.97	4.3	0.5
		21:04	27.53	42.63	27.10	7.96	9.72	3.4	0.4
	日平均值		27.49	45.00	28.77	8.00	9.59	5.03	0.38
	潮口站								
	日平均值		—	—	—	—	—	—	—
	灣內站	0:04	27.64	49.86	32.57		6.43	17.5	11.6
		3:04	27.69	49.99	32.66		6.62	12.7	8.1
		6:04	26.79	43.71	28.13		7.27	50.0	4.2
		9:04	27.05	44.77	28.88		7.29	19.1	7.3
		12:04	27.56	38.68	24.53		7.15	38.4	8.4
		15:04	27.91	41.93	26.83		7.07	17.0	8.4
		18:04	28.02	40.80	26.02		6.96	18.4	9.6
		21:04	27.85	40.55	25.84		7.19	14.5	8.5
日平均值		27.56	43.79	28.18	—	7.00	23.45	8.26	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月10日	蚵殼站	0:04	27.57	41.55	26.34	7.92	9.75	3.6	0.7
		3:04	27.41	41.25	26.14	7.93	9.86	1.9	0.6
		6:04	26.77	41.34	26.21	7.96	9.95	0.9	0.8
		9:04	27.15	40.11	25.35	7.95	9.94	0.3	0.8
		12:04	29.25	40.19	25.36	7.86	9.55	1.2	1.3
		15:04	29.14	40.25	25.41	7.81	9.97	0.5	0.8
		18:04	28.14	40.87	25.86	7.73	10.44	0.6	0.4
		21:04	28.88	40.68	25.71	7.94	10.24	0.5	0.3
	日平均值		28.04	40.78	25.80	7.89	9.96	1.19	0.71
	潮口站								
	日平均值		—	—	—	—	—	—	—
	灣內站	0:04	27.73	40.35	25.71		7.21	11.9	8.7
		3:04	27.75	42.92	27.54		7.12	11.2	8.0
		6:04	27.57	43.18	27.73		7.04	17.4	9.2
		9:04	27.96	37.51	23.70		7.51	84.4	10.6
		12:04	30.18	26.28	15.97		7.98	47.3	12.9
		15:04	30.23	40.88	26.02		10.69	23.1	17.2
		18:04	29.91	41.06	26.15		12.51	38.1	35.5
		21:04	30.02	32.35	20.08		10.90	102.6	39.1
日平均值		28.92	38.07	24.11	—	8.87	42.00	17.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月11日	蚵殼站	0:04	29.05	45.22	28.18	8.15	10.08	2.5	2.2
		3:04	27.82	48.17	30.27	8.03	9.84	1.2	0.8
		6:04	28.28	46.01	28.75	8.09	9.95	2.5	0.0
		9:04	28.45	45.69	28.52	8.11	10.38	3.8	2.3
		12:04	30.37	45.46	28.32	8.21	11.16	3.7	0.5
		15:04	30.44	45.76	28.31	8.32	10.77	5.7	60.4
		18:04	31.03	45.36	28.02	8.41	11.55	4.4	88.9
		21:04	30.83	45.60	28.19	8.34	10.96	5.7	66.5
	日平均值		29.53	45.91	28.57	8.21	10.59	3.69	27.70
	潮口站	0:04							
		3:04							
		6:04							
		9:04							
		12:04							
		15:04	28.78	41.83	26.73	8.12	7.72	46.7	5.9
		18:04	29.83	43.54	26.63	8.08	7.74	17.0	4.8
		21:04	29.81	45.88	28.27	8.32	15.21	5.9	11.4
	日平均值		29.47	43.75	27.21	8.17	10.22	23.20	7.37
	灣內站	0:04	29.58	40.50	25.77		11.90	20.6	38.6
		3:04	29.12	41.68	26.62		11.51	27.5	49.7
		6:04	28.28	42.61	27.30		7.91	57.9	58.9
		9:04	28.68	41.35	26.40		12.85	37.1	55.9
		12:04	30.53	44.56	28.59	8.41	11.54	8.1	42.5
		15:04	31.65	45.38	29.19	8.40	15.94	10.2	77.2
		18:04	31.60	45.05	28.95	8.38	14.26	6.7	75.5
		21:04	31.32	44.91	28.86	8.45	12.25	7.1	89.7
	日平均值		30.10	43.26	27.71	8.41	12.27	21.90	61.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月12日	蚵殼站	0:04	30.83	46.14	28.57	8.36	10.90	4.2	65.1
		3:04	30.22	42.98	26.38	8.30	10.99	5.5	59.4
		6:04	28.45	46.24	28.71	8.12	9.98	5.0	42.2
		9:04	30.03	43.84	27.98	8.37	10.84	4.9	75.1
		12:04	30.74	41.39	28.54	8.26	10.76	4.7	64.3
		15:04	31.25	41.02	28.27	8.34	10.77	3.9	59.0
		18:04	30.58	42.57	29.38	8.27	10.80	2.4	53.4
		21:04	31.11	42.52	29.32	8.34	10.67	5.4	46.1
	日平均值		30.40	43.34	28.39	8.30	10.71	4.50	58.08
	潮口站	0:04	29.26	47.45	29.39	8.24	10.73	10.0	7.9
		3:04	27.58	49.25	32.85	8.22	6.93	53.2	4.3
		6:04	30.18	45.04	27.67	8.32	15.33	3.8	8.6
		9:04	30.23	45.72	28.14	8.38	16.48	6.2	9.1
		12:04	31.35	45.67	28.08	8.32	15.64	14.7	8.0
		15:04	29.67	42.86	28.31	8.28	8.23	15.3	0.3
		18:04	28.93	39.44	25.93	8.23	7.56	15.6	6.4
		21:04	29.95	42.31	27.92	8.36	12.29	6.5	7.1
	日平均值		29.64	44.72	28.54	8.29	11.65	15.66	6.46
	灣內站	0:04	31.15	44.85	28.82	8.41	11.23	5.2	69.4
		3:04	31.62	46.91	30.36	8.33	6.61	10.3	65.8
		6:04	30.46	49.06	31.95	8.32	7.30	7.8	32.4
		9:04	31.15	47.98	31.15	8.32	6.52	7.2	42.0
		12:04	31.21	46.67	30.13	8.39	15.58	8.3	48.6
		15:04	32.05	46.95	30.30	8.21	16.64	8.3	43.0
		18:04	31.41	47.05	30.40	8.33	13.17	7.2	63.4
		21:04	31.72	46.98	30.34	8.39	11.91	8.1	44.6
	日平均值		31.35	47.06	30.43	8.34	11.12	7.80	51.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月13日	蚵殼站	0:04	30.80	40.38	27.84	8.40	10.52	5.7	39.4
		3:04	30.53	40.89	28.20	8.36	10.38	5.6	33.7
		6:04	29.67	42.09	29.07	8.20	9.83	3.9	39.7
		9:04	30.36	40.63	28.02	8.33	10.19	4.6	54.3
		12:04	29.77	42.98	29.69	8.11	9.87	5.3	46.7
		15:04	31.12	43.75	30.19	8.30	10.17	5.4	35.8
		18:04	30.31	40.08	27.64	8.35	10.43	3.7	39.6
		21:04	30.67	37.49	25.84	8.32	10.45	6.4	29.3
	日平均值		30.40	41.04	28.31	8.30	10.23	5.08	39.81
	潮口站	0:04	29.79	41.80	27.56	8.34	10.36	7.6	4.9
		3:04	27.50	48.61	32.48	8.33	7.16	278.3	5.5
		6:04	28.19	44.52	29.53	8.31	7.95	30.8	5.8
		9:04	30.37	41.51	27.34	8.43	13.66	3.5	12.4
		12:04	28.58	45.51	30.22	8.26	7.12	26.8	5.4
		15:04	30.00	44.17	29.23	8.24	9.44	24.6	6.7
		18:04	27.69	48.45	32.36	8.29	6.85	21.1	7.4
		21:04	29.02	44.19	29.27	8.34	10.28	5.7	8.1
	日平均值		28.89	44.85	29.75	8.32	9.10	49.80	7.03
	灣內站	0:04	31.08	47.35	30.63	8.29	9.97	11.0	39.4
		3:04	30.78	47.55	30.79	8.46	10.11	7.4	39.8
		6:04	30.13	48.65	31.61	8.44	7.08	8.5	39.5
		9:04	29.20	50.33	32.86	8.48	9.21	10.7	52.8
		12:04	30.86	47.74	30.92	8.79	16.69	7.7	49.3
		15:04	31.56	47.51	30.73	8.53	19.10	8.7	67.2
		18:04	30.88	47.98	31.09	8.41	15.34	7.2	33.7
		21:04	30.52	47.84	31.00	8.25	14.00	6.6	28.8
	日平均值		30.63	48.12	31.20	8.46	12.69	8.48	43.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月14日	蚵殼站	0:04	30.63	42.47	29.30	8.33	10.21	6.2	31.8
		3:04	30.23	43.42	29.99	8.31	9.90	6.1	27.3
		6:04	29.20	45.35	31.38	8.17	9.65	5.0	31.9
		9:04	28.78	45.66	31.61	8.28	9.75	2.4	41.7
		12:04	29.74	45.41	31.41	8.30	11.03	3.0	60.7
		15:04	31.86	41.47	28.57	8.33	10.63	4.6	39.0
		18:04	31.69	32.58	22.48	8.31	11.26	5.3	26.7
		21:04	29.79	44.33	30.64	8.26	10.04	3.9	11.9
	日平均值		30.24	42.59	29.42	8.29	10.31	4.56	33.88
	潮口站	0:04	29.99	42.87	28.31	8.37	11.33	5.4	8.2
		3:04	27.57	47.83	31.91	8.32	6.94	32.0	1.9
		6:04	27.46	48.27	32.23	8.28	7.13	33.3	1.7
		9:04	30.49	41.52	27.35	8.46	12.46	7.1	4.1
		12:04	28.91	45.70	30.35	8.26	7.69	24.8	4.7
		15:04	31.05	44.04	29.10	8.20	9.30	19.3	1.7
		18:04	28.89	41.21	27.17	8.26	8.03	14.8	2.9
		21:04	28.38	43.25	28.62	8.19	7.14	12.1	1.6
	日平均值		29.09	44.34	29.38	8.29	8.75	18.60	3.35
	灣內站	0:04	30.72	47.50	30.75	8.26	13.93	6.5	26.9
		3:04	30.27	47.77	30.96	8.23	12.08	7.8	19.3
		6:04	29.66	48.85	31.77	8.17	9.90	10.7	25.3
		9:04	28.35	52.13	34.22	8.15	6.99	9.7	18.4
		12:04	31.90	48.50	31.44	8.49	14.68	7.6	28.6
		15:04	32.98	47.99	31.02	8.38	17.20	7.9	39.5
		18:04	32.48	48.39	31.33	8.45	15.27	6.5	16.1
		21:04	31.25	47.33	30.61	8.32	10.98	10.4	18.3
	日平均值		30.95	48.56	31.51	8.31	12.63	8.39	24.05
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月15日	蚵殼站	0:04	30.87	39.80	27.43	8.38	10.06	4.7	19.4
		3:04	29.72	40.41	27.89	8.37	10.21	4.9	18.0
		6:04	28.98	40.82	28.19	8.10	9.75	4.4	26.1
		9:04	28.55	41.47	28.66	8.02	9.68	4.7	21.4
		12:04	29.98	39.91	27.54	8.19	10.32	2.4	65.4
		15:04	30.28	40.43	27.89	8.24	10.69	3.9	47.7
		18:04	30.76	37.66	25.96	8.36	10.55	4.1	27.5
		21:04	30.40	40.53	27.95	8.33	10.24	5.8	13.8
	日平均值		29.94	40.13	27.69	8.25	10.19	4.36	29.91
	潮口站	0:04	29.72	42.32	27.93	8.33	9.12	5.6	2.9
		3:04	27.99	46.08	30.65	8.26	7.16	25.2	6.1
		6:04	27.59	47.57	31.72	8.28	7.27	21.1	1.8
		9:04	30.20	40.69	26.77	8.44	11.27	7.3	4.3
		12:04	29.24	44.39	29.41	8.35	7.97	13.3	1.5
		15:04	28.94	45.00	29.85	8.21	8.24	22.1	2.8
		18:04	27.84	45.36	30.14	8.30	7.40	18.8	0.2
		21:04	27.55	45.73	30.41	8.27	7.32	20.2	3.6
	日平均值		28.63	44.64	29.61	8.31	8.22	16.70	2.90
	灣內站	0:04	31.50	47.88	31.00	8.49	12.01	7.6	19.2
		3:04	30.63	48.09	31.18	8.30	10.26	8.2	17.3
		6:04	30.29	49.25	32.04	8.36	10.48	8.1	23.9
		9:04	28.53	52.76	34.67	8.12	6.66	9.1	24.7
		12:04	31.99	48.99	31.79	8.54	13.18	8.2	12.8
		15:04	32.11	49.22	31.95	8.50	17.56	9.4	67.9
		18:04	31.83	49.08	31.86	8.41	14.35	8.8	24.4
		21:04	31.39	49.13	31.91	8.52	12.49	8.6	14.4
	日平均值		31.03	49.30	32.05	8.41	12.12	8.50	25.58
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月16日	蚵殼站	0:04	31.30	40.62	27.99	8.28	9.66	5.9	9.8
		3:04	30.82	37.21	25.65	8.25	9.88	5.4	17.7
		6:04	29.21	40.69	28.10	8.16	9.77	1.4	57.7
		9:04	30.69	38.69	26.67	8.32	10.02	3.9	53.8
		12:14	30.39	38.85	26.79	8.03	10.47	4.3	27.8
		15:04	30.63	39.89	27.51	8.26	10.10	2.3	32.3
		18:04	30.83	41.09	28.33	8.38	10.22	3.9	19.8
		21:04	30.34	37.83	26.09	8.30	10.08	5.1	15.0
	日平均值		30.53	39.36	27.14	8.25	10.03	4.03	29.24
	潮口站	0:04	29.67	43.03	28.43	8.26	8.93	10.5	0.9
		3:04	29.89	43.45	28.71	8.32	9.30	7.2	1.0
		6:04	26.58	47.08	31.37	8.37	7.24	39.2	2.0
		9:04	30.68	40.94	26.90	8.35	11.39	5.1	3.7
		12:14	29.72	43.44	28.67	8.34	10.12	22.6	5.9
		15:04	28.27	45.36	30.06	8.23	6.59	23.2	1.6
		18:04	26.75	46.49	30.90	8.30	6.94	113.9	1.4
		21:04	27.29	45.89	30.44	8.26	7.39	27.9	0.7
	日平均值		28.61	44.46	29.44	8.30	8.49	31.20	2.15
	灣內站	0:04	31.33	48.89	31.74	8.49	11.88	9.7	17.9
		3:04	31.04	48.86	31.73	8.32	10.10	8.5	17.1
		6:04	30.22	50.28	32.79	8.25	9.89	8.8	26.3
		9:04	29.04	51.96	34.07	8.29	7.90	10.3	39.3
		12:14	31.18	50.72	33.08	8.58	12.71	9.5	28.3
		15:04	31.09	50.69	33.06	8.42	14.18	9.7	49.2
		18:04	30.95	51.07	33.34	8.27	11.92	10.8	18.8
		21:04	30.26	50.55	32.99	8.39	11.44	7.0	16.0
	日平均值		30.64	50.38	32.85	8.38	11.25	9.29	26.61
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月17日	蚵殼站	0:04	30.27	41.35	28.09	8.30	9.60	5.4	11.1
		3:04	30.07	41.77	28.39	8.31	10.00	5.7	14.4
		6:04	29.73	39.97	27.15	8.31	9.72	5.3	31.7
		9:04	29.61	42.48	28.90	8.30	9.56	3.0	71.0
		12:04	29.26	42.82	29.14	7.99	9.93	4.5	18.2
		15:04	29.26	41.69	28.35	8.26	10.18	3.7	22.9
		18:04	29.17	42.72	29.07	8.36	10.14	5.0	20.9
		21:04	29.15	41.44	28.18	8.26	10.09	0.9	9.4
	日平均值		29.57	41.78	28.41	8.26	9.90	4.19	24.95
	潮口站	0:04	29.89	43.65	28.77	8.33	10.20	73.5	0.7
		3:04	29.67	43.81	28.89	8.32	8.61	64.0	1.5
		6:04	26.16	47.41	31.51	8.37	7.11	125.3	2.6
		9:04	29.08	44.46	29.33	8.30	9.22	19.7	1.2
		12:04	28.28	46.03	30.45	8.38	8.42	49.3	4.3
		15:04	29.13	45.59	30.11	8.29	9.03	33.4	5.0
		18:04	27.54	46.66	30.89	8.29	7.13	40.0	5.7
		21:04	27.45	48.35	32.08	8.24	7.29	44.9	0.9
	日平均值		28.40	45.75	30.25	8.32	8.38	56.26	2.74
	灣內站	0:04	30.33	50.55	32.99	8.41	10.46	8.5	13.9
		3:04	29.75	48.88	31.78	8.30	8.80	9.0	22.2
		6:04	29.97	50.25	32.78	8.37	9.47	6.7	18.5
		9:04	29.61	50.75	33.16	8.36	9.46	7.7	26.0
		12:04	30.54	50.53	32.97	8.36	12.53	7.7	37.5
		15:04	30.26	50.40	32.88	8.25	11.44	10.4	25.3
		18:04	30.01	50.17	32.72	8.25	11.28	7.5	12.9
		21:04	29.54	50.60	33.05	8.21	9.80	6.5	11.8
	日平均值		30.00	50.27	32.79	8.31	10.41	8.00	21.01
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月18日	蚵殼站	0:04	29.11	42.68	29.05	8.29	9.92	6.8	17.0
		3:04	28.78	40.32	27.42	8.27	9.86	5.9	14.8
		6:04	28.57	41.02	27.91	8.31	9.83	4.2	53.2
		9:04	28.07	41.09	27.97	8.07	9.66	5.7	15.8
		12:04	28.42	40.50	27.55	8.24	10.09	5.9	15.8
		15:04	29.12	41.62	28.30	8.10	10.07	5.2	13.3
		18:04	29.50	39.22	26.64	8.32	10.70	7.1	11.6
		21:04	29.81	39.88	27.09	8.22	10.26	5.7	11.1
	日平均值		28.92	40.79	27.74	8.23	10.05	5.81	19.08
	潮口站	0:04	28.87	44.51	29.31	8.34	9.61	29.3	4.9
		3:04	28.70	42.62	27.99	8.30	9.34	31.0	0.3
		6:04	27.48	44.54	29.35	8.28	7.61	45.0	3.4
		9:04	27.86	45.11	29.74	8.22	7.91	74.7	1.0
		12:04	28.96	44.70	29.41	8.26	9.30	224.3	5.7
		15:04	28.48	44.70	29.41	8.26	9.10	25.3	6.3
		18:04	27.95	45.15	29.72	8.21	6.73	47.6	2.9
		21:04	27.70	45.50	29.96	8.23	7.52	85.7	1.3
	日平均值		28.25	44.60	29.36	8.26	8.39	70.36	3.23
	灣內站	0:04	29.41	50.16	32.73	8.31	9.74	6.3	14.3
		3:04	29.32	50.35	32.87	8.39	7.48	8.0	28.0
		6:04	28.90	50.44	32.95	8.29	6.61	9.5	33.0
		9:04	28.95	50.12	32.72	8.42	8.93	8.7	63.4
		12:04	29.61	49.95	32.58	8.46	11.22	14.5	50.3
		15:04	30.91	49.32	32.07	8.43	15.56	9.0	57.3
		18:04	30.89	47.50	30.74	8.37	13.27	12.2	37.3
		21:04	29.36	50.83	33.22	8.42	11.71	7.4	14.9
	日平均值		29.67	49.83	32.49	8.39	10.57	9.45	37.31
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月19日	蚵殼站	0:04	29.55	39.96	27.15	8.27	9.99	6.1	8.5
		3:04	29.13	39.23	26.66	8.25	9.94	6.0	17.5
		6:04	28.81	38.26	26.00	8.30	10.07	5.3	24.2
		9:04	28.59	41.92	28.53	8.12	9.74	5.3	18.0
		12:04	28.26	42.64	29.04	8.16	10.28	2.3	10.3
		15:04	29.55	39.40	26.76	8.18	10.75	3.1	16.8
		18:04	30.06	39.82	27.04	8.24	10.29	7.2	8.7
		21:04	30.22	39.85	27.06	8.23	10.51	5.9	11.4
	日平均值		29.27	40.14	27.28	8.22	10.20	5.15	14.43
	潮口站	0:04	29.71	43.46	28.48	8.39	12.29	50.3	1.6
		3:04	29.44	43.57	28.56	8.40	11.14	24.1	1.2
		6:04	27.97	46.09	30.34	8.27	7.38	18.6	2.5
		9:04	28.23	47.63	31.39	8.20	7.15	24.6	0.3
		12:04	29.93	46.16	30.30	8.25	10.73	31.6	0.8
		15:04	28.81	46.65	30.67	8.17	9.20	57.8	3.0
		18:04	28.74	46.76	30.73	8.18	7.65	66.5	2.1
		21:04	28.25	47.07	30.95	8.19	7.56	28.8	2.6
	日平均值		28.89	45.92	30.18	8.26	9.14	37.79	1.76
	灣內站	0:04	29.18	50.70	33.14	8.47	10.00	6.5	29.7
		3:04	29.10	49.94	32.58	8.44	10.64	6.8	18.7
		6:04	29.02	51.07	33.41	8.47	9.23	6.3	19.8
		9:04	28.81	50.93	33.31	8.47	8.64	7.8	35.7
		12:04	29.98	50.63	33.06	8.48	11.09	10.5	48.6
		15:04	31.24	49.34	32.07	8.46	16.69	9.1	59.1
		18:04	31.05	48.39	31.38	8.42	13.63	9.2	31.8
		21:04	29.90	49.89	32.52	8.32	11.57	6.1	15.4
	日平均值		29.79	50.11	32.68	8.44	11.44	7.79	32.35
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月20日	蚵殼站	0:04	30.16	39.70	26.96	8.23	10.60	6.8	9.3
		3:04	29.65	39.40	26.76	8.27	10.43	6.9	12.3
		6:04	29.52	39.99	27.17	8.31	9.93	6.6	26.5
		9:04	29.34	40.50	27.53	8.28	10.25	6.4	48.4
		12:04	29.00	40.21	27.34	8.21	10.53	95.0	34.7
		15:04	29.85	41.02	27.87	8.12	10.45	1.7	12.6
		18:04	29.62	39.26	26.66	8.27	10.50	4.9	37.0
		21:04	29.77	43.65	29.71	8.25	10.16	6.9	6.0
	日平均值		29.61	40.47	27.50	8.24	10.36	16.90	23.35
	潮口站	0:04	29.77	45.55	29.85	8.26	10.92	23.2	1.5
		3:04	29.89	43.86	28.66	8.36	11.97	40.2	5.3
		6:04	28.87	46.07	30.20	8.26	7.60	23.5	1.9
		9:04	29.15	44.47	29.08	8.16	7.88	46.9	1.1
		12:04	29.96	47.83	31.36	8.12	7.98	16.7	0.1
		15:04	28.67	48.59	31.92	8.19	6.49	170.5	0.7
		18:04	28.78	47.87	31.40	8.13	6.57	24.1	0.5
		21:04	29.46	45.63	29.82	8.13	7.70	36.1	1.4
	日平均值		29.32	46.23	30.29	8.20	8.39	47.65	1.56
	灣內站	0:04	29.26	51.09	33.42	8.47	9.04	6.2	11.3
		3:04	29.28	50.79	33.20	8.50	10.18	7.3	33.5
		6:04	29.27	50.58	33.04	8.41	9.98	7.3	21.5
		9:04	29.13	50.64	33.09	8.47	12.00	9.1	46.3
		12:04	30.37	50.00	32.59	8.48	14.59	6.5	24.9
		15:04	30.78	49.20	31.99	8.54	14.82	8.4	23.5
		18:04	31.13	49.41	32.13	8.49	14.28	8.1	23.6
		21:04	30.88	49.78	32.40	8.46	13.30	6.4	14.4
	日平均值		30.01	50.19	32.73	8.48	12.27	7.41	24.88
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月21日	蚵殼站	0:04	29.88	43.21	29.40	8.21	9.98	7.2	11.7
		3:04	29.77	43.49	29.59	8.28	10.48	8.3	15.1
		6:04	29.55	41.72	28.37	8.22	10.01	6.1	19.5
		9:04	29.26	42.22	28.72	8.18	9.97	5.9	20.4
		12:04	29.39	42.07	28.61	8.15	9.85	4.9	17.9
		15:04	29.56	41.37	28.12	8.14	9.85	4.5	23.2
		18:04	29.65	42.05	28.59	8.21	10.29	6.3	22.8
		21:04	29.94	41.96	28.52	8.24	10.38	7.0	15.4
	日平均值		29.63	42.26	28.74	8.20	10.10	6.28	18.25
	潮口站	0:04	29.44	45.84	29.96	8.17	7.78	18.8	4.6
		3:04	29.56	43.13	28.09	8.26	9.89	10.2	1.8
		6:04	29.55	43.99	28.68	8.30	9.73	12.0	1.6
		9:04	29.74	43.86	28.57	8.16	7.74	39.0	3.3
		12:04	29.99	43.50	28.30	8.14	7.70	25.1	2.6
		15:04	29.18	45.43	29.63	8.21	6.10	38.8	3.5
		18:04	30.09	45.23	29.46	8.23	8.50	50.6	1.7
		21:04	29.64	43.49	28.28	8.22	7.90	107.6	1.7
	日平均值		29.65	44.31	28.87	8.21	8.17	37.76	2.60
	灣內站	0:04	30.21	50.08	32.65	8.42	11.95	7.4	9.5
		3:04	30.03	50.17	32.72	8.43	11.43	6.3	13.8
		6:04	30.21	49.97	32.57	8.47	11.33	6.7	19.1
		9:04	29.75	50.52	32.98	8.38	10.07	6.8	21.8
		12:04	30.58	49.92	32.52	8.24	14.42	8.8	32.1
		15:04	30.79	49.11	31.92	8.12	14.04	10.2	38.7
		18:04	31.09	48.76	31.65	8.19	13.23	8.2	25.8
		21:04	30.65	49.34	32.09	8.04	12.72	7.0	20.7
	日平均值		30.41	49.73	32.39	8.29	12.40	7.68	22.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月22日	蚵殼站	0:04	29.76	42.04	28.58	8.28	10.11	7.0	10.5
		3:04	29.40	43.56	29.65	8.05	9.75	1.8	5.4
		6:04	29.68	41.56	28.25	8.18	10.08	2.7	22.1
		9:04	29.45	44.86	30.56	8.15	9.63	3.9	43.4
		12:04	29.42	42.18	28.69	8.11	10.10	4.1	29.1
		15:04	29.50	41.89	28.49	8.09	9.84	4.5	33.3
		18:04	29.85	41.81	28.42	8.16	10.40	1.6	21.9
		21:04	30.31	39.78	27.01	8.14	10.55	0.4	23.6
	日平均值		29.67	42.21	28.71	8.15	10.06	3.25	23.66
	潮口站	0:04	29.76	44.17	28.41	8.23	7.64	113.3	1.7
		3:04	29.73	45.22	29.13	8.32	8.57	122.7	3.7
		6:04	29.80	45.24	29.14	8.39	10.57	66.9	1.1
		9:04	29.79	44.98	28.97	8.22	7.64	118.8	3.6
		12:04	30.10	45.05	29.00	8.17	8.62	89.0	4.3
		15:04	30.71	42.93	27.54	8.37	12.87	54.5	0.7
		18:04	30.52	42.54	27.28	8.32	9.84	61.5	3.6
		21:04	29.79	43.07	27.66	8.24	7.04	124.6	2.3
	日平均值		30.03	44.15	28.39	8.28	9.10	93.91	2.63
	灣內站	0:04	30.07	49.69	32.36	8.46	10.73	6.5	15.9
		3:04	30.08	49.67	32.35	8.50	10.26	7.4	30.0
		6:04	29.97	49.63	32.32	8.50	10.13	6.6	30.2
		9:04	29.75	49.67	32.36	8.48	9.14	7.0	42.9
		12:04	30.00	49.61	32.31	8.33	13.19	10.1	58.5
		15:04	31.03	48.23	31.27	8.36	16.47	8.7	31.6
		18:04	30.90	48.42	31.41	8.34	15.02	8.4	30.9
		21:04	29.98	49.39	32.15	8.37	12.84	8.7	26.9
	日平均值		30.22	49.29	32.07	8.42	12.22	7.93	33.36
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月23日	蚵殼站	0:04	30.01	40.20	27.31	8.21	10.76	1.3	14.3
		3:04	29.76	40.29	27.37	8.16	10.04	2.7	15.5
		6:04	29.52	41.06	27.91	8.26	10.12	6.7	10.3
		9:04	29.54	43.14	29.35	8.17	10.24	1.7	15.8
		12:04	29.69	41.43	28.16	8.12	10.09	5.0	39.9
		15:04	29.61	40.87	27.77	8.08	9.95	4.1	34.8
		18:04	29.36	42.71	29.06	8.14	9.70	2.5	11.3
		21:04	29.00	41.64	28.32	8.07	9.23	72.5	14.4
	日平均值		29.56	41.42	28.16	8.15	10.02	12.06	19.54
	潮口站	0:04	29.59	42.96	27.59	8.26	7.55	218.1	2.7
		3:04	30.09	43.79	28.14	8.41	12.43	76.2	2.4
		6:04	30.08	43.13	27.69	8.38	11.46	94.3	2.5
		9:04	29.84	41.84	26.83	8.31	7.89	160.5	2.1
		12:04	29.87	43.53	27.97	8.26	7.66	137.8	1.3
		15:04	29.54	43.61	28.03	8.22	5.08	55.4	2.6
		18:04	29.39	43.65	28.06	8.20	5.15	58.3	0.1
		21:04	29.44	42.88	27.54	8.20	6.99	360.8	2.9
	日平均值		29.73	43.17	27.73	8.28	8.03	145.18	2.08
	灣內站	0:04	29.69	49.22	32.03	8.35	8.75	7.7	25.7
		3:04	29.54	49.54	32.27	8.61	7.19	11.2	27.3
		6:04	29.56	49.44	32.20	8.48	7.54	10.2	53.5
		9:04	29.68	49.24	32.05	8.48	8.67	10.8	45.6
		12:04	29.99	48.72	31.66	8.40	11.88	9.8	61.0
		15:04	29.99	49.31	32.09	8.40	11.19	11.9	51.2
		18:04	29.87	49.48	32.22	8.39	10.51	18.7	34.7
		21:04	29.88	49.62	32.32	8.28	9.26	16.6	39.7
	日平均值		29.78	49.32	32.11	8.42	9.37	12.11	42.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月24日	蚵殼站	0:04	29.01	41.19	28.01	8.02	9.53	7.6	27.3
		3:04	29.02	41.29	28.08	7.97	9.70	10.9	16.7
		6:04	28.98	41.56	28.27	8.11	9.55	16.6	13.4
		9:04	29.10	41.16	27.99	8.05	9.75	19.1	22.9
		12:04	29.67	40.40	27.45	8.08	9.96	110.7	8.8
		15:04	30.18	40.84	27.74	8.11	10.13	3.5	28.6
		18:04	30.07	41.48	28.18	8.04	9.87	29.3	11.1
		21:04	29.86	40.69	27.64	8.04	9.69	27.2	6.0
	日平均值		29.49	41.08	27.92	8.05	9.77	28.11	16.85
	潮口站	0:04	29.66	44.33	28.53	8.23	7.39	299.8	0.0
		3:04	29.59	42.87	27.53	8.24	7.58	212.6	4.0
		6:04	29.28	45.15	29.09	8.25	6.72	286.3	5.4
		9:04	29.34	43.95	28.27	8.25	6.96	289.1	3.0
		12:04	29.56	44.55	28.67	8.22	7.60	242.0	2.1
		15:04	30.37	43.89	28.21	8.23	12.12	224.9	5.6
		18:04	30.21	43.04	27.63	8.27	12.01	253.3	0.7
		21:04	29.71	44.27	28.48	8.26	8.33	310.9	2.3
	日平均值		29.72	44.01	28.30	8.24	8.59	264.86	2.89
	灣內站	0:04	29.76	49.43	32.19	8.66	7.69	14.4	60.6
		3:04	29.46	49.33	32.12	8.43	7.73	18.3	24.3
		6:04	29.30	49.23	32.05	8.27	7.13	24.0	21.7
		9:04	29.28	49.02	31.90	8.15	7.15	13.6	53.9
		12:04	29.83	49.32	32.10	8.25	8.36	12.7	21.6
		15:04	30.28	49.26	32.05	8.20	10.78	23.6	27.7
		18:04	30.12	48.98	31.85	8.16	10.93	25.5	20.7
		21:04	30.15	48.81	31.72	8.20	9.74	34.5	22.8
	日平均值		29.77	49.17	32.00	8.29	8.69	20.83	31.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月25日	蚵殼站	0:04	29.76	40.33	27.40	8.10	10.10	40.6	4.7
		3:04	29.44	40.25	27.35	8.22	9.63	48.2	12.6
		6:04	28.93	38.98	26.49	8.15	9.94	51.5	8.2
		9:04	29.11	39.76	27.02	8.10	9.82	56.1	7.0
		12:04	29.54	38.03	25.83	8.08	9.81	55.0	11.6
		15:04	30.20	38.44	26.09	8.05	10.02	56.7	51.9
		18:04	29.65	39.22	26.64	8.08	10.24	84.4	19.5
		21:04	29.30	40.05	27.21	8.10	9.69	91.4	12.5
	日平均值		29.49	39.38	26.75	8.11	9.91	60.49	16.00
	潮口站	0:04	28.86	40.86	26.19	8.30	7.97	345.8	2.2
		3:04	29.38	43.72	28.11	8.22	7.79	339.9	2.6
		6:04	29.70	45.69	29.45	8.24	7.63	343.7	0.4
		9:04	29.55	45.50	29.33	8.20	6.84	379.6	1.3
		12:04	30.22	45.07	29.01	8.15	8.00	330.2	1.4
		15:04	29.76	46.48	30.00	8.18	7.88	373.9	0.4
		18:04	30.65	45.31	29.17	8.18	9.91	326.0	1.3
		21:04	30.00	45.15	29.07	8.27	8.76	405.9	3.0
	日平均值		29.77	44.72	28.79	8.22	8.10	355.63	1.58
	灣內站	0:04	29.91	48.74	31.68	7.99	9.88	36.5	21.8
		3:04	29.81	48.64	31.61	8.05	9.04	41.9	17.1
		6:04	29.82	48.27	31.34	8.11	7.40	43.8	69.1
		9:04	29.76	48.03	31.17	7.92	8.24	63.0	54.1
		12:04	29.99	47.91	31.07	7.90	10.86	31.9	64.8
		15:04	30.90	47.22	30.54	8.07	13.13	79.6	69.6
		18:04	30.54	46.72	30.19	8.07	12.05	101.1	65.2
		21:04	30.30	46.45	30.00	7.93	9.85	69.9	72.0
	日平均值		30.13	47.75	30.95	8.01	10.06	58.46	54.21
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月26日	蚵殼站	0:04	29.98	40.05	27.20	8.15	10.48	113.0	21.8
		3:04	29.89	39.30	26.69	8.13	10.07	80.9	19.4
		6:04	29.24	41.49	28.15	8.15	9.87	45.3	18.7
		9:04	29.10	38.88	26.37	8.10	9.96	68.9	31.3
		12:04							
		15:04	30.54	46.21	30.66	8.23	10.43	4.1	71.6
		18:04	30.46	45.38	30.07	8.27	10.68	5.7	24.1
		21:04	29.81	43.28	28.60	8.24	9.78	5.1	18.1
	日平均值		29.86	42.08	28.25	8.18	10.18	46.14	29.29
	潮口站	0:04	29.20	46.07	29.73	8.26	7.80	493.1	0.2
		3:04	29.10	42.15	27.05	8.26	8.06	563.9	2.9
		6:04	29.75	44.41	28.57	8.30	9.53	378.1	2.8
		9:04	29.57	44.84	28.87	8.31	8.89	357.6	1.4
		12:04	30.58	44.50	28.62	8.20	9.84	407.0	4.0
		15:04	30.06	46.01	30.54	8.15	7.78	27.1	3.6
		18:04	30.30	46.31	30.75	8.20	8.68	13.7	11.9
		21:04	31.12	42.25	27.84	8.29	13.53	7.1	42.4
	日平均值		29.96	44.57	29.00	8.25	9.26	280.95	8.65
	灣內站	0:04	30.12	46.70	30.19	8.04	9.44	203.8	37.6
		3:04	29.53	46.74	30.24	8.27	6.99	203.2	51.3
		6:04	29.66	46.20	29.84	8.09	8.27	157.0	46.3
		9:04	29.63	46.05	29.74	8.11	8.95	200.0	72.8
		12:04	30.11	36.71	23.09	8.38	8.95	14.5	40.6
		15:04	30.77	47.53	30.77	8.25	12.30	11.7	53.8
		18:04	30.61	48.52	31.50	8.31	12.30	9.3	19.7
		21:04	30.38	45.27	29.14	8.50	10.90	10.5	23.9
	日平均值		30.10	45.47	29.31	8.24	9.76	101.25	43.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月27日	蚵殼站	0:04	29.62	43.88	29.03	8.18	9.83	5.6	16.1
		3:04	30.22	44.87	29.72	8.23	9.92	7.1	18.8
		6:04	28.94	40.92	26.97	8.20	9.73	0.4	6.8
		9:04	29.06	40.24	26.48	8.08	9.97	2.2	113.7
		12:04	29.95	41.24	27.16	8.29	10.63	2.0	49.9
		15:04	29.73	37.00	24.22	8.30	11.08	0.6	71.1
		18:04	29.51	36.94	24.18	8.33	11.18	3.2	38.1
		21:04	28.97	36.91	24.18	8.23	10.55	2.8	24.0
	日平均值		29.50	40.25	26.49	8.23	10.36	2.99	42.31
	潮口站	0:04	30.01	48.07	32.02	8.14	7.34	9.4	19.0
		3:04	28.93	43.75	28.90	8.21	7.72	22.3	2.7
		6:04	29.16	44.08	29.19	8.16	7.28	27.0	4.6
		9:04	29.70	45.81	30.41	8.14	7.75	12.2	11.7
		12:04	30.20	41.85	27.59	8.28	11.64	15.8	32.1
		15:04	30.01	46.02	30.54	8.18	7.73	56.8	6.9
		18:04	30.03	41.23	27.15	8.38	12.88	10.9	39.2
		21:04	29.73	39.44	25.91	8.53	13.60	5.1	30.9
	日平均值		29.72	43.78	28.96	8.25	9.49	19.94	18.39
	灣內站	0:04	29.86	45.70	29.47	8.40	8.82	10.2	16.8
		3:04	29.83	45.85	29.59	8.42	8.18	10.2	18.6
		6:04	29.61	45.10	29.05	8.29	8.23	8.7	15.0
		9:04	29.45	44.16	28.38	8.26	8.15	11.3	22.1
		12:04	30.03	34.33	21.43	8.34	11.02	21.7	46.5
		15:04	29.84	44.89	28.89	8.39	10.13	9.5	35.5
		18:04	29.77	45.07	29.02	8.34	10.42	9.0	38.1
		21:04	29.80	44.97	28.95	8.39	9.84	7.8	22.0
	日平均值		29.77	43.76	28.10	8.35	9.35	11.05	26.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月28日	蚵殼站	0:04	29.17	38.95	25.58	8.32	10.43	4.5	27.5
		3:04	29.16	40.05	26.35	8.24	10.06	4.6	23.6
		6:04	29.42	42.30	27.92	8.25	9.48	5.2	37.5
		9:04	29.38	43.01	28.42	8.11	9.16	6.4	12.6
		12:04	29.52	41.87	27.62	8.24	10.17	6.6	28.6
		15:04	29.21	41.84	27.61	8.36	10.15	5.6	34.4
		18:04	28.92	39.30	25.83	8.29	10.39	4.4	25.8
		21:04	28.48	37.61	24.67	8.28	10.64	4.7	13.5
	日平均值		29.16	40.62	26.75	8.26	10.06	5.25	25.44
	潮口站	0:04	29.51	43.16	28.53	8.30	8.56	9.4	24.3
		3:04	29.47	49.49	33.06	8.19	7.14	29.9	0.1
		6:04	29.13	44.17	29.25	8.24	7.77	14.9	4.5
		9:04	29.34	44.49	29.47	8.25	8.11	15.7	14.5
		12:04	30.09	41.33	27.22	8.29	10.13	24.4	31.7
		15:04	29.66	47.18	31.39	8.20	7.39	37.6	6.8
		18:04	29.40	47.40	31.55	8.22	7.52	8.2	8.4
		21:04	28.90	41.14	27.12	8.48	9.98	3.9	19.4
	日平均值		29.44	44.80	29.70	8.27	8.33	18.00	13.71
	灣內站	0:04	29.60	43.24	27.71	8.36	9.08	8.1	23.0
		3:04	29.28	42.02	26.85	8.41	8.61	11.3	24.2
		6:04	29.79	45.89	29.61	8.43	6.07	30.1	71.0
		9:04	29.56	45.63	29.43	8.36	6.33	7.8	9.4
		12:04	29.92	43.03	27.56	8.44	10.90	24.4	36.8
		15:04	29.92	44.43	28.56	8.42	7.84	9.9	25.9
		18:04	29.38	43.03	27.57	8.44	8.55	9.7	42.7
		21:04	29.15	42.56	27.24	8.55	7.59	23.3	27.6
	日平均值		29.58	43.73	28.07	8.43	8.12	15.58	32.58
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月29日	蚵殼站	0:04	28.22	36.94	24.21	8.27	10.01	4.6	15.9
		3:04	28.19	38.31	25.16	8.23	9.91	6.0	18.1
		6:04	28.39	38.88	25.55	8.16	9.78	3.8	33.3
		9:04	28.80	41.50	27.38	8.14	9.14	4.9	8.8
		12:04	28.71	37.39	24.51	8.26	11.06	3.3	51.6
		15:04	28.48	38.59	25.35	8.18	10.25	3.2	36.2
		18:04	28.01	37.78	24.80	8.18	10.11	2.3	12.0
		21:04	27.61	35.66	23.34	8.15	10.13	3.2	13.2
	日平均值		28.30	38.13	25.04	8.20	10.05	3.91	23.64
	潮口站	0:04	28.51	40.64	26.78	8.38	8.30	5.5	14.0
		3:04	28.62	49.88	33.36	8.19	7.19	15.4	2.3
		6:04	28.64	46.93	31.24	8.23	7.16	13.3	1.5
		9:04	28.36	42.32	27.96	8.35	8.19	7.6	20.3
		12:04	28.68	41.41	27.31	8.27	7.83	22.7	13.4
		15:04	28.77	41.84	27.62	8.22	7.19	28.7	12.8
		18:04	28.10	43.39	28.73	8.28	7.83	16.7	6.9
		21:04	28.05	39.06	25.69	8.40	9.23	5.1	10.5
	日平均值		28.47	43.18	28.59	8.29	7.87	14.38	10.21
	灣內站	0:04	28.99	40.95	26.10	8.41	7.05	44.9	24.4
		3:04	28.78	41.72	26.65	8.40	5.96	49.5	25.9
		6:04	29.40	45.57	29.39	8.40	3.84	56.6	9.4
		9:04	28.42	43.11	27.65	8.38	6.84	18.1	19.4
		12:04	29.06	41.81	26.71	8.42	9.47	12.2	22.2
		15:04	28.52	36.04	22.66	8.51	10.12	51.0	50.3
		18:04	29.08	42.11	26.92	8.54	5.54	23.8	51.5
		21:04	29.24	43.08	27.61	8.34	3.70	96.7	26.2
	日平均值		28.94	41.80	26.71	8.43	6.57	44.10	28.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月30日	蚵殼站	0:04	27.26	33.06	21.57	8.12	10.42	1.0	13.7
		3:04	27.49	34.42	22.49	8.21	10.22	3.4	15.0
		6:04	28.88	42.09	27.79	8.11	8.76	6.2	6.2
		9:04	27.73	41.21	27.20	8.08	9.65	2.4	3.6
		12:04	27.95	40.34	26.59	8.10	9.88	3.5	5.0
		15:04	27.78	33.79	22.06	8.30	11.08	2.7	61.0
		18:04	27.73	35.83	23.46	8.18	10.85	4.0	27.6
		21:04	27.86	37.86	24.86	8.04	9.86	3.2	17.6
	日平均值		27.84	37.33	24.50	8.14	10.09	3.30	18.71
	潮口站	0:04	27.71	38.40	25.23	8.36	7.65	8.1	9.0
		3:04	28.29	49.93	33.41	8.17	7.05	40.9	1.1
		6:04	28.25	46.46	30.91	8.19	7.38	15.4	1.6
		9:04	27.94	40.19	26.48	8.26	7.57	6.7	3.2
		12:04	28.51	45.11	29.94	8.13	5.99	18.0	3.2
		15:04	28.11	39.75	26.16	8.33	8.87	9.3	26.9
		18:04	27.55	50.00	33.48	8.25	7.03	79.3	3.7
		21:04	27.87	40.49	26.69	8.22	9.75	13.2	8.7
	日平均值		28.03	43.79	29.04	8.24	7.66	23.86	7.18
	灣內站	0:04	27.96	38.03	24.07	8.53	7.63	29.6	13.0
		3:04	27.74	37.14	23.45	8.43	6.90	47.8	15.5
		6:04	29.09	43.41	27.85	8.43	2.57	83.3	7.6
		9:04	29.05	42.95	27.52	8.25	3.04	88.3	8.3
		12:04	28.34	36.53	23.00	8.24	7.28	185.4	32.5
		15:04	28.33	34.35	21.50	8.39	9.23	79.1	38.5
		18:04	28.60	38.94	24.69	8.28	7.01	60.2	49.5
		21:04	28.48	41.58	26.56	8.22	4.61	116.5	18.8
	日平均值		28.45	39.12	24.83	8.35	6.03	86.28	22.96
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
8月31日	蚵殼站	0:04	27.22	32.52	21.21	8.21	10.78	4.9	15.1
		3:04	27.34	35.05	22.93	8.15	10.06	5.2	13.7
		6:04	28.19	42.03	27.77	8.04	9.02	6.1	2.3
		9:04	27.84	40.61	26.77	8.03	9.55	4.6	10.3
		12:04	27.90	39.03	25.67	8.21	10.02	5.1	16.7
		15:04	27.43	37.07	24.32	8.14	10.25	4.5	33.3
		18:04	27.59	36.37	23.83	8.06	10.48	4.0	27.6
		21:04	27.69	37.32	24.49	8.09	9.75	5.4	18.0
	日平均值		27.65	37.50	24.62	8.12	9.99	4.98	17.13
	潮口站	0:04	28.24	44.52	29.53	8.18	6.54	8.8	9.7
		3:04	28.15	44.51	29.52	8.17	6.38	7.8	4.5
		6:04	27.29	49.68	33.26	8.25	7.20	57.1	0.2
		9:04	27.47	42.22	27.91	8.26	8.35	7.5	6.4
		12:04	28.03	38.94	25.60	8.27	8.99	18.3	20.1
		15:04	28.21	41.19	27.17	8.28	9.44	11.4	41.9
		18:04	27.50	46.98	31.31	8.25	7.34	22.8	2.5
		21:04	27.40	42.65	28.22	8.20	7.52	15.1	2.3
	日平均值		27.79	43.84	29.07	8.23	7.72	18.60	10.95
	灣內站	0:04	28.62	39.03	24.75	8.37	5.39	239.2	26.5
		3:04	28.32	37.74	23.85	8.42	6.97	94.4	18.8
		6:04	28.41	39.94	25.40	8.46	5.06	68.1	17.0
		9:04	28.36	42.50	27.22	8.38	6.21	136.6	2.9
		12:04	28.46	42.91	27.51	8.29	5.95	104.0	9.1
		15:04	27.83	33.68	21.04	8.37	8.22	62.5	19.0
		18:04	28.07	40.29	25.66	8.34	7.99	93.3	17.6
		21:04	28.22	40.94	26.11	8.41	6.98	65.6	13.1
	日平均值		28.29	39.63	25.19	8.38	6.60	107.96	15.50
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月1日	蚵殼站	0:04	27.08	38.74	25.64	8.28	10.36	5.6	14.7
		3:04	27.05	38.60	25.55	8.29	8.27	5.6	15.0
		6:04	27.32	39.17	25.93	8.38	8.03	5.0	26.7
		9:04	27.01	41.77	27.77	8.14	8.22	2.0	7.0
		12:04	27.69	42.46	28.22	8.16	8.26	2.9	17.2
		15:04	28.87	41.50	27.51	8.35	9.14	4.4	40.7
		18:04	29.30	41.14	27.24	8.30	9.46	4.1	59.3
		21:04	28.55	42.12	27.95	8.12	8.23	5.1	22.7
	日平均值		27.86	40.69	26.98	8.25	8.75	4.34	25.41
	潮口站	0:04	27.96	44.39	28.24	8.42	5.51	67.7	58.9
		3:04	27.45	38.92	24.43	8.41	5.50	83.9	49.8
		6:04	27.21	38.28	23.98	8.44	6.76	182.4	40.1
		9:04	28.06	39.56	24.86	8.33	4.75	151.1	59.8
		12:04	28.98	38.08	23.80	8.28	9.95	137.5	57.4
		15:04	30.30	37.07	23.08	8.13	12.10	116.9	146.7
		18:04	29.47	45.38	28.33	8.21	12.10	227.3	99.4
		21:04	28.63	43.50	27.07	8.02	10.32	263.8	198.0
	日平均值		28.51	40.65	25.47	8.28	8.37	153.83	88.76
	灣內站	0:04	27.79	45.37	30.14	8.17	6.84	8.0	4.4
		3:04	27.46	42.78	28.31	8.20	6.16	9.9	6.5
		6:04	27.51	48.44	32.35	8.23	7.18	41.0	5.9
		9:04	27.98	45.79	30.43	8.20	7.54	17.5	5.7
		12:04	29.40	43.41	28.71	8.20	10.96	13.5	21.2
		15:04	29.93	43.53	28.77	8.29	12.32	19.9	40.9
		18:04	28.00	47.07	31.34	8.31	7.20	22.1	7.3
		21:04	28.45	41.76	27.56	8.20	7.76	14.0	1.4
	日平均值		28.32	44.77	29.70	8.23	8.25	18.24	11.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月2日	蚵殼站	0:04	29.11	39.66	26.23	8.24	9.30	5.1	54.4
		3:04	28.05	39.25	25.96	8.17	9.03	6.1	36.9
		6:04	27.98	38.46	25.41	8.33	8.70	6.0	37.2
		9:04	28.55	41.78	27.71	8.22	8.30	6.1	53.1
		12:04	28.64	41.82	27.73	8.23	8.44	5.6	41.7
		15:04	29.86	40.36	26.67	8.29	9.50	4.2	42.2
		18:04	30.40	38.04	25.06	8.33	9.80	3.1	38.2
		21:04	30.18	39.36	25.97	8.27	9.29	7.1	29.6
	日平均值		29.10	39.84	26.34	8.26	9.05	5.41	41.66
	潮口站	0:04	28.93	48.33	30.40	8.15	10.86	191.0	133.1
		3:04	28.63	46.00	28.80	8.35	9.92	135.8	153.1
		6:04	28.52	45.82	28.67	8.47	10.06	159.5	73.9
		9:04	28.64	46.19	28.93	8.43	11.43	145.3	199.0
		12:04	29.93	45.02	28.08	8.24	17.08	262.9	238.2
		15:04	31.03	37.99	23.25	8.19	18.31	217.9	124.2
		18:04	31.42	37.28	22.77	8.15	18.67	271.7	296.6
		21:04	30.66	39.53	24.31	8.14	16.44	108.5	262.6
	日平均值		29.72	43.27	26.90	8.27	14.10	186.58	185.09
	灣內站	0:04	28.94	41.78	27.57	8.33	11.74	4.5	25.0
		3:04	29.16	42.69	28.20	8.31	10.75	6.9	32.5
		6:04	27.81	47.12	31.39	8.27	6.88	19.4	0.7
		9:04	28.35	45.99	30.56	8.28	8.24	11.6	8.1
		12:04	30.34	42.35	27.92	8.41	18.70	9.1	47.7
		15:04	29.87	44.45	29.43	8.52	18.39	6.7	59.3
		18:04	29.03	44.36	29.38	8.34	10.22	10.2	19.4
		21:04	28.40	47.57	31.69	8.24	7.42	19.5	6.2
	日平均值		28.99	44.54	29.52	8.34	11.54	10.99	24.86
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月3日	蚵殼站	0:04	30.13	39.66	26.18	8.30	9.30	6.7	16.1
		3:04	29.84	39.64	26.16	8.30	9.28	4.7	24.0
		6:04	29.19	37.73	24.87	8.41	9.25	6.8	24.3
		9:04	29.26	40.27	26.61	8.28	9.35	5.3	29.1
		12:04	29.07	42.24	27.99	8.25	9.62	4.9	34.6
		15:04	29.59	41.34	27.35	8.30	9.12	5.3	23.0
		18:04	30.49	40.37	26.65	8.56	9.46	6.7	10.3
		21:04	29.76	42.02	27.81	8.30	9.01	5.6	7.9
	日平均值		29.67	40.41	26.70	8.34	9.30	5.75	21.16
	潮口站	0:04	29.99	42.90	26.62	8.27	13.50	223.7	214.2
		3:04	29.88	40.11	24.73	8.34	14.58	159.5	204.6
		6:04	29.40	39.50	24.33	8.38	12.79	209.6	145.0
		9:04	29.68	40.15	24.77	8.40	13.99	197.9	121.8
		12:04	30.28	40.14	24.75	8.15	14.59	451.6	161.5
		15:04	31.15	37.41	22.87	8.24	15.52	315.2	44.1
		18:04	31.32	34.18	20.71	8.23	13.80	428.6	70.8
		21:04	30.61	40.42	24.92	8.04	13.60	232.1	45.2
	日平均值		30.29	39.35	24.21	8.26	14.05	277.28	125.90
	灣內站	0:04	29.74	42.97	28.38	8.31	12.91	8.2	9.5
		3:04	29.79	42.14	27.80	8.46	15.19	3.5	20.4
		6:04	29.06	43.80	29.00	8.36	10.46	9.2	13.4
		9:04	28.77	46.02	30.57	8.19	7.35	18.6	3.4
		12:04	30.25	44.35	29.35	8.23	13.21	16.4	18.0
		15:04	28.67	45.80	30.43	8.26	8.93	18.4	24.2
		18:04	28.61	46.00	30.57	8.18	7.64	21.0	18.0
		21:04	28.07	46.57	30.99	8.26	7.39	19.5	2.5
	日平均值		29.12	44.71	29.64	8.28	10.39	14.35	13.68
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月4日	蚵殼站	0:04	29.04	43.34	28.75	8.30	8.85	5.8	13.4
		3:04	29.23	41.39	27.38	8.35	8.96	3.7	18.3
		6:04	28.82	40.71	26.93	8.39	8.82	3.9	14.3
		9:04	29.01	40.33	26.66	8.36	8.63	4.7	16.9
		12:04	29.20	42.31	28.03	8.27	9.22	3.2	33.2
		15:04	30.06	42.03	27.79	8.29	8.99	0.3	15.3
		18:04	30.16	39.33	25.94	8.26	9.09	2.7	15.5
		21:04	30.17	42.95	28.43	8.30	8.97	7.3	18.2
	日平均值		29.46	41.55	27.49	8.32	8.94	3.95	18.14
	潮口站	0:04	29.96	42.96	26.67	8.33	12.60	297.3	39.6
		3:04	29.60	43.07	26.77	8.39	12.16	231.6	53.3
		6:04	29.42	43.89	27.34	8.45	11.12	177.2	45.2
		9:04	29.62	43.34	26.95	8.22	12.61	162.1	74.1
		12:04	31.00	41.40	25.58	8.17	12.66	272.0	56.6
		15:04	31.50	41.48	25.63	8.14	14.09	170.0	60.2
		18:04	31.78	40.17	24.72	8.20	13.27	157.9	86.4
		21:04	31.41	41.49	25.64	8.17	12.93	145.4	68.1
	日平均值		30.54	42.23	26.16	8.26	12.68	201.69	60.44
	灣內站	0:04	29.05	42.32	27.95	8.26	9.33	17.3	2.2
		3:04	29.49	43.26	28.60	8.37	11.44	13.6	14.1
		6:04	29.69	42.01	27.70	8.47	12.22	18.8	27.2
		9:04	28.66	45.17	29.98	8.23	7.39	41.9	8.3
		12:04	28.86	47.03	31.29	8.22	8.02	56.4	3.8
		15:04	30.70	45.46	30.12	8.23	11.63	96.6	10.4
		18:04	29.87	44.07	29.16	8.28	11.15	140.4	9.3
		21:04	27.54	45.39	30.16	8.33	7.69	55.1	0.5
	日平均值		29.23	44.34	29.37	8.30	9.86	55.01	9.48
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月5日	蚵殼站	0:04	30.30	42.23	27.93	8.41	8.95	0.5	15.8
		3:04	30.20	41.22	27.22	8.29	8.92	3.2	13.3
		6:04	29.88	41.20	27.23	8.25	8.74	2.8	15.4
		9:04	29.91	40.87	26.98	8.28	8.79	1.7	15.7
		12:04	30.17	41.26	27.25	8.30	8.81	0.2	11.7
		15:04	29.62	43.34	28.70	8.21	9.35	1.2	10.8
		18:04	29.98	42.73	28.28	8.42	8.90	3.3	18.7
		21:04	29.59	43.26	28.64	8.25	8.61	7.4	10.4
	日平均值		29.96	42.01	27.78	8.30	8.88	2.54	13.98
	潮口站	0:04	30.74	43.08	26.75	8.22	12.69	232.9	60.2
		3:04	30.69	42.97	26.67	8.27	12.53	260.4	78.7
		6:04	30.27	43.53	27.06	8.32	8.69	243.8	74.7
		9:04	30.46	42.52	26.38	8.45	12.57	260.8	71.7
		12:04	31.61	41.61	25.72	8.44	13.02	367.7	78.6
		15:04	32.12	39.98	24.60	8.41	13.46	78.0	82.9
		18:04	31.67	39.95	24.59	8.43	12.22	120.7	40.5
		21:04	31.34	41.31	25.53	8.32	11.41	195.9	50.5
	日平均值		31.11	41.87	25.91	8.36	12.07	220.03	67.23
	灣內站	0:04	26.66	45.54	30.29	8.32	7.23	100.8	4.1
		3:04	30.52	43.42	28.77	8.34	11.72	111.2	8.3
		6:04	30.29	42.63	28.23	8.39	12.18	131.2	8.8
		9:04	29.95	44.58	29.60	8.27	8.91	107.3	6.1
		12:04	29.40	45.94	30.58	8.23	9.11	208.0	5.6
		15:04	29.55	45.58	30.33	8.22	9.34	325.9	3.8
		18:04	28.90	45.70	30.43	8.20	7.62	667.7	10.8
		21:04	28.31	46.27	30.84	8.23	7.31	311.9	10.3
	日平均值		29.20	44.96	29.88	8.28	9.18	245.50	7.23
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月6日	蚵殼站	0:04	28.70	45.75	30.40	8.16	8.40	45.5	12.5
		3:04	28.63	45.38	30.15	8.27	8.50	21.0	13.2
		6:04	27.78	44.98	29.90	8.38	8.91	24.4	16.2
		9:04	30.12	44.55	28.92	8.39	8.32	14.8	26.5
		12:04	29.78	46.75	30.51	8.33	7.57	7.8	21.5
		15:04	29.93	46.35	30.21	8.31	7.55	10.0	16.5
		18:04	29.87	46.02	29.97	8.33	7.05	13.6	28.8
		21:04	29.61	44.82	29.13	8.35	6.58	17.4	30.6
	日平均值		29.30	45.58	29.90	8.32	7.86	19.31	20.73
	潮口站	0:04	30.78	43.03	26.72	8.48	10.17	174.2	48.9
		3:04	29.76	45.20	28.24	8.49	7.37	191.1	38.4
		6:04	29.49	45.72	28.62	8.43	8.64	179.7	32.6
		9:04	29.93	45.15	28.21	8.47	8.78	281.9	37.2
		12:04	30.29	44.74	27.92	8.32	10.66	180.7	34.0
		15:04	30.37	44.25	27.58	8.27	10.97	96.6	22.6
		18:04	30.73	43.81	27.27	8.31	10.46	138.7	36.6
		21:04	30.42	43.29	26.92	8.21	10.44	284.0	39.6
	日平均值		30.22	44.40	27.69	8.37	9.69	190.86	36.24
	灣內站	0:04	28.58	46.45	30.96	8.24	8.26	238.3	4.1
		3:04	29.93	43.70	28.99	8.30	10.41	145.7	9.4
		6:04	29.85	43.83	29.08	8.29	9.40	331.6	12.0
		9:04	30.30	42.92	28.43	8.34	9.29	257.6	15.8
		12:04	29.27	46.62	31.07	8.24	7.52	414.5	8.9
		15:04	29.48	46.14	30.72	8.19	7.97	266.1	10.3
		18:04	29.01	45.74	30.44	8.17	6.64	355.7	21.0
		21:04	28.79	44.00	29.23	8.16	6.14	524.3	21.6
	日平均值		29.40	44.93	29.87	8.24	8.20	316.73	12.89
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月7日	蚵殼站	0:04	29.32	46.36	30.21	8.38	7.13	18.3	24.5
		3:04	29.95	46.78	30.47	8.40	7.66	16.4	20.3
		6:04	30.03	45.93	29.87	8.43	7.91	25.7	31.1
		9:04	30.07	46.47	30.25	8.38	7.88	32.9	38.2
		12:04	29.66	46.75	30.45	8.35	7.53	38.2	39.1
		15:04	29.48	47.39	30.92	8.35	7.45	37.2	48.5
		18:04	29.50	46.55	30.31	8.37	8.15	37.7	56.8
		21:04	29.27	44.52	28.88	8.38	7.27	40.0	44.1
	日平均值		29.66	46.34	30.17	8.38	7.62	30.80	37.83
	潮口站	0:04	30.36	44.41	27.69	8.59	9.44	213.7	30.4
		3:04	30.09	45.82	28.68	8.34	8.30	152.7	23.5
		6:04	30.10	45.32	28.33	8.35	6.42	210.0	38.7
		9:04	29.99	45.16	28.23	8.45	7.98	134.7	48.0
		12:04	29.46	44.91	28.08	8.42	8.60	156.6	50.7
		15:04	29.51	44.74	27.96	8.55	10.15	134.8	71.1
		18:04	29.39	44.42	27.75	8.27	9.96	359.1	56.4
		21:04	29.19	43.67	27.24	8.13	9.62	254.4	61.6
	日平均值		29.76	44.81	28.00	8.39	8.81	202.00	47.55
	灣內站	0:04	28.27	45.52	30.31	8.23	7.40	390.9	18.6
		3:04	29.80	45.04	29.93	8.25	8.35	474.0	17.1
		6:04	29.96	43.87	29.10	8.27	9.00	272.0	23.4
		9:04	30.14	44.67	29.66	8.29	9.12	193.1	28.3
		12:04	29.86	45.11	29.97	8.26	7.84	345.4	27.5
		15:04	29.45	46.08	30.68	8.27	7.90	406.8	25.9
		18:04	29.60	44.78	29.76	8.33	9.20	279.6	57.2
		21:04	29.34	41.94	27.77	8.33	7.56	339.1	26.5
	日平均值		29.55	44.63	29.65	8.28	8.30	337.61	28.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月8日	蚵殼站	0:04	29.05	47.39	30.89	8.33	7.27	28.9	32.5
		3:04	29.00	46.89	30.54	8.36	7.12	30.5	28.6
		6:04	28.90	47.01	30.62	8.40	7.20	32.8	35.4
		9:04	29.16	46.48	30.23	8.35	6.76	44.0	23.9
		12:04	29.25	47.80	31.10	8.35	7.79	29.5	22.8
		15:04	29.09	49.88	32.53	8.49	6.87	2.9	17.1
		18:04	29.03	49.80	32.48	8.46	6.71	3.4	15.7
		21:04	28.95	47.44	30.76	8.57	7.15	3.3	17.8
	日平均值		29.05	47.84	31.14	8.41	7.11	21.91	24.23
	潮口站	0:04	29.10	46.27	29.05	8.03	5.74	162.5	48.0
		3:04	28.93	44.82	28.05	8.15	8.14	324.4	40.4
		6:04	28.96	45.30	28.37	8.28	7.17	250.9	38.1
		9:04	29.20	45.25	28.33	8.50	7.79	251.6	29.3
		12:04	29.55	48.95	31.84	8.20	9.35	7.3	15.7
		15:04	29.57	49.06	31.92	8.24	9.65	9.1	29.7
		18:04	29.77	48.14	31.25	8.29	9.74	8.2	28.4
		21:04	29.39	47.63	30.89	8.31	10.25	5.9	21.3
	日平均值		29.31	46.93	29.96	8.25	8.48	127.49	31.36
	灣內站	0:04	28.99	44.48	29.56	8.22	7.58	182.3	16.9
		3:04	29.06	44.53	29.59	8.21	7.32	266.9	16.8
		6:04	28.83	44.21	29.37	8.31	7.65	211.2	32.7
		9:04	29.11	43.25	28.70	8.16	6.73	194.1	18.5
		12:04	29.64	42.10	27.88	8.18	8.86	446.5	52.0
		15:04	29.15	47.91	31.93	8.16	7.48	53.0	0.6
		18:04	29.15	50.75	33.97	8.16	7.05	147.6	5.4
		21:04	29.14	49.73	33.25	8.11	6.55	120.9	4.3
	日平均值		29.13	45.87	30.53	8.19	7.40	202.81	18.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月9日	蚵殼站	0:04	29.08	49.45	32.17	8.47	6.75	2.5	8.6
		3:04	28.82	50.05	32.62	8.38	6.66	2.0	7.9
		6:04	28.66	49.74	32.40	8.49	6.82	2.9	19.5
		9:04	28.61	49.55	32.26	8.46	7.17	2.6	21.8
		12:04	29.27	49.63	32.30	8.47	7.51	7.1	89.4
		15:04	29.90	50.30	32.77	8.40	7.10	4.6	28.0
		18:04	29.59	50.43	32.92	8.46	7.35	3.8	13.8
		21:04	29.47	50.29	32.83	8.47	7.07	4.3	9.4
	日平均值		29.18	49.93	32.53	8.45	7.05	3.73	24.80
	潮口站	0:04	29.37	49.07	31.99	8.20	8.06	8.3	19.1
		3:04	29.11	50.17	32.80	8.09	7.06	6.1	10.9
		6:04	28.89	50.08	32.74	8.21	6.16	5.5	11.0
		9:04	28.78	49.88	32.60	8.21	6.99	5.6	21.5
		12:04	30.21	48.66	31.66	8.16	9.46	9.6	18.8
		15:04	30.54	48.87	31.80	8.16	12.71	7.2	31.2
		18:04	30.23	48.84	31.74	8.18	11.48	6.1	11.7
		21:04	29.75	47.65	30.89	8.32	9.26	7.5	10.1
	日平均值		29.61	49.15	32.03	8.19	8.90	6.99	16.79
	灣內站	0:04	28.81	49.06	32.35	8.15	6.91	62.4	0.7
		3:04	28.77	49.61	32.75	8.17	7.19	130.9	5.3
		6:04	28.63	46.64	30.61	8.30	8.64	138.5	13.5
		9:04	28.69	46.64	30.61	8.26	8.47	8.3	14.1
		12:04	29.78	46.81	30.70	8.23	10.60	104.8	13.4
		15:04	29.75	47.38	31.97	8.09	7.54	6.7	8.2
		18:04	29.14	47.11	32.52	8.12	7.01	588.4	7.6
		21:04	29.36	49.99	32.56	8.18	8.53	155.9	8.5
	日平均值		29.12	47.91	31.76	8.19	8.11	149.49	8.91
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月10日	蚵殼站	0:04	29.07	48.77	31.73	8.41	6.70	3.7	8.8
		3:04	29.03	49.61	32.34	8.40	6.93	2.6	9.8
		6:04	28.80	49.98	32.62	8.42	7.10	3.1	15.4
		9:04	29.07	50.00	32.63	8.52	7.20	3.0	17.2
		12:04	30.17	50.05	32.63	8.51	7.17	3.5	17.4
		15:04	30.49	50.36	32.84	8.46	7.06	6.2	16.0
		18:04	29.80	50.63	33.06	8.52	7.53	3.8	18.7
		21:04	29.84	50.27	32.80	8.57	7.22	2.8	9.2
	日平均值		29.53	49.96	32.58	8.48	7.11	3.59	14.06
	潮口站	0:04	29.97	48.96	31.84	8.20	10.15	5.8	12.7
		3:04	29.60	49.40	32.17	8.23	10.94	4.9	12.1
		6:04	29.27	49.62	32.34	8.28	8.21	7.3	15.8
		9:04	29.41	49.21	32.04	8.34	10.43	6.5	16.6
		12:04	30.50	48.77	31.68	8.30	12.05	6.2	12.3
		15:04	30.71	49.06	31.88	8.22	12.30	5.7	13.1
		18:04	30.45	48.13	31.22	8.33	11.75	6.8	12.8
		21:04	30.25	48.50	31.49	8.16	10.41	5.2	11.4
	日平均值		30.02	48.96	31.83	8.26	10.78	6.05	13.35
	灣內站	0:04	29.11	50.14	32.68	8.12	6.86	109.3	8.1
		3:04	28.75	50.56	32.99	8.16	7.43	610.3	1.6
		6:04	28.62	48.60	31.58	8.20	8.20	48.8	7.1
		9:04	28.92	49.59	32.29	8.17	8.85	50.4	5.9
		12:04	30.19	49.77	32.38	8.17	10.93	80.2	4.4
		15:04	29.96	46.38	29.95	8.07	8.13	96.2	7.4
		18:04	29.37	45.81	29.58	8.12	8.13	254.1	0.6
		21:04	29.38	50.81	33.16	8.10	6.65	318.4	6.5
	日平均值		29.29	48.96	31.83	8.14	8.15	195.96	5.20
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月11日	蚵殼站	0:04	28.91	49.18	32.03	8.35	6.80	5.6	6.4
		3:04	29.29	49.46	32.23	8.46	7.03	3.5	10.9
		6:04	29.37	49.93	32.57	8.43	7.04	4.2	24.7
		9:04	29.65	49.99	32.60	8.49	7.10	4.4	32.4
		12:04	30.29	50.18	32.72	8.56	7.35	3.7	16.3
		15:04	30.69	50.32	32.80	8.52	7.34	4.4	23.0
		18:04	30.15	50.60	33.03	8.55	7.38	4.1	12.0
		21:04	30.17	50.20	32.74	8.58	7.35	2.7	8.0
	日平均值		29.82	49.98	32.59	8.49	7.17	4.08	16.71
	潮口站	0:04	30.31	48.25	31.31	8.15	10.28	5.7	8.4
		3:04	29.82	49.03	31.90	8.19	8.85	7.3	10.4
		6:04	29.39	49.35	32.14	8.38	8.67	5.7	11.9
		9:04	29.59	49.08	31.94	8.32	9.47	6.1	13.2
		12:04	30.68	48.98	31.82	8.24	12.08	6.7	15.5
		15:04	31.06	48.57	31.52	8.25	12.61	8.0	23.1
		18:04	31.31	48.55	31.49	8.34	11.67	9.7	15.6
		21:04	31.33	48.51	31.46	8.22	10.62	6.6	16.0
	日平均值		30.44	48.79	31.70	8.26	10.53	6.98	14.26
	灣內站	0:04	28.89	49.78	32.44	8.19	8.24	365.4	6.4
		3:04	28.77	52.00	34.04	8.13	7.21	239.2	2.7
		6:04	28.90	51.64	33.78	8.07	6.86	146.7	1.0
		9:04	29.64	49.48	32.19	8.24	10.88	42.5	8.4
		12:04	30.02	50.23	32.72	8.10	8.20	98.2	7.9
		15:04	29.72	49.35	32.10	8.10	8.17	85.0	6.0
		18:04	29.21	41.48	26.54	8.12	8.25	46.8	6.5
		21:04	29.18	47.24	30.61	8.10	7.32	134.1	2.2
	日平均值		29.29	48.90	31.80	8.13	8.14	144.74	5.14
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月12日	蚵殼站	0:04	30.13	50.24	32.76	8.36	7.24	2.0	6.8
		3:04	29.49	49.08	31.94	8.35	6.90	3.5	9.4
		6:04	29.24	49.38	32.16	8.30	6.92	3.7	19.5
		9:04	29.76	49.49	32.23	8.36	7.11	3.0	15.9
		12:04	30.61	49.62	32.30	8.37	7.22	3.5	6.5
		15:04	30.14	50.21	32.74	8.23	6.96	6.1	35.2
		18:04	29.86	50.25	32.78	8.25	6.93	4.6	13.9
		21:04	29.82	50.19	32.74	8.34	7.06	4.4	10.8
	日平均值		29.88	49.81	32.46	8.32	7.04	3.85	14.75
	潮口站	0:04	30.24	46.15	29.78	8.31	9.89	8.1	14.8
		3:04	30.41	48.51	31.49	8.15	10.29	6.4	8.0
		6:04	29.73	48.83	31.75	8.23	8.99	7.9	11.0
		9:04	29.86	48.89	31.79	8.20	9.56	4.3	8.2
		12:04	30.54	48.95	31.81	8.23	10.37	5.7	8.7
		15:04	30.70	48.72	31.64	8.18	10.45	7.8	10.7
		18:04	30.35	48.45	31.45	8.02	10.32	6.3	15.5
		21:04	30.59	48.45	31.44	8.07	9.16	8.9	8.6
	日平均值		30.30	48.37	31.39	8.17	9.88	6.93	10.69
	灣內站	0:04	29.60	48.52	31.51	8.23	10.92	63.8	7.8
		3:04	28.58	52.15	34.17	8.13	7.38	40.9	0.7
		6:04	28.78	50.79	33.18	8.11	7.51	56.2	5.1
		9:04	29.46	49.08	31.92	8.23	10.62	42.5	3.7
		12:04	30.30	49.78	32.40	8.03	8.16	80.0	7.3
		15:04	29.73	48.94	31.82	8.12	8.70	96.8	11.3
		18:04	28.93	50.71	33.11	8.16	8.26	29.9	6.4
		21:04	28.96	50.49	32.95	8.08	6.89	129.2	0.4
	日平均值		29.29	50.06	32.63	8.14	8.56	67.41	5.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月13日	蚵殼站	0:04	29.84	50.14	32.71	8.43	6.74	7.4	9.6
		3:04	29.55	50.00	32.61	8.47	6.70	3.9	4.9
		6:04	29.42	48.25	31.33	8.46	6.80	8.0	5.4
		9:04	29.51	48.32	31.38	8.41	6.78	4.7	34.8
		12:04	29.78	48.36	31.41	8.20	6.54	7.0	14.2
		15:04	29.83	49.71	32.39	8.33	6.81	5.3	21.9
		18:04	29.86	49.76	32.43	8.27	6.71	6.7	6.7
		21:04	29.71	49.65	32.35	8.37	6.83	5.7	8.0
	日平均值		29.69	49.27	32.08	8.37	6.74	6.09	13.19
	潮口站	0:04	30.22	48.22	31.29	8.14	8.79	9.9	24.3
		3:04	29.99	46.46	30.02	8.23	8.12	7.8	14.0
		6:04	29.49	47.14	30.52	8.12	7.55	5.5	16.9
		9:04	29.56	49.62	32.32	8.22	8.70	6.1	44.3
		12:04	30.48	48.07	31.16	8.29	10.99	5.7	13.6
		15:04	30.75	46.19	29.80	8.27	12.69	7.0	24.3
		18:04	30.64	45.01	28.94	8.18	13.29	8.6	26.8
		21:04	30.56	45.43	29.24	8.22	11.20	7.2	12.9
	日平均值		30.21	47.02	30.41	8.21	10.17	7.23	22.14
	灣內站	0:04	29.54	49.34	32.12	8.17	9.24	67.3	3.2
		3:04	28.61	50.14	32.72	8.15	7.47	52.2	6.2
		6:04	28.58	49.74	32.43	8.13	7.67	90.4	3.3
		9:04	29.68	49.18	32.00	8.20	9.63	91.7	7.1
		12:04	30.19	49.59	32.28	8.08	7.78	130.0	6.2
		15:04	29.77	48.60	31.59	8.10	8.56	78.7	1.4
		18:04	28.34	50.34	32.88	8.19	7.79	90.0	0.7
		21:04	28.94	50.75	33.16	8.09	7.18	128.4	8.3
	日平均值		29.21	49.71	32.40	8.14	8.17	91.09	4.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月14日	蚵殼站	0:04	29.69	48.72	31.67	8.51	6.88	9.0	4.3
		3:04	29.54	49.00	31.88	8.50	7.15	5.1	7.8
		6:04	29.36	48.26	31.34	8.50	6.90	7.1	7.8
		9:04	29.47	48.97	31.85	8.49	7.11	9.0	6.7
		12:04	29.36	49.83	32.47	8.37	7.10	8.9	30.4
		15:04	30.18	49.59	32.27	8.47	7.14	11.2	30.9
		18:04	29.98	49.15	31.95	8.51	7.15	26.5	7.4
		21:04	29.88	50.08	32.63	8.47	7.14	40.0	7.4
	日平均值		29.68	49.20	32.01	8.48	7.07	14.60	12.84
	潮口站	0:04	30.61	43.75	28.04	8.08	9.02	7.4	14.0
		3:04	30.34	43.22	27.66	8.24	9.92	26.1	14.0
		6:04	29.69	42.88	27.44	8.09	8.00	5.5	18.4
		9:04	29.54	44.02	28.25	8.33	9.73	5.4	26.2
		12:04	30.63	43.27	27.68	8.19	12.78	7.5	24.7
		15:04	31.25	44.85	28.79	8.24	13.67	7.3	34.7
		18:04	31.04	42.23	26.93	8.26	12.84	9.1	22.5
		21:04	30.59	44.31	28.42	8.27	10.80	4.7	10.4
	日平均值		30.46	43.57	27.90	8.21	10.85	9.13	20.61
	灣內站	0:04	29.63	50.70	33.10	8.16	8.45	116.2	5.4
		3:04	28.91	49.81	32.49	8.13	7.30	82.6	1.8
		6:04	28.28	50.23	32.81	8.14	7.85	164.0	4.0
		9:04	29.62	49.21	32.04	8.21	9.94	80.4	1.5
		12:04	30.22	49.57	32.28	8.11	8.63	82.4	4.7
		15:04	29.84	48.97	31.87	8.10	7.87	78.2	8.3
		18:04	28.94	49.98	32.62	8.28	8.57	57.4	3.6
		21:04	29.24	49.33	32.14	8.25	8.37	152.0	3.5
	日平均值		29.34	49.73	32.42	8.17	8.37	101.65	4.10
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月15日	蚵殼站	0:04	29.98	49.43	32.15	8.55	7.11	15.6	1.8
		3:04	29.94	49.61	32.27	8.57	7.13	188.9	10.1
		6:04	29.63	49.87	32.47	8.53	7.00	116.1	3.7
		9:04	29.34	50.19	32.70	8.40	6.84	315.0	7.3
		12:04	29.73	50.75	33.10	8.44	7.08	265.1	18.2
		15:04	30.13	50.27	32.73	8.45	6.96	167.3	20.8
		18:04	29.78	50.27	32.74	8.47	7.08	71.2	2.4
		21:04	30.14	48.82	31.67	8.50	7.09	77.1	0.1
	日平均值		29.83	49.90	32.48	8.49	7.04	152.04	8.05
	潮口站	0:04	30.92	45.57	29.31	8.14	10.09	8.0	23.5
		3:04	30.37	44.70	28.71	8.23	9.55	7.3	23.6
		6:04	29.90	47.55	30.77	8.29	8.13	7.5	50.5
		9:04	29.55	47.14	30.49	8.31	8.08	7.5	41.8
		12:04	30.69	47.18	30.47	8.22	11.37	6.7	31.6
		15:04	31.54	46.63	30.05	8.12	13.64	7.3	38.3
		18:04	30.79	46.85	30.22	8.31	11.44	6.8	42.2
		21:04	31.01	47.89	30.97	8.16	10.19	8.0	19.0
	日平均值		30.60	46.69	30.12	8.22	10.31	7.39	33.81
	灣內站	0:04	29.80	47.84	31.07	8.28	9.05	153.7	7.4
		3:04	29.72	48.29	31.39	8.33	8.87	168.1	4.8
		6:04	28.42	48.98	31.92	8.22	7.70	55.7	6.6
		9:04	29.57	48.38	31.47	8.29	10.24	65.2	3.9
		12:04	29.86	47.83	31.06	8.22	8.62	91.5	3.4
		15:04	29.82	48.49	31.54	8.16	7.99	105.3	8.6
		18:04	29.04	45.59	29.50	8.22	8.54	40.7	5.8
		21:04	28.46	47.44	30.84	8.22	7.69	73.2	1.5
	日平均值		29.34	47.86	31.10	8.24	8.59	94.18	5.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月16日	蚵殼站	0:04	29.84	49.76	32.37	8.38	7.17	198.2	4.2
		3:04	29.54	49.96	32.51	8.43	7.01	300.6	3.8
		6:04	29.65	50.05	32.56	8.43	6.93	394.7	2.9
		9:04	29.50	50.57	32.95	8.37	6.97	602.1	2.4
		12:14	30.07	50.02	32.52	8.44	6.97	726.9	8.9
		15:04	30.13	50.53	32.89	8.33	6.91	216.0	15.4
		18:04	30.32	51.08	33.28	8.45	7.22	354.7	7.8
		21:04	30.03	49.20	31.92	8.42	6.92	397.2	1.9
	日平均值		29.89	50.15	32.63	8.41	7.01	398.80	5.91
	潮口站	0:04	30.19	48.40	31.37	8.26	10.82	7.8	36.2
		3:04	30.21	47.60	30.78	8.22	8.56	9.4	51.1
		6:04	29.93	48.05	31.11	8.36	7.99	7.4	41.9
		9:04	29.69	47.63	30.82	8.21	9.31	6.3	53.7
		12:14	30.49	48.60	31.50	8.32	10.67	5.3	35.1
		15:04	31.54	47.67	30.78	8.25	13.21	10.4	92.7
		18:04	30.97	43.37	27.72	8.19	12.96	44.5	69.6
		21:04	30.75	47.86	30.94	8.29	11.52	5.5	79.5
	日平均值		30.47	47.40	30.63	8.26	10.63	12.08	57.48
	灣內站	0:04	28.94	47.93	31.16	8.18	7.31	62.8	3.8
		3:04	29.51	48.80	31.78	8.15	7.13	81.7	0.1
		6:04	27.60	50.51	33.07	8.27	7.61	39.1	0.6
		9:04	28.61	49.70	32.46	8.18	8.09	78.5	7.4
		12:14	29.58	49.02	31.93	8.26	9.73	139.1	7.7
		15:04	29.27	49.52	32.31	8.15	6.00	124.7	14.8
		18:04	28.38	50.25	32.87	8.25	7.54	83.5	0.9
		21:04	27.16	50.69	33.22	8.30	7.04	83.4	2.7
	日平均值		28.63	49.55	32.35	8.22	7.56	86.60	4.75
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月17日	蚵殼站	0:04	30.06	49.40	32.07	8.46	7.10	467.2	4.7
		3:04	29.88	49.06	31.82	8.44	7.15	675.0	2.5
		6:04	29.69	48.49	31.41	8.40	6.97	392.8	6.1
		9:04	29.74	48.46	31.38	8.42	7.07	314.5	7.2
		12:04	30.24	48.48	31.38	8.39	7.19	729.8	15.6
		15:04	30.39	46.62	30.03	8.45	7.50	430.3	25.9
		18:04	30.27	44.71	28.67	8.40	7.41	477.4	9.6
		21:04	30.11	46.91	30.24	8.41	7.16	584.5	7.0
	日平均值		30.05	47.77	30.88	8.42	7.19	508.94	9.83
	潮口站	0:04	30.64	44.98	28.87	8.11	10.29	6.9	127.3
		3:04	30.28	46.67	30.10	8.16	8.06	8.0	96.6
		6:04	29.83	48.79	31.64	8.14	7.96	50.4	91.1
		9:04	29.89	48.15	31.17	8.14	9.04	75.6	66.1
		12:04	30.46	48.54	31.44	8.19	12.31	14.2	225.6
		15:04	31.23	47.12	30.38	8.02	11.52	11.5	106.5
		18:04	31.46	47.02	30.31	8.06	12.86	7.7	86.2
		21:04	31.02	48.23	31.19	8.02	11.09	8.1	87.7
	日平均值		30.60	47.44	30.64	8.11	10.39	22.80	110.89
	灣內站	0:04	30.10	49.05	31.96	8.25	10.21	65.6	6.1
		3:04	30.25	49.40	32.21	8.28	9.94	95.3	3.3
		6:04	28.03	50.06	32.74	8.30	7.71	109.3	3.7
		9:04	28.56	50.13	32.78	8.22	7.52	102.6	0.4
		12:04	29.55	50.56	33.06	8.20	9.02	105.3	7.4
		15:04	30.73	51.28	33.55	8.20	9.60	122.0	5.9
		18:04	28.82	49.16	32.09	8.28	8.19	110.3	6.4
		21:04	28.45	50.35	32.96	8.28	7.31	115.7	2.3
	日平均值		29.31	50.00	32.67	8.25	8.69	103.26	4.44
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月18日	蚵殼站	0:04	30.27	45.60	29.30	8.45	7.25	767.2	4.3
		3:04	29.88	46.07	29.65	8.47	7.21	256.9	2.2
		6:04	29.61	48.36	31.31	8.43	7.15	298.1	1.2
		9:04	29.78	45.50	29.24	8.46	7.31	185.6	4.6
		12:04	29.91	47.09	30.37	8.45	7.31	201.9	8.2
		15:04	29.87	45.41	29.17	8.41	7.55	229.6	13.5
		18:04	29.77	44.77	28.71	8.50	7.58	216.6	6.7
		21:04	29.63	44.04	28.21	8.51	7.73	187.1	4.8
	日平均值		29.84	45.86	29.50	8.46	7.39	292.88	5.69
	潮口站	0:04	30.67	43.96	28.13	8.11	10.06	7.0	114.6
		3:04	30.23	43.66	27.94	8.22	9.41	120.8	29.1
		6:04	29.52	44.36	28.47	8.30	7.18	8.6	108.7
		9:04	29.83	44.88	28.83	8.20	9.18	10.9	67.6
		12:04	30.60	44.55	28.57	8.13	11.27	12.4	80.0
		15:04	31.10	45.00	28.86	8.21	13.24	12.3	125.6
		18:04	31.14	41.88	26.66	8.23	13.16	19.5	145.8
		21:04	30.52	46.37	29.87	8.30	10.36	15.1	81.1
	日平均值		30.45	44.33	28.42	8.21	10.48	25.83	94.06
	灣內站	0:04	29.41	50.37	32.95	8.22	8.46	97.7	7.8
		3:04	30.30	50.60	33.09	8.33	10.98	80.5	1.3
		6:04	29.83	50.33	32.91	8.30	8.42	117.2	0.4
		9:04	28.96	50.43	33.00	8.25	8.39	109.1	4.8
		12:04	30.60	49.94	32.61	8.20	9.57	142.8	9.4
		15:04	31.67	49.71	32.42	8.12	8.88	138.4	6.3
		18:04	28.98	46.33	30.09	8.28	8.13	100.8	4.0
		21:04	28.71	49.28	32.22	8.28	7.98	129.1	6.3
	日平均值		29.81	49.62	32.41	8.25	8.85	114.45	5.04
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月19日	蚵殼站	0:04	29.45	45.15	28.99	8.46	7.47	189.8	5.2
		3:04	29.13	46.00	29.61	8.45	7.38	108.8	1.1
		6:04	28.97	46.75	30.16	8.46	7.36	76.6	1.0
		9:04	29.12	45.77	29.45	8.44	7.30	128.4	5.4
		12:04	29.45	46.13	29.70	8.40	7.24	134.3	1.5
		15:04	29.61	44.66	28.64	8.41	7.53	166.8	4.9
		18:04	29.62	43.33	27.71	8.40	7.49	145.6	0.5
		21:04	29.41	43.20	27.62	8.37	7.60	134.2	5.4
	日平均值		29.35	45.12	28.99	8.42	7.42	135.56	3.13
	潮口站	0:04	29.90	47.24	30.51	8.27	9.75	38.6	66.3
		3:04	29.44	46.97	30.33	8.24	8.94	58.8	52.7
		6:04	28.82	46.70	30.16	8.35	7.06	53.8	74.3
		9:04	29.04	46.62	30.09	8.46	9.55	39.8	154.9
		12:04	29.88	44.53	28.58	8.30	11.29	54.1	99.9
		15:04	30.18	45.34	29.14	8.18	11.62	23.0	145.5
		18:04	30.32	45.09	28.95	8.20	11.39	24.7	133.1
		21:04	30.11	45.12	28.98	8.20	11.61	166.5	92.7
	日平均值		29.71	45.95	29.59	8.28	10.15	57.41	102.43
	灣內站	0:04	29.56	49.56	32.38	8.31	9.42	214.9	3.4
		3:04	29.47	50.02	32.73	8.26	7.96	217.4	8.6
		6:04	29.20	49.06	32.05	8.28	7.40	154.7	5.5
		9:04	28.82	50.02	32.75	8.25	8.04	175.6	0.3
		12:04	30.00	49.60	32.42	8.22	8.88	168.9	10.1
		15:04	30.62	49.69	32.46	8.28	10.69	158.4	4.1
		18:04	29.56	47.49	30.92	8.30	8.64	166.7	5.8
		21:04	28.58	45.03	29.23	8.30	8.21	180.7	5.5
	日平均值		29.48	48.81	31.87	8.28	8.66	179.66	5.41
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月20日	蚵殼站	0:04	29.32	44.00	28.18	8.52	7.36	165.1	5.5
		3:04	28.93	43.24	27.66	8.49	7.15	209.0	5.7
		6:04	29.19	44.01	28.18	8.44	7.28	245.8	1.6
		9:04	28.76	44.13	28.29	8.52	7.28	257.9	5.5
		12:04	29.13	44.67	28.66	8.48	7.24	284.1	3.8
		15:04	29.30	42.34	27.03	8.47	7.37	327.1	2.4
		18:04	29.37	42.15	26.88	8.42	7.12	359.7	3.4
		21:04	29.31	43.39	27.76	8.47	7.34	402.0	3.6
	日平均值		29.16	43.49	27.83	8.48	7.27	281.34	3.94
	潮口站	0:04	29.76	44.96	28.88	8.27	10.43	23.0	78.0
		3:04	29.46	45.45	29.24	8.35	10.03	23.4	62.9
		6:04	29.23	45.70	29.43	8.27	9.28	31.2	120.6
		9:04	29.39	45.85	29.53	8.26	10.32	41.6	41.8
		12:04	29.60	45.50	29.26	8.15	11.07	19.1	61.8
		15:04	29.63	44.76	28.75	8.24	11.16	43.1	37.4
		18:04	30.14	43.77	28.02	8.30	11.27	74.3	41.4
		21:04	29.63	44.26	28.39	8.18	9.64	57.8	34.2
	日平均值		29.61	45.03	28.94	8.25	10.40	39.19	59.76
	灣內站	0:04	28.71	48.64	31.78	8.25	7.41	209.5	3.5
		3:04	28.80	47.83	31.20	8.29	8.37	253.7	6.3
		6:04	28.77	47.88	31.25	8.33	9.38	220.9	6.9
		9:04	29.08	48.98	32.03	8.24	8.38	224.0	6.6
		12:04	29.05	50.03	32.79	8.22	8.20	247.6	2.7
		15:04	29.12	48.72	31.84	8.21	8.20	238.9	4.7
		18:04	29.01	47.91	31.28	8.19	6.96	227.4	9.3
		21:04	28.80	49.91	32.72	8.25	7.96	452.4	15.8
	日平均值		28.92	48.74	31.86	8.25	8.11	259.30	6.98
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月21日	蚵殼站	0:04	29.20	42.42	27.07	8.44	7.17	472.3	1.4
		3:04	29.05	42.83	27.38	8.45	7.02	507.1	2.7
		6:04	28.90	43.33	27.72	8.40	7.05	519.0	4.1
		9:04	29.12	42.81	27.35	8.44	7.22	572.3	2.4
		12:04	29.44	42.65	27.24	8.46	7.26	610.1	5.6
		15:04	29.34	43.08	27.55	8.44	7.34	620.8	4.0
		18:04	29.52	42.55	27.17	8.44	7.04	628.6	5.2
	21:04	29.39	44.00	28.20	8.44	7.10	678.1	1.4	
	日平均值		29.25	42.96	27.46	8.44	7.15	576.04	3.35
	潮口站	0:04	29.38	44.79	28.78	8.28	7.73	139.6	30.5
		3:04	29.20	44.57	28.63	8.36	7.89	72.6	35.9
		6:04	29.11	44.89	28.85	8.39	6.26	85.7	83.8
		9:04	29.15	45.47	29.27	8.32	7.93	112.9	38.5
		12:04	29.44	45.16	29.04	8.27	9.53	269.7	57.8
		15:04	29.76	44.93	28.87	8.19	11.54	216.4	47.5
		18:04	29.97	46.09	29.69	8.29	10.92	66.6	52.7
	21:04	29.75	47.87	30.98	8.32	8.16	155.0	36.2	
	日平均值		29.47	45.47	29.26	8.30	8.75	139.81	47.86
	灣內站	0:04	28.86	49.24	32.24	8.25	7.53	210.9	6.0
		3:04	29.02	48.79	31.92	8.30	8.32	183.5	5.4
		6:04	29.16	48.78	31.92	8.34	9.11	192.2	9.4
		9:04	29.26	49.02	32.09	8.28	7.48	72.3	2.9
		12:04	28.88	48.43	31.68	8.31	9.04	75.1	6.3
		15:04	29.10	48.50	31.73	8.31	9.83	88.0	12.4
		18:04	29.41	47.86	31.27	8.30	9.08	89.7	7.5
	21:04	28.86	48.55	31.79	8.29	8.16	86.5	7.0	
	日平均值		29.07	48.65	31.83	8.30	8.57	124.78	7.11
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月22日	蚵殼站	0:04	29.21	43.89	28.12	8.39	7.27	753.4	0.2
		3:04	29.13	44.65	28.67	8.42	7.25	708.6	1.7
		6:04	29.12	43.18	27.64	8.45	7.17	800.4	4.0
		9:04	29.36	43.07	27.56	8.43	7.13	764.1	2.2
		12:04	30.37	43.50	27.83	8.38	7.23	683.2	3.1
		15:04	30.14	43.97	28.17	8.36	6.83	696.7	1.5
		18:04	29.76	43.96	28.18	8.48	7.09	627.5	0.5
	21:04	30.00	44.50	28.55	8.46	6.80	687.1	3.1	
	日平均值		29.64	43.84	28.09	8.42	7.10	715.13	2.04
	潮口站	0:04	29.59	46.63	30.09	8.34	10.06	226.4	37.0
		3:04	29.45	47.09	30.43	8.27	8.38	174.4	36.8
		6:04	29.27	46.04	29.69	8.33	6.82	65.7	56.8
		9:04	29.62	45.79	29.49	8.32	6.39	476.8	51.2
		12:04	30.35	46.06	29.67	8.24	11.08	472.7	48.2
		15:04	30.73	44.86	28.80	8.12	12.62	268.4	66.8
		18:04	31.00	44.88	28.82	8.20	11.17	348.8	75.8
	21:04	30.52	47.74	30.86	8.29	9.75	398.1	54.6	
	日平均值		30.07	46.14	29.73	8.26	9.53	303.91	53.40
	灣內站	0:04	28.80	50.75	33.37	8.28	7.87	87.4	1.3
		3:04	29.20	47.64	31.14	8.31	9.16	84.9	0.9
		6:04	29.25	46.93	30.64	8.29	8.49	123.0	5.0
		9:04	29.63	49.58	32.51	8.32	9.65	106.5	7.1
		12:04	29.75	49.84	32.71	8.21	8.53	114.3	5.2
		15:04	29.70	49.11	32.19	8.29	9.50	88.9	3.9
		18:04	29.42	49.61	32.56	8.31	8.41	119.5	1.7
	21:04	29.31	49.89	32.78	8.25	7.19	93.9	6.2	
	日平均值		29.38	49.17	32.24	8.28	8.60	102.30	3.91
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月23日	蚵殼站	0:04	29.46	43.93	28.17	8.45	6.66	597.9	2.0
		3:04	29.50	44.62	28.68	8.48	7.03	631.5	0.2
		6:04	29.49	44.20	28.38	8.41	6.90	738.9	1.3
		9:04	29.65	43.46	27.85	8.45	7.06	598.2	2.0
		12:04	30.49	43.14	27.61	8.44	6.99	607.1	2.4
		15:04	30.33	44.38	28.48	8.40	7.35	554.8	0.6
		18:04	29.87	45.17	29.07	8.48	7.02	600.7	1.5
		21:04	29.41	49.95	32.12	8.39	6.42	493.5	0.1
	日平均值		29.78	44.86	28.80	8.44	6.93	602.83	1.26
	潮口站	0:04	30.33	47.78	30.91	8.33	9.97	348.7	42.4
		3:04	29.94	48.54	31.47	8.21	9.67	167.8	30.1
		6:04	29.64	45.56	29.35	8.34	6.90	334.1	59.5
		9:04	29.86	47.12	30.46	8.28	9.17	265.4	59.5
		12:04	31.41	45.62	29.33	8.26	12.37	48.9	94.0
		15:04	30.91	44.51	28.57	8.17	12.87	368.1	55.8
		18:04	30.85	45.87	29.54	8.19	10.49	262.9	68.5
		21:04	30.56	46.54	30.02	8.16	9.36	74.3	57.8
	日平均值		30.44	46.44	29.96	8.24	10.10	233.78	58.45
	灣內站	0:04	29.04	51.85	34.19	8.25	8.01	105.5	0.5
		3:04	29.27	50.10	32.94	8.31	8.68	99.3	3.5
		6:04	29.77	49.58	32.55	8.32	9.74	105.2	7.0
		9:04	30.02	50.27	33.04	8.19	7.30	142.8	7.4
		12:04	30.12	49.78	32.69	8.22	8.06	139.0	6.9
		15:04	30.85	42.80	27.73	8.00	8.09	120.0	6.2
		18:04	29.51	49.99	32.88	8.19	7.81	152.2	8.9
		21:04	29.55	48.80	32.03	8.19	5.95	193.2	11.9
	日平均值		29.77	49.15	32.26	8.21	7.96	132.15	6.54
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月24日	蚵殼站	0:04	29.32	49.99	32.54	8.46	6.49	504.4	1.1
		3:04	29.48	46.52	30.05	8.52	6.75	473.2	5.4
		6:04	29.46	46.37	29.95	8.37	6.76	410.1	1.8
		9:04	29.83	45.41	29.27	8.48	6.36	441.6	0.8
		12:04	29.75	45.35	29.28	8.35	6.50	401.4	2.2
		15:04	29.97	48.14	30.81	8.22	6.29	7.9	18.5
		18:04	30.01	48.26	30.88	8.36	6.64	7.3	26.5
		21:04	29.91	48.43	30.99	8.36	6.63	5.3	15.2
	日平均值		29.72	47.31	30.47	8.39	6.55	281.40	8.94
	潮口站	0:04	30.27	46.43	29.97	8.17	8.54	291.6	29.7
		3:04	30.09	47.07	30.43	8.37	7.99	211.4	28.7
		6:04	30.00	45.97	29.63	8.28	5.18	226.5	56.8
		9:04	30.19	45.25	29.13	8.31	7.80	237.7	45.8
		12:04	30.37	49.57	32.30	8.06	9.47	7.6	27.4
		15:04	30.43	49.81	32.47	8.17	10.22	7.2	35.4
		18:04	30.28	49.67	32.38	8.23	9.11	7.1	21.3
		21:04	30.83	49.24	32.04	8.11	8.25	11.9	24.6
	日平均值		30.31	47.88	31.04	8.21	8.32	125.13	33.71
	灣內站	0:04	29.31	48.36	31.73	8.24	8.19	149.7	4.0
		3:04	29.27	48.53	31.86	8.20	7.43	199.0	3.9
		6:04	29.70	48.73	31.99	8.25	7.98	221.5	6.1
		9:04	29.85	49.67	32.66	8.23	8.97	265.9	11.9
		12:04	30.34	50.55	32.93	8.09	8.93	3.4	8.0
		15:04	29.83	50.25	32.73	8.13	8.21	0.4	6.0
		18:04	29.75	50.60	32.99	8.06	6.92	8.8	10.7
		21:04	29.75	50.76	33.10	8.06	7.37	7.8	6.8
	日平均值		29.73	49.68	32.50	8.16	8.00	107.06	7.18
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月25日	蚵殼站	0:04	29.80	48.74	31.20	8.37	6.47	3.5	14.6
		3:04	29.69	47.29	30.11	8.30	6.41	4.1	19.3
		6:04	29.71	47.19	30.02	8.36	6.45	4.4	13.0
		9:04	29.98	47.20	30.00	8.38	6.41	5.5	73.4
		12:04	30.11	46.99	29.82	8.36	6.82	5.4	32.7
		15:04	29.82	47.57	30.24	8.25	6.58	5.0	7.6
		18:04	29.76	47.72	30.33	8.29	6.55	4.3	10.5
		21:04	29.98	47.57	30.19	8.44	6.90	6.8	9.0
	日平均值		29.86	47.53	30.24	8.34	6.57	4.88	22.51
	潮口站	0:04	30.40	49.55	32.29	8.18	7.93	7.0	15.3
		3:04	30.11	49.58	32.31	8.11	7.86	7.1	10.6
		6:04	29.89	49.43	32.22	8.15	6.24	8.3	13.6
		9:04	30.36	49.18	32.02	8.11	8.17	7.7	44.0
		12:04	30.69	48.84	31.75	8.05	9.99	9.0	31.4
		15:04	30.74	48.82	31.74	8.09	10.70	8.7	44.5
		18:04	30.54	48.51	31.52	8.14	11.06	7.3	31.6
		21:04	30.52	48.39	31.43	8.26	9.32	9.6	16.4
	日平均值		30.41	49.04	31.91	8.14	8.91	8.09	25.93
	灣內站	0:04	29.35	50.81	33.15	8.08	7.65	0.1	2.2
		3:04	29.38	51.64	33.76	8.08	7.58	0.5	0.3
		6:04	29.38	50.83	33.17	8.07	6.93	4.5	7.4
		9:04	30.22	50.55	32.94	8.06	7.36	4.6	4.3
		12:04	30.62	50.26	32.72	8.16	9.64	4.8	23.5
		15:04	29.88	51.11	33.36	8.10	7.59	2.5	5.7
		18:04	29.79	49.33	32.07	8.13	8.15	0.6	10.5
		21:04	29.85	50.52	32.93	8.09	7.94	4.9	4.0
	日平均值		29.81	50.63	33.01	8.10	7.86	2.81	7.24
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月26日	蚵殼站	0:04	29.78	47.80	30.34	8.44	6.83	3.2	9.5
		3:04	29.62	48.16	30.59	8.34	6.52	3.9	7.5
		6:04	29.47	48.18	30.59	8.31	6.53	3.9	12.0
		9:04	29.73	48.49	30.78	8.45	6.98	3.4	12.8
		12:04	30.22	48.17	30.51	8.47	6.85	3.5	22.6
		15:04	30.04	48.26	30.57	8.37	6.66	6.1	16.6
		18:04	29.82	48.77	30.93	8.44	6.82	4.7	16.9
		21:04	29.79	49.03	31.08	8.41	6.87	4.7	8.9
	日平均值		29.81	48.36	30.67	8.40	6.76	4.18	13.35
	潮口站	0:04	30.32	47.77	30.99	8.32	7.48	10.3	21.5
		3:04	30.19	47.94	31.12	8.26	7.07	7.4	21.4
		6:04	30.21	47.58	30.85	8.16	6.79	6.3	22.8
		9:04	30.03	47.60	30.87	8.12	6.54	6.5	14.7
		12:04	30.98	47.47	30.75	8.15	9.18	7.1	26.6
		15:04	31.00	46.65	30.15	8.10	10.50	9.6	33.6
		18:04	30.74	47.15	30.52	8.08	9.42	10.5	27.5
		21:04	30.55	47.73	30.95	8.28	9.46	8.3	26.6
	日平均值		30.50	47.49	30.78	8.18	8.31	8.25	24.34
	灣內站	0:04	29.73	50.12	32.65	8.13	7.19	3.1	7.0
		3:04	29.39	49.69	32.34	8.08	7.65	3.3	3.8
		6:04	29.39	50.54	32.96	8.09	7.42	18.7	4.3
		9:04	29.68	50.20	32.70	8.02	6.44	16.2	5.6
		12:04	30.84	49.79	32.37	8.34	11.19	1.1	9.8
		15:04	29.75	50.58	32.97	8.33	8.31	2.5	6.9
		18:04	29.75	49.45	32.16	8.30	8.33	3.6	4.2
		21:04	29.61	50.08	32.62	8.26	7.91	5.6	7.6
	日平均值		29.77	50.06	32.60	8.19	8.06	6.76	6.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月27日	蚵殼站	0:04	29.57	49.32	31.29	8.38	6.67	4.9	11.6
		3:04	29.59	49.32	31.27	8.41	6.71	5.4	8.6
		6:04	29.37	49.01	31.02	8.34	6.64	5.6	5.2
		9:04	29.36	49.24	31.17	8.36	6.60	5.2	8.0
		12:04	30.22	49.10	31.01	8.45	6.82	7.0	18.9
		15:04	29.93	49.37	31.20	8.31	6.54	6.0	11.2
		18:04	30.02	49.41	31.19	8.48	6.95	5.8	6.5
		21:04	29.64	50.23	31.79	8.41	6.68	8.0	7.8
	日平均值		29.71	49.38	31.24	8.39	6.70	5.99	9.73
	潮口站	0:04	30.17	47.55	30.83	8.24	7.80	7.7	20.1
		3:04	30.03	47.53	30.82	8.17	7.64	7.3	14.9
		6:04	29.62	47.46	30.78	8.19	6.48	7.4	19.8
		9:04	29.54	46.82	30.32	8.21	6.80	8.7	38.9
		12:04	30.75	46.47	30.02	8.04	13.50	10.1	35.5
		15:04	31.53	46.19	29.80	7.96	14.50	11.3	45.1
		18:04	31.00	46.11	29.76	8.13	13.46	13.2	26.2
		21:04	30.05	46.37	29.97	8.05	8.91	11.0	17.0
	日平均值		30.34	46.81	30.29	8.12	9.89	9.59	27.19
	灣內站	0:04	29.84	49.84	32.44	8.30	7.99	6.5	3.1
		3:04	29.55	49.75	32.38	8.27	7.67	5.3	0.3
		6:04	29.58	50.11	32.64	8.22	7.63	2.2	1.0
		9:04	29.45	49.83	32.44	8.26	7.60	19.2	5.9
		12:04	30.66	49.49	32.16	8.33	10.09	4.5	12.0
		15:04	30.07	50.04	32.57	8.29	8.27	4.3	7.9
		18:04	29.81	50.14	32.66	8.32	8.14	10.4	8.1
		21:04	29.89	49.51	32.20	8.34	8.70	5.9	9.8
	日平均值		29.86	49.84	32.44	8.29	8.26	7.29	6.01
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月28日	蚵殼站	0:04	29.45	49.88	31.52	8.47	6.75	6.4	6.8
		3:04	29.12	48.84	30.76	8.41	6.82	7.5	6.6
		6:04	29.20	48.80	30.70	8.44	6.78	10.6	9.7
		9:04	28.94	48.84	30.71	8.38	6.71	9.1	8.5
		12:04	28.79	49.24	30.98	8.37	6.70	11.8	6.3
		15:04	28.65	49.21	30.94	8.38	6.87	12.2	11.7
		18:04	28.74	47.92	29.99	8.30	6.80	13.0	11.6
		21:04	28.46	49.91	31.40	8.33	6.73	12.7	10.9
	日平均值		28.92	49.08	30.88	8.39	6.77	10.41	9.01
	潮口站	0:04	29.89	46.22	29.87	8.05	7.52	16.1	18.1
		3:04	29.55	46.25	29.91	8.02	5.42	12.9	29.8
		6:04	29.33	46.27	29.93	8.02	5.01	15.8	31.2
		9:04	29.25	46.08	29.79	8.07	5.04	10.7	33.6
		12:04	29.21	46.14	29.84	8.19	5.77	13.0	14.4
		15:04	28.98	45.65	29.49	8.15	7.03	12.2	17.0
		18:04	28.73	45.04	29.05	8.13	6.32	13.9	39.2
		21:04	28.49	46.38	30.03	8.28	6.41	12.2	7.7
	日平均值		29.18	46.00	29.74	8.11	6.07	13.35	23.88
	灣內站	0:04	29.86	49.39	32.11	8.28	7.84	10.0	3.4
		3:04	29.17	50.06	32.62	8.34	7.09	2.3	0.6
		6:04	29.25	49.84	32.46	8.32	7.50	5.2	4.0
		9:04	29.05	49.60	32.28	8.29	7.19	10.4	2.6
		12:04	29.09	49.21	32.00	8.29	7.11	18.8	13.5
		15:04	29.15	49.07	31.91	8.24	6.49	11.4	14.6
		18:04	28.26	49.37	32.15	8.36	7.34	10.4	1.5
		21:04	28.24	49.38	32.15	8.25	7.55	14.4	3.0
	日平均值		29.01	49.49	32.21	8.30	7.26	10.36	5.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
9月29日	蚵殼站	0:04	28.15	48.14	30.11	8.32	6.75	14.9	13.1
		3:04	28.13	48.63	30.44	8.36	6.89	12.9	9.2
		6:04	27.98	49.26	30.88	8.31	6.85	15.9	5.8
		9:04	27.95	49.22	30.83	8.32	6.63	17.5	7.6
		12:04	27.77	46.52	28.88	8.35	7.09	18.9	22.4
		15:04	27.94	48.35	30.15	8.33	6.76	21.5	11.0
		18:04	27.76	46.42	28.76	8.34	7.18	21.4	5.2
		21:04	27.58	43.13	26.41	8.31	7.26	23.8	2.7
	日平均值		27.91	47.46	29.56	8.33	6.93	18.35	9.63
	潮口站	0:04	27.85	44.19	28.47	8.15	6.23	94.7	23.3
		3:04	27.92	45.22	29.21	8.27	6.21	22.0	15.0
		6:04	27.90	45.40	29.34	8.20	6.07	23.4	15.6
		9:04	27.93	45.45	29.37	8.32	6.10	46.7	15.0
		12:04	27.93	44.99	29.04	8.30	7.09	28.1	18.7
		15:04	28.15	44.70	28.82	8.21	6.92	53.8	16.1
		18:04	28.06	45.13	29.14	8.20	6.41	12.3	26.3
		21:04	27.89	44.84	28.94	8.25	6.94	24.1	15.3
	日平均值		27.95	44.99	29.04	8.24	6.50	38.14	18.16
	灣內站	0:04	28.50	48.73	31.67	8.33	7.32	10.5	8.2
		3:04	28.05	45.81	29.59	8.31	8.00	47.0	5.7
		6:04	27.68	45.20	29.17	8.35	8.02	55.7	1.9
		9:04							
		12:04							
		15:04							
		18:04							
		21:04							
	日平均值		28.08	46.58	30.14	8.33	7.78	37.73	5.27
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
9月30日	蚵殼站	0:04	27.72	45.43	28.01	8.31	7.05	24.9	2.7
		3:04	27.71	45.74	28.21	8.24	6.94	27.0	7.4
		6:04	27.60	45.78	28.21	8.25	7.06	27.8	4.1
		9:04	27.62	45.85	28.25	8.29	7.07	32.4	4.7
		12:04	27.96	44.67	27.38	8.21	7.01	32.5	8.0
		15:04	28.39	44.98	27.56	8.27	6.91	34.4	14.4
		18:04	28.22	46.88	28.88	8.23	7.20	38.5	10.6
		21:04	28.04	44.63	27.28	8.28	7.09	39.1	7.0
	日平均值		27.91	45.50	27.97	8.26	7.04	32.08	7.36
	潮口站	0:04	27.82	45.22	29.21	8.15	5.90	36.8	7.6
		3:04	27.51	44.67	28.82	8.10	5.50	31.9	10.8
		6:04	27.76	44.54	28.72	7.84	5.59	21.6	21.2
		9:04	27.79	44.23	28.49	8.15	6.07	18.4	11.7
		12:04	28.23	43.76	28.15	8.21	6.84	24.2	41.7
		15:04	28.49	43.41	27.88	8.09	7.45	30.1	20.9
		18:04	28.33	42.98	27.58	8.26	6.87	51.9	16.4
		21:04	28.23	41.21	26.32	8.28	7.63	21.2	47.7
	日平均值		28.02	43.75	28.15	8.14	6.48	29.51	22.25
	灣內站	0:04							
		3:04							
		6:04							
		9:04							
		12:04							
		15:04							
		18:04	28.20	45.26	29.20	8.33	7.48	69.8	1.1
		21:04	28.31	43.48	27.93	8.29	7.57	22.8	3.9
	日平均值		28.26	44.37	28.57	8.31	7.53	46.30	2.50
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

附錄 4.6 灣域水質(自動監測系統)

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月1日	蚵殼站	0:04	27.86	43.90	26.74	8.22	7.22	34.0	0.6
		3:04	27.61	42.34	25.66	8.28	7.32	32.5	2.6
		6:04	27.39	42.76	25.98	8.28	7.19	34.0	0.8
		9:04	27.83	44.06	26.88	8.30	7.14	33.3	5.5
		12:04	28.46	45.33	27.77	8.29	7.40	34.3	13.6
		15:04	29.17	44.87	27.44	8.29	7.32	33.3	16.1
		18:04	29.23	44.72	27.35	8.28	7.61	37.8	23.5
		21:04	29.34	43.91	26.78	8.30	7.71	38.0	20.0
	日平均值		28.36	43.99	26.83	8.28	7.36	34.65	10.34
	潮口站	0:04	28.36	45.46	29.39	8.21	7.67	16.9	2.2
		3:04	28.35	45.49	29.40	8.17	7.26	16.7	3.4
		6:04	28.08	46.00	29.76	8.24	7.17	19.0	1.4
		9:04	28.10	47.28	30.66	8.26	7.46	18.5	1.6
		12:04	29.28	45.79	29.56	8.15	8.87	7.2	7.7
		15:04	30.38	45.54	29.36	8.12	9.58	14.1	9.2
		18:04	28.59	45.72	29.52	8.25	7.59	13.4	4.1
		21:04	28.81	41.97	26.88	8.20	7.70	9.0	2.8
	日平均值		28.74	45.41	29.32	8.20	7.91	14.35	4.05
	灣內站	0:04	28.31	48.55	31.12	8.28	7.23	16.3	21.6
		3:04	27.76	47.93	30.68	8.24	7.32	17.5	17.8
		6:04	27.94	47.69	30.51	8.23	6.68	19.6	72.2
		9:04	28.18	48.22	30.88	8.32	7.16	23.8	52.1
		12:04	29.16	47.42	30.27	8.32	10.79	63.2	81.0
		15:04	29.79	47.76	30.50	8.24	12.13	37.7	64.6
		18:04	29.92	47.56	30.35	8.31	11.92	37.8	110.7
		21:04	29.46	47.63	30.42	8.16	11.28	25.7	95.3
	日平均值		28.82	47.85	30.59	8.26	9.31	30.20	64.41
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月2日	蚵殼站	0:04	28.83	43.00	26.16	8.21	7.72	39.1	11.3
		3:04	28.47	42.43	25.79	8.11	7.68	40.2	6.3
		6:04	28.29	42.92	26.15	8.22	7.30	40.8	9.5
		9:04	28.81	43.60	26.62	8.25	7.50	44.0	32.6
		12:04	29.03	45.10	27.69	8.16	7.42	48.7	31.1
		15:04	29.74	44.39	27.16	8.26	7.66	47.6	26.9
		18:04	29.63	44.26	27.10	8.29	7.87	55.7	31.8
		21:04	29.70	43.04	26.25	8.35	8.05	22.3	30.5
	日平均值		29.06	43.59	26.62	8.23	7.65	42.30	22.50
	潮口站	0:04	29.25	45.68	29.46	8.26	10.60	17.5	15.3
		3:04	29.28	45.71	29.47	8.18	7.74	19.4	8.2
		6:04	28.82	45.23	29.15	8.25	7.96	4.4	5.1
		9:04	28.25	48.18	31.24	8.27	7.40	15.7	1.2
		12:04	30.03	44.48	28.57	8.36	17.95	9.4	48.1
		15:04	29.81	45.31	29.15	8.38	13.87	13.8	38.5
		18:04	28.64	46.73	30.18	8.23	7.90	12.9	8.5
		21:04	28.07	47.81	30.95	8.26	7.39	20.8	2.4
	日平均值		29.02	46.14	29.77	8.27	10.10	14.24	15.91
	灣內站	0:04	29.10	48.37	30.95	8.13	9.58	63.0	110.7
		3:04	29.16	48.60	31.12	8.18	10.01	88.1	122.6
		6:04	29.03	47.58	30.40	8.22	8.27	63.3	73.7
		9:04	29.17	48.11	30.77	8.22	10.56	76.0	163.3
		12:04	29.93	47.45	30.28	8.33	16.67	119.8	200.6
		15:04	30.87	47.24	30.10	8.21	18.89	212.3	324.4
		18:04	30.45	47.08	30.01	8.35	16.87	141.7	100.3
		21:04	30.28	47.37	30.22	8.30	15.56	171.2	98.6
	日平均值		29.75	47.73	30.48	8.24	13.30	116.93	149.28
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月3日	蚵殼站	0:04	29.71	43.51	26.60	8.34	7.96	28.2	20.2
		3:04	29.59	41.56	25.23	8.38	8.00	29.0	24.1
		6:04	29.37	40.81	24.74	8.38	8.07	29.9	20.5
		9:04	29.66	41.87	25.48	8.40	8.09	28.6	21.6
		12:04	29.20	43.50	26.64	8.21	7.67	27.7	19.0
		15:04	29.33	42.15	25.71	8.26	8.04	24.4	23.7
		18:04	29.80	42.44	25.90	8.35	7.60	28.1	23.6
		21:04	29.78	42.06	25.65	8.34	7.67	31.0	19.6
	日平均值		29.56	42.24	25.74	8.33	7.89	28.36	21.54
	潮口站	0:04	28.42	46.75	30.18	8.20	8.25	20.3	12.8
		3:04	29.67	45.14	29.01	8.23	11.86	6.6	17.6
		6:04	29.72	45.18	29.04	8.35	14.26	1.1	21.8
		9:04	28.29	47.70	30.84	8.22	7.20	24.5	2.6
		12:04	29.60	47.02	30.32	8.14	8.94	16.1	9.5
		15:04	30.88	45.72	29.36	8.12	12.09	18.6	10.7
		18:04	30.46	45.33	29.09	8.20	10.20	23.7	10.6
		21:04	28.88	46.04	29.62	8.19	7.78	326.7	13.3
	日平均值		29.49	46.11	29.68	8.21	10.07	54.70	12.36
	灣內站	0:04	29.94	48.15	30.79	8.25	13.02	171.5	183.1
		3:04	29.63	46.77	29.81	8.20	10.48	179.9	309.6
		6:04	29.48	45.96	29.25	8.29	10.24	228.7	306.8
		9:04	29.50	46.26	29.46	8.28	11.89	257.8	220.6
		12:04	30.65	46.55	29.64	8.31	15.47	201.1	110.4
		15:04	31.19	45.69	29.01	8.28	16.10	150.5	110.6
		18:04	30.33	45.99	29.25	8.00	11.91	172.2	101.1
		21:04	29.12	46.83	29.88	8.22	7.39	272.7	184.6
	日平均值		29.98	46.53	29.64	8.23	12.06	204.30	190.85
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月4日	蚵殼站	0:04	29.51	44.37	27.29	8.24	7.57	31.8	20.1
		3:04	29.37	44.35	27.29	8.30	7.61	35.1	22.2
		6:04	29.25	44.91	27.71	8.31	7.43	34.3	17.0
		9:04	29.56	44.20	27.21	8.32	7.59	23.7	12.5
		12:04	30.30	43.73	26.87	8.30	7.39	22.1	11.0
		15:04	29.62	43.53	26.77	8.27	7.61	23.2	19.5
		18:04	29.83	44.03	27.13	8.25	7.60	25.6	19.9
		21:04	29.82	44.25	27.29	8.30	7.54	32.4	15.4
	日平均值		29.66	44.17	27.20	8.29	7.54	28.53	17.20
	潮口站	0:04	28.93	44.93	28.83	8.23	8.71	28.9	8.4
		3:04	29.43	44.85	28.75	8.18	9.05	21.6	8.1
		6:04	29.37	43.92	28.11	8.24	9.52	6.7	15.9
		9:04	29.06	45.04	28.89	8.17	8.25	68.4	7.9
		12:04	28.53	45.51	29.23	8.16	7.93	355.1	1.8
		15:04	29.51	45.37	29.10	8.10	7.82	53.2	4.0
		18:04	29.15	45.67	29.31	8.02	8.20	47.2	4.6
		21:04	28.43	45.91	29.50	8.19	7.95	115.1	7.3
	日平均值		29.05	45.15	28.97	8.16	8.43	87.03	7.25
	灣內站	0:04	29.58	46.83	29.88	8.30	11.12	226.7	168.1
		3:04	29.48	46.69	29.79	8.27	10.51	191.6	272.4
		6:04	29.24	47.68	30.50	8.39	9.83	177.3	138.8
		9:04	29.44	48.32	30.95	8.30	10.65	302.3	103.0
		12:04	30.57	47.91	30.62	8.20	14.04	156.3	61.1
		15:04	30.64	46.57	29.67	8.29	16.98	204.6	170.6
		18:04	30.50	42.41	26.77	8.28	15.99	266.9	90.8
		21:04	30.33	47.30	30.21	8.27	13.62	432.4	170.4
	日平均值		29.97	46.71	29.80	8.29	12.84	244.76	146.90
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月5日	蚵殼站	0:04	29.80	44.15	27.24	8.31	7.39	32.6	19.3
		3:04	29.70	43.74	26.97	8.30	7.52	34.7	16.1
		6:04	29.41	43.74	26.98	8.40	7.70	36.5	15.7
		9:04	29.92	43.38	26.73	8.42	7.71	35.6	9.1
		12:04	30.29	44.12	27.25	8.29	7.58	36.6	10.8
		15:04	30.17	44.81	27.76	8.32	7.49	33.8	12.7
		18:04	29.83	44.65	27.67	8.32	7.54	38.6	9.6
		21:04	29.99	46.07	28.70	8.33	7.51	44.3	7.3
	日平均值		29.89	44.33	27.41	8.34	7.56	36.59	12.58
	潮口站	0:04	28.57	46.81	30.11	8.15	7.75	126.8	2.6
		3:04	29.37	46.34	29.75	8.20	9.62	10.1	7.2
		6:04	29.68	45.65	29.26	8.28	11.61	5.1	13.3
		9:04	30.01	45.53	29.15	8.32	11.95	7.3	4.7
		12:04	28.92	47.00	30.21	8.17	7.50	31.5	1.7
		15:04	29.48	44.53	28.45	8.14	8.04	16.6	8.5
		18:04	28.81	46.85	30.09	8.15	6.81	118.6	5.3
		21:04	28.67	46.95	30.15	8.15	7.33	35.4	0.6
	日平均值		29.19	46.21	29.65	8.20	8.83	43.93	5.49
	灣內站	0:04	30.23	47.93	30.66	8.24	12.53	435.6	153.1
		3:04	30.14	48.92	31.37	8.16	11.79	379.7	109.1
		6:04	29.95	49.26	31.63	8.33	11.64	450.0	244.6
		9:04	30.09	48.51	31.09	8.27	12.46	233.9	143.2
		12:04	31.11	47.42	30.29	8.15	15.48	165.4	85.3
		15:04	31.33	43.36	27.44	8.17	15.36	574.1	194.0
		18:04	30.93	47.33	30.24	8.29	12.54	265.2	119.3
		21:04	30.69	46.35	29.56	8.34	11.42	261.5	96.9
	日平均值		30.56	47.39	30.29	8.24	12.90	345.68	143.19
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月6日	蚵殼站	0:04	30.29	44.08	27.28	8.40	7.63	49.7	9.9
		3:04	30.04	44.06	27.29	8.41	7.39	50.1	14.1
		6:04	29.31	45.44	28.31	8.35	7.35	54.3	27.4
		9:04	29.56	44.44	27.60	8.41	7.57	54.8	18.2
		12:04	30.26	44.49	27.63	8.33	7.39	54.5	15.8
		15:04	30.16	45.74	28.55	8.38	7.44	56.3	13.9
		18:04	30.18	45.11	28.11	8.39	7.63	60.8	17.5
		21:04	30.03	46.59	29.20	8.41	7.49	65.6	5.1
	日平均值		29.98	44.99	28.00	8.39	7.49	55.76	15.24
	潮口站	0:04	28.66	47.05	30.21	8.13	7.40	22.1	1.5
		3:04	29.82	46.53	29.81	8.24	10.37	10.1	7.0
		6:04	30.08	44.98	28.73	8.27	10.83	236.5	5.2
		9:04	30.01	44.69	28.52	8.25	10.40	11.1	8.1
		12:04	29.55	46.21	29.57	8.16	8.07	14.9	0.6
		15:04	29.08	45.73	29.25	8.21	8.20	24.9	0.5
		18:04	29.06	46.21	29.58	8.20	7.99	32.3	8.0
		21:04	29.04	44.12	28.12	8.16	6.94	57.1	5.2
	日平均值		29.41	45.69	29.22	8.20	8.78	51.13	4.51
	灣內站	0:04	30.41	49.11	31.53	8.21	9.15	265.3	95.1
		3:04	30.19	49.39	31.74	8.29	9.03	224.3	96.8
		6:04	29.96	49.34	31.72	8.32	8.01	259.2	129.5
		9:04	29.72	50.39	32.49	8.17	8.18	250.6	183.1
		12:04	30.18	50.42	32.48	8.19	10.66	312.6	95.1
		15:04	30.45	50.51	32.55	8.19	10.97	218.4	56.3
		18:04	30.22	50.85	32.82	8.12	9.70	219.9	51.1
		21:04	30.36	50.57	32.60	8.18	6.94	279.2	110.7
	日平均值		30.19	50.07	32.24	8.21	9.08	253.69	102.21
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月7日	蚵殼站	0:04	29.92	47.17	29.60	8.44	7.26	72.5	9.4
		3:04	29.68	47.32	29.73	8.41	7.51	71.6	8.6
		6:04	29.32	47.59	29.94	8.38	7.26	71.4	24.2
		9:04	29.74	47.73	30.04	8.45	7.59	69.6	8.8
		12:04	30.52	47.87	30.14	8.34	7.31	75.3	11.4
		15:04	30.46	47.43	29.86	8.40	7.76	76.9	20.2
		18:04	30.07	47.93	30.23	8.38	7.60	77.6	5.0
		21:04	29.42	47.41	29.90	8.34	7.31	75.4	9.7
	日平均值		29.89	47.56	29.93	8.39	7.45	73.79	12.16
	潮口站	0:04	28.51	47.02	30.14	8.20	7.68	14.5	6.8
		3:04	28.76	46.82	29.99	8.15	6.88	30.0	1.2
		6:04	29.65	45.76	29.22	8.24	9.67	16.4	4.8
		9:04	29.91	45.07	28.73	8.23	10.01	13.3	2.5
		12:04	30.38	44.48	28.30	8.19	9.72	14.0	4.2
		15:04	30.57	33.61	20.94	8.07	9.09	35.1	2.3
		18:04	29.95	43.60	27.69	8.21	10.48	141.0	4.1
		21:04	29.78	45.62	29.08	8.27	10.61	187.7	3.4
	日平均值		29.69	44.00	28.01	8.20	9.27	56.50	3.66
	灣內站	0:04	30.02	50.76	33.02	8.20	5.67	225.3	61.0
		3:04	29.77	50.87	33.10	8.16	5.16	275.0	82.3
		6:04	29.58	50.78	33.04	8.25	7.46	279.7	59.0
		9:04	29.76	50.56	32.89	8.14	8.34	314.0	96.5
		12:04	31.11	49.93	32.41	8.31	9.68	284.0	48.0
		15:04	31.05	50.20	32.60	8.15	10.94	346.5	24.2
		18:04	30.34	48.37	31.36	8.14	8.67	405.3	25.6
		21:04	30.11	47.93	31.06	8.28	8.12	461.1	29.5
	日平均值		30.22	49.93	32.44	8.20	8.01	323.86	53.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月8日	蚵殼站	0:04	29.87	47.67	30.07	8.43	7.47	75.8	5.5
		3:04	29.57	48.15	30.44	8.40	7.49	76.8	2.2
		6:04	29.20	46.90	29.59	8.38	7.23	76.9	12.5
		9:04	29.22	46.98	29.66	8.40	7.52	80.9	21.6
		12:04	29.69	46.53	29.34	8.34	7.81	80.0	14.3
		15:04	29.53	48.16	30.51	8.34	7.16	80.1	10.4
		18:04	29.69	47.60	30.13	8.40	7.49	79.4	7.4
		21:04	29.79	48.58	30.83	8.44	7.25	78.4	12.6
	日平均值		29.57	47.57	30.07	8.39	7.43	78.54	10.81
	潮口站	0:04	28.96	45.56	29.06	8.18	7.32	52.9	2.8
		3:04	28.95	46.44	29.66	8.17	7.50	69.2	1.5
		6:04	29.56	44.58	28.36	8.22	9.92	18.1	3.4
		9:04	30.00	43.77	27.77	8.23	11.49	28.4	5.8
		12:04	30.60	44.05	27.94	8.19	11.78	13.1	2.2
		15:04	29.41	40.37	25.46	8.15	8.46	19.2	4.0
		18:04	29.07	45.28	28.82	8.19	8.09	37.1	1.9
		21:04	29.29	45.44	28.92	8.14	7.30	36.3	5.6
	日平均值		29.48	44.44	28.25	8.18	8.98	34.29	3.40
	灣內站	0:04	30.56	48.90	31.72	8.29	8.33	388.7	22.8
		3:04	30.29	49.81	32.35	8.28	5.84	467.2	25.3
		6:04	30.33	48.54	31.47	8.26	7.47	538.8	23.0
		9:04	30.19	47.84	30.99	8.32	7.73	640.8	42.3
		12:04	30.89	48.27	31.27	8.15	11.22	561.4	29.7
		15:04	30.70	48.97	31.76	8.23	10.15	416.9	62.1
		18:04	30.17	48.93	31.76	8.23	8.55	464.7	26.8
		21:04	30.67	47.89	31.02	8.21	5.22	470.4	22.6
	日平均值		30.48	48.64	31.54	8.25	8.06	493.61	31.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月9日	蚵殼站	0:04	29.81	49.64	31.61	8.44	7.41	79.0	1.8
		3:04	29.69	48.89	31.10	8.42	7.21	83.2	1.4
		6:04	29.54	48.26	30.66	8.41	7.18	80.9	7.8
		9:04	29.60	47.78	30.33	8.45	7.26	81.0	12.0
		12:04	30.32	47.92	30.43	8.42	7.74	86.7	16.9
		15:04	29.69	48.23	30.69	8.33	7.35	80.5	9.3
		18:04	29.48	49.05	31.29	8.36	7.31	84.8	5.7
		21:04	29.71	48.12	30.64	8.42	7.24	86.3	0.2
	日平均值		29.73	48.49	30.84	8.41	7.34	82.80	6.89
	潮口站	0:04	29.19	45.12	28.69	8.09	6.08	27.4	2.1
		3:04	28.84	46.92	29.94	8.15	7.73	32.5	0.4
		6:04	29.15	45.38	28.85	8.23	8.50	22.0	1.8
		9:04	29.88	43.88	27.80	8.24	10.53	17.3	6.1
		12:04	30.57	44.41	28.14	8.22	11.98	20.8	7.0
		15:04	29.01	44.61	28.31	8.18	7.91	22.5	4.9
		18:04	28.62	46.02	29.29	8.21	7.25	24.1	1.7
		21:04	29.22	47.25	30.12	8.15	8.15	39.1	2.8
	日平均值		29.31	45.45	28.89	8.18	8.52	25.71	3.35
	灣內站	0:04	30.19	50.71	32.98	8.39	5.31	471.4	17.0
		3:04	29.82	50.40	32.78	8.39	3.79	497.6	17.9
		6:04	29.83	50.68	32.98	8.30	3.77	492.2	26.4
		9:04	29.87	50.72	33.01	8.45	6.19	466.5	39.9
		12:04	30.97	50.19	32.60	8.24	6.93	413.5	32.6
		15:04	30.67	49.47	32.13	8.14	9.88	351.4	26.2
		18:04	30.56	49.52	32.15	8.17	7.96	359.0	19.3
		21:04	30.69	49.70	32.28	8.27	5.97	310.6	22.3
	日平均值		30.33	50.17	32.61	8.29	6.23	420.28	25.20
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月10日	蚵殼站	0:04	29.83	48.39	30.85	8.40	7.43	83.4	4.7
		3:04	29.55	49.09	31.37	8.37	6.84	85.7	1.4
		6:04	29.32	47.46	30.23	8.34	7.05	80.8	3.1
		9:04	29.45	48.35	30.88	8.40	7.11	85.3	3.1
		12:04	29.68	48.02	30.66	8.25	6.95	83.9	3.9
		15:04	30.51	48.28	30.84	8.26	7.12	79.8	2.7
		18:04	30.09	48.97	31.35	8.25	7.31	88.4	3.1
		21:04	29.58	49.31	31.63	8.32	6.93	81.4	1.1
	日平均值		29.75	48.48	30.98	8.32	7.09	83.59	2.89
	潮口站	0:04	29.50	46.20	29.37	8.19	8.44	14.5	2.2
		3:04	28.61	47.31	30.16	8.17	7.52	18.0	3.1
		6:04	28.75	46.52	29.60	8.17	7.23	12.9	3.5
		9:04	29.93	45.96	29.18	8.19	10.30	14.9	6.7
		12:04	30.52	45.74	29.00	8.16	11.01	16.4	1.9
		15:04	29.11	44.16	27.95	8.18	8.09	16.7	2.5
		18:04	28.92	46.29	29.41	8.22	8.34	17.8	4.4
		21:04	29.64	46.18	29.31	8.18	9.82	16.0	2.9
	日平均值		29.37	46.05	29.25	8.18	8.84	15.90	3.40
	灣內站	0:04	30.23	49.64	32.25	8.26	6.97	300.5	22.7
		3:04	30.03	49.24	31.99	8.24	2.97	262.9	21.9
		6:04	29.87	50.80	33.09	8.30	5.65	256.5	13.3
		9:04	29.94	50.69	33.02	8.26	6.17	230.1	18.3
		12:04	30.34	50.46	32.83	8.29	8.11	212.2	25.0
		15:04	31.23	50.15	32.62	8.18	8.55	185.8	21.2
		18:04	30.80	50.14	32.61	8.22	6.38	180.1	21.9
		21:04	30.61	50.12	32.60	8.15	8.11	163.1	27.0
	日平均值		30.38	50.16	32.63	8.24	6.61	223.90	21.41
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月11日	蚵殼站	0:04	29.24	48.37	30.98	8.40	6.98	84.4	2.5
		3:04	29.38	49.28	31.66	8.46	7.04	89.8	3.6
		6:04	29.26	48.61	31.18	8.43	7.15	94.6	3.2
		9:04	29.32	48.05	30.80	8.45	7.10	94.6	4.0
		12:04	29.53	49.52	31.87	8.37	7.30	94.9	0.1
		15:04	29.57	50.94	32.91	8.40	6.95	92.6	0.3
		18:04	29.65	50.44	32.57	8.43	7.33	96.7	3.8
		21:04	29.47	50.79	32.84	8.42	7.07	93.4	1.1
	日平均值		29.43	49.50	31.85	8.42	7.12	92.63	2.33
	潮口站	0:04	29.65	46.72	29.67	8.12	8.11	16.3	1.0
		3:04	28.61	47.06	29.94	8.18	7.77	17.3	5.6
		6:04	28.93	47.94	30.52	8.17	7.94	17.1	3.7
		9:04	29.35	47.08	29.91	8.23	10.07	19.5	3.5
		12:04	30.41	46.26	29.30	8.11	10.79	18.8	3.8
		15:04	28.96	44.81	28.35	8.15	8.36	19.1	3.8
		18:04	29.00	47.07	29.89	8.16	7.74	22.5	7.2
		21:04	28.95	45.88	29.07	8.19	8.86	20.5	2.6
	日平均值		29.23	46.60	29.58	8.16	8.71	18.89	3.90
	灣內站	0:04	30.25	50.18	32.65	8.26	3.41	160.8	20.9
		3:04	29.60	50.05	32.59	8.30	3.34	157.5	15.3
		6:04	29.23	51.00	33.25	8.32	6.45	150.3	17.2
		9:04	29.36	50.73	33.07	8.34	4.56	137.5	17.2
		12:04	29.86	50.79	33.10	8.39	9.72	139.3	25.8
		15:04	30.03	50.88	33.15	8.30	12.17	117.8	29.2
		18:04	30.02	50.81	33.12	8.22	6.57	109.6	22.5
		21:04	29.90	50.60	32.97	8.29	9.61	108.9	26.5
	日平均值		29.78	50.63	32.99	8.30	6.98	135.21	21.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月12日	蚵殼站	0:04	29.18	48.02	30.87	8.39	7.36	90.1	0.4
		3:04	29.01	50.57	32.73	8.41	6.62	92.4	2.5
		6:04	28.84	48.08	30.97	8.40	6.77	92.4	0.8
		9:04	28.90	47.49	30.56	8.39	6.95	84.1	2.2
		12:04	29.20	47.12	30.30	8.40	6.97	76.0	0.4
		15:04	28.94	47.80	30.81	8.42	6.62	78.8	2.8
		18:04	28.78	50.43	32.74	8.45	6.90	72.9	3.5
		21:04	28.60	50.85	33.06	8.45	7.23	66.8	3.4
	日平均值		28.93	48.80	31.51	8.41	6.93	81.69	2.00
	潮口站	0:04	29.56	47.39	30.08	8.20	10.16	10.8	5.1
		3:04	28.99	45.93	29.08	8.16	7.97	10.7	0.9
		6:04	28.89	47.08	29.87	8.13	7.86	11.3	1.1
		9:04	29.04	47.12	29.89	8.20	9.36	11.9	2.8
		12:04	29.52	46.93	29.73	8.16	9.97	13.7	1.1
		15:04	28.98	45.61	28.84	8.15	8.69	14.2	3.2
		18:04	28.90	48.18	30.59	8.14	8.07	14.2	3.8
		21:04	28.83	48.24	30.63	8.18	8.12	18.4	0.8
	日平均值		29.09	47.06	29.84	8.17	8.78	13.15	2.35
	灣內站	0:04	29.59	50.77	33.09	8.35	3.63	90.4	17.0
		3:04	29.21	50.92	33.23	8.26	4.58	90.1	12.4
		6:04	29.08	51.15	33.39	8.27	6.02	86.5	15.3
		9:04	29.03	51.15	33.40	8.30	7.76	65.9	11.9
		12:04	29.43	50.58	32.99	8.25	10.52	70.6	27.7
		15:04	29.47	50.82	33.16	8.36	6.40	60.5	16.9
		18:04	29.20	50.96	33.27	8.28	10.49	43.2	30.6
		21:04	29.04	50.81	33.17	8.37	9.01	48.8	23.4
	日平均值		29.26	50.90	33.21	8.31	7.30	69.50	19.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月13日	蚵殼站	0:04	28.62	50.84	33.08	8.45	6.76	66.3	2.2
		3:04	28.46	51.13	33.31	8.39	6.30	65.1	1.6
		6:04	28.28	50.83	33.12	8.42	6.35	62.1	0.4
		9:04	28.03	50.32	32.77	8.45	6.72	52.7	1.8
		12:04	28.45	51.45	33.71	8.14	6.58	6.5	16.6
		15:04	28.78	51.85	34.00	8.14	6.44	6.3	11.2
		18:04	28.52	51.63	33.84	8.27	6.77	4.4	16.3
		21:04	28.41	51.41	33.69	8.35	6.94	3.4	8.1
	日平均值		28.44	51.18	33.44	8.33	6.61	33.35	7.28
	潮口站	0:04	28.71	47.98	30.45	8.19	8.19	13.9	2.1
		3:04	28.63	46.74	29.59	8.19	7.73	16.2	3.0
		6:04	28.61	46.85	29.66	8.16	7.93	14.8	6.3
		9:04	28.37	46.87	29.67	8.18	7.22	16.3	1.1
		12:04	28.67	49.26	31.30	8.20	9.37	18.4	4.0
		15:04	28.75	49.92	32.57	8.13	7.91	3.9	0.9
		18:04	28.56	50.51	33.00	8.09	7.50	2.0	4.0
		21:04	28.46	51.31	33.57	8.01	7.65	5.7	4.7
	日平均值		28.60	48.68	31.23	8.14	7.94	11.40	3.26
	灣內站	0:04	28.79	50.81	33.18	8.27	8.17	40.9	26.5
		3:04	28.61	50.84	33.22	8.38	5.41	39.9	41.6
		6:04	28.50	50.94	33.29	8.06	4.12	36.1	21.3
		9:04	28.40	51.13	33.43	8.25	4.92	36.1	40.1
		12:04	28.63	51.20	33.52	8.16	9.57	9.4	47.2
		15:04	28.95	51.10	33.43	8.16	11.28	9.6	38.9
		18:04	28.89	51.18	33.50	8.30	9.36	5.7	28.8
		21:04	28.73	51.14	33.48	8.19	7.53	6.8	18.4
	日平均值		28.69	51.04	33.38	8.22	7.55	23.06	32.85
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月14日	蚵殼站	0:04	28.32	51.38	33.66	8.29	6.84	4.0	7.9
		3:04	28.16	50.83	33.26	8.27	6.71	3.9	15.4
		6:04	27.97	50.79	33.24	8.24	6.57	3.5	9.9
		9:04	27.88	50.61	33.11	8.25	6.77	4.3	13.5
		12:04	28.40	50.89	33.30	8.16	6.61	6.0	11.7
		15:04	28.56	51.35	33.63	8.01	6.45	7.7	9.8
		18:04	28.36	51.34	33.63	8.20	6.72	6.0	9.9
		21:04	28.41	51.76	33.94	8.08	6.45	4.9	5.0
	日平均值		28.26	51.12	33.47	8.19	6.64	5.04	10.39
	潮口站	0:04	28.24	51.58	33.77	8.10	6.88	17.2	8.2
		3:04	28.34	51.72	33.85	8.09	7.09	11.8	3.5
		6:04	28.66	53.25	34.96	8.03	6.92	4.5	0.0
		9:04	28.30	52.59	34.47	8.06	6.86	10.7	6.9
		12:04	28.97	52.12	34.09	8.07	8.27	4.6	5.7
		15:04	29.01	52.40	34.27	8.09	9.18	5.4	13.8
		18:04	28.70	51.78	33.82	8.05	7.66	4.2	6.6
		21:04	28.55	52.72	34.51	8.09	7.96	5.5	2.9
	日平均值		28.60	52.27	34.22	8.07	7.60	7.99	5.95
	灣內站	0:04	28.47	51.31	33.60	8.14	7.16	5.5	10.0
		3:04	28.33	51.31	33.61	8.29	6.75	4.5	15.4
		6:04	28.25	51.26	33.58	8.22	6.44	6.5	16.8
		9:04	28.10	51.08	33.45	8.17	7.00	6.2	23.1
		12:04	28.66	51.14	33.48	8.21	9.17	8.5	41.3
		15:04	28.66	51.26	33.56	8.29	9.46	12.6	41.2
		18:04	28.59	51.29	33.59	8.30	8.80	10.4	29.1
		21:04	28.52	51.23	33.55	8.18	7.95	7.8	55.2
	日平均值		28.45	51.24	33.55	8.23	7.84	7.75	29.01
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月15日	蚵殼站	0:04	28.28	51.58	33.82	8.17	6.58	4.2	18.1
		3:04	28.17	51.59	33.82	8.17	6.55	5.0	13.5
		6:04	28.04	50.65	33.13	8.08	6.51	6.2	5.9
		9:04	27.87	49.85	32.55	8.20	6.93	5.3	38.7
		12:04	28.73	50.40	32.93	8.13	6.59	8.4	16.4
		15:04	28.59	50.88	33.29	8.02	6.50	6.7	3.9
		18:04	28.35	51.14	33.48	8.07	6.60	5.7	6.5
		21:04	28.30	51.41	33.69	8.04	6.66	5.4	7.8
	日平均值		28.29	50.94	33.34	8.11	6.62	5.86	13.85
	潮口站	0:04	28.36	52.55	34.38	8.05	7.19	13.8	1.6
		3:04	28.16	52.55	34.37	7.93	6.56	10.1	7.4
		6:04	28.54	53.77	35.24	8.02	7.10	7.2	2.7
		9:04	28.54	53.78	35.23	8.06	7.24	2.9	1.0
		12:04	29.41	52.98	34.61	7.98	7.99	7.8	3.8
		15:04	29.08	53.10	34.69	8.06	8.56	6.4	13.1
		18:04	28.74	50.99	33.14	8.05	7.76	3.6	5.2
		21:04	28.93	52.94	34.55	8.03	7.83	2.6	2.3
	日平均值		28.72	52.83	34.53	8.02	7.53	6.80	4.64
	灣內站	0:04	28.33	51.05	33.42	8.26	7.58	9.3	29.6
		3:04	28.14	51.07	33.44	8.16	6.09	10.0	24.6
		6:04	28.12	50.72	33.18	8.26	6.55	7.5	21.1
		9:04	28.18	51.10	33.46	8.28	7.36	8.1	26.3
		12:04	29.14	50.94	33.31	8.21	11.93	8.4	30.7
		15:04	29.35	51.10	33.43	8.16	11.55	10.7	34.5
		18:04	29.11	50.91	33.29	8.25	11.89	8.9	19.0
		21:04	28.84	50.97	33.35	8.24	10.18	7.1	8.5
	日平均值		28.65	50.98	33.36	8.23	9.14	8.75	24.29
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月16日	蚵殼站	0:04	28.15	50.49	33.02	8.20	6.97	6.1	4.0
		3:04	28.00	50.35	32.91	8.22	6.89	4.3	5.8
		6:04	27.97	50.52	33.04	8.22	6.81	4.9	5.4
		9:04	27.99	50.00	32.66	8.21	6.96	35.3	16.2
		12:14	28.42	50.19	32.78	8.28	7.01	4.2	20.9
		15:04	28.24	50.88	33.30	8.18	6.69	4.5	10.6
		18:04	28.20	50.63	33.11	8.15	6.66	4.0	10.0
		21:04	28.12	50.61	33.10	8.12	6.66	3.9	12.8
	日平均值		28.14	50.46	32.99	8.20	6.83	8.40	10.71
	潮口站	0:04	28.56	53.29	34.81	8.05	7.19	9.2	4.8
		3:04	28.19	52.83	34.47	7.97	7.10	8.1	2.7
		6:04	28.68	54.04	35.32	8.03	7.21	6.8	0.3
		9:04	28.69	54.09	35.35	8.06	7.27	3.7	3.1
		12:14	29.05	53.16	34.64	8.04	7.94	13.2	4.2
		15:04	28.94	53.23	34.68	8.11	8.77	5.4	11.8
		18:04	28.65	51.13	33.15	8.08	7.58	8.3	1.4
		21:04	28.73	54.49	35.58	8.08	7.69	4.6	4.4
	日平均值		28.69	53.28	34.75	8.05	7.59	7.41	4.09
	灣內站	0:04	28.67	50.60	33.08	8.26	9.08	8.8	14.0
		3:04	28.63	50.67	33.13	8.29	7.30	19.7	19.7
		6:04	28.56	50.91	33.31	8.33	6.95	8.6	16.0
		9:04	28.52	50.87	33.28	8.22	7.71	7.1	16.2
		12:14	29.46	50.58	33.04	8.28	12.47	8.1	32.1
		15:04	29.19	50.61	33.07	8.26	12.43	11.3	49.9
		18:04	29.07	50.69	33.13	8.21	11.12	19.6	20.0
		21:04	28.75	50.59	33.07	8.11	9.55	8.0	14.4
	日平均值		28.86	50.69	33.14	8.25	9.58	11.40	22.79
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月17日	蚵殼站	0:04	28.20	50.47	33.00	8.31	7.10	3.3	7.6
		3:04	28.15	50.74	33.19	8.27	7.08	3.9	13.8
		6:04	28.03	50.81	33.25	8.28	6.90	5.0	12.0
		9:04	28.13	50.48	33.01	8.29	6.97	4.1	12.2
		12:04	28.62	50.36	32.91	8.35	7.25	3.8	12.8
		15:04	28.36	50.31	32.87	8.22	7.01	5.0	10.0
		18:04	28.30	50.36	32.91	8.25	6.99	5.2	13.6
		21:04	28.20	50.18	32.79	8.27	6.98	3.7	8.1
	日平均值		28.25	50.46	32.99	8.28	7.04	4.25	11.26
	潮口站	0:04	28.40	53.41	34.79	8.11	7.80	7.2	4.1
		3:04	28.32	52.47	34.08	8.08	7.42	7.2	6.3
		6:04	28.22	52.21	33.89	8.07	6.94	18.8	4.5
		9:04	28.50	53.27	34.64	8.08	7.45	8.8	2.7
		12:04	28.34	52.21	33.86	8.03	6.96	19.7	0.6
		15:04	29.23	52.17	33.78	8.09	10.08	13.4	14.6
		18:04	28.72	49.57	31.92	8.07	7.91	8.7	6.0
		21:04	28.74	52.93	34.33	8.07	7.65	8.5	2.4
	日平均值		28.56	52.28	33.91	8.08	7.78	11.54	5.15
	灣內站	0:04	28.76	50.50	33.00	8.22	8.28	14.4	17.9
		3:04	28.58	50.39	32.93	8.19	7.40	11.2	20.5
		6:04	28.35	50.26	32.84	8.19	6.69	10.5	38.9
		9:04	28.35	50.25	32.83	8.24	6.97	10.7	21.7
		12:04	29.14	50.25	32.80	8.19	10.77	9.6	24.1
		15:04	29.51	49.68	32.38	8.25	13.74	13.3	67.5
		18:04	29.43	49.85	32.50	8.26	12.26	13.1	64.2
		21:04	29.01	49.93	32.57	8.25	10.64	10.5	11.3
	日平均值		28.89	50.14	32.73	8.22	9.59	11.66	33.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月18日	蚵殼站	0:04	28.28	50.03	32.67	8.28	6.91	3.0	10.2
		3:04	28.23	50.44	32.98	8.30	7.05	4.0	10.5
		6:04	28.14	50.39	32.94	8.30	7.06	3.9	6.6
		9:04	28.24	50.31	32.88	8.38	7.25	3.4	7.2
		12:04	28.53	49.76	32.47	8.35	7.16	3.5	8.8
		15:04	28.36	49.99	32.64	8.35	7.12	4.8	15.2
		18:04	28.42	49.39	32.20	8.33	6.87	4.4	14.7
		21:04	28.40	49.70	32.43	8.34	7.07	4.4	7.2
	日平均值		28.33	50.00	32.65	8.33	7.06	3.93	10.05
	潮口站	0:04	28.47	52.20	33.79	8.12	9.05	7.0	6.9
		3:04	28.48	48.95	31.44	8.10	8.78	24.1	14.7
		6:04	28.35	49.04	31.49	8.10	7.92	44.7	9.8
		9:04	28.50	48.07	30.79	8.05	7.52	31.9	5.0
		12:04	28.82	49.95	32.10	8.02	7.31	66.4	1.9
		15:04	29.24	48.78	31.24	8.07	10.18	151.4	26.3
		18:04	28.83	48.85	31.30	8.05	7.67	40.8	7.8
		21:04	28.72	48.03	30.70	7.94	7.75	25.9	9.9
	日平均值		28.68	49.23	31.61	8.06	8.27	49.03	10.29
	灣內站	0:04	28.82	49.53	32.29	8.25	11.15	11.4	24.9
		3:04	28.54	49.60	32.34	8.21	8.84	12.6	38.6
		6:04	28.45	49.78	32.46	8.30	5.52	11.6	39.8
		9:04	28.55	49.51	32.25	8.25	6.75	12.4	37.6
		12:04	29.14	49.75	32.39	8.25	12.73	11.6	60.5
		15:04	29.51	49.52	32.20	8.20	13.25	13.1	49.2
		18:04	29.40	50.10	32.61	8.25	11.08	12.7	22.2
		21:04	28.85	50.47	32.89	8.16	9.38	9.3	12.3
	日平均值		28.91	49.78	32.43	8.23	9.84	11.84	35.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月19日	蚵殼站	0:04	28.24	49.38	32.20	8.31	6.97	4.9	15.4
		3:04	28.31	48.99	31.90	8.38	7.44	3.4	10.0
		6:04	28.24	49.22	32.07	8.35	7.02	3.6	5.0
		9:04	28.17	49.03	31.92	8.35	7.19	7.0	17.0
		12:04	28.30	49.17	32.01	8.33	7.25	5.6	25.8
		15:04	28.43	49.02	31.90	8.39	7.27	4.7	12.9
		18:04	28.33	49.43	32.19	8.40	7.06	5.1	10.7
		21:04	28.25	49.76	32.43	8.35	7.03	3.9	4.7
	日平均值		28.28	49.25	32.08	8.36	7.15	4.78	12.69
	潮口站	0:04	28.48	47.86	30.58	8.10	8.24	86.8	13.3
		3:04	28.50	47.49	30.31	8.09	8.64	80.2	16.3
		6:04	28.44	47.12	30.03	8.12	8.72	76.0	37.5
		9:04	28.46	47.60	30.35	8.03	7.70	75.7	18.2
		12:04	28.58	46.22	29.35	8.06	7.71	16.3	14.3
		15:04	29.17	48.60	31.02	8.09	10.18	9.1	41.5
		18:04	28.89	47.38	30.15	8.07	8.53	20.5	46.2
		21:04	28.61	47.51	30.24	8.05	7.91	18.8	18.6
	日平均值		28.64	47.47	30.25	8.08	8.45	47.93	25.74
	灣內站	0:04	28.65	50.46	32.87	8.23	9.14	10.0	18.0
		3:04	28.53	50.42	32.83	8.25	8.45	12.0	13.4
		6:04	28.39	50.31	32.76	8.37	5.57	14.9	30.9
		9:04	28.48	49.83	32.39	8.25	8.37	13.2	26.1
		12:04	29.04	49.25	31.94	8.25	12.42	17.6	38.0
		15:04	29.37	49.22	31.89	8.21	14.05	17.9	61.6
		18:04	29.21	49.70	32.24	8.20	12.72	15.8	40.5
		21:04	28.87	49.55	32.12	8.35	10.66	13.1	24.2
	日平均值		28.82	49.84	32.38	8.26	10.17	14.31	31.59
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月20日	蚵殼站	0:04	28.14	49.96	32.57	8.32	7.19	3.5	5.9
		3:04	27.98	50.07	32.65	8.32	6.91	4.2	7.0
		6:04	28.07	49.58	32.28	8.33	7.04	4.4	12.7
		9:04	27.96	49.26	32.05	8.33	6.92	5.6	20.0
		12:04	28.17	49.36	32.11	8.36	7.18	6.0	60.4
		15:04	28.26	48.16	31.23	8.43	7.44	7.0	57.3
		18:04	28.13	47.78	30.95	8.37	7.25	6.2	27.8
		21:04	28.17	48.88	31.75	8.42	7.17	5.2	19.7
	日平均值		28.11	49.13	31.95	8.36	7.14	5.26	26.35
	潮口站	0:04	28.61	48.03	30.60	8.09	8.59	19.8	29.3
		3:04	28.52	47.56	30.26	8.07	8.01	15.9	31.0
		6:04	28.41	47.29	30.05	8.09	7.89	20.3	22.4
		9:04	28.34	44.45	28.05	8.05	7.95	27.9	22.8
		12:04	28.40	44.34	27.97	8.07	8.14	14.9	34.6
		15:04	28.47	45.72	28.91	8.09	9.24	10.8	97.2
		18:04	28.47	46.67	29.57	8.17	10.87	71.2	98.8
		21:04	28.60	49.36	31.45	8.04	7.60	16.8	53.0
	日平均值		28.48	46.68	29.61	8.08	8.54	24.70	48.64
	灣內站	0:04	28.70	49.44	32.04	8.22	9.87	12.4	23.5
		3:04	28.62	48.93	31.66	8.28	8.96	22.7	33.5
		6:04	28.47	48.36	31.26	8.33	7.74	14.0	38.4
		9:04	28.51	47.67	30.73	8.25	7.98	13.8	27.7
		12:04	28.50	47.61	30.69	8.23	9.39	12.6	29.7
		15:04	28.18	47.66	30.72	8.22	7.51	12.2	25.0
		18:04	28.27	48.54	31.34	8.23	7.24	12.7	16.0
		21:04	28.23	48.60	31.38	8.25	7.48	13.3	9.2
	日平均值		28.44	48.35	31.23	8.25	8.27	14.21	25.38
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月21日	蚵殼站	0:04	28.06	49.15	31.94	8.34	7.09	11.2	18.3
		3:04	27.78	47.97	31.09	8.43	7.32	3.6	12.5
		6:04	27.63	48.17	31.24	8.40	7.02	5.0	12.0
		9:04	27.50	48.53	31.50	8.37	7.02	4.6	23.7
		12:04	27.80	47.98	31.08	8.42	7.22	4.0	22.0
		15:04	27.87	48.36	31.36	8.51	7.73	6.0	30.4
		18:04	27.75	47.69	30.88	8.35	7.21	4.4	14.7
		21:04	27.70	47.65	30.85	8.41	7.35	6.5	16.1
	日平均值		27.76	48.19	31.24	8.40	7.25	5.66	18.71
	潮口站	0:04	28.38	49.00	31.19	8.08	7.69	25.0	54.6
		3:04	28.16	47.90	30.41	8.13	8.92	40.3	59.0
		6:04	27.88	44.30	27.88	8.08	7.68	46.5	54.4
		9:04	27.89	45.96	29.02	8.10	7.59	61.2	41.5
		12:04	28.45	46.66	29.49	8.07	8.03	31.7	29.7
		15:04	28.47	47.50	30.07	8.06	8.40	66.9	39.9
		18:04	28.24	47.95	30.38	8.14	10.15	40.0	99.4
		21:04	28.36	46.96	29.67	8.04	8.07	50.0	55.7
	日平均值		28.23	47.03	29.76	8.09	8.32	45.20	54.28
	灣內站	0:04	27.91	47.76	30.77	8.28	6.65	13.2	14.1
		3:04	28.05	47.98	30.92	8.21	5.44	14.9	21.8
		6:04	27.77	47.63	30.66	8.24	5.50	13.9	20.4
		9:04	27.88	47.28	30.40	8.24	6.15	13.9	22.0
		12:04	28.09	47.98	30.88	8.22	6.47	15.2	17.6
		15:04	28.13	47.35	30.42	8.22	8.98	14.8	25.5
		18:04	28.03	47.13	30.26	8.15	9.11	16.1	33.3
		21:04	28.06	47.23	30.31	8.20	8.66	16.8	37.8
	日平均值		27.99	47.54	30.58	8.22	7.12	14.85	24.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月22日	蚵殼站	0:04	27.63	47.51	30.75	8.42	7.33	3.5	21.2
		3:04	27.62	46.37	29.93	8.38	7.15	4.5	17.5
		6:04	27.48	46.18	29.79	8.33	7.38	4.3	12.2
		9:04	27.60	47.20	30.52	8.33	7.34	4.6	19.8
		12:04	28.20	46.46	29.98	8.35	7.73	4.4	10.8
		15:04	28.13	45.77	29.47	8.43	7.83	4.7	32.5
		18:04	28.04	46.82	30.23	8.40	7.56	5.1	25.3
		21:04	28.03	46.67	30.12	8.48	7.99	3.9	13.3
	日平均值		27.84	46.62	30.10	8.39	7.54	4.38	19.08
	潮口站	0:04	28.38	50.28	31.99	8.03	7.65	19.4	37.7
		3:04	27.86	48.79	30.94	8.16	9.89	40.6	64.2
		6:04	28.06	47.13	29.75	7.93	8.19	38.6	28.2
		9:04	27.96	45.29	28.47	8.06	7.65	116.7	18.8
		12:04	28.58	45.45	28.54	7.99	8.24	14.3	13.0
		15:04	28.82	45.60	28.63	8.02	10.01	12.4	26.8
		18:04	28.63	49.83	31.58	8.05	9.67	21.7	32.8
		21:04	28.31	49.36	31.26	8.07	8.84	17.2	32.1
	日平均值		28.33	47.72	30.15	8.04	8.77	35.11	31.70
	灣內站	0:04	28.22	47.64	30.59	8.32	5.57	18.2	36.8
		3:04	27.94	47.51	30.50	8.16	6.62	17.4	44.2
		6:04	27.87	47.67	30.61	8.16	5.74	16.7	29.3
		9:04	28.01	47.67	30.59	8.28	4.97	20.9	55.0
		12:04	28.17	47.57	30.50	8.10	8.62	19.3	32.7
		15:04	28.77	46.88	30.00	8.13	13.35	19.0	19.7
		18:04	28.62	46.35	29.61	8.23	15.32	19.1	37.1
		21:04	28.44	47.01	30.07	8.16	11.82	20.0	42.9
	日平均值		28.26	47.29	30.31	8.19	9.00	18.83	37.21
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月23日	蚵殼站	0:04	28.09	46.77	30.21	8.50	7.80	3.8	22.3
		3:04	27.90	46.50	30.00	8.41	7.72	5.2	26.7
		6:04	27.80	46.59	30.08	8.34	7.50	5.0	39.3
		9:04	28.15	46.73	30.17	8.39	7.85	6.1	21.7
		12:04	28.81	46.89	30.26	8.32	7.66	4.3	23.3
		15:04	29.12	47.24	30.51	8.35	7.69	4.8	28.3
		18:04	28.99	46.80	30.19	8.50	8.27	3.8	26.1
		21:04	28.92	44.80	28.78	8.48	8.24	3.4	12.7
	日平均值		28.47	46.54	30.03	8.41	7.84	4.55	25.05
	潮口站	0:04	28.49	50.16	31.79	8.06	9.35	10.2	33.5
		3:04	28.46	50.91	32.32	8.06	8.67	20.1	23.0
		6:04	28.05	47.99	30.25	8.14	11.25	13.9	30.3
		9:04	28.32	48.08	30.29	8.08	11.08	17.2	11.1
		12:04	28.96	47.92	30.16	8.04	9.34	8.9	15.8
		15:04	29.35	44.80	27.96	7.97	9.12	13.2	10.7
		18:04	28.75	50.68	32.07	8.05	9.71	20.0	22.9
		21:04	28.88	50.55	31.96	8.09	11.92	13.8	30.9
	日平均值		28.66	48.89	30.85	8.06	10.06	14.66	22.28
	灣內站	0:04	28.21	47.41	30.36	8.21	8.92	24.0	17.4
		3:04	27.99	47.47	30.39	8.17	7.93	23.2	15.7
		6:04	27.89	47.84	30.65	8.14	8.21	24.0	11.9
		9:04	28.15	47.72	30.56	8.13	9.59	23.1	19.6
		12:04	29.31	47.36	30.25	8.11	13.25	27.8	55.0
		15:04	29.78	47.39	30.24	8.15	15.45	25.2	24.4
		18:04	29.86	47.52	30.33	8.12	16.03	28.7	24.8
		21:04	29.20	47.33	30.21	8.01	11.95	29.0	14.1
	日平均值		28.80	47.51	30.37	8.13	11.42	25.63	22.86
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月24日	蚵殼站	0:04	28.55	46.29	29.85	8.35	7.75	4.8	40.2
		3:04	28.32	48.06	31.12	8.38	7.80	3.3	25.1
		6:04	28.34	47.64	30.84	8.33	7.65	5.1	23.3
		9:04	28.39	48.41	31.39	8.35	7.75	4.8	35.6
		12:04	29.07	48.04	31.12	8.40	7.69	5.5	20.4
		15:04	29.33	48.70	31.58	8.36	7.68	6.0	27.8
		18:04	29.07	48.46	31.42	8.40	7.68	9.6	31.0
		21:04	28.89	48.21	31.25	8.40	7.56	8.4	40.0
	日平均值		28.75	47.98	31.07	8.37	7.70	5.94	30.43
	潮口站	0:04	28.71	48.18	30.29	8.08	10.54	15.4	38.6
		3:04	28.57	50.14	31.65	8.07	9.41	15.4	28.7
		6:04	28.65	48.90	30.77	8.06	10.03	7.9	23.7
		9:04	28.92	46.35	28.98	8.05	10.57	8.7	7.1
		12:04	29.67	46.92	29.34	8.01	12.92	11.1	7.2
		15:04	28.92	46.66	29.16	8.00	7.99	11.4	4.3
		18:04	29.15	52.51	33.22	8.00	8.64	15.2	3.3
		21:04	29.34	51.96	32.81	8.05	11.39	16.0	1.9
	日平均值		28.99	48.95	30.78	8.04	10.19	12.64	14.35
	灣內站	0:04	29.08	47.85	30.57	8.10	11.14	31.4	17.2
		3:04	28.98	48.18	30.80	8.10	11.44	33.5	12.6
		6:04	28.82	48.71	31.17	8.18	9.06	34.8	10.6
		9:04	28.92	48.76	31.20	8.07	8.91	20.6	16.6
		12:04	29.86	48.22	30.78	8.05	15.16	24.0	16.2
		15:04	30.80	47.68	30.35	8.17	16.42	30.6	13.7
		18:04	30.24	46.95	29.85	8.08	15.31	34.9	5.6
		21:04	29.66	47.37	30.16	8.08	10.21	25.5	10.4
	日平均值		29.55	47.97	30.61	8.10	12.21	29.41	12.86
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
10月25日	蚵殼站	0:04	28.56	47.24	30.58	8.36	7.70	3.4	46.0
		3:04	28.53	47.06	30.46	8.38	7.51	5.4	65.9
		6:04	28.76	49.84	32.45	8.33	7.43	9.8	78.6
		9:04	28.93	48.62	31.57	8.42	7.69	9.5	107.9
		12:04	29.58	49.58	32.25	8.43	7.79	6.1	55.2
		15:04	29.61	49.93	32.52	8.45	7.81	10.3	63.6
		18:04	29.28	50.50	32.95	8.39	7.85	13.7	58.6
		21:04	28.71	49.60	32.33	8.32	7.35	10.7	42.2
	日平均值		29.00	49.05	31.89	8.39	7.64	8.61	64.75
	潮口站	0:04	29.28	52.52	33.19	8.00	9.35	8.4	5.7
		3:04	28.57	53.19	33.67	8.03	8.16	10.5	2.7
		6:04	28.77	48.98	30.72	8.11	10.49	11.3	5.7
		9:04	29.28	47.23	29.48	8.07	12.27	12.5	2.2
		12:04	30.37	48.38	30.22	8.06	14.57	12.1	0.7
		15:04	29.14	47.28	29.49	8.00	9.17	12.4	5.8
		18:04	29.17	52.83	33.33	7.99	9.07	13.0	3.8
		21:04	29.13	54.31	34.35	8.00	9.48	13.7	1.2
	日平均值		29.21	50.59	31.81	8.03	10.32	11.74	3.48
	灣內站	0:04	29.53	46.83	29.77	8.13	10.01	32.4	13.0
		3:04	29.67	48.57	30.99	8.09	10.64	31.9	11.6
		6:04	29.35	49.71	31.81	8.16	8.28	28.7	13.0
		9:04	29.31	49.61	31.73	8.24	10.99	31.6	12.6
		12:04	31.21	46.66	29.57	8.14	13.15	30.1	8.6
		15:04	30.83	46.57	29.51	8.11	14.46	26.9	13.6
		18:04	30.31	49.26	31.41	8.14	13.32	28.1	18.0
		21:04	29.80	49.54	31.63	8.08	9.16	29.3	15.3
	日平均值		30.00	48.34	30.80	8.14	11.25	29.88	13.21
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月26日	蚵殼站	0:04	29.05	49.25	32.09	8.42	7.62	17.7	51.5
		3:04	29.08	49.11	31.98	8.44	7.68	27.1	49.9
		6:04	29.23	48.91	31.86	8.47	7.80	25.5	47.3
		9:04	28.99	50.08	32.73	8.41	7.60	26.3	51.4
		12:04	29.72	49.37	32.19	8.49	7.85	13.0	51.1
		15:04	29.37	51.03	33.41	8.57	8.05	10.9	43.5
		18:04	29.41	49.98	32.69	8.53	8.02	18.4	69.3
		21:04	29.33	50.38	32.99	8.56	7.97	20.8	65.0
	日平均值		29.27	49.76	32.49	8.49	7.82	19.96	53.63
	潮口站	0:04	29.36	53.56	33.80	8.02	10.84	13.4	0.3
		3:04	28.68	55.15	34.92	7.99	8.06	14.5	1.8
		6:04	28.48	47.76	29.78	8.12	8.77	16.0	2.9
		9:04	28.88	48.58	30.31	8.05	9.65	15.2	4.8
		12:04	29.87	48.08	29.92	8.01	11.66	15.3	2.4
		15:04	28.79	50.40	31.54	8.04	8.54	17.2	0.9
		18:04	28.72	49.22	30.71	7.98	8.33	16.8	0.2
		21:04	28.79	54.17	34.14	7.98	7.55	15.5	2.5
	日平均值		28.95	50.87	31.89	8.02	9.18	15.49	1.98
	灣內站	0:04	30.68	49.04	31.23	8.28	13.06	30.4	14.7
		3:04	30.43	50.58	32.32	8.14	9.20	32.1	21.1
		6:04	28.99	52.05	33.40	8.18	8.48	32.3	24.7
		9:04	29.04	51.68	33.14	8.16	6.83	30.7	22.4
		12:04	30.41	46.63	29.53	8.13	10.37	26.7	8.4
		15:04	30.02	48.75	31.02	8.17	13.95	30.1	14.2
		18:04	29.55	50.27	32.10	8.19	12.53	30.4	19.3
		21:04	29.39	50.79	32.48	8.12	13.30	20.0	11.3
	日平均值		29.81	49.97	31.90	8.17	10.97	29.09	17.01
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月27日	蚵殼站	0:04	29.69	48.16	31.40	8.16	7.79	42.5	50.6
		3:04	28.89	44.70	28.98	8.15	7.96	39.4	70.8
		6:04	28.84	51.90	34.17	8.40	7.50	54.6	48.5
		9:04	28.53	51.19	33.70	8.45	7.81	43.5	46.8
		12:04	29.40	49.96	32.81	8.45	8.22	50.4	51.0
		15:04	29.40	47.01	30.99	8.35	7.38	5.2	32.7
		18:04	29.25	46.89	30.91	8.43	7.43	3.7	32.0
		21:04	29.03	46.95	30.96	8.41	7.28	3.6	28.6
	日平均值		29.13	48.35	31.74	8.35	7.67	30.36	45.13
	潮口站	0:04	29.05	49.11	30.63	8.26	11.98	17.5	4.4
		3:04	28.50	54.78	34.56	8.15	7.65	17.1	5.1
		6:04	28.46	56.47	35.71	8.13	7.33	17.1	4.8
		9:04	28.66	48.53	30.19	8.30	12.34	19.3	4.5
		12:04	29.24	48.84	31.78	7.96	9.97	8.7	18.1
		15:04	28.53	48.05	31.22	7.93	7.53	2.5	2.5
		18:04	28.72	50.35	32.90	7.92	8.05	1.1	5.4
		21:04	28.76	49.76	32.46	7.99	9.67	4.0	13.1
	日平均值		28.74	50.74	32.43	8.08	9.32	10.91	7.24
	灣內站	0:04	29.78	49.49	31.55	8.21	12.93	26.5	13.9
		3:04	29.55	51.44	32.92	8.19	11.42	31.7	16.5
		6:04	29.00	51.46	32.93	8.30	8.94	37.9	13.1
		9:04	28.87	51.79	33.16	8.20	10.53	20.4	17.4
		12:04	29.39	47.62	31.99	8.21	14.69	8.8	44.6
		15:04	30.11	44.40	29.39	8.18	16.77	10.6	81.8
		18:04	29.77	48.66	31.76	8.16	13.24	9.3	48.3
		21:04	29.66	49.25	32.19	8.05	11.45	6.0	37.4
	日平均值		29.52	49.26	31.99	8.19	12.50	18.90	34.13
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月28日	蚵殼站	0:04	28.98	45.11	29.64	8.54	7.25	4.5	22.9
		3:04	27.97	40.58	26.45	8.50	7.32	5.7	15.9
		6:04	28.94	46.11	30.36	8.50	7.16	3.6	11.4
		9:04	28.90	46.82	30.87	8.25	6.84	4.3	14.8
		12:04	29.50	46.65	30.73	8.42	7.30	3.0	20.1
		15:04	29.17	46.67	30.75	8.51	7.61	4.8	38.3
		18:04	28.89	46.50	30.64	8.53	7.73	4.7	25.9
		21:04	28.93	46.48	30.62	8.49	7.43	4.2	25.4
	日平均值		28.91	45.62	30.01	8.47	7.33	4.35	21.84
	潮口站	0:04	28.90	47.17	30.57	8.13	12.07	5.2	21.9
		3:04	27.74	42.07	26.93	8.23	11.05	2.1	22.7
		6:04	28.18	51.69	33.89	7.94	6.94	1.2	2.2
		9:04	28.10	43.82	28.17	8.12	10.08	1.2	18.3
		12:04	29.70	44.89	28.90	8.05	13.31	5.3	23.7
		15:04	28.73	48.69	31.68	7.91	8.12	2.9	7.1
		18:04	28.00	49.65	32.40	7.96	7.55	1.5	2.4
		21:04	28.38	50.45	32.98	7.93	7.52	3.4	5.7
	日平均值		28.47	47.30	30.69	8.03	9.58	2.85	13.00
	灣內站	0:04	28.47	43.70	28.22	8.22	10.67	8.5	25.0
		3:04	29.05	47.15	30.69	8.27	8.55	8.4	24.9
		6:04	29.01	48.64	31.77	8.27	9.39	4.5	24.5
		9:04	28.89	49.93	32.63	8.12	7.72	4.0	25.6
		12:04	30.08	48.07	31.19	8.14	12.21	5.7	20.7
		15:04	30.30	48.17	31.25	8.14	14.54	6.0	46.2
		18:04	30.01	47.53	30.80	8.18	13.61	5.6	50.5
		21:04	29.94	48.20	31.28	8.15	11.84	6.4	26.3
	日平均值		29.47	47.67	30.98	8.19	11.07	6.14	30.46
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月29日	蚵殼站	0:04	28.94	45.72	30.08	8.12	7.77	4.1	18.9
		3:04	28.50	44.51	29.22	8.37	7.62	4.0	16.2
		6:04	28.38	43.34	28.40	8.03	7.37	5.0	13.1
		9:04	28.47	46.50	30.65	8.30	7.21	3.9	8.9
		12:04	29.10	46.80	30.85	8.36	7.48	4.1	27.1
		15:04	29.36	46.21	30.42	8.47	7.46	4.4	27.6
		18:04	29.23	45.52	29.93	8.12	7.63	4.1	22.0
		21:04	28.91	45.67	30.04	8.02	7.54	5.6	20.6
	日平均值		28.86	45.53	29.95	8.22	7.51	4.40	19.30
	潮口站	0:04	28.81	49.07	31.95	8.00	10.03	2.2	14.2
		3:04	28.71	48.67	31.66	8.05	10.24	1.3	19.6
		6:04	28.16	51.38	33.67	7.94	7.53	1.4	3.0
		9:04	28.48	47.69	30.96	8.11	10.60	1.6	15.9
		12:04	30.03	46.34	29.93	8.09	15.77	2.0	33.8
		15:04	29.50	48.06	31.19	8.03	12.10	4.2	19.7
		18:04	27.78	50.02	32.68	7.99	7.76	2.5	2.2
		21:04	28.16	51.12	33.47	7.96	7.92	0.5	4.4
	日平均值		28.70	49.04	31.94	8.02	10.24	1.96	14.10
	灣內站	0:04	29.62	47.09	30.49	8.21	11.37	7.7	27.9
		3:04	29.30	42.50	27.19	8.57	10.32	6.7	33.0
		6:04	29.32	47.91	31.09	8.29	10.02	8.1	25.1
		9:04	29.24	48.88	31.80	8.26	8.08	3.7	28.6
		12:04	30.23	47.85	31.02	8.18	15.24	7.9	53.1
		15:04	30.67	48.27	31.31	8.15	17.84	8.5	80.9
		18:04	30.21	47.40	30.69	8.15	14.45	5.5	32.5
		21:04	29.47	48.80	31.73	8.14	11.70	4.7	30.3
	日平均值		29.76	47.34	30.67	8.24	12.38	6.60	38.93
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月30日	蚵殼站	0:04	28.75	42.36	27.69	8.51	7.40	3.4	15.5
		3:04	28.71	41.45	27.05	8.58	7.71	4.3	11.4
		6:04	28.44	41.53	27.11	8.47	7.10	4.2	7.2
		9:04	28.07	41.20	26.89	8.55	7.67	4.3	7.9
		12:04	28.79	42.28	27.63	8.54	7.33	4.9	13.2
		15:04	28.81	42.27	27.63	8.40	7.36	4.1	16.1
		18:04	28.44	42.43	27.75	8.35	7.33	3.3	15.5
		21:04	28.55	41.44	27.05	8.43	7.37	4.9	14.6
	日平均值		28.57	41.87	27.35	8.48	7.41	4.18	12.68
	潮口站	0:04	28.90	48.39	31.45	8.06	10.70	4.7	13.0
		3:04	28.92	48.11	31.25	8.09	11.08	6.1	15.0
		6:04	27.95	50.50	33.03	7.93	7.49	5.4	3.5
		9:04	28.06	51.11	33.48	7.94	7.46	2.7	3.8
		12:04	29.03	48.94	31.85	8.03	10.94	12.0	12.1
		15:04	29.14	49.06	31.94	8.02	10.82	5.4	11.6
		18:04	28.11	50.00	32.66	7.98	7.92	2.1	4.4
		21:04	28.04	49.74	32.46	7.96	8.05	1.2	4.2
	日平均值		28.52	49.48	32.27	8.00	9.31	4.95	8.45
	灣內站	0:04	29.54	48.50	31.52	8.10	10.15	6.0	34.7
		3:04	28.93	48.41	31.46	8.22	6.66	8.9	24.8
		6:04	28.45	48.96	31.89	8.36	7.25	6.4	22.4
		9:04	28.51	48.67	31.67	8.28	8.83	4.2	21.0
		12:04	29.57	47.82	31.02	8.28	12.11	5.2	25.6
		15:04	29.70	48.02	31.16	8.16	14.03	5.2	41.2
		18:04	29.90	47.19	30.55	8.18	12.08	6.2	37.9
		21:04	29.11	48.85	31.78	8.23	10.80	5.0	23.3
	日平均值		29.21	48.30	31.38	8.23	10.24	5.89	28.86
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月31日	蚵殼站	0:04	28.16	41.58	27.15	8.40	7.26	5.2	11.5
		3:04	28.20	41.63	27.19	8.44	7.25	4.2	13.0
		6:04	28.06	39.76	25.88	8.25	7.13	2.6	8.9
		9:04	27.96	39.21	25.49	8.03	7.36	4.2	12.7
		12:04	28.45	40.20	26.17	8.49	7.55	3.2	15.6
		15:04	28.56	40.43	26.33	8.50	7.54	4.1	18.9
		18:04	28.42	40.10	26.10	8.42	7.24	10.0	12.2
		21:04	28.38	39.39	25.61	8.40	7.06	5.0	15.3
	日平均值		28.27	40.29	26.24	8.37	7.30	4.81	13.51
	潮口站	0:04	28.15	49.60	32.36	7.96	7.91	9.0	5.5
		3:04	28.37	48.63	31.64	7.99	7.70	15.0	6.5
		6:04	28.42	48.90	31.84	7.92	7.49	7.6	5.7
		9:04	27.91	50.28	32.87	7.96	7.80	2.8	3.9
		12:04	28.83	49.25	32.09	7.97	9.13	4.7	8.3
		15:04	29.01	49.19	32.03	8.02	10.07	2.8	9.9
		18:04	28.01	48.67	31.69	8.01	8.39	1.8	4.9
		21:04	27.83	49.34	32.18	8.03	7.90	1.8	4.1
	日平均值		28.32	49.23	32.09	7.98	8.30	5.69	6.10
	灣內站	0:04	28.99	48.66	31.65	8.17	9.17	8.5	23.3
		3:04	28.43	49.03	31.94	8.26	6.60	6.9	25.7
		6:04	28.41	47.29	30.67	7.86	5.48	7.5	38.3
		9:04	28.38	49.08	31.98	8.31	8.09	9.6	54.6
		12:04	29.14	48.10	31.23	8.31	12.82	7.1	67.9
		15:04	29.46	48.04	31.18	8.21	13.84	7.0	38.4
		18:04	29.22	48.05	31.20	8.26	13.59	5.1	24.2
		21:04	28.88	47.95	31.14	8.20	10.46	5.1	19.7
	日平均值		28.86	48.28	31.37	8.20	10.01	7.10	36.51
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月1日	蚵殼站	0:04	28.36	40.93	26.87	8.35	7.59	2.8	9.3
		3:04	28.20	40.45	26.54	8.33	7.76	3.1	14.0
		6:04	27.97	40.56	26.62	8.39	7.38	3.4	12.2
		9:04	27.86	41.00	26.74	8.32	7.33	2.7	11.8
		12:04	27.89	40.48	26.38	8.40	7.67	4.0	24.9
		15:04	28.11	40.55	26.42	8.40	7.53	4.2	20.9
		18:04	28.10	40.68	26.51	8.39	7.71	4.3	16.9
		21:04	28.02	40.63	26.48	8.30	7.47	2.7	12.0
	日平均值		28.06	40.66	26.57	8.36	7.56	3.40	15.25
	潮口站	0:04	28.30	48.93	31.87	8.24	8.67	2.5	11.0
		3:04	28.43	48.05	31.22	8.32	10.46	1.0	9.3
		6:04	28.17	48.53	31.57	8.34	9.19	1.5	3.1
		9:04	27.67	49.52	32.30	8.22	7.14	4.0	3.3
		12:04	27.87	51.06	33.42	8.21	7.72	2.6	2.6
		15:04	28.49	49.36	32.14	8.30	10.44	2.5	11.9
		18:04	28.23	49.85	32.51	8.28	9.29	1.5	11.9
		21:04	27.67	51.23	33.54	8.25	7.69	2.7	3.4
	日平均值		28.10	49.57	32.32	8.27	8.83	2.29	7.06
	灣內站	0:04	28.86	48.35	31.43	8.31	9.78	3.5	17.8
		3:04	28.47	47.91	31.11	8.23	6.68	7.5	28.8
		6:04	28.21	47.88	31.10	8.36	6.00	7.7	25.3
		9:04	28.21	46.47	30.08	8.31	7.85	12.0	112.9
		12:04	28.27	47.42	30.77	8.30	12.35	7.5	97.6
		15:04	28.40	47.26	30.65	8.31	12.27	7.6	51.0
		18:04	28.31	46.52	30.11	8.39	13.39	6.2	36.1
		21:04	28.23	46.89	30.38	8.25	10.40	4.3	20.5
	日平均值		28.37	47.34	30.70	8.31	9.84	7.04	48.75
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月2日	蚵殼站	0:04	27.92	40.81	26.60	8.36	7.59	2.7	11.5
		3:04	27.19	40.18	26.18	8.49	7.93	2.5	12.7
		6:04	27.10	40.46	26.38	8.43	7.62	2.9	12.1
		9:04	26.98	39.50	25.71	8.37	7.84	5.2	11.1
		12:04	27.52	40.47	26.38	8.35	7.65	3.5	18.7
		15:04	27.55	40.60	26.46	8.34	7.64	3.8	20.2
		18:04	27.44	40.76	26.57	8.35	7.54	3.3	16.0
		21:04	27.19	38.93	25.30	8.47	7.76	2.9	10.7
	日平均值		27.36	40.21	26.20	8.40	7.70	3.35	14.13
	潮口站	0:04	27.65	50.37	32.90	8.26	8.45	5.8	3.9
		3:04	27.74	49.89	32.54	8.30	9.72	0.6	10.3
		6:04	27.68	49.91	32.56	8.32	9.75	0.9	10.0
		9:04	27.68	50.19	32.75	8.28	8.33	6.4	13.6
		12:04	27.75	51.96	34.04	8.22	7.87	0.7	6.0
		15:04	27.74	51.43	33.65	8.23	7.69	1.9	3.1
		18:04	27.74	50.50	32.96	8.23	8.19	1.7	8.3
		21:04	27.60	51.58	33.75	8.25	7.74	2.5	5.8
	日平均值		27.70	50.73	33.14	8.26	8.47	2.56	7.63
	灣內站	0:04	28.03	47.21	30.62	8.29	9.45	4.9	19.4
		3:04	27.53	47.88	31.13	8.25	8.21	8.4	30.6
		6:04	27.81	49.53	32.31	8.33	3.92	6.7	31.7
		9:04	27.78	48.39	31.47	8.33	8.22	14.3	84.3
		12:04	27.90	47.51	30.83	8.30	12.96	11.0	86.1
		15:04	27.78	47.83	31.05	8.19	11.49	5.5	37.6
		18:04	27.95	47.91	31.11	8.35	10.74	6.4	34.8
		21:04	27.78	48.96	31.86	8.44	8.69	5.1	24.4
	日平均值		27.82	48.15	31.30	8.31	9.21	7.79	43.61
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月3日	蚵殼站	0:04	27.10	38.79	25.21	8.40	7.60	1.9	8.4
		3:04	26.85	38.98	25.34	8.39	7.72	2.3	8.8
		6:04	26.57	38.47	24.99	8.48	7.75	6.9	12.6
		9:04	26.63	39.55	25.74	8.49	7.74	2.2	10.3
		12:04	27.89	39.40	25.61	8.33	7.66	2.4	8.6
		15:04	27.70	40.29	26.23	8.30	7.69	3.8	13.6
		18:04	27.58	39.84	25.92	8.27	7.75	4.3	9.5
		21:04	27.43	39.64	25.79	8.37	7.91	3.9	15.4
	日平均值		27.22	39.37	25.60	8.38	7.73	3.46	10.90
	潮口站	0:04	27.69	51.88	33.97	8.26	7.88	0.8	4.2
		3:04	27.28	49.96	32.57	8.34	8.93	4.3	11.6
		6:04	27.18	49.88	32.50	8.35	9.11	0.1	10.5
		9:04	27.18	47.17	30.53	8.38	9.19	2.2	5.5
		12:04	27.62	49.07	31.90	8.25	7.73	2.0	2.5
		15:04	27.87	49.38	32.11	8.25	8.17	0.7	1.8
		18:04	27.87	48.52	31.48	8.25	8.54	3.5	11.5
		21:04	27.73	48.71	31.62	8.24	8.14	6.1	5.2
	日平均值		27.55	49.32	32.09	8.29	8.46	2.46	6.60
	灣內站	0:04	27.52	49.13	31.99	8.31	8.40	5.2	22.2
		3:04	27.23	50.32	32.87	8.12	7.49	5.3	22.1
		6:04	27.14	49.87	32.54	8.15	5.09	5.9	34.1
		9:04	27.15	49.11	31.98	8.32	8.03	8.5	50.1
		12:04	28.08	48.50	31.50	8.18	16.59	13.3	67.4
		15:04	28.49	48.67	31.62	8.13	15.59	7.1	58.4
		18:04	28.52	48.08	31.18	8.13	13.32	8.1	51.5
		21:04	28.33	47.90	31.05	8.17	12.87	8.8	39.7
	日平均值		27.81	48.95	31.84	8.19	10.92	7.78	43.19
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月4日	蚵殼站	0:04	27.34	39.81	25.90	8.41	7.93	2.9	9.0
		3:04	27.31	39.59	25.76	8.39	7.70	3.9	9.1
		6:04	27.04	38.51	25.01	8.32	7.69	8.7	18.0
		9:04	27.29	38.40	24.92	8.40	7.68	10.2	18.5
		12:04	28.13	38.65	25.07	8.30	7.74	23.0	21.0
		15:04	27.91	39.13	25.42	8.38	7.80	33.6	25.6
		18:04	27.92	40.17	26.15	8.28	7.55	30.7	35.0
		21:04	28.08	39.75	25.85	8.43	7.86	15.3	15.7
	日平均值		27.63	39.25	25.51	8.36	7.74	16.04	18.99
	潮口站	0:04	27.71	49.32	32.05	8.26	8.26	2.3	1.6
		3:04	27.47	48.81	31.69	8.28	8.17	1.5	9.1
		6:04	27.54	47.51	30.74	8.39	11.25	5.3	16.1
		9:04	27.88	48.31	31.32	8.35	11.33	3.3	11.7
		12:04	28.01	48.95	31.77	8.24	8.71	3.0	7.9
		15:04	28.06	48.04	31.10	8.23	8.59	1.0	5.8
		18:04	27.76	49.92	32.46	8.23	8.20	9.3	5.6
		21:04	27.63	49.16	31.92	8.22	7.47	3.5	1.3
	日平均值		27.76	48.75	31.63	8.28	9.00	3.65	7.39
	灣內站	0:04	27.62	49.79	32.44	8.18	11.13	5.4	16.6
		3:04	28.07	50.70	33.10	8.17	8.48	5.6	16.5
		6:04	27.25	50.53	32.99	8.14	9.15	6.6	32.7
		9:04	27.83	50.43	32.91	8.18	8.50	4.4	26.6
		12:04	28.70	48.55	31.51	8.14	12.91	7.3	25.3
		15:04	28.63	51.37	33.55	8.10	12.95	6.0	32.8
		18:04	28.67	51.60	33.73	8.16	12.13	7.3	30.2
		21:04	28.58	52.06	34.06	8.18	11.00	7.4	22.0
	日平均值		28.17	50.63	33.04	8.16	10.78	6.25	25.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月5日	蚵殼站	0:04	27.97	39.49	25.66	8.37	7.89	22.9	25.7
		3:04	27.84	39.18	25.46	8.35	7.64	27.6	25.3
		6:04	27.70	38.99	25.33	8.30	7.59	28.9	41.9
		9:04	27.54	39.09	25.39	8.33	7.69	33.9	37.0
		12:04	28.38	39.23	25.48	8.37	8.19	19.9	99.5
		15:04	28.34	39.89	25.93	8.43	7.98	47.1	48.6
		18:04	27.93	40.40	26.30	8.30	7.60	116.9	102.3
		21:04	27.87	40.16	26.14	8.35	7.72	94.7	129.5
	日平均值		27.95	39.55	25.71	8.35	7.79	48.99	63.73
	潮口站	0:04	27.53	49.91	32.46	8.24	7.64	2.5	5.0
		3:04	27.46	49.92	32.46	8.24	8.00	3.4	3.4
		6:04	27.87	48.60	31.49	8.30	10.11	4.9	11.0
		9:04	27.98	49.97	32.48	8.32	10.45	1.7	12.6
		12:04	28.33	49.52	32.14	8.28	9.41	4.6	7.2
		15:04	27.58	49.07	31.83	8.24	8.46	5.2	3.6
		18:04	27.66	50.46	32.83	8.25	8.71	5.0	8.7
		21:04	27.72	49.98	32.48	8.20	7.84	7.6	11.3
	日平均值		27.77	49.68	32.27	8.26	8.83	4.36	7.85
	灣內站	0:04	28.53	49.73	32.37	8.27	10.16	8.9	20.5
		3:04	28.12	50.63	33.04	8.23	8.25	4.7	16.2
		6:04	27.92	50.39	32.87	8.20	7.95	5.6	25.3
		9:04	27.95	49.75	32.41	8.28	7.71	18.0	30.5
		12:04	28.62	50.49	32.93	8.11	11.43	9.0	32.9
		15:04	28.93	51.26	33.48	8.22	12.28	12.3	57.4
		18:04	28.92	49.07	31.90	8.12	13.25	19.4	44.0
		21:04	28.68	47.97	31.12	8.04	12.10	26.7	37.2
	日平均值		28.46	49.91	32.52	8.18	10.39	13.08	33.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月6日	蚵殼站	0:04	27.85	39.56	25.72	8.35	7.47	94.3	65.1
		3:04	27.71	40.70	26.52	8.33	7.52	84.5	60.9
		6:04	27.39	40.35	26.29	8.32	7.54	83.9	62.6
		9:04	27.55	39.50	25.70	8.41	7.79	51.0	108.5
		12:04	28.32	39.91	25.97	8.32	7.65	12.8	53.0
		15:04	28.16	40.97	26.70	8.39	7.73	18.0	189.5
		18:04	27.99	40.72	26.54	8.30	7.68	21.6	105.1
		21:04	28.28	41.64	27.16	8.37	7.72	32.6	93.1
	日平均值		27.91	40.42	26.33	8.35	7.64	49.84	92.23
	潮口站	0:04	27.49	50.74	33.03	8.24	8.28	7.7	3.5
		3:04	27.41	49.82	32.36	8.24	8.40	5.6	2.0
		6:04	27.72	47.98	31.02	8.31	9.67	9.4	19.3
		9:04	28.03	47.17	30.43	8.30	10.74	9.7	12.9
		12:04	28.52	46.50	29.94	8.27	10.56	7.7	4.9
		15:04	27.72	45.10	28.96	8.23	8.48	8.6	2.4
		18:04	27.51	46.87	30.22	8.24	8.37	9.7	0.8
		21:04	27.85	46.77	30.14	8.24	8.80	10.9	10.2
	日平均值		27.78	47.62	30.76	8.26	9.16	8.66	7.00
	灣內站	0:04	28.41	50.17	32.73	8.15	10.74	5.6	25.2
		3:04	28.24	48.27	31.36	8.11	9.41	5.4	20.9
		6:04	28.05	47.71	30.97	8.18	8.67	5.3	19.8
		9:04	28.37	47.83	31.05	8.18	9.85	4.8	14.9
		12:04	29.21	47.33	30.68	8.09	14.15	9.0	37.9
		15:04	29.18	46.13	29.82	8.08	13.34	11.6	27.3
		18:04	28.70	46.49	30.10	8.03	10.71	15.4	24.1
		21:04	29.23	47.03	30.48	8.16	10.78	11.9	19.4
	日平均值		28.67	47.62	30.90	8.12	10.96	8.63	23.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月7日	蚵殼站	0:04	28.37	40.85	26.61	8.34	7.57	28.3	71.0
		3:04	28.03	40.85	26.62	8.36	7.77	43.5	84.5
		6:04	27.89	40.46	26.36	8.31	7.46	26.4	119.1
		9:04	28.07	39.94	26.00	8.33	7.67	39.3	100.9
		12:04	28.65	40.18	26.16	8.35	7.78	43.2	252.6
		15:04	28.52	41.20	26.87	8.38	7.73	194.0	273.1
		18:04	28.15	41.90	27.36	8.39	7.62	43.9	175.4
		21:04	28.21	41.60	27.15	8.30	7.65	86.7	164.8
	日平均值		28.24	40.87	26.64	8.35	7.66	63.16	155.18
	潮口站	0:04	27.81	46.72	30.10	8.23	7.66	9.1	2.7
		3:04	27.47	47.67	30.80	8.24	8.19	14.2	3.0
		6:04	27.52	47.18	30.43	8.28	8.52	15.1	14.5
		9:04	28.34	47.46	30.60	8.25	9.82	8.9	13.2
		12:04	29.16	46.96	30.23	8.20	10.40	14.1	5.1
		15:04	27.77	44.66	28.62	8.20	8.41	10.8	12.7
		18:04	27.61	44.68	28.64	8.22	8.36	10.1	4.6
		21:04	28.05	46.91	30.21	8.18	8.94	15.2	16.8
	日平均值		27.97	46.53	29.95	8.23	8.79	12.19	9.08
	灣內站	0:04	29.14	46.46	30.96	8.00	9.79	12.8	20.6
		3:04	28.58	47.76	31.87	8.14	8.95	7.3	12.6
		6:04	28.27	48.09	32.10	8.12	8.20	12.5	20.6
		9:04	28.38	47.26	31.53	8.11	9.06	24.8	12.5
		12:04	29.16	46.92	31.27	8.18	11.85	4.5	11.5
		15:04	29.21	46.80	31.19	8.15	12.22	7.1	15.2
		18:04	28.97	46.54	31.01	8.20	11.66	9.8	10.9
		21:04	29.25	47.28	31.52	8.17	9.22	13.3	13.2
	日平均值		28.87	47.14	31.43	8.13	10.12	11.51	14.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月8日	蚵殼站	0:04	28.60	41.94	27.39	8.37	7.67	146.3	157.1
		3:04	28.29	40.91	26.68	8.35	7.69	135.5	164.9
		6:04	27.98	40.85	26.64	8.27	7.51	200.0	157.1
		9:04	28.23	40.94	26.71	8.34	7.45	187.7	81.0
		12:04	28.69	40.91	26.67	8.36	7.77	110.9	131.1
		15:04	28.47	41.61	27.17	8.36	7.71	293.6	157.6
		18:04	28.29	42.83	28.01	8.33	7.63	213.2	108.0
		21:04	28.38	42.85	28.03	8.33	7.46	446.5	102.7
	日平均值		28.37	41.61	27.16	8.34	7.61	216.71	132.44
	潮口站	0:04	27.88	45.49	29.21	8.20	8.50	16.5	4.7
		3:04	27.49	46.61	30.01	8.21	8.39	14.4	3.1
		6:04	27.38	44.88	28.78	8.17	7.78	18.8	6.1
		9:04	28.34	45.62	29.27	8.21	10.49	15.3	17.1
		12:04	29.13	45.14	28.91	8.15	9.55	8.6	8.8
		15:04	27.79	44.48	28.48	8.21	8.89	10.7	16.1
		18:04	27.79	46.58	29.98	8.21	8.91	8.4	7.2
		21:04	27.84	47.99	30.99	8.18	8.74	6.3	10.3
	日平均值		27.96	45.85	29.45	8.19	8.91	12.38	9.18
	灣內站	0:04	28.93	46.18	30.77	8.20	9.57	14.9	16.0
		3:04	28.85	46.57	31.04	8.19	7.47	27.6	8.2
		6:04	28.39	46.88	31.26	8.17	9.07	18.9	12.4
		9:04	28.44	46.51	31.00	8.16	10.43	9.2	14.9
		12:04	29.11	46.60	31.05	8.19	13.10	5.9	11.1
		15:04	29.16	46.05	30.68	8.10	13.79	10.4	16.5
		18:04	29.01	46.48	30.96	8.14	12.70	11.0	14.5
		21:04	29.32	46.28	30.82	8.06	10.68	7.5	5.6
	日平均值		28.90	46.44	30.95	8.15	10.85	13.18	12.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月9日	蚵殼站	0:04	28.32	42.69	27.93	8.32	7.29	579.3	111.0
		3:04	28.37	42.77	27.99	8.28	7.50	648.1	64.1
		6:04	28.32	42.60	27.87	8.27	7.41	620.7	97.7
		9:04	28.57	42.08	27.51	8.28	7.41	646.0	81.6
		12:04	29.38	41.91	27.37	8.37	7.47	420.6	96.5
		15:04	28.75	42.40	27.74	8.28	7.65	616.0	194.3
		18:04	28.19	43.17	28.29	8.28	7.25	599.0	196.5
		21:04	28.35	43.42	28.45	8.35	7.63	776.3	168.5
	日平均值		28.53	42.63	27.89	8.30	7.45	613.25	126.28
	潮口站	0:04	28.26	46.68	30.02	8.09	7.22	12.3	11.6
		3:04	27.58	47.53	30.66	8.17	8.42	7.3	6.9
		6:04	27.51	48.35	31.24	8.16	7.99	8.7	0.0
		9:04	28.09	46.79	30.11	8.13	8.32	9.8	7.4
		12:04	29.53	47.30	30.41	8.12	11.32	10.6	10.5
		15:04	27.64	47.46	30.59	8.22	8.82	10.2	8.2
		18:04	27.75	47.38	30.54	8.21	8.98	12.4	4.9
		21:04	27.83	47.91	30.91	8.17	8.65	13.7	12.0
	日平均值		28.02	47.43	30.56	8.16	8.72	10.63	7.69
	灣內站	0:04	29.33	45.93	30.59	8.13	10.25	8.2	12.2
		3:04	28.67	46.34	30.89	8.05	8.70	12.9	11.7
		6:04	28.45	46.04	30.68	8.18	10.46	10.5	16.0
		9:04	28.53	47.39	31.60	8.30	10.92	10.7	17.1
		12:04	29.78	46.02	30.64	8.12	17.14	9.8	19.7
		15:04	29.73	46.34	30.86	8.04	17.54	12.1	23.4
		18:04	29.40	46.44	30.94	8.16	14.91	18.5	13.1
		21:04	29.40	46.61	31.05	8.22	12.43	22.1	14.0
	日平均值		29.16	46.39	30.91	8.15	12.79	13.10	15.90
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月10日	蚵殼站	0:04	28.29	42.76	28.01	8.26	7.45	396.9	142.9
		3:04	28.23	44.44	29.18	8.27	7.27	319.7	117.7
		6:04	28.50	44.08	28.92	8.34	7.50	648.1	92.8
		9:04	28.63	43.26	28.37	8.34	7.28	799.7	71.9
		12:04	28.65	43.23	28.35	8.31	7.48	685.2	82.3
		15:04	28.40	43.12	28.27	8.28	7.69	448.7	99.9
		18:04	28.39	44.86	29.49	8.34	7.77	339.7	108.0
		21:04	28.37	44.65	29.35	8.32	7.33	209.2	68.0
	日平均值		28.43	43.80	28.74	8.31	7.47	480.90	97.94
	潮口站	0:04	28.11	51.43	33.43	8.16	7.94	13.9	6.9
		3:04	27.77	51.45	33.46	8.19	7.88	10.0	9.5
		6:04	27.54	51.27	33.34	8.07	8.05	12.0	11.7
		9:04	28.00	50.86	33.03	8.12	7.90	8.6	9.5
		12:04	28.91	50.94	33.04	8.08	10.26	6.8	11.3
		15:04	27.54	51.68	33.63	8.18	8.62	7.6	6.1
		18:04	27.66	51.89	33.78	8.13	8.85	7.2	13.1
		21:04	27.77	49.94	32.36	8.14	8.68	8.9	18.0
	日平均值		27.91	51.18	33.26	8.13	8.52	9.38	10.76
	灣內站	0:04	29.27	46.48	30.96	8.14	13.10	23.6	19.6
		3:04	28.91	46.40	30.92	8.21	8.43	18.8	13.0
		6:04	28.84	46.63	31.08	8.21	9.89	11.7	11.9
		9:04	28.91	46.23	30.80	8.15	11.74	17.9	13.6
		12:04	29.15	45.88	30.56	8.06	15.40	22.5	15.6
		15:04	29.35	46.00	30.64	8.09	17.76	28.3	23.0
		18:04	28.94	46.03	30.67	8.22	13.59	26.9	9.6
		21:04	28.90	46.39	30.91	8.07	13.54	46.8	10.7
	日平均值		29.03	46.26	30.82	8.14	12.93	24.56	14.63
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月11日	蚵殼站	0:04	28.25	43.81	28.77	8.31	7.34	165.8	81.6
		3:04	28.07	46.02	30.33	8.24	7.26	244.6	71.3
		6:04	27.95	44.47	29.25	8.30	7.30	77.0	63.1
		9:04	28.29	45.48	29.96	8.34	7.22	40.4	58.0
		12:04	28.26	45.84	30.21	8.26	7.45	47.9	62.4
		15:04	28.53	45.62	30.05	8.29	7.64	51.1	77.5
		18:04	28.12	46.45	30.65	8.36	7.55	46.3	36.1
		21:04	28.18	46.73	30.86	8.39	7.17	46.0	42.7
	日平均值		28.21	45.55	30.01	8.31	7.37	89.89	61.59
	潮口站	0:04	28.16	48.39	31.24	8.12	9.31	9.6	4.0
		3:04	27.88	49.59	32.10	8.14	7.97	8.8	6.7
		6:04	27.23	48.99	31.70	8.14	8.06	10.4	8.6
		9:04	27.77	49.02	31.71	8.14	8.78	8.7	8.8
		12:04	28.78	49.45	31.98	8.06	9.61	8.3	10.7
		15:04	27.57	48.01	30.98	8.17	8.56	5.9	3.6
		18:04	27.52	50.64	32.88	8.15	8.74	5.8	4.8
		21:04	27.51	50.46	32.75	8.13	8.50	5.8	4.7
	日平均值		27.80	49.32	31.92	8.13	8.69	7.91	6.49
	灣內站	0:04	28.90	46.39	30.92	8.08	10.11	61.8	15.2
		3:04	28.72	46.63	31.07	8.25	8.78	39.0	15.0
		6:04	28.46	46.23	30.82	8.14	8.01	32.8	16.1
		9:04	28.50	46.84	31.23	8.12	6.45	24.3	29.7
		12:04	28.98	46.70	31.13	8.25	14.73	16.3	12.2
		15:04	29.33	45.72	30.46	8.05	15.66	14.1	32.0
		18:04	29.13	47.73	31.82	8.19	9.99	28.6	19.5
		21:04	28.70	47.45	31.64	8.10	8.59	20.6	12.9
	日平均值		28.84	46.71	31.14	8.15	10.29	29.69	19.08
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月12日	蚵殼站	0:04	28.10	46.75	30.87	8.38	7.55	46.1	29.6
		3:04	28.14	46.26	30.54	8.37	7.18	46.7	28.0
		6:04	27.95	45.82	30.24	8.38	7.28	44.2	33.1
		9:04	28.01	45.86	30.28	8.41	7.55	45.0	30.5
		12:04	28.15	45.60	30.11	8.37	7.50	46.7	28.8
		15:04	28.08	45.45	30.02	8.39	7.33	45.3	45.0
		18:04	27.85	49.35	32.74	8.46	7.60	41.5	43.2
		21:04	27.92	49.32	32.73	8.44	7.13	35.4	38.3
	日平均值		28.03	46.80	30.94	8.40	7.39	43.86	34.56
	潮口站	0:04	28.02	50.28	32.61	8.10	8.27	5.9	12.8
		3:04	27.85	49.45	32.01	8.11	6.79	6.6	7.9
		6:04	27.09	48.91	31.66	8.17	6.91	6.1	6.6
		9:04	27.46	48.94	31.66	8.11	6.69	4.5	3.3
		12:04	28.75	49.76	32.20	8.09	9.69	5.7	10.5
		15:04	27.80	48.27	31.18	8.12	8.66	4.5	6.7
		18:04	27.31	50.60	32.87	8.17	7.04	4.4	7.8
		21:04	27.54	50.67	32.90	8.13	7.99	4.3	9.5
	日平均值		27.73	49.61	32.14	8.13	7.76	5.25	8.14
	灣內站	0:04	28.78	47.49	31.67	8.18	7.75	24.9	18.7
		3:04	28.43	46.74	31.17	8.25	6.92	13.6	17.3
		6:04	28.21	46.76	31.19	8.22	6.39	17.5	21.7
		9:04	28.22	47.42	31.64	8.27	6.70	20.9	18.2
		12:04	28.72	47.26	31.51	8.18	12.20	18.5	26.5
		15:04	28.97	46.93	31.28	8.28	9.68	31.3	28.2
		18:04	28.87	47.86	31.92	8.17	6.02	54.2	24.0
		21:04	28.77	49.36	32.94	8.31	6.25	34.2	19.3
	日平均值		28.62	47.48	31.67	8.23	7.74	26.89	21.74
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月13日	蚵殼站	0:04	27.83	49.86	33.12	8.41	7.41	24.3	33.9
		3:04	27.83	50.34	33.48	8.45	7.00	76.2	38.2
		6:04	27.58	49.39	32.83	8.41	7.23	42.6	30.7
		9:04	27.64	49.00	32.55	8.45	6.96	40.7	31.4
		12:34	27.91	50.69	33.71	8.37	6.79	3.8	11.5
		15:04	28.12	50.57	33.61	8.30	6.96	5.8	11.2
		18:04	27.95	50.60	33.64	8.34	7.21	3.6	15.1
		21:04	27.97	50.62	33.65	8.28	6.85	3.1	11.3
	日平均值		27.85	50.13	33.32	8.38	7.05	25.01	22.91
	潮口站	0:04	27.51	50.27	32.63	8.06	8.48	4.3	10.7
		3:04	27.84	49.52	32.08	8.06	6.36	3.5	5.9
		6:04	27.05	49.48	32.08	8.11	7.03	4.6	4.2
		9:04	27.17	49.71	32.24	8.06	7.16	4.4	5.5
		12:04	28.79	50.03	32.42	7.98	9.28	3.7	9.0
		15:04	28.52	50.34	32.89	8.15	9.63	1.7	10.8
		18:04	27.43	51.04	33.44	8.23	8.64	2.5	7.1
		21:04	27.44	51.73	33.95	8.22	8.57	0.4	8.3
	日平均值		27.72	50.27	32.72	8.11	8.14	3.14	7.69
	灣內站	0:04	28.43	48.91	32.64	8.14	8.41	22.7	19.8
		3:04	27.99	49.34	32.94	8.25	6.68	22.5	20.4
		6:04	28.21	50.26	33.56	8.35	6.77	20.7	22.6
		9:04	28.11	49.96	33.36	8.59	8.08	18.4	21.1
		12:04	28.88	50.10	33.61	8.37	9.37	6.2	16.5
		15:04	28.80	49.71	33.33	8.51	9.93	6.2	17.0
		18:04	28.68	49.92	33.49	8.14	8.90	5.5	12.7
		21:04	28.60	49.79	33.39	8.19	8.92	5.1	15.5
	日平均值		28.46	49.75	33.29	8.32	8.38	13.41	18.20
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月14日	蚵殼站	0:04	28.01	50.49	33.56	8.37	6.89	3.1	14.0
		3:04	27.91	50.49	33.56	8.34	6.99	3.3	11.3
		6:04	27.76	50.39	33.49	8.33	6.98	3.8	6.9
		9:04	27.80	50.57	33.62	8.35	7.15	3.5	4.3
		12:04	28.61	50.36	33.44	8.34	7.03	3.2	11.8
		15:04	28.30	50.61	33.63	8.28	6.95	4.5	8.0
		18:04	28.00	50.67	33.68	8.25	6.67	2.8	4.3
		21:04	28.11	50.59	33.62	8.28	7.10	3.4	11.5
	日平均值		28.06	50.52	33.58	8.32	6.97	3.45	9.01
	潮口站	0:04	27.88	51.14	33.51	8.18	8.47	2.8	7.6
		3:04	28.02	51.11	33.49	8.18	8.44	1.1	8.1
		6:04	27.29	52.06	34.21	8.20	7.74	1.2	3.2
		9:04	27.41	52.23	34.34	8.22	7.73	0.4	5.8
		12:04	28.78	51.48	33.74	8.16	9.16	4.2	5.4
		15:04	28.86	51.52	33.78	8.19	9.65	4.3	7.6
		18:04	27.60	51.60	33.87	8.25	8.66	2.5	8.4
		21:04	27.80	52.29	34.38	8.21	8.64	2.4	4.7
	日平均值		27.96	51.68	33.92	8.20	8.56	2.36	6.35
	灣內站	0:04	28.87	49.63	33.26	8.25	8.60	7.1	14.7
		3:04	28.43	49.47	33.17	8.27	7.66	7.7	14.2
		6:04	28.17	50.66	33.58	8.58	6.60	6.6	7.4
		9:04	28.17	49.19	33.33	8.22	7.37	7.9	10.7
		12:04	28.90	50.72	33.61	8.33	8.40	5.5	11.5
		15:04	29.19	50.64	33.54	8.30	9.13	5.8	10.9
		18:04	29.07	48.60	32.06	8.37	9.17	6.3	11.9
		21:04	28.99	49.24	32.53	8.33	8.37	4.8	10.5
	日平均值		28.72	49.77	33.14	8.33	8.16	6.46	11.48
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月15日	蚵殼站	0:04	28.36	50.33	33.43	8.30	7.05	2.7	4.1
		3:04	28.16	50.22	33.35	8.31	6.82	4.3	14.2
		6:04	28.00	50.50	33.56	8.31	6.75	4.7	10.0
		9:04	28.12	50.42	33.50	8.26	6.76	3.1	14.1
		12:04	28.10	50.64	33.66	8.27	6.88	3.5	8.6
		15:04	28.04	50.63	33.65	8.27	6.85	2.9	7.5
		18:04	28.13	50.52	33.57	8.25	6.86	3.7	8.2
	21:04	28.10	50.17	33.32	8.30	6.78	3.6	12.9	
	日平均值		28.13	50.43	33.51	8.28	6.84	3.56	9.95
	潮口站	0:04	28.11	51.77	33.98	8.14	8.23	3.9	2.7
		3:04	28.32	51.65	33.89	8.17	8.84	1.1	5.2
		6:04	28.11	51.86	33.05	8.16	7.54	2.8	7.6
		9:04	27.51	52.79	33.77	8.20	7.81	1.2	0.8
		12:04	28.88	51.95	33.11	8.13	9.37	1.5	10.2
		15:04	28.67	52.10	33.22	8.20	9.81	2.0	10.0
		18:04	27.51	51.19	32.59	8.23	8.51	0.5	7.8
	21:04	27.75	52.84	33.80	8.21	8.52	0.2	2.5	
	日平均值		28.11	52.02	33.43	8.18	8.58	1.65	5.85
	灣內站	0:04	29.02	51.23	33.97	8.26	8.52	6.2	7.9
		3:04	28.73	45.67	32.98	8.33	7.72	3.9	10.9
		6:04	28.51	49.37	33.20	8.30	5.71	7.6	13.1
		9:04	28.36	47.51	33.30	8.28	6.66	8.5	14.3
		12:04	28.83	48.29	33.85	8.25	8.90	5.1	10.1
		15:04	29.60	49.04	33.37	8.36	11.24	11.9	52.6
		18:04	28.86	48.83	32.09	8.17	9.35	6.5	30.8
	21:04	28.74	49.11	33.24	8.32	8.43	5.6	18.7	
	日平均值		28.83	48.63	33.25	8.28	8.32	6.91	19.80
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月16日	蚵殼站	0:04	28.07	50.33	33.43	8.27	7.04	3.2	10.8
		3:04	27.86	50.41	33.51	8.25	6.98	2.9	8.1
		6:04	27.68	50.74	33.74	8.29	6.96	3.5	4.1
		9:04	27.78	49.78	33.06	8.26	6.92	3.0	8.2
		12:14	28.17	50.39	33.49	8.32	7.26	3.7	12.9
		15:04	27.88	50.86	33.83	8.26	7.07	3.5	13.1
		18:04	27.94	50.74	33.74	8.28	6.95	4.2	13.4
		21:04	27.89	50.23	33.37	8.28	7.11	3.9	15.9
	日平均值		27.91	50.44	33.52	8.28	7.04	3.49	10.81
	潮口站	0:04	27.81	52.05	33.22	8.18	8.02	1.0	6.0
		3:04	28.08	51.96	33.15	8.19	8.62	1.8	11.3
		6:04	27.90	51.86	33.09	8.18	7.53	2.7	10.5
		9:04	27.32	53.16	34.06	8.22	7.55	0.8	0.8
		12:14	28.40	52.17	33.31	8.16	9.07	6.6	11.0
		15:04	28.54	52.14	33.28	8.19	9.27	4.9	14.4
		18:04	27.48	52.23	33.38	8.25	8.26	0.3	12.4
		21:04	27.41	52.62	33.68	8.22	8.28	0.4	1.3
	日平均值		27.87	52.27	33.40	8.20	8.33	2.31	8.46
	灣內站	0:04	28.53	48.62	33.16	8.19	8.53	5.9	15.7
		3:04	28.26	48.29	33.37	8.27	7.24	6.1	12.9
		6:04	27.38	47.55	33.22	8.27	5.08	8.9	21.4
		9:04	28.15	48.66	33.27	8.26	7.95	10.1	71.4
		12:14	28.85	50.09	33.70	8.38	10.25	6.5	18.0
		15:04	28.69	49.63	33.38	8.34	10.59	4.1	19.7
		18:04	29.09	49.99	33.07	8.19	10.30	7.6	23.1
		21:04	28.62	50.89	32.85	8.12	9.38	5.2	15.4
	日平均值		28.45	49.22	33.25	8.25	8.67	6.80	24.70
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月17日	蚵殼站	0:04	27.97	51.19	34.06	8.34	6.91	3.6	12.2
		3:04	27.85	51.22	34.08	8.29	7.05	5.1	16.6
		6:04	27.64	51.15	34.04	8.33	6.86	3.5	12.3
		9:04	27.80	51.21	34.09	8.35	7.19	3.0	12.7
		12:04	28.22	51.21	34.07	8.31	7.44	2.7	8.4
		15:04	28.47	51.26	34.09	8.45	7.54	3.9	22.1
		18:04	28.19	51.29	34.13	8.42	7.38	3.4	20.9
		21:04	28.36	51.25	34.09	8.44	7.34	3.7	14.1
	日平均值		28.06	51.22	34.08	8.37	7.21	3.61	14.91
	潮口站	0:04	27.56	52.20	33.36	8.20	8.18	2.9	7.1
		3:04	28.03	52.03	33.23	8.21	9.58	1.4	17.2
		6:04	27.99	51.97	33.18	8.21	9.22	1.8	13.7
		9:04	27.39	52.79	33.82	8.20	7.44	5.1	6.2
		12:04	27.80	52.70	33.74	8.26	7.97	1.4	2.8
		15:04	28.70	51.83	33.08	8.26	12.40	4.9	13.1
		18:04	27.93	52.26	33.42	8.22	8.68	0.6	3.1
		21:04	27.49	52.38	33.53	8.24	8.68	0.5	6.0
	日平均值		27.86	52.27	33.42	8.23	9.02	2.33	8.65
	灣內站	0:04	28.49	49.47	33.24	8.16	9.77	7.2	13.4
		3:04	28.19	48.60	33.22	8.30	8.49	5.4	19.5
		6:04	28.02	50.34	32.47	8.15	4.86	8.5	25.3
		9:04	28.18	50.68	33.73	8.18	7.57	9.9	28.0
		12:04	29.59	49.15	33.07	8.36	15.41	11.5	70.9
		15:04	30.00	50.26	33.85	8.30	16.84	10.2	61.5
		18:04	29.60	50.07	33.71	8.35	14.91	6.1	32.6
		21:04	28.71	49.73	33.49	8.24	10.84	5.8	19.6
	日平均值		28.85	49.79	33.35	8.26	11.09	8.08	33.85
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月18日	蚵殼站	0:04	28.35	51.12	34.00	8.38	7.51	3.6	6.9
		3:04	28.05	51.12	34.00	8.34	7.17	3.1	14.5
		6:04	27.81	51.10	34.00	8.38	6.96	3.3	14.5
		9:04	27.87	51.00	33.93	8.39	7.22	3.4	8.3
		12:04	28.75	51.03	33.92	8.36	7.25	3.6	17.9
		15:04	28.57	51.25	34.08	8.40	7.25	4.8	16.7
		18:04	28.35	51.35	34.16	8.50	7.41	2.7	10.3
		21:04	28.39	51.34	34.15	8.49	7.67	2.0	9.2
	日平均值		28.27	51.16	34.03	8.41	7.31	3.31	12.29
	潮口站	0:04	27.48	52.33	33.49	8.21	8.78	1.8	6.7
		3:04	28.43	51.33	32.72	8.23	12.05	0.4	11.8
		6:04	28.28	51.24	32.67	8.22	10.62	1.9	10.7
		9:04	28.22	51.20	32.64	8.25	9.03	3.7	1.9
		12:04	27.39	51.84	33.15	8.31	8.50	2.0	1.9
		15:04	28.92	51.56	32.90	8.20	10.20	4.1	10.4
		18:04	28.42	51.71	33.02	8.22	9.71	3.6	8.6
		21:04	27.49	51.95	33.24	8.24	8.58	6.8	2.9
	日平均值		28.08	51.65	32.98	8.24	9.68	3.04	6.86
	灣內站	0:04	28.54	50.32	33.92	8.22	9.76	4.3	12.2
		3:04	28.17	50.18	33.82	8.32	8.95	4.4	16.2
		6:04	27.89	49.80	33.57	8.35	7.76	6.0	22.3
		9:04	28.21	48.65	32.74	8.21	9.11	12.2	69.8
		12:04	29.43	49.20	33.10	8.32	16.17	16.8	96.6
		15:04	29.89	49.12	33.03	8.24	17.40	16.2	98.7
		18:04	29.39	50.17	33.79	8.33	13.63	6.3	27.2
		21:04	29.09	49.44	33.27	8.17	12.00	6.9	18.4
	日平均值		28.83	49.61	33.41	8.27	11.85	9.14	45.18
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月19日	蚵殼站	0:04	28.29	51.26	34.11	8.47	7.63	2.2	10.1
		3:04	28.12	50.80	33.76	8.51	7.27	7.5	8.9
		6:04	27.99	50.94	33.87	8.44	7.58	2.7	8.4
		9:04	28.11	51.18	34.05	8.45	7.30	2.5	7.7
		12:04	28.68	50.76	33.72	8.46	7.46	3.1	10.8
		15:04	28.14	51.04	33.93	8.44	7.50	3.5	8.2
		18:04	28.02	50.82	33.79	8.41	7.47	4.3	9.9
		21:04	28.00	51.17	34.05	8.40	7.16	3.1	13.1
	日平均值		28.17	51.00	33.91	8.45	7.42	3.61	9.64
	潮口站	0:04	27.43	52.08	33.34	8.22	8.32	1.9	7.9
		3:04	28.17	51.29	32.74	8.21	10.60	1.2	10.7
		6:04	28.30	50.73	32.33	8.23	11.13	0.3	7.8
		9:04	28.38	50.57	32.21	8.27	11.17	0.6	7.1
		12:04	27.02	51.99	33.31	8.32	7.94	4.6	2.2
		15:04	27.28	52.19	33.45	8.25	8.66	0.0	0.2
		18:04	27.87	51.63	33.01	8.23	9.05	4.1	8.6
		21:04	27.30	51.97	33.29	8.21	7.68	0.6	4.8
	日平均值		27.72	51.56	32.96	8.24	9.32	1.66	6.16
	灣內站	0:04	28.69	50.61	34.12	8.21	9.26	6.9	15.4
		3:04	28.35	48.24	32.43	8.26	7.57	10.7	27.5
		6:04	28.07	48.48	32.61	8.23	8.00	8.9	27.0
		9:04	28.44	47.38	31.83	8.26	9.29	12.8	50.2
		12:04	29.06	47.37	31.80	8.19	14.31	24.6	54.8
		15:04	28.68	48.02	32.27	8.25	11.20	13.0	22.7
		18:04	29.07	46.34	31.08	8.30	13.25	20.6	36.5
		21:04	28.53	48.13	32.35	8.30	10.13	26.5	21.7
	日平均值		28.61	48.07	32.31	8.25	10.38	15.50	31.98
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月20日	蚵殼站	0:04	27.91	51.23	34.08	8.39	7.11	3.0	8.2
		3:04	27.79	51.15	34.03	8.36	6.95	3.3	7.4
		6:04	27.63	50.83	33.81	8.37	6.86	3.8	12.2
		9:04	27.97	50.64	33.66	8.36	7.05	3.1	4.1
		12:04	28.22	50.81	33.77	8.38	7.25	3.1	16.5
		15:04	28.24	50.75	33.73	8.41	7.19	4.2	13.1
		18:04	27.88	50.81	33.79	8.34	7.22	4.4	8.4
		21:04	27.81	50.68	33.69	8.34	6.92	2.1	2.7
	日平均值		27.93	50.86	33.82	8.37	7.07	3.38	9.08
	潮口站	0:04	27.30	52.28	33.53	8.21	7.91	0.1	6.5
		3:04	28.12	51.19	32.71	8.19	9.91	0.7	16.8
		6:04	28.00	50.76	32.39	8.18	8.69	7.7	2.7
		9:04	28.23	50.62	32.29	8.18	8.97	3.7	8.9
		12:04	27.50	51.81	33.20	8.24	8.17	1.4	5.0
		15:04	27.58	52.15	33.45	8.21	8.30	5.0	1.2
		18:04	27.48	52.42	33.66	8.20	8.31	6.6	6.3
		21:04	27.50	52.11	33.44	8.18	8.00	2.3	3.4
	日平均值		27.71	51.67	33.08	8.20	8.53	3.44	6.35
	灣內站	0:04	28.48	49.03	32.98	8.31	8.77	41.8	23.4
		3:04	28.14	45.93	30.82	8.27	7.93	43.8	12.7
		6:04	28.10	46.82	31.44	8.36	7.55	22.7	13.4
		9:04	28.55	46.53	31.22	8.19	6.10	51.4	19.5
		12:04	28.74	47.19	31.68	8.25	10.71	32.8	22.6
		15:04	28.67	49.36	33.21	8.11	10.86	15.1	17.8
		18:04	28.55	48.56	32.65	8.08	9.93	17.7	12.1
		21:04	28.42	42.84	28.67	8.14	9.09	14.8	9.0
	日平均值		28.46	47.03	31.58	8.21	8.87	30.01	16.31
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月21日	蚵殼站	0:04	27.91	50.56	33.60	8.33	7.06	3.7	9.8
		3:04	27.82	50.69	33.70	8.25	6.75	2.9	7.9
		6:04	27.54	50.54	33.59	8.32	6.96	3.6	8.3
		9:04	27.39	50.63	33.67	8.28	6.84	3.8	7.6
		12:04	27.79	50.66	33.67	8.36	7.01	4.5	11.5
		15:04	28.16	49.87	33.09	8.35	7.36	8.0	21.6
		18:04	27.73	50.51	33.57	8.34	7.05	2.6	7.6
		21:04	27.64	50.18	33.34	8.33	7.16	2.5	4.2
	日平均值		27.75	50.46	33.53	8.32	7.02	3.95	9.81
	潮口站	0:04	27.37	52.43	33.66	8.17	7.71	0.1	3.2
		3:04	27.31	52.48	33.72	8.18	7.62	2.3	1.1
		6:04	27.88	51.14	32.71	8.15	8.64	3.4	1.9
		9:04	27.82	51.02	32.64	8.16	8.34	9.5	6.3
		12:04	27.46	51.86	33.26	8.18	7.91	4.0	6.7
		15:04	27.79	52.00	33.37	8.15	8.43	0.1	4.5
		18:04	27.77	51.88	33.29	8.15	8.57	3.4	5.8
		21:04	27.85	51.69	33.16	8.15	8.96	2.1	1.8
	日平均值		27.66	51.81	33.23	8.16	8.27	3.11	3.91
	灣內站	0:04	28.28	45.06	30.20	8.11	8.03	12.6	13.0
		3:04	28.11	45.34	30.40	8.16	7.85	13.7	17.2
		6:04	27.98	46.91	31.50	8.12	7.31	11.9	13.1
		9:04	27.88	45.12	30.25	8.12	5.54	20.1	22.9
		12:04	27.96	47.14	31.66	8.27	5.78	9.5	18.8
		15:04	28.10	46.94	31.52	8.18	9.39	9.2	13.6
		18:04	28.24	44.75	29.99	8.21	10.07	8.8	23.0
		21:04	27.97	43.99	29.46	8.23	8.05	10.6	12.9
	日平均值		28.07	45.66	30.62	8.18	7.75	12.05	16.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月22日	蚵殼站	0:04	27.54	50.12	33.33	8.33	6.84	2.1	3.2
		3:04	27.43	50.79	33.81	8.31	7.01	1.7	5.4
		6:04	27.29	50.79	33.82	8.31	6.87	4.6	6.2
		9:04	27.23	50.03	33.25	8.34	7.19	2.7	8.9
		12:04	27.72	49.25	32.67	8.42	7.39	2.4	9.8
		15:04	27.78	50.19	33.34	8.31	7.21	4.0	7.2
		18:04	27.61	49.62	32.93	8.36	7.32	3.2	11.4
		21:04	27.41	48.80	32.35	8.33	7.34	3.2	5.9
	日平均值		27.50	49.95	33.19	8.34	7.15	2.99	7.25
	潮口站	0:04	27.67	51.66	33.14	8.14	7.74	1.8	0.1
		3:04	27.64	52.60	33.84	8.15	7.74	0.0	2.8
		6:04	27.38	51.94	33.37	8.16	8.05	2.0	5.3
		9:04	27.43	51.82	33.29	8.16	8.91	1.3	2.6
		12:04	27.64	51.93	33.37	8.14	7.89	4.0	2.8
		15:04	27.92	50.81	32.54	8.11	8.45	1.1	2.2
		18:04	27.85	52.26	33.62	8.11	8.43	2.8	5.9
		21:04	27.87	52.31	33.66	8.08	7.85	10.0	7.0
	日平均值		27.68	51.92	33.35	8.13	8.13	2.88	3.59
	灣內站	0:04	27.82	46.30	31.08	8.25	6.03	10.9	12.2
		3:04	27.56	46.05	30.90	8.31	4.91	11.9	21.8
		6:04	27.39	44.71	29.98	8.31	4.88	11.0	22.8
		9:04	27.48	44.69	29.96	8.26	5.18	12.3	17.3
		12:04	28.17	44.32	29.68	8.37	8.70	9.4	14.1
		15:04	28.27	47.29	31.76	8.29	10.09	9.7	14.8
		18:04	28.11	46.31	31.08	8.19	9.39	11.5	8.8
		21:04	28.43	47.70	32.04	8.23	9.54	13.1	24.2
	日平均值		27.90	45.92	30.81	8.28	7.34	11.23	17.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月23日	蚵殼站	0:04	27.44	49.22	32.68	8.43	7.37	3.8	8.6
		3:04	27.51	48.72	32.31	8.40	7.26	4.0	11.5
		6:04	27.16	49.03	32.54	8.35	7.13	4.3	7.7
		9:04	27.34	49.47	32.85	8.36	7.31	4.5	19.5
		12:04	27.70	49.94	33.17	8.40	7.63	5.0	19.6
		15:04	27.78	49.70	32.99	8.32	7.30	18.9	14.7
		18:04	27.74	49.94	33.16	8.37	7.34	5.3	4.7
		21:04	27.71	50.07	33.26	8.28	7.32	4.0	6.9
	日平均值		27.55	49.51	32.87	8.36	7.33	6.23	11.65
	潮口站	0:04	27.72	51.91	33.37	8.09	7.32	6.0	3.7
		3:04	27.52	52.49	33.83	8.13	7.33	1.9	1.4
		6:04	27.43	49.56	32.67	8.12	7.75	4.9	6.5
		9:04	27.56	49.61	32.71	8.12	9.34	0.7	5.9
		12:04	28.25	49.90	32.91	8.10	9.58	3.8	8.8
		15:04	27.62	49.38	32.55	8.12	8.31	2.6	1.8
		18:04	27.73	52.61	34.20	8.11	8.02	1.6	4.3
		21:04	27.72	51.46	33.36	8.08	8.43	12.2	5.4
	日平均值		27.69	50.87	33.20	8.11	8.26	4.21	4.73
	灣內站	0:04	28.11	45.32	30.38	8.27	7.33	12.1	22.5
		3:04	27.83	51.34	34.61	8.25	8.43	14.5	9.6
		6:04	27.59	49.77	33.51	8.28	7.10	13.8	9.5
		9:04	27.75	51.19	34.50	8.18	6.41	17.5	11.1
		12:04	28.30	51.02	34.37	8.13	10.74	17.0	17.4
		15:04	28.48	49.43	33.25	8.23	12.05	16.6	22.1
		18:04	28.31	49.82	33.53	8.15	10.76	17.9	16.8
		21:04	28.41	51.10	34.42	8.23	9.53	22.8	21.1
	日平均值		28.10	49.87	33.57	8.22	9.04	16.53	16.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月24日	蚵殼站	0:04	27.56	51.36	34.17	8.33	7.28	3.6	3.8
		3:04	27.64	52.31	34.85	8.33	7.35	4.5	10.5
		6:04	27.46	49.31	32.71	8.31	7.45	4.6	10.1
		9:04	27.55	50.67	33.68	8.29	7.34	5.1	8.5
		12:04	28.32	49.38	32.45	8.32	7.42	4.7	15.8
		15:04	28.03	49.14	32.29	8.33	7.54	5.2	19.6
		18:04	27.72	52.26	34.51	8.23	7.23	5.0	15.3
		21:04	27.63	51.22	33.77	8.26	7.31	4.0	11.8
	日平均值		27.74	50.71	33.55	8.30	7.37	4.59	11.93
	潮口站	0:04	27.73	51.56	33.43	8.08	7.46	13.4	1.8
		3:04	27.34	52.63	34.24	8.13	7.70	6.6	4.5
		6:04	27.32	50.81	33.29	8.14	7.63	10.5	3.8
		9:04	27.27	48.73	31.77	8.08	7.29	17.0	9.6
		12:04	28.32	49.75	32.49	8.11	11.50	1.8	15.0
		15:04	27.60	48.90	31.90	8.13	8.07	5.6	2.7
		18:04	27.48	51.63	33.92	8.12	8.28	8.6	3.6
		21:04	27.49	49.95	32.68	8.12	8.80	6.5	2.1
	日平均值		27.57	50.50	32.97	8.11	8.34	8.75	5.39
	灣內站	0:04	28.26	50.65	34.10	8.17	8.68	72.4	18.7
		3:04	28.17	50.59	34.07	8.32	8.44	72.2	15.8
		6:04	27.87	50.56	34.06	8.18	7.83	61.3	16.0
		9:04	27.83	50.66	34.12	8.21	8.13	54.6	12.5
		12:04	28.74	50.69	34.13	8.24	9.79	86.9	12.7
		15:04	28.52	50.37	33.90	8.39	12.40	46.0	23.3
		18:04	28.35	50.18	33.78	8.34	10.13	26.9	16.8
		21:04	28.43	49.99	33.63	8.23	10.36	37.9	11.8
	日平均值		28.27	50.46	33.97	8.26	9.47	57.28	15.95
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月25日	蚵殼站	0:04	27.59	48.93	32.45	8.23	7.49	3.5	17.7
		3:04	27.43	48.96	32.48	8.25	7.46	4.8	21.0
		6:04	27.15	47.71	31.60	8.27	7.22	7.2	22.2
		9:04	27.16	49.60	32.93	8.28	7.26	4.9	19.5
		12:04	27.72	49.66	32.96	8.30	7.71	6.6	27.6
		15:04	27.84	49.18	32.62	8.31	7.73	4.7	31.6
		18:04	27.60	50.89	33.83	8.25	7.61	3.1	20.2
		21:04	27.10	51.28	34.13	8.34	7.63	8.6	20.2
	日平均值		27.45	49.53	32.88	8.28	7.51	5.43	22.50
	潮口站	0:04	27.77	48.23	31.43	8.11	9.49	3.3	5.6
		3:04	27.34	48.97	31.99	8.11	8.15	12.3	0.6
		6:04	27.01	50.91	33.43	8.15	7.83	9.9	2.5
		9:04	26.77	50.12	32.88	8.12	7.09	15.0	12.6
		12:04	27.88	50.17	32.87	8.07	9.44	44.8	8.0
		15:04	27.24	50.05	32.82	8.14	8.25	5.7	2.1
		18:04	27.39	51.15	33.63	8.10	8.45	4.4	8.6
		21:04	27.21	50.88	33.46	8.14	9.35	10.3	7.3
	日平均值		27.33	50.06	32.81	8.12	8.51	13.21	5.91
	灣內站	0:04	28.23	49.54	33.32	8.31	8.52	41.4	18.6
		3:04	27.95	49.97	33.64	8.47	5.97	52.5	8.4
		6:04	27.73	49.71	33.47	8.38	7.16	55.9	16.1
		9:04	27.78	50.00	33.68	8.47	5.32	55.5	17.1
		12:04	28.38	49.46	33.29	8.33	12.28	49.2	49.6
		15:04	28.75	49.77	33.50	8.26	11.99	43.3	31.4
		18:04	28.36	49.42	33.26	8.28	12.16	39.4	17.4
		21:04	28.13	50.09	33.74	8.25	10.10	40.4	22.3
	日平均值		28.16	49.75	33.49	8.34	9.19	47.20	22.61
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月26日	蚵殼站	0:04	27.06	50.79	33.77	8.30	7.37	4.5	27.6
		3:04	26.94	49.29	32.73	8.33	7.57	12.6	18.6
		6:04	26.60	47.65	31.60	8.36	7.58	9.3	21.6
		9:04	26.51	48.50	32.20	8.38	7.48	5.1	23.4
		12:04	27.03	51.27	33.59	8.27	7.24	5.1	21.0
		15:04	26.97	51.39	33.68	8.26	7.20	4.6	19.5
		18:04	26.72	51.42	33.71	8.28	7.15	3.2	9.1
		21:04	26.50	51.51	33.78	8.28	7.24	3.6	7.1
	日平均值		26.79	50.23	33.13	8.31	7.35	6.00	18.49
	潮口站	0:04	27.21	49.49	32.44	8.10	8.93	10.5	12.0
		3:04	27.25	50.30	33.04	8.08	8.95	10.9	4.5
		6:04	26.65	48.96	32.08	8.11	7.70	7.5	2.7
		9:04	26.58	49.79	32.71	8.15	8.25	10.7	5.8
		12:04	27.07	50.71	33.38	8.18	10.19	6.5	14.0
		15:04	26.95	51.57	33.93	8.27	6.62	8.0	0.1
		18:04	27.00	51.44	33.84	8.32	6.31	2.7	2.9
		21:04	26.74	51.23	33.69	8.36	7.40	3.7	6.1
	日平均值		26.93	50.44	33.14	8.20	8.04	7.56	6.01
	灣內站	0:04	27.94	49.73	33.51	8.43	9.23	34.0	25.7
		3:04	27.50	49.69	33.50	8.35	7.23	30.8	23.9
		6:04	27.20	50.40	34.00	8.33	7.67	29.3	26.1
		9:04	27.03	49.75	33.57	8.37	7.79	29.0	18.9
		12:04	27.14	50.13	33.57	8.22	8.17	7.0	22.7
		15:04	27.40	50.95	33.58	8.14	9.61	9.7	17.2
		18:04	27.24	50.89	33.54	8.11	8.82	10.3	16.7
		21:04	26.98	50.80	33.49	8.25	8.90	11.0	20.3
	日平均值		27.30	50.29	33.60	8.28	8.43	20.14	21.44
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月27日	蚵殼站	0:04	26.22	51.36	33.68	8.25	7.25	5.5	10.2
		3:04	26.07	51.38	33.69	8.29	6.86	4.5	8.8
		6:04	25.67	51.35	33.68	8.17	6.90	3.0	8.6
		9:04	25.83	51.32	33.66	8.25	6.83	5.2	8.3
		12:04	25.89	51.24	33.65	8.19	6.92	5.1	7.0
		15:04	25.96	51.49	33.84	8.28	7.08	3.2	7.6
		18:04	25.75	51.57	33.91	8.24	6.99	3.8	10.9
		21:04	25.69	51.52	33.87	8.29	7.14	9.0	12.1
	日平均值		25.89	51.40	33.75	8.25	7.00	4.91	9.19
	潮口站	0:04	26.54	51.34	33.86	8.34	6.64	10.0	5.6
		3:04	26.45	51.17	33.73	8.30	6.65	4.4	3.7
		6:04	26.20	51.33	33.86	8.17	6.36	11.1	1.4
		9:04	26.18	51.33	33.86	8.25	6.41	2.4	0.2
		12:04	26.43	51.82	34.24	8.28	6.91	3.4	0.8
		15:04	26.20	51.78	34.21	8.31	6.55	4.7	5.2
		18:04	26.86	47.84	31.32	8.28	6.71	0.4	4.5
		21:04	26.41	48.09	31.51	8.33	6.70	1.0	5.2
	日平均值		26.41	50.59	33.32	8.28	6.62	4.68	3.33
	灣內站	0:04	26.58	50.85	33.53	8.19	7.52	11.4	17.2
		3:04	26.33	50.81	33.51	8.35	7.00	9.8	13.0
		6:04	26.09	50.79	33.50	8.36	7.17	9.0	16.3
		9:04	26.04	50.82	33.52	8.40	7.33	6.9	6.6
		12:04	26.06	50.28	33.58	8.30	10.34	8.4	27.0
		15:04	26.23	50.26	33.55	8.23	9.79	7.3	23.4
		18:04	26.02	50.37	33.64	8.26	8.64	7.5	20.9
		21:04	25.88	50.62	33.83	8.28	8.02	6.2	14.6
	日平均值		26.15	50.60	33.58	8.30	8.23	8.31	17.38
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月28日	蚵殼站	0:04	25.59	51.39	33.78	8.31	7.10	3.7	10.1
		3:04	25.34	51.34	33.74	8.34	7.19	4.7	6.5
		6:04	25.11	51.37	33.77	8.22	7.01	4.2	6.7
		9:04	25.07	51.33	33.74	8.28	7.05	3.2	8.9
		12:04	25.62	51.22	33.65	8.25	7.25	3.9	13.3
		15:04	25.51	51.22	33.65	8.25	7.38	3.8	12.4
		18:04	25.79	51.64	33.95	8.23	7.17	4.7	3.3
		21:04	25.50	51.50	33.86	8.22	7.17	3.7	3.2
	日平均值		25.44	51.38	33.77	8.26	7.17	3.99	8.05
	潮口站	0:04	26.11	48.96	32.15	8.36	6.93	5.9	5.8
		3:04	25.90	47.56	31.14	8.37	7.01	8.4	0.3
		6:04	26.24	48.22	31.61	8.13	6.25	3.0	2.4
		9:04	26.45	50.05	32.94	8.22	6.39	1.1	4.6
		12:04	26.53	51.87	34.27	8.27	6.61	4.3	2.6
		15:04	26.36	51.76	34.20	8.32	6.67	4.7	2.2
		18:04	26.93	48.09	31.50	8.28	6.51	4.0	1.0
		21:04	26.75	48.02	31.45	8.31	6.56	0.3	0.0
	日平均值		26.41	49.32	32.41	8.28	6.62	3.96	2.36
	灣內站	0:04	25.73	50.76	33.94	8.32	7.65	5.6	19.0
		3:04	25.64	50.96	34.09	8.37	6.26	8.8	12.6
		6:04	25.42	50.91	34.06	8.40	6.79	7.6	7.8
		9:04	25.28	50.90	34.05	8.33	6.98	8.5	8.3
		12:04	25.98	51.00	34.11	8.30	8.47	5.4	9.5
		15:04	25.85	50.93	34.06	8.22	8.80	5.4	14.0
		18:04	25.67	50.92	34.06	8.17	8.63	8.2	7.3
		21:04	25.42	50.68	33.88	8.15	7.53	7.9	10.2
	日平均值		25.62	50.88	34.03	8.28	7.64	7.18	11.09
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月29日	蚵殼站	0:04	24.97	51.12	33.59	8.17	7.09	3.4	7.0
		3:04	24.78	50.89	33.42	8.20	7.08	2.9	6.5
		6:04	24.66	50.85	33.40	8.22	7.07	3.1	3.5
		9:04	24.77	50.56	33.18	8.21	7.12	3.4	4.6
		12:04	24.90	50.31	33.00	8.26	7.29	3.7	9.4
		15:04	25.49	50.65	33.23	8.27	7.25	3.6	7.0
		18:04	25.52	50.87	33.39	8.20	7.26	4.0	7.0
		21:04	25.51	49.75	32.57	8.29	7.24	3.4	3.6
	日平均值		25.08	50.63	33.22	8.23	7.18	3.44	6.08
	潮口站	0:04	26.31	51.75	34.19	8.33	6.57	5.3	4.2
		3:04	26.01	47.73	31.26	8.33	6.56	6.9	1.8
		6:04	25.83	51.60	34.09	8.18	6.03	12.7	0.4
		9:04	26.65	51.86	34.27	8.16	6.30	5.8	0.9
		12:04	26.65	51.75	34.18	8.25	6.31	5.0	3.1
		15:04	26.54	51.50	34.00	8.32	6.63	4.8	0.7
		18:04	26.81	47.47	31.05	8.29	6.48	1.5	2.0
		21:04	26.74	47.43	31.02	8.30	6.49	0.7	1.3
	日平均值		26.44	50.14	33.01	8.27	6.42	5.34	1.80
	灣內站	0:04	25.42	50.78	33.96	8.19	7.65	7.0	7.9
		3:04	25.20	50.70	33.91	8.25	6.99	63.5	6.3
		6:04	24.40	49.35	32.93	8.40	5.91	9.2	20.9
		9:04	25.21	50.63	33.86	8.24	7.72	8.6	22.2
		12:04	25.64	50.17	33.50	8.15	10.59	8.9	33.1
		15:04	26.00	50.07	33.42	8.26	11.66	9.5	38.3
		18:04	25.56	50.34	33.63	8.21	9.06	7.9	16.3
		21:04	25.37	50.41	33.69	8.23	7.60	5.9	9.3
	日平均值		25.35	50.31	33.61	8.24	8.40	15.06	19.29
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月30日	蚵殼站	0:04	25.20	49.52	32.41	8.37	7.51	3.8	4.8
		3:04	24.93	49.91	32.70	8.25	7.34	3.0	3.1
		6:04	24.86	48.77	31.87	8.30	7.13	3.3	3.8
		9:04	25.09	49.23	32.20	8.25	7.11	4.0	6.2
		12:04	25.49	49.26	32.21	8.26	7.27	3.5	3.7
		15:04	25.54	49.05	32.06	8.30	7.22	3.6	0.9
		18:04	25.55	48.58	31.71	8.30	7.19	4.2	3.6
		21:04	25.49	48.86	31.92	8.27	7.05	2.8	5.5
	日平均值		25.27	49.15	32.14	8.29	7.23	3.53	3.95
	潮口站	0:04	26.32	51.35	33.89	8.32	6.34	7.6	1.2
		3:04	26.12	48.68	31.94	8.30	6.24	9.9	1.1
		6:04	25.92	48.39	31.74	8.14	6.26	13.7	4.7
		9:04	26.28	51.32	33.87	8.20	6.16	49.3	41.1
		12:04	26.55	51.29	33.85	8.27	6.33	5.0	1.5
		15:04	26.69	51.10	33.70	8.27	6.22	3.9	3.4
		18:04	26.84	47.27	30.90	8.28	6.63	1.5	1.9
		21:04	26.67	46.80	30.57	8.29	6.46	1.4	0.5
	日平均值		26.42	49.53	32.56	8.26	6.33	11.54	6.93
	灣內站	0:04	25.23	50.28	33.59	8.26	7.89	6.2	5.7
		3:04	25.08	50.40	33.69	8.22	6.80	6.3	10.7
		6:04	24.99	50.42	33.70	8.34	6.06	7.2	6.5
		9:04	25.18	50.32	33.63	8.25	7.17	7.2	17.9
		12:04	26.42	49.09	32.69	8.26	11.49	10.8	41.4
		15:04	26.39	49.75	33.18	8.28	13.62	8.2	35.0
		18:04	26.19	49.47	32.97	8.25	13.49	7.3	39.2
		21:04	25.93	49.67	33.13	8.20	9.39	5.7	16.0
	日平均值		25.68	49.93	33.32	8.26	9.49	7.36	21.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月1日	蚵殼站	0:04	25.12	50.68	33.28	8.29	7.31	3.0	0.8
		3:04	25.23	50.43	33.10	8.37	7.35	2.4	1.6
		6:04	25.16	51.46	33.84	8.36	7.32	3.3	4.0
		9:04	25.11	51.71	34.03	8.36	7.05	5.7	4.9
		12:04	25.70	51.56	33.90	8.28	7.15	3.0	4.2
		15:04	25.83	51.62	33.94	8.38	7.62	3.7	11.4
		18:04	25.34	51.69	34.00	8.38	7.16	3.7	2.8
		21:04	25.51	51.00	33.49	8.31	7.14	3.9	3.8
	日平均值		25.38	51.27	33.70	8.34	7.26	3.59	4.19
	潮口站	0:04	26.49	49.53	32.56	8.31	6.47	4.0	2.0
		3:04	26.14	47.20	30.87	8.29	6.06	13.1	3.7
		6:04	26.02	50.54	33.31	8.35	7.03	4.0	0.9
		9:04	26.23	51.12	33.73	8.28	6.30	6.6	2.8
		12:04	26.60	49.86	32.80	8.28	6.38	4.8	1.7
		15:04	26.86	51.13	33.72	8.28	6.39	2.0	1.1
		18:04	26.86	49.05	32.20	8.28	6.57	0.7	1.2
		21:04	26.62	46.92	30.65	8.30	6.67	2.0	3.4
	日平均值		26.48	49.42	32.48	8.30	6.48	4.65	2.10
	灣內站	0:04	25.87	50.75	33.19	8.14	8.82	6.7	17.7
		3:04	25.78	51.11	33.45	8.13	7.02	6.6	24.6
		6:04	25.56	51.41	33.68	8.13	5.26	7.9	20.0
		9:04	25.53	51.45	33.71	8.18	5.99	7.3	19.9
		12:04	26.29	51.50	33.72	8.16	9.50	4.8	20.7
		15:04	26.75	50.69	33.11	8.11	14.91	10.2	76.6
		18:04	26.51	50.68	33.11	8.08	12.08	9.1	29.3
		21:04	26.09	51.02	33.37	8.14	8.76	6.8	19.5
	日平均值		26.05	51.08	33.42	8.13	9.04	7.43	28.54
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月2日	蚵殼站	0:04	25.51	51.26	33.68	8.24	7.11	3.2	1.7
		3:04	25.48	51.12	33.57	8.26	7.31	3.1	3.8
		6:04	25.24	50.95	33.46	8.27	7.48	2.5	4.7
		9:04	25.31	52.12	34.30	8.25	7.32	3.4	6.7
		12:04	25.86	51.96	34.17	8.30	7.53	2.5	8.8
		15:04	25.58	51.43	33.79	8.40	7.39	2.6	8.4
		18:04	25.46	51.27	33.67	8.30	7.38	2.7	3.4
		21:04	25.33	51.34	33.73	8.25	7.17	4.3	2.1
	日平均值		25.47	51.43	33.80	8.28	7.34	3.04	4.95
	潮口站	0:04	26.57	47.17	30.84	8.30	6.58	0.1	0.7
		3:04	26.27	51.09	33.71	8.30	6.42	5.0	0.6
		6:04	26.19	50.83	33.52	8.33	7.01	3.5	4.1
		9:04	26.15	50.66	33.40	8.31	6.55	6.2	4.7
		12:04	26.67	50.69	33.40	8.28	6.63	1.1	1.3
		15:04	26.72	50.74	33.44	8.30	6.92	4.6	5.1
		18:04	26.72	46.24	30.16	8.26	6.87	0.7	9.3
		21:04	26.56	48.24	31.62	8.28	6.56	0.4	7.1
	日平均值		26.48	49.46	32.51	8.30	6.69	2.70	4.11
	灣內站	0:04	26.14	51.23	33.52	8.27	8.31	92.8	22.3
		3:04	25.83	51.65	33.84	8.14	7.03	28.6	27.7
		6:04	25.62	51.78	33.94	8.13	5.46	21.2	27.4
		9:04	25.60	51.56	33.78	8.17	6.62	16.8	38.9
		12:04	26.34	51.50	33.71	8.10	13.12	9.0	58.3
		15:04	26.37	51.29	33.55	8.16	12.03	10.5	32.1
		18:04	26.30	51.18	33.47	8.03	10.80	7.6	28.3
		21:04	26.09	51.50	33.71	8.02	9.97	7.4	19.9
	日平均值		26.04	51.46	33.69	8.13	9.17	24.24	31.86
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月3日	蚵殼站	0:04	25.46	51.54	33.87	8.23	7.24	4.2	4.8
		3:04	25.18	51.13	33.58	8.27	7.38	4.9	2.7
		6:04	25.16	51.15	33.59	8.31	7.41	3.8	6.2
		9:04	25.20	50.83	33.35	8.36	7.34	3.6	8.0
		12:04	25.75	51.21	33.61	8.37	7.50	3.4	6.3
		15:04	25.57	51.06	33.51	8.30	7.44	2.8	7.4
		18:04	25.35	50.89	33.39	8.34	7.46	2.7	2.5
		21:04	25.25	51.13	33.56	8.38	7.45	3.4	2.5
	日平均值		25.37	51.12	33.56	8.32	7.40	3.60	5.05
	潮口站	0:04	26.44	46.53	30.38	8.28	6.54	0.4	1.9
		3:04	26.27	50.57	33.33	8.28	6.62	3.5	3.1
		6:04	26.03	50.38	33.19	8.28	6.45	6.6	3.8
		9:04	26.05	50.29	33.13	8.29	6.48	4.6	8.4
		12:04	26.43	50.56	33.31	8.27	6.65	0.1	1.6
		15:04	26.51	50.54	33.29	8.26	6.77	2.2	14.8
		18:04	26.33	50.68	33.39	8.27	6.68	5.4	13.8
		21:04	26.36	50.43	33.21	8.25	6.49	0.0	2.7
	日平均值		26.30	50.00	32.90	8.27	6.59	2.85	6.26
	灣內站	0:04	25.99	51.80	33.93	8.15	9.02	6.6	24.2
		3:04	25.80	52.09	34.15	8.10	7.88	48.3	20.4
		6:04	25.61	52.20	34.24	8.07	7.26	10.5	21.6
		9:04	25.60	52.16	34.20	8.09	7.54	10.3	11.5
		12:04	25.89	52.39	34.36	7.98	7.63	7.9	4.1
		15:04	26.29	51.98	34.05	8.15	13.09	7.2	35.2
		18:04	26.13	51.79	33.91	8.21	12.25	5.7	20.6
		21:04	25.86	51.46	33.67	8.14	9.82	8.6	12.7
	日平均值		25.90	51.98	34.06	8.11	9.31	13.14	18.79
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月4日	蚵殼站	0:04	25.23	50.92	33.41	8.39	7.59	2.5	5.5
		3:04	25.14	50.95	33.43	8.38	7.53	3.1	7.6
		6:04	25.11	50.79	33.33	8.42	7.40	3.3	4.8
		9:04	25.32	50.81	33.33	8.45	7.64	4.0	30.8
		12:04	25.80	51.59	33.89	8.40	7.78	3.3	13.1
		15:04	25.82	51.78	34.02	8.28	7.33	3.6	5.5
		18:04	25.70	50.96	33.43	8.30	7.40	2.7	6.8
		21:04	25.60	50.72	33.26	8.27	7.23	2.1	5.9
	日平均值		25.47	51.07	33.51	8.36	7.49	3.08	10.00
	潮口站	0:04	26.36	50.62	33.36	8.25	6.56	1.4	7.5
		3:04	26.31	50.77	33.46	8.26	6.55	1.8	4.1
		6:04	25.43	50.12	33.00	8.38	7.83	2.8	3.1
		9:04	25.52	49.97	32.89	8.39	8.42	0.6	5.9
		12:04	26.37	50.73	33.42	8.27	6.80	4.3	8.8
		15:04	26.48	50.75	33.44	8.24	7.11	0.9	13.9
		18:04	26.32	50.98	33.61	8.25	7.18	1.7	16.6
		21:04	25.70	50.31	33.14	8.29	6.71	7.3	4.5
	日平均值		26.06	50.53	33.29	8.29	7.15	2.60	8.05
	灣內站	0:04	25.83	52.05	34.11	8.18	9.14	9.3	21.3
		3:04	25.79	52.45	34.41	8.21	8.82	11.6	41.5
		6:04	25.80	52.81	34.67	8.27	7.42	9.3	18.5
		9:04	25.70	51.28	33.54	8.02	9.05	9.9	29.3
		12:04	26.66	51.76	33.87	7.93	13.81	38.9	33.7
		15:04	26.53	52.00	34.04	8.00	12.41	7.0	32.8
		18:04	26.56	52.35	34.31	8.08	11.19	25.8	29.9
		21:04	26.25	51.82	33.93	8.06	11.24	8.2	18.2
	日平均值		26.14	52.07	34.11	8.09	10.39	15.00	28.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月5日	蚵殼站	0:04	25.59	50.86	33.36	8.39	7.69	3.6	10.8
		3:04	25.43	50.69	33.24	8.40	7.64	2.8	8.5
		6:04	25.32	50.64	33.20	8.39	7.62	3.0	2.0
		9:04	25.36	51.57	33.88	8.34	7.67	3.0	5.9
		12:04	25.54	51.43	33.77	8.36	7.65	2.4	0.1
		15:04	25.66	51.47	33.81	8.35	7.62	3.8	5.9
		18:04	25.62	50.33	32.98	8.30	7.41	3.8	2.8
		21:04	25.60	50.61	33.18	8.30	7.29	3.6	2.5
	日平均值		25.52	50.95	33.43	8.35	7.57	3.25	4.81
	潮口站	0:04	26.18	50.71	33.41	8.22	6.62	0.5	10.2
		3:04	26.26	51.29	33.83	8.23	6.70	0.1	3.6
		6:04	25.45	50.47	33.26	8.33	7.11	7.4	4.5
		9:04	25.55	49.90	32.84	8.36	8.08	0.1	20.4
		12:04	26.36	50.75	33.44	8.25	6.82	3.7	3.4
		15:04	26.54	49.88	32.80	8.22	7.05	0.6	48.8
		18:04	26.51	50.46	33.22	8.23	7.01	1.4	2.1
		21:04	25.94	49.74	32.71	8.30	7.71	1.7	7.9
	日平均值		26.10	50.40	33.19	8.27	7.14	1.94	12.61
	灣內站	0:04	25.98	52.23	34.24	8.03	9.27	11.6	29.4
		3:04	25.75	52.43	34.39	8.14	8.72	7.0	14.8
		6:04	25.69	52.64	34.54	8.30	7.94	8.0	21.0
		9:04	25.72	52.73	34.60	8.05	7.78	10.9	11.8
		12:04	26.01	52.64	34.53	8.29	10.14	7.0	25.4
		15:04	26.12	52.49	34.42	8.04	11.10	6.8	18.0
		18:04	25.96	52.46	34.40	8.14	9.86	6.9	8.2
		21:04	25.85	52.32	34.31	8.06	9.34	5.9	8.9
	日平均值		25.89	52.49	34.43	8.13	9.27	8.01	17.19
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月6日	蚵殼站	0:04	25.51	51.43	33.78	8.36	7.31	3.4	1.5
		3:04	25.40	51.14	33.56	8.38	7.33	3.6	1.0
		6:04	25.29	51.01	33.48	8.31	7.25	5.6	3.1
		9:04	25.13	51.60	33.91	8.34	7.28	4.9	0.9
		12:04	25.48	51.56	33.88	8.36	7.23	4.1	3.0
		15:04	25.63	50.71	33.26	8.26	7.43	3.5	7.7
		18:04	25.62	50.26	32.93	8.30	7.43	4.6	2.8
	21:04	25.48	50.72	33.26	8.39	7.24	3.8	6.2	
	日平均值		25.44	51.05	33.51	8.34	7.31	4.19	3.28
	潮口站	0:04	25.96	49.73	32.70	8.26	7.02	2.4	3.1
		3:04	26.29	50.34	33.13	8.20	6.53	1.1	2.5
		6:04	25.67	49.55	32.57	8.25	6.81	10.2	0.7
		9:04	25.54	49.34	32.42	8.28	6.99	6.8	8.0
		12:04	26.09	49.30	32.39	8.23	6.66	23.7	4.1
		15:04	26.77	50.28	33.08	8.16	6.56	4.9	6.6
		18:04	26.71	50.35	33.14	8.18	6.65	5.1	1.1
	21:04	25.82	49.44	32.49	8.25	6.84	4.7	5.9	
	日平均值		26.11	49.79	32.74	8.23	6.76	7.36	4.00
	灣內站	0:04	25.77	52.39	34.35	8.07	9.10	6.5	8.5
		3:04	25.66	52.14	34.17	8.21	8.99	6.9	9.6
		6:04	25.55	52.24	34.25	8.11	8.40	7.2	15.7
		9:04	25.46	52.04	34.11	8.04	8.19	9.1	18.6
		12:04	25.80	51.95	34.03	8.17	9.46	7.7	15.4
		15:04	25.83	51.75	33.88	8.15	9.33	7.3	12.0
		18:04	25.83	51.22	33.50	8.05	9.52	8.0	12.9
	21:04	25.66	51.28	33.55	8.08	8.73	10.5	16.5	
	日平均值		25.70	51.88	33.98	8.11	8.97	7.90	13.65
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月7日	蚵殼站	0:04	25.37	51.03	33.50	8.48	7.32	3.2	2.0
		3:04	25.35	50.96	33.45	8.34	7.41	4.2	1.2
		6:04	24.95	50.81	33.34	8.35	7.33	3.6	8.8
		9:04	24.89	50.59	33.19	8.38	7.41	6.0	6.5
		12:04	25.41	50.85	33.37	8.43	7.71	3.2	6.0
		15:04	25.42	50.97	33.47	8.33	7.68	3.4	4.4
		18:04	25.30	50.40	33.06	8.42	7.40	2.9	0.3
	21:04	25.15	51.58	33.91	8.38	7.47	7.0	5.8	
	日平均值		25.23	50.90	33.41	8.39	7.47	4.19	4.38
	潮口站	0:04	25.81	50.05	32.94	8.27	6.70	3.2	8.8
		3:04	26.18	50.16	33.01	8.12	6.39	2.1	5.0
		6:04	25.90	50.67	33.38	8.16	6.62	4.0	3.7
		9:04	25.56	49.34	32.43	8.21	6.79	3.2	6.4
		12:04	25.61	49.67	32.66	8.20	6.35	8.3	12.4
		15:04	26.29	50.20	33.04	8.13	6.88	4.8	21.5
		18:04	26.22	51.00	33.62	8.12	6.94	1.8	11.6
	21:04	25.81	50.60	33.34	8.20	7.32	5.7	12.3	
	日平均值		25.92	50.21	33.05	8.18	6.75	4.14	10.21
	灣內站	0:04	25.52	51.24	33.52	8.17	7.18	9.2	25.7
		3:04	25.40	51.50	33.71	8.11	6.20	9.9	15.6
		6:04	25.35	51.70	33.87	8.12	5.67	10.0	21.8
		9:04	25.26	51.36	33.61	8.06	6.58	25.3	24.9
		12:04	25.69	51.44	33.66	8.05	11.03	12.7	74.3
		15:04	25.77	51.46	33.68	8.05	10.53	9.2	16.4
		18:04	25.62	51.40	33.64	8.05	9.67	10.4	7.3
	21:04	25.61	51.01	33.36	8.05	10.13	10.6	19.5	
	日平均值		25.53	51.39	33.63	8.08	8.37	12.16	25.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月8日	蚵殼站	0:04	25.12	51.43	33.81	8.39	7.48	2.8	2.0
		3:04	25.05	50.76	33.33	8.37	7.44	4.9	1.3
		6:04	24.91	51.91	34.16	8.42	7.58	5.8	3.3
		9:04	24.78	51.22	33.67	8.46	7.60	8.3	2.0
		12:04	25.27	51.54	33.90	8.35	7.65	9.6	1.0
		15:04	25.53	51.26	33.69	8.29	7.36	6.8	2.2
		18:04	25.35	50.60	33.22	8.37	7.51	13.7	1.1
	21:04	25.26	51.04	33.55	8.34	7.30	11.0	1.5	
	日平均值		25.16	51.22	33.67	8.37	7.49	7.86	1.80
	潮口站	0:04	25.45	50.39	33.19	8.23	6.92	3.2	9.7
		3:04	26.05	50.83	33.51	8.13	6.48	3.8	10.1
		6:04	26.08	51.62	34.07	8.13	6.37	6.1	13.8
		9:04	25.43	50.32	33.15	8.25	7.01	3.2	26.5
		12:04	25.76	49.93	32.86	8.25	7.28	5.4	19.8
		15:04	26.36	49.99	32.89	8.13	6.94	0.8	11.3
		18:04	26.32	50.93	33.57	8.13	6.75	3.7	31.5
	21:04	25.90	50.89	33.56	8.17	6.99	6.6	2.7	
	日平均值		25.92	50.61	33.35	8.18	6.84	4.10	15.68
	灣內站	0:04	25.51	51.11	33.43	8.16	8.22	11.6	27.2
		3:04	25.40	51.64	33.82	7.97	6.04	12.9	14.7
		6:04	25.27	51.82	33.96	7.99	5.91	13.4	19.6
		9:04	25.33	51.81	33.95	8.08	6.01	13.8	22.1
		12:04	25.67	51.06	33.39	7.92	11.49	12.8	34.4
		15:04	25.92	51.08	33.40	7.92	12.28	14.3	33.9
		18:04	26.00	51.53	33.73	8.00	9.48	14.9	22.6
	21:04	25.66	51.06	33.40	8.06	9.86	15.0	34.0	
	日平均值		25.60	51.39	33.64	8.01	8.66	13.59	26.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月9日	蚵殼站	0:04	25.28	52.00	34.23	8.30	7.41	9.1	2.7
		3:04	25.18	51.65	33.99	8.32	7.45	23.3	1.8
		6:04	24.93	52.17	34.38	8.36	7.46	22.2	6.1
		9:04	24.98	51.72	34.06	8.44	7.52	17.1	2.7
		12:04	25.34	52.24	34.40	8.23	6.91	2.8	3.4
		15:04	25.27	52.11	34.28	8.27	6.81	4.0	8.2
		18:04	25.23	52.06	34.25	8.34	6.87	4.5	7.7
	21:04	25.28	51.94	34.16	8.38	6.97	3.2	3.1	
	日平均值		25.19	51.99	34.22	8.33	7.18	10.78	4.46
	潮口站	0:04	25.80	49.95	32.87	8.14	6.56	9.5	6.7
		3:04	25.79	50.18	33.05	8.15	6.27	3.6	28.4
		6:04	26.04	51.13	33.73	8.13	6.65	1.2	38.6
		9:04	25.48	50.25	33.11	8.18	6.21	6.6	51.3
		12:04	25.71	50.56	33.32	8.13	5.96	9.6	45.5
		15:04	26.31	51.74	33.99	8.10	6.61	0.8	0.1
		18:04	26.26	52.14	34.28	8.11	6.53	1.8	4.2
	21:04	26.00	52.11	34.27	8.14	6.51	7.5	6.8	
	日平均值		25.92	51.01	33.58	8.14	6.41	5.08	22.70
	灣內站	0:04	25.46	50.65	33.11	7.97	7.84	15.3	23.5
		3:04	25.42	51.19	33.51	8.11	6.70	15.0	15.6
		6:04	25.50	51.94	34.06	8.16	5.89	15.5	14.9
		9:04	25.52	51.85	33.99	8.19	5.87	14.3	13.8
		12:04	25.66	51.69	33.89	8.12	8.21	7.7	14.1
		15:04	25.78	52.01	34.12	8.16	9.75	13.4	43.2
		18:04	25.74	52.29	34.32	8.10	9.49	11.9	23.0
	21:04	25.87	52.06	34.15	8.14	7.66	10.1	23.1	
	日平均值		25.62	51.71	33.89	8.12	7.68	12.90	21.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月10日	蚵殼站	0:04	25.25	51.76	34.03	8.35	6.97	3.7	0.2
		3:04	25.07	49.75	32.55	8.35	7.12	3.5	2.8
		6:04	24.98	50.24	32.90	8.30	7.00	3.3	0.9
		9:04	24.92	50.16	32.85	8.29	6.95	4.2	1.2
		12:04	25.07	50.35	32.99	8.37	7.20	4.8	20.8
		15:04	25.19	50.92	33.40	8.35	7.24	4.2	10.2
		18:04	25.02	50.82	33.32	8.37	7.29	3.4	7.9
	21:04	24.82	51.21	33.62	8.38	7.21	2.6	3.5	
	日平均值		25.04	50.65	33.21	8.35	7.12	3.71	5.94
	潮口站	0:04	25.91	51.99	34.18	8.12	6.07	15.6	4.1
		3:04	25.71	51.36	33.72	8.13	6.07	12.2	4.2
		6:04	26.08	52.24	34.36	8.12	6.48	5.4	3.2
		9:04	25.55	51.08	33.52	8.14	6.10	7.7	1.9
		12:04	25.61	51.06	33.50	8.12	6.01	8.7	2.6
		15:04	26.23	52.33	34.42	8.07	6.53	3.9	2.9
		18:04	26.17	52.22	34.34	8.09	6.57	2.5	2.6
	21:04	25.54	51.38	33.74	8.12	6.50	3.7	4.1	
	日平均值		25.85	51.71	33.97	8.11	6.29	7.46	3.20
	灣內站	0:04	25.60	52.10	34.19	8.11	7.07	7.1	17.4
		3:04	25.34	50.08	32.70	8.25	7.44	6.0	13.4
		6:04	25.33	50.93	33.33	8.14	6.36	6.0	2.1
		9:04	25.31	50.95	33.34	8.21	6.04	6.7	5.1
		12:04	25.33	50.20	32.79	8.48	6.02	7.6	9.0
		15:04	25.23	50.28	32.86	8.22	7.42	5.7	2.3
		18:04	25.09	50.59	33.08	8.32	6.86	5.3	4.8
	21:04	24.67	49.50	32.29	8.34	7.22	6.3	5.3	
	日平均值		25.24	50.58	33.07	8.26	6.80	6.34	7.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月11日	蚵殼站	0:04	24.29	50.58	33.17	8.32	7.12	2.9	4.7
		3:04	23.80	50.16	32.87	8.46	7.48	2.3	0.3
		6:04	23.29	49.46	32.36	8.41	7.41	3.1	3.7
		9:04	23.68	50.00	32.74	8.36	7.38	2.8	7.4
		12:04	24.39	50.05	32.76	8.40	7.37	3.1	11.0
		15:04	24.90	51.67	33.94	8.34	7.27	2.8	7.4
		18:04	25.02	51.92	34.12	8.35	7.09	2.7	7.7
		21:04	24.96	51.82	34.05	8.36	7.05	3.2	2.8
	日平均值		24.29	50.71	33.25	8.38	7.27	2.86	5.63
	潮口站	0:04	25.06	50.95	33.44	8.14	5.91	10.8	2.1
		3:04	24.83	50.60	33.18	8.17	5.77	4.3	0.4
		6:04	25.62	52.36	34.47	8.07	6.39	5.1	4.8
		9:04	25.04	51.60	33.91	8.13	6.07	6.4	2.1
		12:04	25.42	50.34	32.98	8.12	6.29	0.7	0.9
		15:04	26.13	51.59	33.88	8.12	6.56	1.6	1.3
		18:04	25.92	51.04	33.47	8.10	6.49	0.8	0.3
		21:04	25.74	51.50	33.82	8.17	6.39	4.5	2.6
	日平均值		25.47	51.25	33.64	8.13	6.23	4.28	1.81
	灣內站	0:04	24.90	50.15	32.77	8.42	7.17	4.5	12.5
		3:04	23.95	45.38	29.31	8.33	5.84	11.5	10.2
		6:04	24.86	50.31	32.88	8.47	6.28	4.6	9.4
		9:04	24.56	49.54	32.33	8.41	7.03	4.9	8.4
		12:04	24.87	47.34	30.72	8.38	8.60	6.4	13.0
		15:04	25.29	48.04	31.22	8.23	10.16	6.2	21.0
		18:04	25.55	51.18	33.52	8.38	6.19	6.4	5.4
		21:04	25.45	50.87	33.29	8.15	6.06	4.7	10.5
	日平均值		24.93	49.10	32.01	8.35	7.17	6.15	11.30
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月12日	蚵殼站	0:04	24.36	49.72	32.52	8.35	7.32	2.7	4.3
		3:04	24.17	49.90	32.66	8.39	7.37	2.0	3.9
		6:04	23.89	50.20	32.88	8.46	7.39	2.2	1.1
		9:04	23.89	50.50	33.10	8.34	7.31	2.5	1.2
		12:04	24.39	49.94	32.68	8.39	7.47	1.9	1.6
		15:04	25.07	51.71	33.97	8.36	7.24	3.5	1.7
		18:04	25.27	52.56	34.58	8.23	7.01	3.5	3.0
		21:04	25.23	52.61	34.62	8.31	6.94	2.8	2.3
	日平均值		24.53	50.89	33.38	8.35	7.26	2.64	2.39
	潮口站	0:04	25.55	50.71	33.24	8.15	6.18	9.9	2.1
		3:04	24.92	48.75	31.81	8.20	6.36	1.8	2.2
		6:04	25.68	50.79	33.29	8.02	6.19	3.3	5.8
		9:04	25.18	49.97	32.70	8.13	6.40	0.9	4.0
		12:04	25.07	48.14	31.38	8.21	7.45	1.2	2.6
		15:04	25.88	50.17	32.83	8.06	6.52	5.4	1.6
		18:04	25.83	51.72	33.98	8.27	6.56	2.5	4.3
		21:04	25.61	50.15	32.83	8.27	6.39	2.2	3.0
	日平均值		25.47	50.05	32.76	8.16	6.51	3.40	3.20
	灣內站	0:04	24.93	50.30	32.88	8.09	6.76	5.5	15.0
		3:04	24.18	48.09	31.28	8.14	6.84	5.5	14.3
		6:04	24.02	48.67	31.70	8.17	5.87	4.8	11.6
		9:04	24.81	50.92	33.33	8.27	6.21	4.8	5.1
		12:04	24.57	48.23	31.37	8.09	8.34	5.2	10.6
		15:04	25.16	48.58	31.62	8.15	8.53	6.8	16.4
		18:04	25.29	51.04	33.42	8.21	7.26	4.5	8.3
		21:04	25.45	51.76	33.94	8.12	6.35	5.0	4.8
	日平均值		24.80	49.70	32.44	8.16	7.02	5.26	10.76
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月13日	蚵殼站	0:04	24.50	50.70	33.23	8.37	7.20	3.3	8.0
		3:04	24.11	50.60	33.17	8.40	7.37	3.4	6.1
		6:04	23.82	50.61	33.18	8.39	7.39	3.5	3.7
		9:04	23.94	51.00	33.46	8.39	7.19	3.6	5.6
		12:04	24.90	51.60	33.88	8.33	7.25	3.8	1.3
		15:04	25.53	52.33	34.40	8.30	7.16	3.8	7.8
		18:04	25.48	52.76	34.72	8.28	7.08	3.8	22.9
		21:04	25.49	52.27	34.37	8.31	7.45	3.9	16.6
	日平均值		24.72	51.48	33.80	8.35	7.26	3.64	9.00
	潮口站	0:04	25.05	48.57	31.68	8.32	6.43	9.6	3.8
		3:04	24.99	49.45	32.33	8.29	6.53	2.8	2.4
		6:04	25.54	51.96	34.16	8.18	6.30	4.0	1.5
		9:04	25.64	51.69	33.96	8.23	6.41	5.7	2.8
		12:04	25.36	49.60	32.43	8.33	7.98	1.9	8.6
		15:04	26.00	50.54	33.10	8.24	7.05	1.5	6.9
		18:04	25.80	50.97	33.43	8.28	6.67	2.7	1.1
		21:04	25.84	51.75	34.00	8.27	6.57	0.6	1.9
	日平均值		25.53	50.57	33.14	8.27	6.74	3.60	3.63
	灣內站	0:04	25.25	50.99	33.38	8.10	6.69	4.7	8.0
		3:04	24.79	51.23	33.57	8.07	5.74	4.2	9.2
		6:04	25.02	51.74	33.93	8.17	4.22	5.2	9.4
		9:04	24.91	51.79	33.99	8.20	5.54	11.8	6.1
		12:04	25.25	50.19	32.79	8.19	7.44	5.1	7.4
		15:04	25.56	49.72	32.44	8.22	8.18	5.2	13.2
		18:04	25.69	51.61	33.83	8.24	8.72	5.7	16.4
		21:04	25.64	51.82	33.99	8.15	7.41	4.8	11.5
	日平均值		25.26	51.14	33.49	8.17	6.74	5.84	10.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月14日	蚵殼站	0:04	24.80	51.30	33.67	8.36	7.33	4.0	10.4
		3:04	24.64	51.27	33.65	8.37	7.54	3.7	15.3
		6:04	24.59	51.25	33.64	8.37	7.28	3.4	12.6
		9:04	24.49	51.22	33.62	8.41	7.30	3.0	14.5
		12:04	25.14	50.78	33.28	8.43	7.62	4.2	16.8
		15:04	25.54	51.95	34.13	8.27	7.15	3.8	7.4
		18:04	25.52	51.69	33.94	8.49	7.86	4.9	29.7
		21:04	25.51	51.29	33.65	8.50	7.82	3.7	27.9
	日平均值		25.03	51.34	33.70	8.40	7.49	3.84	16.83
	潮口站	0:04	25.63	50.41	33.02	8.28	6.99	2.9	11.0
		3:04	25.47	50.65	33.20	8.25	6.96	4.3	8.7
		6:04	25.31	49.96	32.70	8.24	6.41	3.2	5.8
		9:04	25.62	51.08	33.52	8.21	6.31	3.3	0.7
		12:04	26.12	49.45	32.32	8.27	9.31	2.1	14.6
		15:04	26.19	49.78	32.55	8.30	9.61	5.1	20.1
		18:04	25.83	51.99	34.18	8.23	6.71	0.0	4.6
		21:04	25.79	51.18	33.58	8.19	6.73	1.4	4.2
	日平均值		25.75	50.56	33.13	8.25	7.38	2.79	8.71
	灣內站	0:04	25.51	51.47	33.73	8.21	7.79	4.8	13.9
		3:04	25.01	51.38	33.67	8.15	7.38	5.8	12.0
		6:04	25.20	51.72	33.92	8.27	6.21	6.1	10.8
		9:04	25.28	51.37	33.66	8.16	5.86	7.4	12.0
		12:04	25.57	49.78	32.48	8.31	9.33	6.2	18.3
		15:04	25.84	49.85	32.53	8.24	11.58	6.8	37.4
		18:04	25.87	51.07	33.43	8.34	11.46	6.0	23.0
		21:04	25.79	51.27	33.58	8.19	9.59	5.9	22.0
	日平均值		25.51	50.99	33.38	8.23	8.65	6.13	18.68
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月15日	蚵殼站	0:04	25.02	50.46	33.05	8.51	7.73	3.7	18.3
		3:04	24.85	48.62	31.73	8.46	7.79	3.9	16.1
		6:04	24.57	48.35	31.55	8.37	7.55	3.5	11.8
		9:04	24.71	48.07	31.34	8.41	7.59	3.4	15.7
		12:04	25.29	49.05	32.04	8.41	7.49	3.1	13.3
		15:04	25.39	49.61	32.44	8.40	7.53	4.0	7.5
		18:04	25.30	50.27	32.94	8.38	7.44	3.2	11.3
		21:04	25.08	50.49	33.10	8.38	7.52	4.3	7.1
	日平均值		25.03	49.37	32.27	8.42	7.58	3.64	12.64
	潮口站	0:04	25.82	49.79	32.56	8.29	10.30	3.4	20.5
		3:04	25.79	50.42	33.03	8.22	8.49	2.0	17.6
		6:04	25.26	50.01	32.74	8.28	8.25	5.4	13.1
		9:04	25.45	51.79	34.04	8.21	6.52	4.1	1.4
		12:04	25.94	50.60	33.16	8.20	7.83	9.2	10.3
		15:04	26.03	50.37	32.99	8.21	8.84	7.2	14.9
		18:04	25.55	51.14	33.56	8.21	6.72	1.3	7.3
		21:04	25.46	51.48	33.82	8.22	6.73	0.9	0.3
	日平均值		25.66	50.70	33.24	8.23	7.96	4.19	10.68
	灣內站	0:04	25.44	51.01	33.39	8.14	9.44	6.0	12.2
		3:04	25.23	50.94	33.34	8.13	8.11	5.4	12.1
		6:04	25.24	50.97	33.38	8.14	6.12	7.1	4.4
		9:04	25.27	51.27	33.59	8.16	6.14	6.0	6.0
		12:04	25.50	50.05	32.69	8.22	9.33	6.3	18.3
		15:04	25.51	49.79	32.50	8.28	10.08	9.7	13.8
		18:04	25.44	49.09	32.00	8.25	9.98	9.9	26.4
		21:04	25.54	50.00	32.65	8.30	8.36	6.7	6.2
	日平均值		25.40	50.39	32.94	8.20	8.45	7.14	12.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月16日	蚵殼站	0:04	24.95	50.49	33.10	8.39	7.18	4.3	7.1
		3:04	24.50	49.67	32.53	8.42	7.63	4.5	10.6
		6:04	24.42	49.53	32.43	8.43	7.56	4.4	11.4
		9:04	24.40	48.90	31.98	8.43	7.61	4.2	5.0
		12:14	24.27	48.96	32.02	8.43	7.37	4.6	2.1
		15:04	24.14	49.54	32.42	8.45	7.73	4.1	6.9
		18:04	23.93	49.46	32.38	8.47	7.69	4.0	7.5
	21:04	23.69	48.78	31.89	8.50	7.64	5.0	7.8	
	日平均值		24.29	49.42	32.34	8.44	7.55	4.39	7.30
	潮口站	0:04	25.10	50.70	33.23	8.22	6.80	6.4	0.9
		3:04	25.19	51.79	34.01	8.22	6.86	6.6	6.0
		6:04	24.97	51.67	33.94	8.24	6.82	3.7	0.1
		9:04	24.93	52.18	34.31	8.25	6.68	3.8	0.6
		12:14	25.04	51.97	34.15	8.22	6.67	3.0	1.6
		15:04	24.91	51.97	34.14	8.26	7.08	3.8	5.4
		18:04	24.98	52.40	34.46	8.10	6.84	3.1	4.6
	21:04	24.92	52.29	34.38	8.24	6.77	1.9	3.0	
	日平均值		25.01	51.87	34.08	8.22	6.82	4.04	2.78
	灣內站	0:04	25.33	49.86	32.55	8.19	7.08	11.0	6.1
		3:04	25.04	49.61	32.39	8.24	6.89	11.9	2.8
		6:04	24.56	49.45	32.29	8.20	6.69	8.9	1.9
		9:04	24.34	49.18	32.12	8.21	5.81	8.8	2.7
		12:14	24.57	49.30	32.21	8.49	7.83	5.4	2.5
		15:04	24.43	49.00	32.01	8.27	7.83	8.4	5.6
		18:04	24.24	49.07	32.07	8.32	7.64	7.6	1.9
	21:04	24.10	49.14	32.14	8.38	7.67	6.5	4.8	
	日平均值		24.58	49.33	32.22	8.29	7.18	8.56	3.54
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月17日	蚵殼站	0:04	23.34	48.12	31.43	8.48	7.70	5.7	6.9
		3:04	23.29	48.11	31.42	8.42	7.81	3.5	1.1
		6:04	23.20	47.49	30.99	8.38	7.46	4.7	1.2
		9:04	22.86	46.35	30.20	8.38	7.42	5.4	6.2
		12:04	22.89	46.60	30.36	8.36	7.42	4.8	6.6
		15:04	23.22	47.50	30.99	8.37	7.54	3.8	9.8
		18:04	23.15	48.39	31.61	8.43	7.38	3.6	2.6
	21:04	23.00	48.22	31.48	8.41	7.40	4.1	7.1	
	日平均值		23.12	47.60	31.06	8.40	7.52	4.45	5.19
	潮口站	0:04	24.57	52.21	34.32	8.27	6.76	8.9	2.9
		3:04	24.07	52.15	34.30	8.28	6.26	8.4	0.6
		6:04	23.96	51.65	33.94	8.27	6.12	6.4	1.4
		9:04	23.98	51.55	33.86	8.30	6.65	3.0	0.1
		12:04	24.98	52.07	34.20	8.23	6.94	1.1	3.9
		15:04	25.02	51.81	34.02	8.23	6.72	3.8	3.3
		18:04	24.73	51.73	33.97	8.27	6.70	3.2	3.4
	21:04	24.84	51.97	34.14	8.25	6.92	4.2	2.8	
	日平均值		24.52	51.89	34.09	8.26	6.63	4.88	2.30
	灣內站	0:04	23.95	49.07	32.11	8.42	7.23	7.4	2.2
		3:04	23.36	48.73	31.87	8.37	6.13	7.1	0.8
		6:04	22.99	48.30	31.57	8.40	6.33	9.0	3.8
		9:04	23.12	47.60	31.08	8.53	6.04	7.4	4.9
		12:04	23.33	47.67	31.14	8.45	7.13	6.6	6.1
		15:04	23.50	47.80	31.25	8.50	7.66	7.4	6.8
		18:04	22.92	46.82	30.55	8.34	7.63	6.6	2.8
	21:04	23.51	48.49	31.76	8.38	7.66	7.3	10.6	
	日平均值		23.34	48.06	31.42	8.42	6.98	7.35	4.75
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月18日	蚵殼站	0:04	22.78	48.01	31.35	8.41	7.36	2.9	3.7
		3:04	22.26	48.08	31.39	8.48	7.57	3.5	8.1
		6:04	22.23	48.06	31.39	8.46	7.54	3.6	6.0
		9:04	22.23	46.27	30.13	8.37	7.48	3.6	5.3
		12:04	22.70	46.81	30.50	8.46	7.71	3.5	11.9
		15:04	23.11	48.16	31.44	8.44	7.55	3.4	15.3
		18:04	22.92	49.42	32.32	8.41	7.54	2.9	17.6
	21:04	22.95	49.15	32.12	8.42	7.49	4.3	11.8	
	日平均值		22.65	48.00	31.33	8.43	7.53	3.46	9.96
	潮口站	0:04	24.58	51.78	34.01	8.26	6.68	2.5	0.2
		3:04	24.23	51.75	33.99	8.26	6.84	8.4	5.3
		6:04	23.06	50.91	33.40	8.26	7.00	3.6	2.7
		9:04	23.15	50.79	33.31	8.33	6.82	5.9	1.2
		12:04	25.06	51.57	33.84	8.16	6.96	2.0	2.1
		15:04	25.23	51.74	33.95	8.20	7.02	3.4	9.8
		18:04	24.64	52.08	34.21	8.28	6.82	5.2	8.3
	21:04	24.91	52.18	34.29	8.20	6.82	5.3	3.8	
	日平均值		24.36	51.60	33.88	8.24	6.87	4.54	4.18
	灣內站	0:04	23.39	48.65	31.90	8.35	7.20	7.4	8.7
		3:04	23.41	49.10	32.23	8.40	6.30	6.5	10.2
		6:04	22.65	48.84	32.07	8.49	7.11	5.6	8.4
		9:04	22.75	48.97	32.17	8.42	7.33	7.2	6.7
		12:04	23.17	48.54	31.88	8.39	9.12	6.2	7.6
		15:04	23.39	48.78	32.05	8.43	11.19	6.1	19.1
		18:04	23.11	48.50	31.86	8.41	10.50	7.2	15.7
	21:04	22.97	48.65	31.99	8.51	9.92	6.0	12.8	
	日平均值		23.11	48.75	32.02	8.43	8.58	6.53	11.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月19日	蚵殼站	0:04	22.71	49.32	32.24	8.35	7.23	3.6	6.9
		3:04	22.56	48.74	31.84	8.31	7.59	5.5	11.4
		6:04	22.29	48.55	31.71	8.30	7.54	3.4	16.2
		9:04	22.20	47.46	30.95	8.42	7.99	2.6	25.6
		12:04	22.52	47.34	30.85	8.46	8.28	5.0	24.0
		15:04	22.68	47.85	31.21	8.36	8.00	7.9	23.4
		18:04	22.48	49.41	32.30	8.39	8.06	5.0	26.5
		21:04	22.37	49.00	32.01	8.40	7.89	6.2	28.1
	日平均值		22.48	48.46	31.64	8.37	7.82	4.90	20.26
	潮口站	0:04	24.59	52.46	34.49	8.23	6.60	10.5	1.9
		3:04	24.16	52.22	34.32	8.28	6.93	5.2	3.1
		6:04	22.87	51.78	34.04	8.29	7.25	6.9	9.5
		9:04	22.84	51.08	33.52	8.43	8.21	3.5	9.8
		12:04	24.85	52.25	34.33	8.21	6.95	0.1	7.8
		15:04	25.01	52.23	34.31	8.22	7.01	11.7	1.1
		18:04	24.39	52.58	34.58	8.30	7.57	9.2	4.0
		21:04	23.51	52.17	34.30	8.38	8.60	6.0	8.7
	日平均值		24.03	52.10	34.24	8.29	7.39	6.64	5.74
	灣內站	0:04	23.19	49.23	32.43	8.37	8.23	8.3	17.2
		3:04	22.84	49.36	32.54	8.38	7.74	15.5	13.5
		6:04	22.63	48.98	32.28	8.46	7.30	6.6	2.7
		9:04	22.02	48.04	31.62	8.58	8.46	7.4	20.4
		12:04	22.87	48.07	31.65	8.40	12.28	8.2	26.8
		15:04	23.00	48.40	31.90	8.56	14.18	7.7	33.7
		18:04	22.84	48.46	31.96	8.57	13.88	7.9	29.2
		21:04	22.92	48.07	31.69	8.52	13.61	8.4	37.0
	日平均值		22.79	48.58	32.01	8.48	10.71	8.75	22.56
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月20日	蚵殼站	0:04	22.20	48.65	31.77	8.41	7.89	4.7	31.9
		3:04	22.13	48.99	32.00	8.41	7.85	5.3	32.1
		6:04	21.96	48.92	31.96	8.41	7.82	5.7	37.6
		9:04	22.16	47.73	31.12	8.44	8.10	4.2	27.2
		12:04	22.45	47.97	31.29	8.54	8.21	4.4	37.1
		15:04	22.53	47.98	31.30	8.39	8.10	4.3	26.1
		18:04	22.45	49.69	32.48	8.34	8.08	4.5	23.3
		21:04	22.30	48.58	31.72	8.46	8.21	9.3	19.5
	日平均值		22.27	48.56	31.71	8.43	8.03	5.30	29.35
	潮口站	0:04	24.48	52.61	34.60	8.25	7.08	6.5	9.9
		3:04	24.46	52.73	34.68	8.27	6.87	3.3	9.0
		6:04	23.47	52.19	34.31	8.39	8.10	2.2	4.7
		9:04	22.46	50.28	32.95	8.52	11.30	8.1	9.4
		12:04	24.58	52.11	34.22	8.22	7.14	9.2	4.5
		15:04	24.20	52.09	34.23	8.26	7.95	5.8	8.1
		18:04	23.87	52.21	34.31	8.40	9.27	1.5	6.7
		21:04	23.38	51.73	33.98	8.50	10.87	5.1	3.5
	日平均值		23.86	51.99	34.16	8.35	8.57	5.21	6.98
	灣內站	0:04	22.81	48.80	32.24	8.32	11.12	8.2	24.7
		3:04	22.75	49.20	32.55	8.47	10.23	8.4	17.4
		6:04	22.61	49.53	32.80	8.46	9.07	11.2	15.4
		9:04	22.62	49.22	32.58	8.48	9.50	10.6	14.2
		12:04	22.78	49.11	32.53	8.41	12.44	11.6	20.2
		15:04	22.76	49.15	32.57	8.45	13.52	13.8	18.5
		18:04	22.68	49.28	32.68	8.40	15.14	13.3	30.8
		21:04	22.41	48.47	32.13	8.50	15.90	16.0	44.9
	日平均值		22.68	49.10	32.51	8.44	12.12	11.64	23.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月21日	蚵殼站	0:04	22.31	49.16	32.12	8.49	8.11	8.4	26.0
		3:04	22.24	50.52	33.06	8.40	8.06	23.5	25.4
		6:04	22.13	50.83	33.28	8.36	8.04	20.5	22.4
		9:04	22.27	50.68	33.17	8.42	8.13	10.9	16.7
		12:04	22.76	51.26	33.44	8.50	7.86	7.4	26.6
		15:04	23.16	51.80	33.84	8.35	7.61	3.4	14.5
		18:04	22.86	51.91	33.92	8.43	7.59	2.6	12.0
		21:04	22.82	51.67	33.75	8.42	7.66	3.2	12.2
	日平均值		22.57	50.98	33.32	8.42	7.88	9.99	19.48
	潮口站	0:04	23.94	52.32	34.39	8.34	8.04	1.9	6.0
		3:04	24.10	52.61	34.60	8.33	7.33	5.5	7.3
		6:04	23.37	51.19	33.58	8.37	8.63	7.3	1.6
		9:04	22.73	50.41	33.04	8.54	10.73	1.3	4.6
		12:34	24.73	52.89	34.36	8.15	7.03	5.3	3.3
		15:04	24.73	52.56	34.12	8.16	7.36	5.9	1.6
		18:04	24.47	52.48	34.07	8.22	7.59	2.7	4.1
		21:04	24.42	52.53	34.11	8.25	7.14	2.9	3.0
	日平均值		24.06	52.12	34.03	8.30	7.98	4.10	3.94
	灣內站	0:04	22.51	49.24	32.70	8.53	13.36	13.2	15.9
		3:04	22.53	49.61	32.99	8.45	11.62	12.4	15.1
		6:04	22.18	49.18	32.69	8.41	12.68	14.9	20.5
		9:04	22.18	49.45	32.91	8.50	13.49	13.4	35.7
		12:04	23.10	50.62	33.23	8.47	14.96	5.6	31.3
		15:04	23.45	51.54	33.90	8.32	15.25	7.6	33.4
		18:04	23.42	51.32	33.74	8.29	14.51	3.4	26.2
		21:04	23.44	50.69	33.28	8.31	15.82	5.1	32.7
	日平均值		22.85	50.21	33.18	8.41	13.96	9.45	26.35
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月22日	蚵殼站	0:04	22.62	51.88	33.16	8.70	8.01	2.5	15.3
		3:04	22.62	51.42	33.83	8.53	7.86	2.8	22.2
		6:04	22.61	51.77	33.96	8.39	7.46	2.5	11.4
		9:04	22.59	51.72	34.05	8.44	7.82	2.4	17.2
		12:04	23.39	52.11	33.83	8.29	7.69	2.5	10.5
		15:04	23.49	52.59	34.18	8.29	7.46	3.1	10.0
		18:04	23.37	52.89	34.40	8.26	7.35	2.6	1.1
		21:04	23.34	52.76	34.31	8.32	7.23	3.0	5.7
	日平均值		23.00	52.14	33.97	8.40	7.61	2.68	11.68
	潮口站	0:04	24.31	52.51	34.11	8.27	6.98	7.4	7.4
		3:04	24.49	52.85	34.36	8.41	6.93	4.4	9.1
		6:04	24.41	53.06	34.54	8.47	6.78	4.1	9.9
		9:04	22.99	51.12	33.11	8.80	11.73	6.4	5.4
		12:04	23.74	51.81	33.61	8.70	9.70	9.5	4.2
		15:04	25.06	53.08	34.54	8.45	6.84	6.8	4.6
		18:04	24.94	52.97	34.46	8.36	6.76	6.3	8.1
		21:04	24.65	52.81	34.36	8.49	7.07	3.8	7.9
	日平均值		24.32	52.53	34.14	8.49	7.85	6.09	7.08
	灣內站	0:04	23.28	50.64	33.24	8.33	14.37	6.4	23.5
		3:04	23.31	51.80	34.09	8.48	12.53	2.6	13.1
		6:04	23.11	51.81	34.11	8.58	11.66	2.8	10.8
		9:04	23.22	51.93	34.20	8.45	10.29	5.0	9.1
		12:04	23.71	51.33	33.74	8.38	13.17	4.0	18.4
		15:04	24.06	51.74	34.04	8.41	12.43	4.8	11.7
		18:04	23.93	51.73	34.03	8.46	12.05	3.9	10.7
		21:04	23.84	51.35	33.76	8.44	11.34	5.5	11.1
	日平均值		23.56	51.54	33.90	8.44	12.23	4.38	13.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月23日	蚵殼站	0:04	23.37	52.59	33.88	8.34	7.33	2.6	5.8
		3:04	23.27	52.60	33.89	8.29	7.27	3.1	4.3
		6:04	23.00	52.13	33.55	8.32	7.29	2.6	8.6
		9:04	23.09	51.89	33.66	8.36	7.45	2.3	10.2
		12:04	23.83	51.50	33.86	8.27	7.40	2.4	10.0
		15:04	24.02	52.24	33.81	8.23	7.44	2.5	11.4
		18:04	23.58	52.71	33.97	8.23	7.08	2.4	0.1
		21:04	24.12	52.13	33.73	8.30	7.44	2.5	8.3
	日平均值		23.54	52.22	33.79	8.29	7.34	2.55	7.34
	潮口站	0:04	24.36	52.75	34.32	8.51	6.72	7.8	8.0
		3:04	24.45	52.98	34.51	8.45	6.70	7.9	6.6
		6:04	24.63	53.45	34.86	8.41	6.47	9.5	9.3
		9:04	23.71	52.83	34.42	8.37	6.69	3.8	8.7
		12:04	24.74	52.89	34.45	8.23	7.33	8.3	2.5
		15:04	25.10	53.41	34.83	8.11	6.84	2.4	3.2
		18:04	25.08	53.51	34.91	8.14	6.68	4.2	1.8
		21:04	24.74	52.88	34.45	8.19	7.82	5.4	3.8
	日平均值		24.60	53.09	34.59	8.30	6.91	6.16	5.49
	灣內站	0:04	23.57	51.32	33.74	8.40	10.76	6.2	11.9
		3:04	23.50	51.82	34.11	8.32	8.68	6.0	4.7
		6:04	23.44	51.84	34.13	8.45	7.85	6.7	2.5
		9:04	23.39	51.54	33.90	8.37	8.78	5.4	8.5
		12:04	24.72	51.45	33.81	8.31	9.47	4.3	6.3
		15:04	24.92	50.79	33.32	8.18	12.12	4.9	14.4
		18:04	25.03	51.09	33.54	8.26	11.42	4.5	9.7
		21:04	24.95	51.16	33.59	8.26	9.92	5.7	8.2
	日平均值		24.19	51.38	33.77	8.32	9.88	5.46	8.28
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月24日	蚵殼站	0:04	24.15	51.56	33.90	8.25	7.46	2.4	8.5
		3:04	23.92	51.57	33.92	8.20	7.31	2.5	6.6
		6:04	23.79	51.54	33.89	8.19	7.28	3.1	8.3
		9:04	23.89	51.07	33.54	8.16	7.24	2.7	12.0
		12:04	24.88	51.38	33.76	8.19	7.10	2.8	9.2
		15:04	25.06	52.27	34.41	8.07	7.10	3.7	8.8
		18:04	24.53	52.45	34.48	8.08	7.12	3.2	8.7
		21:04	24.82	52.01	34.15	8.13	7.10	3.0	2.1
	日平均值		24.38	51.73	34.01	8.16	7.21	2.93	8.03
	潮口站	0:04	24.74	52.07	33.86	8.27	9.74	5.1	4.1
		3:04	24.76	52.35	34.07	8.14	8.04	2.6	3.5
		6:04	24.84	53.43	34.87	8.05	6.61	1.1	1.4
		9:04	24.28	51.66	33.57	8.32	10.04	6.4	2.6
		12:04	25.15	51.73	33.61	8.26	10.31	2.6	3.8
		15:04	25.30	53.64	35.04	8.04	7.09	3.1	0.1
		18:04	25.02	53.21	34.72	8.06	6.80	8.1	2.6
		21:04	25.15	52.98	34.56	8.06	6.75	9.9	3.8
	日平均值		24.91	52.63	34.29	8.15	8.17	4.86	2.74
	灣內站	0:04	24.58	50.29	32.96	8.22	10.03	5.7	11.2
		3:04	24.37	50.52	33.13	8.29	8.97	6.0	9.1
		6:04	24.08	51.51	33.87	8.34	7.64	6.4	7.7
		9:04	24.10	51.37	33.77	8.18	7.55	6.9	8.1
		12:04	25.17	50.34	32.98	8.19	9.83	5.6	5.6
		15:04	25.34	50.77	33.29	8.14	11.18	5.8	23.6
		18:04	25.11	51.06	33.51	8.21	10.48	4.7	12.6
		21:04	24.90	51.11	33.56	8.10	9.19	6.0	11.2
	日平均值		24.71	50.87	33.38	8.21	9.36	5.89	11.14
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月25日	蚵殼站	0:04	24.61	51.30	33.63	8.14	7.12	2.7	7.2
		3:04	24.34	50.91	33.34	8.24	7.09	3.4	11.8
		6:04	24.26	51.03	33.44	8.14	7.14	2.8	9.6
		9:04	24.28	51.43	33.73	8.14	7.18	2.7	9.2
		12:04	24.79	51.26	33.59	8.10	7.16	2.2	7.2
		15:04	24.85	51.60	33.84	8.08	6.92	2.8	9.4
		18:04	24.64	51.67	33.91	8.11	6.98	3.3	15.2
	21:04	24.57	51.54	33.81	8.10	7.08	2.9	6.9	
	日平均值		24.54	51.34	33.66	8.13	7.08	2.85	9.56
	潮口站	0:04	25.18	52.29	34.05	8.16	8.15	7.9	3.8
		3:04	24.94	51.90	33.76	8.02	8.14	6.4	8.8
		6:04	24.92	52.98	34.59	8.14	6.63	9.5	3.5
		9:04	24.99	53.01	34.62	8.22	6.52	6.6	3.8
		12:04	25.30	52.29	34.07	8.26	7.45	5.6	0.5
		15:04	25.09	53.14	34.72	8.14	7.13	8.5	1.4
		18:04	25.12	52.89	34.54	8.13	6.91	9.3	2.9
	21:04	25.05	52.75	34.44	8.14	6.83	1.8	2.9	
	日平均值		25.07	52.66	34.35	8.15	7.22	6.95	3.45
	灣內站	0:04	24.84	50.09	32.81	8.15	8.90	6.7	11.9
		3:04	24.90	50.26	32.93	8.21	7.99	6.4	12.9
		6:04	24.49	50.79	33.33	8.25	7.61	5.6	11.1
		9:04	24.53	51.07	33.54	8.16	7.97	5.0	10.9
		12:04	25.70	49.90	32.64	8.25	12.53	8.3	53.6
		15:04	25.43	50.21	32.88	8.10	10.62	7.5	22.4
		18:04	25.29	51.63	33.93	8.10	9.74	6.1	8.2
	21:04	25.10	51.30	33.69	8.09	11.46	5.0	18.1	
	日平均值		25.04	50.66	33.22	8.16	9.60	6.33	18.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月26日	蚵殼站	0:04	24.49	51.78	33.99	8.12	7.14	2.8	3.1
		3:04	24.47	51.92	34.09	8.51	7.11	2.8	4.2
		6:04	24.30	51.65	33.89	8.11	7.14	2.7	6.8
		9:04	23.97	51.68	33.91	8.16	7.19	3.0	5.9
		12:04	24.48	50.53	33.06	8.13	7.17	3.3	7.5
		15:04	24.60	52.57	34.56	8.07	7.02	3.6	11.6
		18:04	24.54	52.52	34.53	8.09	6.97	5.2	5.7
		21:04	24.29	52.71	34.67	8.06	6.87	5.4	4.8
	日平均值		24.39	51.92	34.09	8.16	7.08	3.60	6.20
	潮口站	0:04	25.00	52.27	34.09	8.10	6.83	9.7	1.6
		3:04	24.76	51.63	33.62	8.09	7.63	3.4	3.8
		6:04	24.65	52.67	34.41	8.07	6.73	4.5	1.6
		9:04	24.61	52.92	34.60	8.22	6.63	5.0	6.7
		12:04	25.08	52.38	34.19	8.20	7.40	9.0	3.8
		15:04	24.87	52.94	34.62	8.09	7.06	4.3	1.6
		18:04	24.84	53.12	34.77	8.09	6.83	9.9	8.4
		21:04	24.93	53.19	34.81	8.09	6.77	5.8	3.8
	日平均值		24.84	52.64	34.39	8.12	6.99	6.45	3.91
	灣內站	0:04	24.91	50.70	33.24	8.18	9.49	6.1	14.5
		3:04	24.88	51.97	34.19	8.49	7.47	6.6	8.3
		6:04	24.31	51.60	33.92	8.18	7.33	6.6	18.0
		9:04	24.37	52.00	34.21	8.21	7.38	5.0	2.9
		12:04	25.20	52.12	34.28	8.12	9.14	6.1	11.5
		15:04	25.03	51.29	33.68	8.32	11.25	6.7	16.2
		18:04	24.91	51.93	34.16	8.19	9.21	8.4	11.1
		21:04	24.67	51.77	34.04	8.10	8.25	6.0	17.5
	日平均值		24.79	51.67	33.97	8.22	8.69	6.44	12.50
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月27日	蚵殼站	0:04	24.10	51.82	34.02	8.19	7.15	7.6	5.8
		3:04	23.83	51.16	33.54	8.21	7.22	6.1	6.7
		6:04	23.69	51.49	33.79	8.10	7.12	8.1	7.8
		9:04	23.63	51.76	33.98	8.12	7.12	6.0	6.0
		12:04	24.08	51.85	34.05	8.09	7.12	4.4	7.4
		15:04	24.39	52.12	34.23	8.16	6.98	4.9	5.1
		18:04	24.45	52.59	34.58	8.31	7.30	9.6	23.8
		21:04	24.25	52.46	34.49	8.13	7.30	12.6	7.4
	日平均值		24.05	51.91	34.09	8.16	7.16	7.41	8.75
	潮口站	0:04	24.70	52.28	34.14	8.23	7.43	5.6	3.4
		3:04	24.64	51.78	33.79	8.31	7.38	8.1	2.6
		6:04	24.45	52.34	34.22	8.05	6.76	4.4	2.8
		9:04	24.64	52.57	34.39	8.05	6.67	6.0	3.8
		12:04	24.76	51.80	33.82	8.11	8.00	7.7	8.1
		15:04	24.81	52.32	34.20	8.12	6.88	3.7	2.7
		18:04	24.86	53.06	34.77	8.13	6.84	4.3	3.4
		21:04	24.85	53.27	34.95	8.13	6.73	4.4	9.7
	日平均值		24.71	52.43	34.29	8.14	7.09	5.53	4.56
	灣內站	0:04	24.12	50.28	32.96	8.19	8.41	4.7	7.9
		3:04	24.09	48.79	31.87	8.25	7.98	5.4	7.5
		6:04	24.25	49.54	32.42	8.20	6.86	4.6	6.7
		9:04	24.18	51.05	33.53	8.28	6.19	5.8	8.0
		12:04	24.60	50.93	33.43	8.24	8.19	6.9	30.5
		15:04	25.06	50.80	33.32	8.28	10.15	5.7	17.6
		18:04	24.52	48.96	31.99	8.20	9.22	6.8	7.4
		21:04	24.37	49.32	32.26	8.18	8.89	8.3	23.8
	日平均值		24.40	49.96	32.72	8.23	8.24	6.03	13.68
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月28日	蚵殼站	0:04	24.07	52.62	34.61	8.16	7.22	11.4	6.2
		3:04	23.86	52.52	34.53	8.19	7.13	8.8	5.2
		6:04	23.71	52.57	34.58	8.19	7.05	9.5	6.2
		9:04	23.63	52.51	34.53	8.13	7.14	9.0	10.0
		12:04	23.92	52.03	34.17	8.16	7.29	7.6	9.8
		15:04	24.15	52.51	34.52	8.15	7.21	7.9	10.1
		18:04	24.07	52.95	34.85	8.17	7.45	13.1	6.2
		21:04	24.02	53.07	34.93	8.16	6.94	13.6	6.0
	日平均值		23.93	52.60	34.59	8.16	7.18	10.11	7.46
	潮口站	0:04	24.26	52.71	34.54	8.26	6.62	13.0	10.3
		3:04	24.30	51.86	33.91	8.24	7.28	6.8	7.2
		6:04	24.28	52.31	34.25	8.12	6.77	7.2	6.5
		9:04	24.04	52.39	34.32	8.18	6.66	7.1	12.1
		12:04	24.48	51.87	33.92	8.17	7.03	6.7	5.2
		15:04	24.54	52.23	34.21	8.12	6.73	3.4	4.1
		18:04	24.34	52.15	34.15	8.19	6.85	9.4	8.8
		21:04	24.31	52.77	34.63	8.12	6.62	5.3	4.2
	日平均值		24.32	52.29	34.24	8.18	6.82	7.36	7.30
	灣內站	0:04	24.18	48.07	31.36	8.28	9.64	4.6	15.6
		3:04	23.99	48.53	31.69	8.22	8.07	6.8	11.3
		6:04	24.05	49.03	32.06	8.36	7.71	5.5	16.8
		9:04	23.77	48.86	31.95	8.37	9.58	7.1	56.3
		12:04	24.20	47.77	31.14	8.39	11.22	6.4	26.2
		15:04	24.89	46.78	30.43	8.45	14.79	7.1	60.8
		18:04	24.35	48.84	31.93	8.31	13.88	5.1	8.6
		21:04	24.50	50.54	33.17	8.25	10.18	4.8	13.1
	日平均值		24.24	48.55	31.72	8.33	10.63	5.93	26.09
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月29日	蚵殼站	0:04	23.77	52.55	34.57	8.33	7.45	14.6	12.1
		3:04	23.32	52.16	34.28	8.26	7.40	14.0	5.7
		6:04	23.24	52.17	34.29	8.24	7.51	16.0	10.0
		9:04	22.92	51.74	33.98	8.31	7.57	8.6	11.4
		12:04	23.41	51.60	33.86	8.34	7.71	11.3	10.1
		15:04	23.69	51.82	34.03	8.28	7.70	10.0	21.5
		18:04	23.57	52.40	34.46	8.23	7.36	19.0	14.0
		21:04	23.47	52.39	34.46	8.19	7.36	17.4	4.9
	日平均值		23.42	52.10	34.24	8.27	7.51	13.86	11.21
	潮口站	0:04	24.15	52.59	34.51	8.14	7.16	2.3	6.1
		3:04	24.12	51.42	33.63	8.26	8.11	2.4	5.8
		6:04	23.94	51.56	33.75	8.16	7.20	2.1	11.3
		9:04	23.80	52.17	34.21	8.20	6.99	2.3	9.8
		12:04	24.08	51.32	33.58	8.21	7.11	6.1	4.4
		15:04	24.13	51.94	34.05	8.25	7.13	7.7	6.8
		18:04	24.30	51.60	33.80	8.30	7.15	5.5	4.4
		21:04	24.14	51.49	33.73	8.33	7.01	6.3	11.6
	日平均值		24.08	51.76	33.91	8.23	7.23	4.34	7.53
	灣內站	0:04	24.12	49.29	32.27	8.28	9.11	5.8	8.1
		3:04	23.75	49.45	32.40	8.24	8.51	5.2	8.2
		6:04	23.51	47.97	31.34	8.42	8.07	4.0	11.4
		9:04	23.38	49.12	32.17	8.41	8.87	13.8	11.1
		12:04	24.02	49.94	32.77	8.38	9.66	4.2	12.9
		15:04	24.58	50.59	33.23	8.30	11.12	6.6	24.0
		18:04	24.45	49.44	32.40	8.30	10.15	6.7	11.8
		21:04	24.07	49.24	32.27	8.20	11.46	5.9	23.8
	日平均值		23.99	49.38	32.36	8.32	9.62	6.53	13.91
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月30日	蚵殼站	0:04	23.11	51.97	34.14	8.25	7.43	20.5	12.2
		3:04	23.10	51.77	34.00	8.29	7.62	12.8	7.2
		6:04	23.04	51.97	34.15	8.23	7.41	12.6	10.1
		9:04	22.88	51.82	34.04	8.18	7.28	15.6	21.5
		12:04	23.10	51.13	33.53	8.19	7.59	17.2	10.0
		15:04	23.36	51.66	33.92	8.24	7.33	11.7	7.1
		18:04	23.39	51.96	34.13	8.18	7.18	26.8	11.9
		21:04	23.29	51.78	34.01	8.14	7.38	29.8	7.3
	日平均值		23.16	51.76	33.99	8.21	7.40	18.38	10.91
	潮口站	0:04	23.97	52.35	34.39	8.33	6.93	9.0	6.7
		3:04	23.72	51.76	33.96	8.37	7.69	6.7	14.3
		6:04	23.56	51.09	33.47	8.25	7.42	6.1	7.9
		9:04	23.80	51.77	33.98	8.12	6.85	4.6	6.7
		12:04	24.11	52.44	34.47	8.13	7.52	9.9	4.4
		15:04	24.23	51.57	33.83	8.09	7.58	4.8	3.9
		18:04	24.26	52.04	34.19	7.95	7.95	7.1	7.7
		21:04	24.16	52.17	34.30	8.02	7.31	5.2	3.8
	日平均值		23.98	51.90	34.07	8.16	7.41	6.68	6.93
	灣內站	0:04	23.59	49.52	32.49	8.32	10.18	5.3	23.2
		3:04	23.28	49.93	32.79	8.34	10.22	4.6	19.6
		6:04	23.31	50.19	33.00	8.41	9.42	8.5	20.9
		9:04	23.27	49.34	32.38	8.46	9.03	7.2	18.5
		12:04	23.47	49.74	32.68	8.32	10.90	6.5	21.5
		15:04	23.90	50.50	33.22	8.34	11.58	6.7	21.6
		18:04	23.75	50.37	33.15	8.34	10.72	6.7	16.5
		21:04	23.58	51.21	33.78	8.28	9.71	5.9	10.0
	日平均值		23.52	50.10	32.94	8.35	10.22	6.43	18.98
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

104年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月31日	蚵殼站	0:04	23.17	51.43	33.77	8.27	7.55	29.4	7.8
		3:04	23.02	51.36	33.71	8.30	7.55	36.3	10.6
		6:04	22.89	51.02	33.46	8.30	7.41	44.7	8.8
		9:04	22.80	50.99	33.44	8.24	7.62	41.4	10.8
		12:04	23.34	51.16	33.58	8.38	9.75	4.2	12.6
		15:04	23.40	51.35	33.69	8.45	10.53	4.3	17.2
		18:04	23.04	51.60	33.88	8.39	9.09	5.2	11.5
		21:04	23.00	51.71	33.96	8.44	9.83	3.8	14.3
	日平均值		23.08	51.33	33.69	8.35	8.67	21.16	11.70
	潮口站	0:04	23.94	52.65	34.67	8.05	7.42	5.2	3.6
		3:04	23.64	52.44	34.54	8.09	8.61	4.3	6.7
		6:04	23.56	51.47	33.81	8.13	7.97	4.7	6.7
		9:04	23.81	51.88	34.13	8.01	7.15	6.8	3.6
		12:04	24.37	52.58	34.64	7.91	7.34	6.0	3.8
		15:04	23.99	52.87	34.77	8.23	7.23	3.1	4.9
		18:04	23.63	52.80	34.72	8.26	7.45	2.4	2.4
		21:04	23.65	52.62	34.59	8.08	7.38	2.4	8.3
	日平均值		23.82	52.41	34.48	8.10	7.57	4.36	5.00
	灣內站	0:04	23.52	50.35	33.15	8.25	8.00	8.7	11.9
		3:04	23.27	50.99	33.63	8.35	6.75	6.1	20.0
		6:04	22.99	50.84	33.53	7.65	8.84	6.0	18.3
		9:04	22.93	51.33	33.90	8.44	9.24	6.1	18.8
		12:04	23.61	51.44	33.82	8.40	10.67	2.0	12.1
		15:04	23.92	51.02	33.51	8.49	13.10	2.7	34.9
		18:04	23.90	51.24	33.67	8.47	12.52	2.9	27.2
		21:04	23.74	51.48	33.85	8.45	11.43	3.8	21.9
	日平均值		23.49	51.09	33.63	8.31	10.07	4.79	20.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		